
## Mark E Weeks

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5543014/publications.pdf Version: 2024-02-01



MADE F WEEKS

#	Article	IF	CITATIONS
1	AGR2 Is a Novel Surface Antigen That Promotes the Dissemination of Pancreatic Cancer Cells through Regulation of Cathepsins B and D. Cancer Research, 2011, 71, 7091-7102.	0.9	124
2	The Role of S100P in the Invasion of Pancreatic Cancer Cells Is Mediated through Cytoskeletal Changes and Regulation of Cathepsin D. Cancer Research, 2007, 67, 8633-8642.	0.9	90
3	Cancer-Specific Transgene Expression Mediated by Systemic Injection of Nanoparticles. Cancer Research, 2009, 69, 2655-2662.	0.9	74
4	A parallel proteomic and metabolomic analysis of the hydrogen peroxide- and Sty1p-dependent stress response inSchizosaccharomyces pombe. Proteomics, 2006, 6, 2772-2796.	2.2	70
5	Intra-Tumor Genetic Heterogeneity in Wilms Tumor: Clonal Evolution and Clinical Implications. EBioMedicine, 2016, 9, 120-129.	6.1	61
6	Proteomic Analysis of Kveim Reagent Identifies Targets of Cellular Immunity in Sarcoidosis. PLoS ONE, 2017, 12, e0170285.	2.5	41
7	Analysis of the urine proteome in patients with pancreatic ductal adenocarcinoma. Proteomics - Clinical Applications, 2008, 2, 1047-1057.	1.6	39
8	GP consultation rates for sequelae after acute covid-19 in patients managed in the community or hospital in the UK: population based study. BMJ, The, 2021, 375, e065834.	6.0	36
9	Proteomics and Systems Biology: Current and Future Applications in the Nutritional Sciences. Advances in Nutrition, 2011, 2, 355-364.	6.4	34
10	Sarcoidosis and Tuberculosis Cytokine Profiles: Indistinguishable in Bronchoalveolar Lavage but Different in Blood. PLoS ONE, 2012, 7, e38083.	2.5	31
11	Cell surface nucleolin on developing muscle is a potential ligand for the axonal receptor protein tyrosine phosphatase-Ïf. FEBS Journal, 2006, 273, 4668-4681.	4.7	30
12	Is Wilms Tumor a Candidate Neoplasia for Treatment with WNT/β-Catenin Pathway Modulators?—A Report from the Renal Tumors Biology-Driven Drug Development Workshop. Molecular Cancer Therapeutics, 2013, 12, 2619-2627.	4.1	28
13	Stress-induced changes in theSchizosaccharomyces pombe proteome using two-dimensional difference gel electrophoresis, mass spectrometry and a novel integrated robotics platform. Proteomics, 2005, 5, 1669-1685.	2.2	24
14	Proteomic identification and characterization of hepatic glyoxalase 1 dysregulation in non-alcoholic fatty liver disease. Proteome Science, 2018, 16, 4.	1.7	20
15	Proteomic response ofSchizosaccharomyces pombe to static and oscillating extremely low-frequency electromagnetic fields. Proteomics, 2006, 6, 4755-4764.	2.2	17
16	AGR2, a unique tumor-associated antigen, is a promising candidate for antibody targeting. Oncotarget, 2019, 10, 4276-4289.	1.8	14
17	Global changes in gene expression observed at the transition from growth to stationary phase in Listeria monocytogenes ScottA batch culture. Proteomics, 2004, 4, 123-135.	2.2	13
18	Analysis of Multiple Leptospira interrogans Serovar Canicola Vaccine Proteomes and Identification of LipL32 as a Biomarker for Potency. Vaccine Journal, 2012, 19, 587-593.	3.1	13

MARK E WEEKS

#	Article	IF	CITATIONS
19	Application of Proteomics in Cancer Gene Profiling: Two-Dimensional Difference in Gel Electrophoresis (2D-DIGE). Methods in Molecular Biology, 2009, 576, 197-211.	0.9	9
20	Urinary Proteome Profiling Using 2D-DIGE and LC-MS/MS. Methods in Molecular Biology, 2010, 658, 293-309.	0.9	7
21	Mass spectrometry identification of circulating alpha-1-B glycoprotein, increased in aged female C57BL/6 mice. Biochimica Et Biophysica Acta - General Subjects, 2007, 1770, 79-86.	2.4	6
22	SPERM ASSOCIATED ANTIGEN 1 (SPAG1) IS EXPRESSED EARLY IN PANCREATIC TUMORIGENESIS AND PROMOTES MOTILITY OF CANCER CELLS. Pancreas, 2006, 33, 485-486.	1.1	0
23	Characterisation of an <i>in vitro</i> model for proteomic profiling of progressive steatosis in human hepatocytes. Proceedings of the Nutrition Society, 2010, 69, .	1.0	0