

Ingrid Cecilia Glimelius

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/554385/publications.pdf>

Version: 2024-02-01

93
papers

2,499
citations

346980

22
h-index

242451

47
g-index

94
all docs

94
docs citations

94
times ranked

3247
citing authors

#	ARTICLE	IF	CITATIONS
1	Unilateral or Bilateral Retroperitoneal Lymph Node Dissection in Nonseminoma Patients with Postchemotherapy Residual Tumour? Results from RETROP, a Population-based Mapping Study by the Swedish Norwegian Testicular Cancer Group. <i>European Urology Oncology</i> , 2022, 5, 235-243.	2.6	11
2	Limited, But Not Eliminated, Excess Long-Term Morbidity in Stage I-IIA Hodgkin Lymphoma Treated With Doxorubicin, Bleomycin, Vinblastine, and Dacarbazine and Limited-Field Radiotherapy. <i>Journal of Clinical Oncology</i> , 2022, 40, 1487-1496.	0.8	6
3	Patients in complete remission after R-CHOP(-like) therapy for diffuse large B-cell lymphoma have limited excess use of health care services in Denmark. <i>Blood Cancer Journal</i> , 2022, 12, 16.	2.8	3
4	Checkpoint $\langle scp \rangle$ CD47 $\langle /scp \rangle$ expression in classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2022, 197, 580-589.	1.2	12
5	Cardiovascular disease in patients with chronic lymphocytic leukemia: A Swedish nationwide register study with matched comparators. <i>American Journal of Hematology</i> , 2022, 97, .	2.0	2
6	Survival in mantle cell lymphoma after frontline treatment with R-bendamustine, R-CHOP and the Nordic MCL2 regimen – a real world study on patients diagnosed in Sweden 2007-2017. <i>Haematologica</i> , 2022, 107, 740-743.	1.7	9
7	Late relapses in Hodgkin lymphoma – should we search for the needle in the haystack?. <i>British Journal of Haematology</i> , 2022, 198, 11-13.	1.2	2
8	Clinical characteristics and outcomes among 2347 patients aged ≥ 85 years with major lymphoma subtypes: a Nordic Lymphoma Group study. <i>British Journal of Haematology</i> , 2021, 192, 551-559.	1.2	6
9	Maternal health, in-utero, and perinatal exposures and risk of thyroid cancer in offspring: a Nordic population-based nested case-control study. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 94-105.	5.5	10
10	Infiltration of CD163 $\langle sc \rangle$, PD $\langle sc \rangle$ 1 $\langle sc \rangle$ and FoxP3 $\langle sc \rangle$ positive cells adversely affects outcome in patients with mantle cell lymphoma independent of established risk factors. <i>British Journal of Haematology</i> , 2021, 193, 520-531.	1.2	12
11	Prognostic impact of soluble CD163 in patients with diffuse large B-cell lymphoma. <i>Haematologica</i> , 2021, 106, 2502-2506.	1.7	8
12	Revisiting IL-6 expression in the tumor microenvironment of classical Hodgkin lymphoma. <i>Blood Advances</i> , 2021, 5, 1671-1681.	2.5	13
13	Unmarried or less-educated patients with mantle cell lymphoma are less likely to undergo a transplant, leading to lower survival. <i>Blood Advances</i> , 2021, 5, 1638-1647.	2.5	8
14	Cancer Risk in Individuals With Major Birth Defects: Large Nordic Population Based Case-Control Study Among Children, Adolescents, and Adults. <i>Obstetrical and Gynecological Survey</i> , 2021, 76, 191-193.	0.2	0
15	Real-world data on treatment concepts in classical Hodgkin lymphoma in Sweden 2000–2014, focusing on patients aged ≥ 60 years. <i>EJHaem</i> , 2021, 2, 400-412.	0.4	3
16	Age is the most important predictor of survival in diffuse large B-cell lymphoma patients achieving event-free survival at 24 months: a Swedish population-based study. <i>British Journal of Haematology</i> , 2021, 193, 906-914.	1.2	12
17	Parenthood Rates and Use of Assisted Reproductive Techniques in Younger Hodgkin Lymphoma Survivors: A Danish Population-Based Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 3463-3472.	0.8	10
18	Clinical characteristics and factors associated with COVID-19-related death and morbidity among hospitalized patients with cancer: a Swedish cohort study. <i>Acta Oncologica</i> , 2021, 60, 1459-1465.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Detailed Long-Term Follow-Up of Patients Who Relapsed After the Nordic Mantle Cell Lymphoma Trials: MCL2 and MCL3. <i>HemaSphere</i> , 2021, 5, e510.	1.2	18
20	Parity is associated with better prognosis in ovarian germ cell tumors, but not in other ovarian cancer subtypes. <i>International Journal of Cancer</i> , 2021, , .	2.3	1
21	Late Effects after Treatment in Mantle Cell Lymphoma: No Difference By Intensity of First-Line Regimens with or without Autologous Stem Cell Transplantation. <i>Blood</i> , 2021, 138, 1344-1344.	0.6	0
22	Associations of pregnancy-related factors and birth characteristics with risk of endometrial cancer: A Nordic population-based case-control study. <i>International Journal of Cancer</i> , 2020, 146, 1523-1531.	2.3	12
23	Surgical Complications in Postchemotherapy Retroperitoneal Lymph Node Dissection for Nonseminoma Germ Cell Tumour: A Population-based Study from the Swedish Norwegian Testicular Cancer Group. <i>European Urology Oncology</i> , 2020, 3, 382-389.	2.6	28
24	No excess long-term mortality in stage I-IIA Hodgkin lymphoma patients treated with ABVD and limited field radiotherapy. <i>British Journal of Haematology</i> , 2020, 188, 685-691.	1.2	16
25	Comorbidities and sex differences in causes of death among mantle cell lymphoma patients - A nationwide population-based cohort study. <i>British Journal of Haematology</i> , 2020, 189, 106-116.	1.2	13
26	Increasing prevalence of chronic lymphocytic leukemia with an estimated future rise: A nationwide population-based study. <i>American Journal of Hematology</i> , 2020, 95, E36-E38.	2.0	6
27	Precursor cells and implications of a T-cell inflamed immune response in the pre-malignant setting in Hodgkin lymphoma. <i>Immunobiology</i> , 2020, 225, 151872.	0.8	1
28	High prevalence and incidence of cardiovascular disease in chronic lymphocytic leukaemia: a nationwide population-based study. <i>British Journal of Haematology</i> , 2020, 190, e245-e248.	1.2	14
29	Cancer risk in individuals with major birth defects: large Nordic population based case-control study among children, adolescents, and adults. <i>BMJ, The</i> , 2020, 371, m4060.	3.0	23
30	p53 is associated with high-risk and pinpoints TP53 missense mutations in mantle cell lymphoma. <i>British Journal of Haematology</i> , 2020, 191, 796-805.	1.2	31
31	Marginal zone lymphoma expression of histidine-rich glycoprotein correlates with improved survival. <i>EJHaem</i> , 2020, 1, 199-207.	0.4	1
32	Birthweight and all-cause mortality after childhood and adolescent leukemia: a cohort of children with leukemia from Denmark, Norway, Sweden, and Washington State. <i>Acta Oncologica</i> , 2020, 59, 949-958.	0.8	2
33	Trends in the prevalence, incidence and survival of non-Hodgkin lymphoma subtypes during the 21st century - a Swedish lymphoma register study. <i>British Journal of Haematology</i> , 2020, 189, 1083-1092.	1.2	24
34	Pregnancy-related risk factors for sex cord-stromal tumours and germ cell tumours in parous women: a registry-based study. <i>British Journal of Cancer</i> , 2020, 123, 161-166.	2.9	3
35	Venetoclax, Lenalidomide and Rituximab for Patients with Relapsed or Refractory Mantle Cell Lymphoma - Data from the Nordic Lymphoma Group NLG-MCL7 (VALERIA) Phase I Trial: Stopping Treatment in Molecular Remission Is Feasible. <i>Blood</i> , 2020, 136, 15-15.	0.6	7
36	Nationwide Investigation of Patient Trajectories in Mantle Cell Lymphoma - Initial Data from the Swedish MCL Complete Project. <i>Blood</i> , 2020, 136, 3-4.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Distribution of hospital care among pediatric and young adult Hodgkin lymphoma survivorsâ€”A populationâ€based cohort study from Sweden and Denmark. <i>Cancer Medicine</i> , 2019, 8, 4918-4927.	1.3	3
38	EARLY PROGRESSION OF MANTLE CELL LYMPHOMA DEPICTS A HIGH-RISK DISEASE WITH POOR RESPONSE TO SUBSEQUENT THERAPIES AND A DISMAL OUTCOME. <i>Hematological Oncology</i> , 2019, 37, 242-242.	0.8	0
39	Temporal trends in treatmentâ€related incidence of diseases of the circulatory system among Hodgkin lymphoma patients. <i>International Journal of Cancer</i> , 2019, 145, 1200-1208.	2.3	3
40	Cancer therapy and risk of congenital malformations in children fathered by men treated for testicular germ-cell cancer: A nationwide register study. <i>PLoS Medicine</i> , 2019, 16, e1002816.	3.9	17
41	Socioeconomic impact of Hodgkin lymphoma in adult patients: a systematic literature review. <i>Leukemia and Lymphoma</i> , 2019, 60, 3116-3131.	0.6	13
42	Relapse Risk and Loss of Lifetime After Modern Combined Modality Treatment of Young Patients With Hodgkin Lymphoma: A Nordic Lymphoma Epidemiology Group Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 703-713.	0.8	22
43	Impact of comorbidity on disease characteristics, treatment intent and outcome in diffuse large Bâ€cell lymphoma: a Swedish lymphoma register study. <i>Journal of Internal Medicine</i> , 2019, 285, 455-468.	2.7	27
44	High tumour plasma cell infiltration reflects an important microenvironmental component in classic Hodgkin lymphoma linked to presence of Bâ€symptoms. <i>British Journal of Haematology</i> , 2019, 184, 192-201.	1.2	19
45	PF379â€PREVALENCE AND INCIDENCE OF CARDIOVASCULAR DISEASE IN CHRONIC LYMPHOCYTIC LEUKEMIA: A NATIONâ€WIDE POPULATIONâ€BASED STUDY. <i>HemaSphere</i> , 2019, 3, 141-142.	1.2	2
46	Autologous Stem Cell Transplantation in Mantle Cell Lymphoma - Selection Mechanisms and Survival By Age Group. <i>Blood</i> , 2019, 134, 4572-4572.	0.6	0
47	Fertility Rates in Young Hodgkin Lymphoma Survivors: A Danish Nationwide Cohort Study of 769 Patients. <i>Blood</i> , 2019, 134, 2841-2841.	0.6	0
48	The role of pregnancy, perinatal factors and hormones in maternal cancer risk: a review of the evidence. <i>Journal of Internal Medicine</i> , 2018, 283, 430-445.	2.7	88
49	Short- and long-term risks of cardiovascular disease following radiotherapy in rectal cancer in four randomized controlled trials and a population-based register. <i>Radiotherapy and Oncology</i> , 2018, 126, 424-430.	0.3	10
50	An anergic immune signature in the tumor microenvironment of classical Hodgkin lymphoma is associated with inferior outcome. <i>European Journal of Haematology</i> , 2018, 100, 88-97.	1.1	22
51	Hodgkin lymphoma in children, adolescents and young adults â€” a comparative study of clinical presentation and treatment outcome. <i>Acta OncolÃ³gica</i> , 2018, 57, 276-282.	0.8	12
52	Contemporarily Treated Patients With Hodgkin Lymphoma Have Childbearing Potential in Line With Matched Comparators. <i>Journal of Clinical Oncology</i> , 2018, 36, 2718-2725.	0.8	13
53	Expression of PD-1 and PD-L1 increase in consecutive biopsies in patients with classical Hodgkin lymphoma. <i>PLoS ONE</i> , 2018, 13, e0204870.	1.1	26
54	Preterm delivery is associated with an increased risk of epithelial ovarian cancer among parous women. <i>International Journal of Cancer</i> , 2018, 143, 1858-1867.	2.3	11

#	ARTICLE	IF	CITATIONS
55	Pregnancy complications and subsequent breast cancer risk in the mother: a population-based case-control study. <i>International Journal of Cancer</i> , 2018, 143, 1904-1913.	2.3	13
56	Greater attention should be paid to developing therapies for elderly patients with Hodgkin lymphoma—A population-based study from Sweden. <i>European Journal of Haematology</i> , 2018, 101, 106-114.	1.1	23
57	Relapse Risk and Loss in Expectation of Lifetime in Young Classical Hodgkin Lymphoma Patients - a Nordic Lymphoma Group Study of 2,582 Patients. <i>Blood</i> , 2018, 132, 930-930.	0.6	1
58	Prognostic Implications of Specific Comorbidities in Mantle Cell Lymphoma Patients, a Swedish Lymphoma Registry Study. <i>Blood</i> , 2018, 132, 2891-2891.	0.6	0
59	Continuous Increasing Prevalence of Chronic Lymphocytic Leukemia (CLL) with an Estimated Future Rise—a Nationwide Population-Based Study from Sweden. <i>Blood</i> , 2018, 132, 3120-3120.	0.6	0
60	Increased healthcare use up to 10 years among relapse-free Hodgkin lymphoma survivors in the era of intensified chemotherapy and limited radiotherapy. <i>American Journal of Hematology</i> , 2017, 92, 251-258.	2.0	13
61	Possible Interaction Between Cigarette Smoking and HLA-DRB1 Variation in the Risk of Follicular Lymphoma. <i>American Journal of Epidemiology</i> , 2017, 185, 681-687.	1.6	10
62	Novel treatment concepts in Hodgkin lymphoma. <i>Journal of Internal Medicine</i> , 2017, 281, 247-260.	2.7	32
63	UNMET MEDICAL NEEDS IN HODGKIN LYMPHOMA WITH SPECIAL FOCUS ON THE ELDERLY—a POPULATION-BASED STUDY OF PATIENTS DIAGNOSED IN SWEDEN 1973-2014. <i>Hematological Oncology</i> , 2017, 35, 100-101.	0.8	0
64	MORTALITY RATES REMAIN INCREASED IN YOUNG PATIENTS WITH CLASSICAL HODGKIN LYMPHOMA EVEN AFTER YEARS IN REMISSION: RESULTS FROM A NORDIC LYMPHOMA GROUP STUDY. <i>Hematological Oncology</i> , 2017, 35, 172-173.	0.8	0
65	Parental Age and Risk of Lymphoid Neoplasms. <i>American Journal of Epidemiology</i> , 2017, 186, 1159-1167.	1.6	4
66	High proportions of PD-1+ and PD-L1+ leukocytes in classical Hodgkin lymphoma microenvironment are associated with inferior outcome. <i>Blood Advances</i> , 2017, 1, 1427-1439.	2.5	37
67	The ABC-study: A randomized phase III study comparing one course of adjuvant bleomycin, etoposide, and cisplatin (BEP) and one course of carboplatin AUC7 in clinical stage I seminomatous testicular cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS4593-TPS4593.	0.8	2
68	Work Loss Duration and Predictors Following Rectal Cancer Treatment among Patients with and without Prediagnostic Work Loss. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 987-994.	1.1	12
69	Association between HLA-A1 and -A2 types and Epstein-Barr virus status of post-transplant lymphoproliferative disorder. <i>Leukemia and Lymphoma</i> , 2016, 57, 2351-2358.	0.6	15
70	The role of tumour-infiltrating eosinophils, mast cells and macrophages in Classical and Nodular Lymphocyte Predominant Hodgkin Lymphoma in children. <i>European Journal of Haematology</i> , 2016, 97, 430-438.	1.1	23
71	Reproductive history and risk of colorectal adenocarcinoma in parous women: a Nordic population-based case-control study. <i>British Journal of Cancer</i> , 2016, 115, 1416-1420.	2.9	5
72	Lost workdays in uterine cervical cancer survivors compared to the general population: impact of treatment and relapse. <i>Journal of Cancer Survivorship</i> , 2016, 10, 514-523.	1.5	8

#	ARTICLE	IF	CITATIONS
73	Risk of lymphoid neoplasms in a Swedish population-based cohort of 337,437 patients undergoing appendectomy. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 583-589.	0.6	7
74	Pregnancy and the Risk of Relapse in Patients Diagnosed With Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2016, 34, 337-344.	0.8	26
75	Risk of disability pension in patients following rectal cancer treatment and surgery. <i>British Journal of Surgery</i> , 2015, 102, 1426-1432.	0.1	18
76	The impact of comorbid disease history on all-cause and cancer-specific mortality in myeloid leukemia and myeloma – a Swedish population-based study. <i>BMC Cancer</i> , 2015, 15, 850.	1.1	60
77	Long-term survival in young and middle-aged Hodgkin lymphoma patients in Sweden 1992–2009—trends in cure proportions by clinical characteristics. <i>American Journal of Hematology</i> , 2015, 90, 1128-1134.	2.0	36
78	A Novel Risk Locus at 6p21.3 for Epstein-Barr Virus-Positive Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1838-1843.	1.1	20
79	Sick leave and disability pension in Hodgkin lymphoma survivors by stage, treatment, and follow-up time—a population-based comparative study. <i>Journal of Cancer Survivorship</i> , 2015, 9, 599-609.	1.5	35
80	Sick leave and disability pension among Swedish testicular cancer survivors according to clinical stage and treatment. <i>Acta Oncologica</i> , 2015, 54, 1770-1780.	0.8	17
81	Autoimmune and Atopic Disorders and Risk of Classical Hodgkin Lymphoma. <i>American Journal of Epidemiology</i> , 2015, 182, 624-632.	1.6	25
82	Exposure to UV radiation and risk of Hodgkin lymphoma: a pooled analysis. <i>Blood</i> , 2013, 122, 3492-3499.	0.6	30
83	Tissue microarray and digital image analysis: a methodological study with special reference to the microenvironment in Hodgkin lymphoma. <i>Histopathology</i> , 2012, 61, 26-32.	1.6	8
84	Predictors of histology, tissue eosinophilia and mast cell infiltration in Hodgkin's Lymphoma - a population-based study. <i>European Journal of Haematology</i> , 2011, 87, 208-216.	1.1	23
85	Effect of eosinophil cationic protein (ECP) on Hodgkin lymphoma cell lines. <i>Experimental Hematology</i> , 2011, 39, 850-858.	0.2	17
86	The Potential Role of Innate Immunity in the Pathogenesis of Hodgkin's Lymphoma. <i>Hematology/Oncology Clinics of North America</i> , 2007, 21, 805-823.	0.9	27
87	Expression of Mast Cell Tryptases in Hodgkin and Reed-Sternberg (HRS) Cells. <i>Scandinavian Journal of Immunology</i> , 2007, 67, 071117034935002-???	1.3	0
88	IL-9 expression contributes to the cellular composition in Hodgkin lymphoma. <i>European Journal of Haematology</i> , 2006, 76, 278-283.	1.1	35
89	Angiogenesis and mast cells in Hodgkin lymphoma. <i>Leukemia</i> , 2005, 19, 2360-2362.	3.3	40
90	Bulky disease is the most important prognostic factor in Hodgkin lymphoma stage IIB. <i>European Journal of Haematology</i> , 2003, 71, 327-333.	1.1	25

#	ARTICLE	IF	CITATIONS
91	Breast Cancer Following Radiotherapy and Chemotherapy Among Young Women With Hodgkin Disease. JAMA - Journal of the American Medical Association, 2003, 290, 465.	3.8	569
92	Lung Cancer Following Chemotherapy and Radiotherapy for Hodgkin's Disease. Journal of the National Cancer Institute, 2002, 94, 182-192.	3.0	503
93	Mast cell infiltration correlates with poor prognosis in Hodgkin's lymphoma. British Journal of Haematology, 2002, 119, 122-124.	1.2	160