## Maria H Nilsson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5544789/publications.pdf

Version: 2024-02-01

257450 361022 1,572 80 24 35 h-index citations g-index papers 82 82 82 1779 docs citations times ranked citing authors all docs

#	Article	lF	Citations
1	Environmental barriers and housing accessibility problems for people with Parkinson's disease: A three-year perspective. Scandinavian Journal of Occupational Therapy, 2023, 30, 661-672.	1.7	1
2	A theoretical framework for addressing fear of falling avoidance behavior in Parkinson's disease. Physiotherapy Theory and Practice, 2023, 39, 895-911.	1.3	8
3	Components of gait in people with and without mild cognitive impairment. Gait and Posture, 2022, 93, 83-89.	1.4	7
4	People with Parkinson's disease and housing issues: A scoping review. Health Science Reports, 2022, 5, e511.	1.5	4
5	Enabling Long-term Predictions and Cost-benefit Analysis Related to Housing Adaptation Needs for a Population Aging in Place: Protocol for a Simulation Study. JMIR Research Protocols, 2022, 11, e39032.	1.0	1
6	The Effects of Tau, Amyloid, and White Matter Lesions on Mobility, Dual Tasking, and Balance in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 683-691.	3.6	8
7	Perceived walking difficulties in Parkinson's disease – predictors and changes over time. BMC Geriatrics, 2021, 21, 221.	2.7	8
8	Spectral analysis of body movement during deep brain stimulation in Parkinson's disease. Gait and Posture, 2021, 86, 217-225.	1.4	2
9	Test-retest reliability of physical activity questionnaires in Parkinson's disease. BMC Neurology, 2021, 21, 399.	1.8	3
10	Strategic alterations of posture are delayed in Parkinson's disease patients during deep brain stimulation. Scientific Reports, 2021, 11, 23550.	3.3	4
11	Deep brain stimulation in the subthalamic nuclei alters postural alignment and adaptation in Parkinson's disease. PLoS ONE, 2021, 16, e0259862.	2.5	5
12	Effects of Deep Brain Stimulation on Postural Control in Parkinson's Disease. Computers in Biology and Medicine, 2020, 122, 103828.	7.0	8
13	Prediction of Life Satisfaction in People with Parkinson's Disease. Parkinson's Disease, 2020, 2020, 1-7.	1.1	5
14	Predictive Factors of Fall-Related Activity Avoidance in People With Parkinson Disease—A Longitudinal Study With a 3-Year Follow-up. Journal of Neurologic Physical Therapy, 2020, 44, 188-194.	1.4	14
15	Coping Styles among People with Parkinson's Disease: A Three-Year Follow-Up Study. Behavioral Sciences (Basel, Switzerland), 2020, 10, 190.	2.1	5
16	Longitudinal association between housing accessibility and activities of daily living: the role of self-efficacy and control in people ageing with Parkinson's disease. BMC Geriatrics, 2020, 20, 181.	2.7	11
17	Psychometric properties of the external Housing-Related Control Belief Questionnaire among people with Parkinson's disease. Aging Clinical and Experimental Research, 2020, 32, 2639-2647.	2.9	4
18	Exploring the effects of deep brain stimulation and vision on tremor in Parkinson's disease - benefits from objective methods. Journal of NeuroEngineering and Rehabilitation, 2020, 17, 56.	4.6	3

#	Article	lF	Citations
19	The meaning of home questionnaire revisited: Psychometric analyses among people with Parkinson's disease reveals new dimensions. PLoS ONE, 2020, 15, e0242792.	2.5	3
20	Title is missing!. , 2020, 15, e0242792.		0
21	Title is missing!. , 2020, 15, e0242792.		0
22	Title is missing!. , 2020, 15, e0242792.		0
23	Title is missing!. , 2020, 15, e0242792.		0
24	Title is missing!. , 2020, 15, e0242792.		0
25	Title is missing!. , 2020, 15, e0242792.		0
26	Exploration of the Research Circle Methodology for User Involvement in Research on Home and Health Dynamics in Old Age. Journal of Housing for the Elderly, 2019, 33, 85-102.	0.7	9
27	Satisfaction with Care in Late Stage Parkinson's Disease. Parkinson's Disease, 2019, 2019, 1-10.	1.1	8
28	Effects of applying a standardized assessment and evaluation protocol in housing adaptation implementation – results from a quasi-experimental study. BMC Public Health, 2019, 19, 1446.	2.9	3
29	Predictive Factors of Concerns about Falling in People with Parkinson's Disease: A 3-Year Longitudinal Study. Parkinson's Disease, 2019, 2019, 1-9.	1.1	8
30	Life-Space Mobility in Parkinson's Disease: Associations with Motor and Non-Motor Symptoms. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 507-512.	3.6	19
31	Levodopa Effect and Motor Function in Late Stage Parkinson's Disease. Journal of Parkinson's Disease, 2018, 8, 59-70.	2.8	28
32	Experiences of fear of falling in persons with Parkinson's disease – a qualitative study. BMC Geriatrics, 2018, 18, 44.	2.7	41
33	Mobility device use in people with Parkinson's disease: A 3-year follow-up study. Acta Neurologica Scandinavica, 2018, 138, 70-77.	2.1	14
34	Reduced workforce participation 5 years prior to first Parkinson's disease sick-leave. Npj Parkinson's Disease, 2018, 4, 36.	5.3	2
35	Dopaminergic Effect on Non-Motor Symptoms in Late Stage Parkinson's Disease. Journal of Parkinson's Disease, 2018, 8, 409-420.	2.8	18
36	Patientâ€reported and performanceâ€based measures of walking in mild–moderate Parkinson's disease. Brain and Behavior, 2018, 8, e01081.	2.2	14

#	Article	IF	Citations
37	The clinical significance of 10-m walk test standardizations in Parkinson's disease. Journal of Neurology, 2018, 265, 1829-1835.	3.6	34
38	Workforce unavailability in Parkinson's disease. Acta Neurologica Scandinavica, 2017, 135, 332-338.	2.1	10
39	Factors Contributing to Perceived Walking Difficulties in People with Parkinson's Disease. Journal of Parkinson's Disease, 2017, 7, 397-407.	2.8	27
40	Housing accessibility problems for people with Parkinson's disease. Acta Neurologica Scandinavica, 2017, 136, 501-510.	2.1	8
41	Physiotherapy for Parkinson's Disease in Sweden: Provision, Expertise, and Multiâ€professional Collaborations. Movement Disorders Clinical Practice, 2017, 4, 843-851.	1.5	6
42	Psychometric properties of the original and short versions of the Falls Efficacy Scale-International (FES-I) in people with Parkinson's disease. Health and Quality of Life Outcomes, 2017, 15, 116.	2.4	24
43	The TECH@HOME study, a technological intervention to reduce caregiver burden for informal caregivers of people with dementia: study protocol for a randomized controlled trial. Trials, 2017, 18, 63.	1.6	22
44	Factors associated with life satisfaction in Parkinson's disease. Acta Neurologica Scandinavica, 2017, 136, 64-71.	2.1	38
45	Falls and Fear of Falling among Persons Who Receive Housing Adaptations—Results from a Quasi-Experimental Study in Sweden. Healthcare (Switzerland), 2017, 5, 66.	2.0	13
46	Psychometric Evaluation of the Parkinson's Disease Activities of Daily Living Scale. Parkinson's Disease, 2017, 2017, 1-7.	1.1	5
47	The association between indicators of health and housing in people with Parkinson's disease. BMC Geriatrics, 2016, 16, 146.	2.7	8
48	Fall-related activity avoidance in relation to a history of falls or near falls, fear of falling and disease severity in people with Parkinson's disease. BMC Neurology, 2016, 16, 84.	1.8	52
49	Depressive symptoms associated with concerns about falling inÂParkinson's disease. Brain and Behavior, 2016, 6, e00524.	2.2	21
50	External validation of a 3-step falls prediction model in mild Parkinson's disease. Journal of Neurology, 2016, 263, 2462-2469.	3.6	25
51	Barriers and Facilitators for Participation inÂPeople with Parkinson's Disease. Journal of Parkinson's Disease, 2015, 5, 983-992.	2.8	21
52	Psychometric properties of the General Self-Efficacy Scale in Parkinson's disease. Acta Neurologica Scandinavica, 2015, 132, 89-96.	2.1	33
53	Prediction of Falls and/or Near Falls in People with Mild Parkinson's Disease. PLoS ONE, 2015, 10, e0117018.	2.5	57
54	Concerns About Falling in Parkinson's Disease: Associations with Disabilities and Personal and Environmental Factors. Journal of Parkinson's Disease, 2015, 5, 341-349.	2.8	35

#	Article	IF	CITATIONS
55	External and internal factors influencing self-directed online learning of physiotherapy undergraduate students in Sweden: a qualitative study. Journal of Educational Evaluation for Health Professions, 2015, 12, 33.	12.6	20
56	The Significance of Walking from the Perspective of People with Parkinson's Disease. Journal of Parkinson's Disease, 2014, 4, 657-663.	2.8	26
57	"You plan, but you never know―– participation among people with different levels of severity of Parkinson's disease. Disability and Rehabilitation, 2014, 36, 2216-2224.	1.8	56
58	A research-based strategy for managing housing adaptations: study protocol for a quasi-experimental trial. BMC Health Services Research, 2014, 14, 602.	2.2	13
59	Conceptualizing and prioritizing clinical trial outcomes from the perspectives of people with Parkinson's disease versus health care professionals: a conceptÂmapping study. Quality of Life Research, 2014, 23, 1687-1700.	3.1	28
60	Factors associated with fear of falling in people with Parkinson's disease. BMC Neurology, 2014, 14, 19.	1.8	77
61	Psychometric properties of four fear of falling rating scales in people with Parkinson's disease. BMC Geriatrics, 2014, 14, 66.	2.7	51
62	Subthalamic deep brain stimulation improves smooth pursuit and saccade performance in patients with Parkinson's disease. Journal of NeuroEngineering and Rehabilitation, 2013, 10, 33.	4.6	38
63	Content Analysis of 4 Fear of Falling Rating Scales by Linking to the International Classification of Functioning, Disability and Health. PM and R, 2013, 5, 573.	1.6	20
64	Home and health in people ageing with Parkinson's disease: study protocol for a prospective longitudinal cohort survey study. BMC Neurology, 2013, 13, 142.	1.8	32
65	Characteristics of the personal and environmental components of person-environment fit in very old age: a comparison between people with self-reported Parkinson's disease and matched controls. Aging Clinical and Experimental Research, 2013, 25, 667-675.	2.9	18
66	Fatigue in Parkinson's Disease: Measurement Properties of a Generic and a Condition-Specific Rating Scale. Journal of Pain and Symptom Management, 2013, 46, 737-746.	1.2	20
67	Housing and Health: Very Old People with Self-Reported Parkinson's Disease versus Controls. Parkinson's Disease, 2013, 2013, 1-8.	1.1	14
68	Motor and non-motor predictors of illness-related distress in Parkinson's disease. Parkinsonism and Related Disorders, 2012, 18, 299-302.	2.2	24
69	Walking Ability Is a Major Contributor to Fear of Falling in People with Parkinson's Disease: Implications for Rehabilitation. Parkinson's Disease, 2012, 2012, 1-7.	1.1	49
70	Psychometric performance of a generic walking scale (Walk-12G) in multiple sclerosis and Parkinson's disease. Journal of Neurology, 2012, 259, 729-738.	3.6	49
71	Measuring outcomes in Parkinson's disease: a multi-perspective concept mapping study. Quality of Life Research, 2012, 21, 453-463.	3.1	36
72	Fear of falling and falls in people with Parkinson's disease treated with deep brain stimulation in the subthalamic nuclei. Acta Neurologica Scandinavica, 2011, 123, 424-429.	2.1	24

#	Article	IF	CITATIONS
73	Development and testing of a self administered version of the Freezing of Gait Questionnaire. BMC Neurology, 2010, 10, 85.	1.8	39
74	Assessment of fall-related self-efficacy and activity avoidance in people with Parkinson's disease. BMC Geriatrics, 2010, 10, 78.	2.7	67
75	Uncovering Indicators of the International Classification of Functioning, Disability, and Health from the 39-Item Parkinson's Disease Questionnaire. Parkinson's Disease, 2010, 2010, 1-10.	1.1	9
76	The 39-item Parkinson's Disease Questionnaire (PDQ-39): is it a unidimensional construct?. Therapeutic Advances in Neurological Disorders, 2009, 2, 205-214.	3.5	50
77	The effects of high frequency subthalamic stimulation on balance performance and fear of falling in patients with Parkinson's disease. Journal of NeuroEngineering and Rehabilitation, 2009, 6, 13.	4.6	24
78	Freezing of Gait Questionnaire: validity and reliability of the Swedish version. Acta Neurologica Scandinavica, 2009, 120, 331-334.	2.1	36
79	Functional balance performance in patients with Parkinson's disease after long-term treatment with subthalamic nucleus high-frequency stimulation. Parkinsonism and Related Disorders, 2008, 14, 291-297.	2.2	5
80	Deep-brain stimulation in the subthalamic nuclei improves balance performance in patients with Parkinson's disease, when tested without anti-parkinsonian medication. Acta Neurologica Scandinavica, 2005, 111, 301-308.	2.1	39