

Zbigniew Czarnocki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5545393/publications.pdf>

Version: 2024-02-01

74
papers

1,160
citations

394286

19
h-index

434063

31
g-index

75
all docs

75
docs citations

75
times ranked

1441
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of different internal standardization approaches for the quantification of melatonin in cell culture samples by multiple heart-cutting two dimensional liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2022, 1663, 462752.	1.8	2
2	Novel podophyllotoxin and benzothiazole derivative induces transitional morphological and functional changes in HaCaT cells. <i>Toxicology in Vitro</i> , 2021, 73, 105144.	1.1	9
3	“Clicking” fragment leads to novel dual-binding cholinesterase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 42, 116269.	1.4	7
4	Fentanyl Family at the Mu-Opioid Receptor: Uniform Assessment of Binding and Computational Analysis. <i>Molecules</i> , 2019, 24, 740.	1.7	39
5	The Activity of Urolithin A and M4 Valerolactone, Colonic Microbiota Metabolites of Polyphenols, in a Prostate Cancer In Vitro Model. <i>Planta Medica</i> , 2019, 85, 118-125.	0.7	24
6	Arylpyridines: A Review from Selective Synthesis to Atropisomerism. <i>Synthesis</i> , 2019, 51, 587-611.	1.2	16
7	Regio- and atropselective synthesis of selected ortho-phenyl substituted arylpyridine derivatives. <i>Journal of Molecular Structure</i> , 2019, 1177, 564-570.	1.8	1
8	Simultaneous induction and blockade of autophagy by a single agent. <i>Cell Death and Disease</i> , 2018, 9, 353.	2.7	26
9	Flow Photochemistry as a Tool for the Total Synthesis of (+)-Epigallocatechin gallate. <i>Organic Letters</i> , 2018, 20, 605-607.	2.4	20
10	(-)-Menthol as a source of new N,N-diamine ligands for asymmetric transfer hydrogenation. <i>Tetrahedron Letters</i> , 2018, 59, 2184-2188.	0.7	2
11	Advances in the Synthesis of Aryltetralin and Arylnaphthalene Lignans using Photocyclization. <i>Organic Preparations and Procedures International</i> , 2018, 50, 527-543.	0.6	1
12	Donepezil-melatonin hybrids as butyrylcholinesterase inhibitors: Improving binding affinity through varying mode of linking fragments. <i>Archiv Der Pharmazie</i> , 2018, 351, e1800194.	2.1	7
13	Some mechanistic aspects regarding the Suzuki-Miyaura reaction between selected ortho-substituted phenylboronic acids and 3,4,5-tribromo-2,6-dimethylpyridine. <i>Beilstein Journal of Organic Chemistry</i> , 2018, 14, 2384-2393.	1.3	3
14	Unexpected regioselectivity in the photocyclization of a chiral 2,3-bisbenzylidenesuccinate, leading to a podophyllotoxin related cyclolignan. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018, 364, 297-302.	2.0	2
15	New N, N-diamine ligands derived from (-)-menthol and their application in the asymmetric transfer hydrogenation. <i>Tetrahedron: Asymmetry</i> , 2017, 28, 532-538.	1.8	2
16	Convenient synthesis of selected meta- and ortho-substituted pentaarylpyridines via the Suzuki-Miyaura cross-coupling reaction. <i>Tetrahedron Letters</i> , 2017, 58, 462-465.	0.7	12
17	Unusual visible-light photolytic cleavage of tertiary amides during the synthesis of cyclolignans related to podophyllotoxin. <i>Tetrahedron</i> , 2017, 73, 6316-6328.	1.0	3
18	Synthesis of novel chiral guanidine catalyst and its application in the asymmetric Pictet-Spengler reaction. <i>Catalysis Communications</i> , 2017, 89, 44-47.	1.6	13

#	ARTICLE	IF	CITATIONS
19	A convenient route to symmetrically and unsymmetrically substituted 3,5-diaryl-2,4,6-trimethylpyridines via Suzuki–Miyaura cross-coupling reaction. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 835-845.	1.3	8
20	Atropisomerism in Mono- and Diaryl-Substituted 4-Amino-2,6-Diutidines. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 2966-2971.	1.2	6
21	New stable atropisomers derived from 2,4,6-collidine and related compounds. <i>Tetrahedron</i> , 2016, 72, 6779-6787.	1.0	8
22	Molecular cloning of melatonin 3-hydroxylase and its production of cyclic 3-hydroxymelatonin in rice (<i>Oryza sativa</i>). <i>Journal of Pineal Research</i> , 2016, 61, 470-478.	3.4	67
23	Enantioselective synthesis of axially chiral 3-bromo-4-alkoxy-2,6-dimethyl-5-(naphthalen-1-yl)pyridines via an asymmetric Suzuki–Miyaura cross-coupling reaction. <i>Tetrahedron Letters</i> , 2016, 57, 4713-4717.	0.7	11
24	Isoprenoid Alcohols are Susceptible to Oxidation with Singlet Oxygen and Hydroxyl Radicals. <i>Lipids</i> , 2016, 51, 229-244.	0.7	12
25	Formal synthesis of (S)-podophyllotoxin through the photocyclization of an axially chiral 3,4-bisbenzylidene succinate amide ester – a flow photochemistry approach. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 460-469.	1.5	21
26	The enantioselective synthesis of (S)-(+)-mianserin and (S)-(+)-epinastine. <i>Beilstein Journal of Organic Chemistry</i> , 2015, 11, 1509-1513.	1.3	21
27	Novel (+)-3-Carene Derivatives and Their Application in Asymmetric Synthesis. <i>Synthesis</i> , 2015, 47, 569-574.	1.2	3
28	Optically Active (S)-Butylphenylphosphinothioic Acid: Synthesis, Selected Structural Studies and Applications as a Chiral Solvating Agent. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2014, 189, 977-991.	0.8	18
29	Chemical Aspects of the Primary Ionization Mechanisms in Matrix-Assisted Laser Desorption Ionization. <i>European Journal of Mass Spectrometry</i> , 2014, 20, 437-443.	0.5	2
30	Metabolism of N-Acylated-Dopamine. <i>PLoS ONE</i> , 2014, 9, e85259.	1.1	8
31	Efficient One-Pot Synthesis of a Densely Functionalized Tetrahydropyridine in the Presence of [1,1'-binaphthalene]-2,2'-diol/Indium(III) Chloride (binol/InCl ₃) or Simple Brønsted Acids as Catalysts. <i>Helvetica Chimica Acta</i> , 2013, 96, 1348-1354.		3
32	Unexpected reaction of melatonin derivatives with performic acid. <i>Comptes Rendus Chimie</i> , 2013, 16, 807-813.	0.2	0
33	Synthesis of Imperatorin Analogs and Their Evaluation as Acetylcholinesterase and Butyrylcholinesterase Inhibitors. <i>Archiv Der Pharmazie</i> , 2013, 346, 775-782.	2.1	12
34	Highly selective inhibition of butyrylcholinesterase by a novel melatonin–tacrine heterodimers. <i>Journal of Pineal Research</i> , 2013, 54, 435-441.	3.4	22
35	Synthesis of new mono-N-tosylated diamine ligands based on (R)-(+)-limonene and their application in asymmetric transfer hydrogenation of ketones and imines. <i>Tetrahedron: Asymmetry</i> , 2013, 24, 643-650.	1.8	24
36	Atropisomerism in 3,4,5-Tri-(2-methoxyphenyl)-2,6-Diutidine. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 7867-7871.	1.2	7

#	ARTICLE	IF	CITATIONS
37	Efficient BOP-mediated synthesis of fulgimides. <i>Comptes Rendus Chimie</i> , 2012, 15, 384-388.	0.2	2
38	On the Primary Ionization Mechanism(s) in Matrix-Assisted Laser Desorption Ionization. <i>Journal of Analytical Methods in Chemistry</i> , 2012, 2012, 1-8.	0.7	44
39	Identification and synthesis of by-products found in 4-methylthioamphetamine (4-MTA) produced by the Leuckart method. <i>Forensic Science International</i> , 2012, 216, 108-120.	1.3	9
40	Identification of common impurities present in the synthetic routes leading to 4-methylthioamphetamine (4-MTA). Part II: Reductive amination and nitropropene route. <i>Forensic Science International</i> , 2012, 217, 60-70.	1.3	1
41	l-Prolinol as a chiral auxiliary in the photochemical synthesis of a new aryltetraline lignan analogue. <i>Tetrahedron: Asymmetry</i> , 2011, 22, 1103-1107.	1.8	9
42	Selective inhibition of butyrylcholinesterase by singlet oxygen-generated melatonin derivatives. <i>Journal of Pineal Research</i> , 2010, 49, no-no.	3.4	3
43	(S)-(α)-Methylbenzylamine as chiral auxiliary in the synthesis of (+)-lortalamine. <i>Monatshefte für Chemie</i> , 2009, 140, 83-86.	0.9	6
44	Synthesis and Structure Determination of Some Monothio- and Dithioimides Derived from Succinic and Glutaric Acids. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2009, 184, 1307-1313.	0.8	1
45	Enantioselective synthesis of (+)-tryptargine and (+)-crispine E. <i>Tetrahedron</i> , 2008, 64, 3176-3182.	1.0	33
46	Enantiomers of (2R α -,3R α -)-1-methyl-5-oxo-2-phenyltetrahydro-1H-pyrrolidine-3-carboxylic acid as novel chiral resolving agents. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 309-317.	1.8	8
47	The oxidation products of melatonin derivatives exhibit acetylcholinesterase and butyrylcholinesterase inhibitory activity. <i>Journal of Pineal Research</i> , 2008, 45, 40-49.	3.4	14
48	Selected Recent Developments in the Enantioselective Reduction of Imines by Asymmetric Transfer Hydrogenation. <i>Mini-Reviews in Organic Chemistry</i> , 2007, 4, 190-200.	0.6	33
49	(R)-1-Phenylethylamine as chiral auxiliary in the diastereoselective synthesis of tetrahydro- β -carboline derivatives. <i>Canadian Journal of Chemistry</i> , 2007, 85, 1033-1036.	0.6	7
50	Variety of natural products derived from tryptophan and stereoselective synthesis of tetrahydro- β -carboline derivatives of pharmacological importance. <i>International Congress Series</i> , 2007, 1304, 46-59.	0.2	7
51	Chiral sulfur-containing structures: Selected synthetic and structural aspects. <i>Heteroatom Chemistry</i> , 2007, 18, 527-536.	0.4	11
52	Enantioselective synthesis of some tetrahydroisoquinoline and tetrahydro- β -carboline alkaloids. <i>Tetrahedron: Asymmetry</i> , 2007, 18, 406-413.	1.8	109
53	Enantioselective synthesis of (R)-(α)-praziquantel (PZQ). <i>Tetrahedron: Asymmetry</i> , 2006, 17, 1415-1419.	1.8	56
54	Enantioselective synthesis of 1-substituted tetrahydro- β -carboline derivatives via the asymmetric transfer hydrogenation. <i>Journal of Molecular Catalysis A</i> , 2005, 232, 143-149.	4.8	41

#	ARTICLE	IF	CITATIONS
55	Some pyridine derivatives as α -route-specific markers in 4-methoxyamphetamine (PMA) prepared by the Leuckart method. <i>Forensic Science International</i> , 2005, 152, 157-173.	1.3	14
56	Diastereodivergent synthesis of 2,5-diketopiperazine derivatives of $\hat{1}^2$ -carboline and isoquinoline from l-amino acids. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 975-993.	1.8	22
57	The structure of some trans-diketopiperazine derivatives of isoquinoline and $\hat{1}^2$ -carboline. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 2071-2073.	1.8	2
58	Synthesis of a novel class of fatty acids-derived isoquinolines. <i>Chemistry and Physics of Lipids</i> , 2005, 135, 131-145.	1.5	9
59	First enantioselective synthesis of the antitumour alkaloid (+)-crispine A and determination of its enantiomeric purity by ^1H NMR. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 3619-3621.	1.8	88
60	Enantioselective Synthesis of Some Tetracyclic Isoquinoline Alkaloids by Asymmetric Transfer Hydrogenation Catalysed by a Chiral Ruthenium Complex. <i>Monatshefte für Chemie</i> , 2005, 136, 1619-1627.	0.9	33
61	The synthesis and the structure elucidation of N,O-diacetyl derivative of cyclic 3-hydroxymelatonin. <i>Open Chemistry</i> , 2004, 2, 425-433.	1.0	5
62	Brain uptake of radiolabeled N-oleoyl-dopamine in the rat. <i>Drug Development Research</i> , 2003, 60, 217-224.	1.4	13
63	Diastereoselective Synthesis of 1-Benzyltetrahydroisoquinoline Derivatives from Amino Acids by 1,4 Chirality Transfer. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 2443-2453.	1.2	16
64	Pseudosymmetry in ammonium [(carboxymethyl)sulfanyl]acetate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o656-o658.	0.4	1
65	(2S)-1-(4-Methoxyphenyl)-N-[(1R)-2-(4-methoxyphenyl)-1-methylethyl]-2-propanamine in Crude p-Methoxyamphetamine (PMA) Produced by the Leuckart Method. <i>Zeitschrift Für Naturforschung - Section B Journal of Chemical Sciences</i> , 2002, 57, 593-598.	0.3	6
66	Diastereoselective synthesis of lortalamine analogs. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 1021-1023.	1.8	12
67	Diastereoselective synthesis of some $\hat{1}^2$ -carboline derivatives from l-amino acids. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 2295-2297.	1.8	2
68	Crystallographic and ab initio theoretical studies of (2R,3R)-1-methyl-5-oxo-2-phenyltetrahydro-1H-pyrrole-3-carboxylic acid. The comparison of chiral (I) and racemic (II) structure. <i>Journal of Molecular Structure</i> , 2002, 610, 33-40.	1.8	3
69	Characterization of stereoisomeric alkaloids by electrospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 889-892.	0.7	4
70	Electrospray ionization, accurate mass measurements and multistage mass spectrometry experiments in the characterization of stereoisomeric isoquinoline alkaloids. <i>Rapid Communications in Mass Spectrometry</i> , 2000, 14, 1592-1599.	0.7	15
71	(S)-(\hat{a}) $\hat{1}^{\pm}$ -Methylbenzylamine as an efficient chiral auxiliary in enantiodivergent synthesis of both enantiomers of N-acetylcaltocotomine. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 3371-3380.	1.8	22
72	Enantioselective synthesis of (R)-(\hat{a})-laudanosine and (R)-(\hat{a})-glaucine from L-ascorbic acid. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 2711-2720.	1.8	20

#	ARTICLE	IF	CITATIONS
73	Enantioselective synthesis of isoquinoline alkaloids: phenylethylisoquinoline and aporphine alkaloids. Canadian Journal of Chemistry, 1987, 65, 2356-2361.	0.6	17
74	Asymmetric Synthesis of Isoquinoline Alkaloids: (R)- and (S)-2-Ethoxycarbonyl-1-Formyl-6,7-Dimethoxy-1,2,3,4-Tetrahydroisoquinoline as Versatile Precursors. Bulletin Des Sociétés Chimiques Belges, 1986, 95, 749-770.	0.0	20