
Weidong Qin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5545624/publications.pdf Version: 2024-02-01



WEIDONG OIN

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Recent advances in nanomaterialâ€assisted detection coupled with capillary and microchip electrophoresis. Electrophoresis, 2021, 42, 269-278. | 1.3 | 2 |
| 2 | Online Monitoring Strategies for Colorimetric Detection of Cadmium Ions and pH Based on Gold Nanomaterials with a Low-Cost Color Sensor. ACS Sustainable Chemistry and Engineering, 2021, 9, 5924-5932. | 3.2 | 6 |
| 3 | Glutathione Disulfide as a Reducing, Capping, and Mass-Separating Agent for the Synthesis and Enrichment of Gold Nanoclusters. Nanomaterials, 2021, 11, 2258. | 1.9 | 8 |
| 4 | Label-free, sensitive colorimetric detection of mercury(II) by target-disturbed <i>in situ</i> seeding growth of gold triangular nanoprisms. Nanotechnology, 2020, 31, 225501. | 1.3 | 5 |
| 5 | Rational Calibration Strategy for Accurate and Sensitive Colorimetric Detection of lodide and <scp>l</scp> -Thyroxine Based on Gold Triangular Nanoplates. ACS Sustainable Chemistry and Engineering, 2019, 7, 15230-15237. | 3.2 | 18 |
| 6 | A polyamidoamine-mediated competitive colorimetric assay based on gold nanoparticles for determining acid values in edible sunflower seed, corn and extra virgin olive oils. Food Chemistry, 2019, 285, 450-457. | 4.2 | 13 |
| 7 | Capillary electrophoretic determination of heavy-metal ions using 11-mercaptoundecanoic acid and 6-mercapto-1-hexanol co-functionalized gold nanoparticle as colorimetric probe. Journal of Chromatography A, 2019, 1594, 208-215. | 1.8 | 30 |
| 8 | A gold nanorod-based plasmonic platform for multi-logic operation and detection. Nanotechnology, 2019, 30, 055503. | 1.3 | 4 |
| 9 | Polyamidoamine dendrimer-armed fluorescent magnetic nanoparticles for sensitive and selective determination of nitrite in beverages. Sensors and Actuators B: Chemical, 2017, 247, 774-779. | 4.0 | 10 |
| 10 | Integration of capillary electrophoresis with gold nanoparticle-based colorimetry. Analytica Chimica Acta, 2017, 995, 114-121. | 2.6 | 6 |
| 11 | DNA fragments assembled on polyamidoamineâ€grafted coreâ€shell magnetic silica nanoparticles for removal of mercury(II) and methylmercury(I). Journal of Chemical Technology and Biotechnology, 2017, 92, 819-826. | 1.6 | 11 |
| 12 | Ionic-liquid-assisted desorption of DNA from polyamidoamine-grafted silica nanoparticles surface by a low-salt solution. Journal of Separation Science, 2014, 37, 2069-2076. | 1.3 | 4 |
| 13 | Cyclodextrinâ€functionalized silica nanoparticles with dendrimerâ€like spacers for enantioselective capillary electrochromatography. Electrophoresis, 2014, 35, 3549-3555. | 1.3 | 16 |
| 14 | Polyamidoamine dendrimers as sweeping agent and stationary phase for rapid and sensitive open-tubular capillary electrophoretic determination of heavy metal ions. Talanta, 2014, 121, 50-55. | 2.9 | 19 |
| 15 | Polyamidoamine dendrimers as off-column binding agent and in-column pseudostationary phase for efficient and sensitive capillary electrophoretic analysis of fluoroquinolones in chicken muscles. Food Chemistry, 2014, 157, 498-503. | 4.2 | 16 |
| 16 | Capillary electrophoretic separation of anions in dimethylformamide–acetic acid medium. Analytical Methods, 2014, 6, 5353-5359. | 1.3 | 5 |
| 17 | Combination of Running-Buffer-Mediated Extraction and Polyamidoamine-Dendrimer-Assisted Capillary Electrophoresis for Rapid and Sensitive Determination of Free Fatty Acids in Edible Oils. Journal of Agricultural and Food Chemistry, 2014, 62, 4104-4111. | 2.4 | 16 |
| 18 | Combination of Acid-Free Open-Vessel Wet Digestion and Poly(amidoamine) Dendrimer-Enhanced Capillary Electrophoresis for Determination of Metal Ions in Wines. Food Analytical Methods, 2014, 7, 165-171. | 1.3 | 4 |

Weidong Qin

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Incorporation of polyamidoamine sweeping and electrokinetic supercharging for in-line DNA fragment preconcentration. Journal of Chromatography A, 2013, 1280, 112-116. | 1.8 | 15 |
| 20 | Polyamidoamine-grafted silica nanoparticles as pseudostationary phases for capillary electrochromatographic separation of proteins. Journal of Separation Science, 2013, 36, 1575-1581. | 1.3 | 18 |
| 21 | Sensitive and selective capillary electrophoretic analysis of proteins by zirconia nanoparticle-enhanced copper (II)-catalyzed luminol–hydrogen peroxide chemiluminescence. Talanta, 2012, 97, 193-198. | 2.9 | 8 |
| 22 | Electrophoretic separation of acidic and basic proteins in the presence of micromolar concentrations of an ionic liquid. Mikrochimica Acta, 2011, 174, 63-71. | 2.5 | 12 |
| 23 | Cationic poly(amidoamine) dendrimers as additives for capillary electroseparation and detection of proteins. Electrophoresis, 2011, 32, 1302-1308. | 1.3 | 15 |
| 24 | Quick and Sensitive Determination of Fluoroquinolones by Capillary Electrophoresis–Potential Gradient Detection. Analytical Letters, 2009, 42, 1057-1069. | 1.0 | 10 |
| 25 | CE determination of quinolones in the presence of bovine serum albumin. Journal of Separation Science, 2009, 32, 118-124. | 1.3 | 11 |
| 26 | Separation of fluoroquinolones in acidic buffer by capillary electrophoresis with contactless conductivity detection. Journal of Chromatography A, 2009, 1216, 5327-5332. | 1.8 | 38 |
| 27 | Quick and Sensitive Determination of Flavonoids by Capillary Electrophoresis-Potential Gradient Detection. Analytical Sciences, 2009, 25, 1119-1123. | 0.8 | 10 |
| 28 | Electrophoretic Separation of Proteins in Capillaries Filled with Poly(ethylene oxide)-stabilized Silver Nanoparticles. Analytical Sciences, 2009, 25, 333-337. | 0.8 | 9 |
| 29 | Capillary electrophoresis–chemiluminescence determination of norfloxacin and prulifloxacin. Analytica Chimica Acta, 2008, 623, 231-237. | 2.6 | 47 |
| 30 | Silica nanoparticles as pseudostationary phase for protein separation. Electrophoresis, 2007, 28, 3017-3023. | 1.3 | 20 |
| 31 | A rapid CEâ€potential gradient detection method for determination of quinolones. Electrophoresis, 2007, 28, 4101-4107. | 1.3 | 30 |
| 32 | Portable capillary electrophoresis system with potential gradient detection for separation of DNA fragments. Electrophoresis, 2005, 26, 517-523. | 1.3 | 23 |
| 33 | Determination of ammonium and metal ions by capillary electrophoresis-potential gradient detection using ionic liquid as background electrolyte and covalent coating reagent. Journal of Chromatography A, 2004, 1048, 253-6. | 1.8 | 3 |
| 34 | Determination of chlorophenoxy acid herbicides by capillary electrophoresis with integrated potential gradient detection. Electrophoresis, 2003, 24, 2174-2179. | 1.3 | 21 |
| 35 | 1,3-Dialkylimidazolium-based room-temperature ionic liquids as background electrolyte and coating material in aqueous capillary electrophoresis. Journal of Chromatography A, 2003, 985, 447-454. | 1.8 | 111 |
| 36 | Electrophoresis of DNA in ionic liquid coated capillary. Analyst, The, 2003, 128, 37-41. | 1.7 | 78 |

Weidong Qin

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Determination of Acidic Herbicides in Surface Water by Solid-Phase Extraction Followed by Capillary Zone Electrophoresis. Journal of Chromatographic Science, 2002, 40, 387-391. | 0.7 | 11 |
| 38 | Separation of ionic liquid cations and related imidazole derivatives by α-cyclodextrin modified capillary zone electrophoresis. Analyst, The, 2002, 127, 490-493. | 1.7 | 51 |
| 39 | An ionic liquid coating for determination of sildenafil and UK-103,320 in human serum by capillary zone electrophoresis-ion trap mass spectrometry. Electrophoresis, 2002, 23, 4110-4116. | 1.3 | 100 |