

# Juan A Calleja

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5547396/publications.pdf>

Version: 2024-02-01

43  
papers

571  
citations

687363

13  
h-index

677142

22  
g-index

43  
all docs

43  
docs citations

43  
times ranked

932  
citing authors

#	ARTICLE	IF	CITATIONS
1	Grazing influences biomass production and protein content of alpine meadows. <i>Science of the Total Environment</i> , 2022, 818, 151771.	8.0	15
2	Satellite-Based Monitoring of Primary Production in a Mediterranean Islet Post Black Rat Eradication. <i>Remote Sensing</i> , 2022, 14, 101.	4.0	4
3	An NGS-Based Phylogeny of Orthotricheae (Orthotrichaceae, Bryophyta) With the Proposal of the New Genus <i>Rehubryum</i> From Zealandia. <i>Frontiers in Plant Science</i> , 2022, 13, .	3.6	7
4	Time available for moulting shapes inter- and intra-specific variability in post-juvenile moult extent in wheatears (genus <i>Oenanthe</i> ). <i>Journal of Ornithology</i> , 2021, 162, 255-264.	1.1	5
5	Insights Into the Evolutionary History of the Subfamily Orthotrichoideae (Orthotrichaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 <i>Plant Science</i> , 2021, 12, 629035.	3.6	12
6	Near Infrared Reflectance Spectroscopy Analysis to Predict Diet Composition of a Mountain Ungulate Species. <i>Animals</i> , 2021, 11, 1449.	2.3	2
7	Earliest herbarium evidence for the occurrence of <i>Lewinskya acuminata</i> (Orthotrichaceae) in East Africa. <i>Journal of Bryology</i> , 2020, 42, 186-188.	1.2	2
8	Generic boundaries in subtribe Saussureinae (Compositae: Cardueae): Insights from <sc>Hybâ€Seq</sc> data. <i>Taxon</i> , 2020, 69, 694-714.	0.7	8
9	A New Native Plant in the Neighborhood: Effects on Plantâ€™Pollinator Networks, Pollination, and Plant Reproductive Success. <i>Bulletin of the Ecological Society of America</i> , 2020, 101, e01704.	0.2	0
10	A new native plant in the neighborhood: effects on plantâ€™pollinator networks, pollination, and plant reproductive success. <i>Ecology</i> , 2020, 101, e03046.	3.2	13
11	Remote mapping of foodscapes using sUAS and a low cost BG-NIR sensor. <i>Science of the Total Environment</i> , 2020, 718, 137357.	8.0	2
12	Letâ€™s make <i>Pulvigerâ€</i> great again: re-circumscription of a misunderstood group of Orthotrichaceae that diversified in North America. <i>Botanical Journal of the Linnean Society</i> , 2020, 193, 180-206.	1.6	15
13	Two complex typifications and a new name to unravel <i>Ulota germana sensu Malta non</i> (Mont.) Mitt. (Orthotrichaceae). <i>Bryologist</i> , 2020, 123, 163.	0.6	3
14	The role of wild ungulates in nutrient cycling in Mediterranean ecosystems: a pending issue. <i>Galemys Spanish Journal of Mammalogy</i> , 2020, 32, 1-3.	0.2	3
15	The <i>Lewinskya affinis</i> complex (Orthotrichaceae) revisited: species description and differentiation. <i>Bryologist</i> , 2020, 123, .	0.6	5
16	Do mosses really exhibit so large distribution ranges? Insights from the integrative taxonomic study of the <i>Lewinskya affinis</i> complex (Orthotrichaceae, Bryopsida). <i>Molecular Phylogenetics and Evolution</i> , 2019, 140, 106598.	2.7	23
17	New national and regional bryophyte records, 60. <i>Journal of Bryology</i> , 2019, 41, 285-299.	1.2	12
18	Comparing the accuracy of PCR-capillary electrophoresis and cuticle microhistological analysis for assessing diet composition in ungulates: A case study with Pyrenean chamois. <i>PLoS ONE</i> , 2019, 14, e0216345.	2.5	10

#	ARTICLE	IF	CITATIONS
19	Spatial variability in a plant-pollinator community across a continuous habitat: high heterogeneity in the face of apparent uniformity. <i>Ecography</i> , 2019, 42, 1558-1568.	4.5	17
20	Nuclear and plastid DNA phylogeny of tribe Cardueae (Compositae) with Hyb-Seq data: A new subtribal classification and a temporal diversification framework. <i>Molecular Phylogenetics and Evolution</i> , 2019, 137, 313-332.	2.7	58
21	Drivers of plant richness patterns of Mediterranean riparian forests at local and regional scales have bottom-up and top-down effects. <i>Journal of Vegetation Science</i> , 2019, 30, 485-497.	2.2	7
22	Seasonal diet composition of Pyrenean chamois is mainly shaped by primary production waves. <i>PLoS ONE</i> , 2019, 14, e0210819.	2.5	31
23	Effects of boom and bust grazing management on vegetation and health of beef cattle used for wildfire prevention in a Mediterranean forest. <i>Science of the Total Environment</i> , 2019, 665, 18-22.	8.0	7
24	Different effects of alpine woody plant expansion on domestic and wild ungulates. <i>Global Change Biology</i> , 2019, 25, 1808-1819.	9.5	28
25	Cattle Grazing Fails to Control Shrub Encroachment in Mediterranean Landscapes. <i>Rangeland Ecology and Management</i> , 2019, 72, 803-811.	2.3	22
26	Exploring data processing strategies in NGS target enrichment to disentangle radiations in the tribe Cardueae (Compositae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 128, 69-87.	2.7	38
27	Molecular systematics and phylogeography of the genus <i>Echinops</i> (Compositae.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 422 T</i>	0.3	6
28	New national and regional bryophyte records, 51. <i>Journal of Bryology</i> , 2017, 39, 177-190.	1.2	17
29	New national and regional bryophyte records, 49. <i>Journal of Bryology</i> , 2016, 38, 327-347.	1.2	26
30	Epiphytic Bryophyte Communities of <i>Prunus lusitanica</i> Iberian Forests: Biogeographic Islands Shaped by Regional Climates. <i>Cryptogamie, Bryologie</i> , 2016, 37, 53-85.	0.2	2
31	Beyond the Rand Flora pattern: Phylogeny and biogeographical history of <i>Volutaria</i> (Compositae). <i>Taxon</i> , 2016, 65, 315-332.	0.7	6
32	Repeatability of Feather Mite Prevalence and Intensity in Passerine Birds. <i>PLoS ONE</i> , 2014, 9, e107341.	2.5	23
33	<i>Volutaria tubuliflora</i> (Murb.) Sennen (Asteraceae), nueva especie alctona asilvestrada para Chile. <i>Gayana - Botanica</i> , 2014, 71, 276-279.	0.2	1
34	Polyploidy and microsatellite variation in the relict tree <i>Prunus lusitanica</i> : how effective are refugia in preserving genotypic diversity of clonal taxa?. <i>Molecular Ecology</i> , 2013, 22, 1546-1557.	3.9	48
35	Plant size and abiotic factors determine the intra-specific variation in the multi-stemmed architecture of <i>Prunus lusitanica</i> in the Northeast limit of its global distribution. <i>Forest Systems</i> , 2013, 22, 423.	0.3	1
36	Distribuci3n de "Festuca patula" Desf. en la Península Ib3rica; ecolog3a y tama3os poblacionales de sus poblaciones en Las Villuercas y Los Montes de Toledo (CW de Espa3a). <i>Botanica Complutensis</i> , 2011, 35, .	0.1	0

#	ARTICLE	IF	CITATIONS
37	A Quaternary perspective on the conservation prospects of the Tertiary relict tree <i>Prunus lusitanica</i> L.. Journal of Biogeography, 2009, 36, 487-498.	3.0	36
38	The late Holocene palaeoecological sequence of Serran�a de las Villuercas (southern Meseta, western)	2.1	14
39	Tertiary relict trees in a Mediterranean climate: abiotic constraints on the persistence of <i>Prunus lusitanica</i> at the eroding edge of its range. Journal of Biogeography, 2008, 35, 1425-1435.	3.0	35
40	On the presence of <i>Cryphaea lamyana</i> , <i>Rhynchostegium alopecuroides</i> and <i>Dialytrichia mucronata</i> in the Centre of the Iberian Peninsula. Journal of Bryology, 1999, 21, 159-160.	1.2	3
41	Reinstatement of the Patagonian moss <i>Ulota glabella</i> Mitt. (Bryophyta, Orthotrichaceae). European Journal of Taxonomy, 0, 726, 83-101.	0.6	3
42	Citas y apuntes corol�gicos de inter�s en ciper�ceas ib�ricas. Acta Botanica Malacitana, 0, 45, 231-233.	0.0	1
43	Citas y apuntes corol�gicos de inter�s en ciper�ceas ib�ricas. Acta Botanica Malacitana, 0, 45, 231-233.	0.0	0