

Tariq Shah

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5547913/tariq-shah-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

2,024
citations

27
h-index

42
g-index

91
ext. papers

2,359
ext. citations

2.6
avg, IF

5.72
L-index

#	Paper	IF	Citations
89	Design of 24-by-24-replacement-matrix: a functionality to astronomical visual. <i>Multimedia Tools and Applications</i> , 2022 , 81, 5929	2.5	0
88	Block Cipher Substitution Box Generation Based on Natural Randomness in Underwater Acoustics and Knight Tour Chain. <i>Computational Intelligence and Neuroscience</i> , 2022 , 2022, 1-17	3	
87	. <i>IEEE Access</i> , 2021 , 9, 157106-157123	3.5	1
86	An Efficient Audio Encryption Scheme Based on Finite Fields. <i>IEEE Access</i> , 2021 , 9, 144385-144394	3.5	0
85	Asymmetric Cryptosystem on Matrix Algebra over a Chain Ring. <i>Symmetry</i> , 2021 , 13, 45	2.7	
84	Block cipher nonlinear component design by elliptic curves: an image encryption application. <i>Multimedia Tools and Applications</i> , 2021 , 80, 4693-4718	2.5	10
83	A Novel Scheme of Image Encryption Based on Elliptic Curves Isomorphism and Substitution Boxes. <i>IEEE Access</i> , 2021 , 1-1	3.5	7
82	A three-dimensional chaotic map and their applications to digital audio security. <i>Multimedia Tools and Applications</i> , 2021 , 80, 22251-22273	2.5	1
81	Designing S-boxes triplet over a finite chain ring and its application in RGB image encryption. <i>Multimedia Tools and Applications</i> , 2020 , 79, 26885-26911	2.5	2
80	Improved SERPENT Algorithm: Design to RGB Image Encryption Implementation. <i>IEEE Access</i> , 2020 , 8, 52609-52621	3.5	9
79	A Power Associative Loop Structure for the Construction of Non-Linear Components of Block Cipher. <i>IEEE Access</i> , 2020 , 8, 123492-123506	3.5	19
78	The Effect of the Primitive Irreducible Polynomial on the Quality of Cryptographic Properties of Block Ciphers. <i>Security and Communication Networks</i> , 2020 , 2020, 1-14	1.9	
77	A novel efficient image encryption algorithm based on affine transformation combine with linear fractional transformation. <i>Multidimensional Systems and Signal Processing</i> , 2020 , 31, 885-905	1.8	7
76	An efficient image privacy scheme based on nonlinear chaotic system and linear canonical transformation. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2020 , 546, 123458	3.3	20
75	Construction of Non-linear Component of Block Cipher by Means of Chaotic Dynamical System and Symmetric Group. <i>Wireless Personal Communications</i> , 2020 , 112, 467-480	1.9	13
74	Design of an S-box using Rabinovich-Fabrikant system of differential equations perceiving third order nonlinearity. <i>Multimedia Tools and Applications</i> , 2020 , 79, 6649-6660	2.5	12
73	Digital audio signals encryption by Mobius transformation and Hénon map. <i>Multimedia Systems</i> , 2020 , 26, 235-245	2.2	12

72	A novel discrete image encryption algorithm based on finite algebraic structures. <i>Multimedia Tools and Applications</i> , 2020 , 79, 28023-28042	2.5	6
71	Galois Ring (\mathbb{Z}_8) Dependent (24 times 24) S-Box Design: An RGB Image Encryption Application. <i>Wireless Personal Communications</i> , 2020 , 113, 1201-1224	1.9	10
70	BCH Codes with computational approach and its applications in image encryption. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 37, 3925-3939	1.6	11
69	S-Box on Subgroup of Galois Field. <i>Cryptography</i> , 2019 , 3, 13	1.9	1
68	Steps Towards Redesigning Cryptosystems by a Non-associative Algebra of IP-Loops. <i>Wireless Personal Communications</i> , 2019 , 108, 1379-1392	1.9	5
67	A Novel Algorithm of Constructing Highly Nonlinear S-p-boxes. <i>Cryptography</i> , 2019 , 3, 6	1.9	16
66	Construction of highly nonlinear S-boxes for degree 8 primitive irreducible polynomials over \mathbb{Z}_2 . <i>Multimedia Tools and Applications</i> , 2019 , 78, 1219-1234	2.5	24
65	A scheme based on algebraic and chaotic structures for the construction of substitution box. <i>Multimedia Tools and Applications</i> , 2019 , 78, 32467-32484	2.5	15
64	Cryptosystem techniques based on the improved Chebyshev map: an application in image encryption. <i>Multimedia Tools and Applications</i> , 2019 , 78, 31467-31484	2.5	11
63	A novel approach to improve multimedia security utilizing 3D mixed chaotic map. <i>Microprocessors and Microsystems</i> , 2019 , 65, 1-6	2.4	29
62	A new technique of frequency domain watermarking based on a local ring. <i>Wireless Networks</i> , 2019 , 25, 1491-1503	2.5	11
61	A novel scheme for image encryption using substitution box and chaotic system. <i>Nonlinear Dynamics</i> , 2018 , 91, 359-370	5	96
60	Image privacy scheme using quantum spinning and rotation. <i>Journal of Electronic Imaging</i> , 2018 , 27, 1	0.7	31
59	A Novel Algebraic Technique for the Construction of Strong Substitution Box. <i>Wireless Personal Communications</i> , 2018 , 99, 213-226	1.9	22
58	Primitive to non-primitive BCH codes: An instantaneous path shifting scheme for data transmission. <i>Journal of Algebra and Its Applications</i> , 2018 , 17, 1850238	0.4	
57	Image Encryption Based on Action of Projective General Linear Group on a Galois Field $GF(28)$ 2018 ,		2
56	To Study the Effect of the Generating Polynomial on the Quality of Nonlinear Components in Block Ciphers. <i>Security and Communication Networks</i> , 2018 , 2018, 1-8	1.9	12
55	Design of new (4times 4) S-box from finite commutative chain rings. <i>Computational and Applied Mathematics</i> , 2017 , 36, 843-857		9

54	Maximal cyclic subgroups of the groups of units of Galois rings: a computational approach. <i>Computational and Applied Mathematics</i> , 2017 , 36, 1273-1297		7
53	Characterization of cyclic codes over $\{B[X;(1/m)Z_0]\}_{m > 1}$ and efficient encoding decoding algorithm for cyclic codes. <i>International Journal of Computer Mathematics</i> , 2017 , 94, 1015-1027	1.2	1
52	A novel construction of substitution box using a combination of chaotic maps with improved chaotic range. <i>Nonlinear Dynamics</i> , 2017 , 88, 2757-2769	5	59
51	A new approach for image encryption and watermarking based on substitution box over the classes of chain rings. <i>Multimedia Tools and Applications</i> , 2017 , 76, 24027-24062	2.5	24
50	A Novel Image Encryption Based on Algebraic S-box and Arnold Transform. <i>3D Research</i> , 2017 , 8, 1	2.4	37
49	Image reconstruction and text embedding using scan patterns with XOR in graph cut technique. <i>Journal of Intelligent and Fuzzy Systems</i> , 2017 , 33, 1097-1104	1.6	
48	Construction of S-box based on chaotic Boolean functions and its application in image encryption. <i>Neural Computing and Applications</i> , 2016 , 27, 677-685	4.8	103
47	A new implementation of chaotic S-boxes in CAPTCHA. <i>Signal, Image and Video Processing</i> , 2016 , 10, 293-300	3.0	41
46	Onion steganography: a novel layering approach. <i>Nonlinear Dynamics</i> , 2016 , 84, 1431-1446	5	8
45	Application of soft sets to non-associative rings. <i>Journal of Intelligent and Fuzzy Systems</i> , 2016 , 30, 1537-1546	1.6	0
44	A highly nonlinear S-box based on a fractional linear transformation. <i>SpringerPlus</i> , 2016 , 5, 1658		32
43	A Watermarking Technique with Chaotic Fractional S-Box Transformation. <i>Wireless Personal Communications</i> , 2016 , 90, 2033-2049	1.9	48
42	A Novel Cryptosystem Based on General Linear Group. <i>3D Research</i> , 2015 , 6, 1	2.4	4
41	Intuitionistic Fuzzy Soft Set Decision Criterion for Selecting Appropriate Block Cipher. <i>3D Research</i> , 2015 , 6, 1	2.4	3
40	A novel construction of substitution box with Zaslavskii chaotic map and symmetric group. <i>Journal of Intelligent and Fuzzy Systems</i> , 2015 , 28, 1509-1517	1.6	17
39	A copyright protection using watermarking scheme based on nonlinear permutation and its quality metrics. <i>Neural Computing and Applications</i> , 2015 , 26, 845-855	4.8	16
38	An efficient chaotic image encryption scheme. <i>Neural Computing and Applications</i> , 2015 , 26, 1137-1148	4.8	64
37	An efficient construction of substitution box with fractional chaotic system. <i>Signal, Image and Video Processing</i> , 2015 , 9, 1335-1338	1.6	59

36	Texture Analysis of Chaotic Coupled Map Lattices Based Image Encryption Algorithm. <i>3D Research</i> , 2014 , 5, 1	2.4	13
35	Image encryption algorithm based on total shuffling scheme and chaotic S-box transformation. <i>JVC/Journal of Vibration and Control</i> , 2014 , 20, 2133-2136	2	17
34	A Novel Statistical Analysis of Chaotic S-box in Image Encryption. <i>3D Research</i> , 2014 , 5, 1	2.4	18
33	A new transmission model in cognitive radio based on cyclic generalized polynomial codes for bandwidth reduction. <i>Discrete Mathematics, Algorithms and Applications</i> , 2014 , 06, 1450059	0.5	2
32	Spectrum Distribution in Cognitive Radio: Error Correcting Codes Perspective. <i>International Journal of Distributed Sensor Networks</i> , 2014 , 10, 864916	1.7	3
31	A novel image encryption technique based on Hénon chaotic map and S8 symmetric group. <i>Neural Computing and Applications</i> , 2014 , 25, 1717-1722	4.8	45
30	A color image watermarking scheme based on affine transformation and S 4 permutation. <i>Neural Computing and Applications</i> , 2014 , 25, 2037-2045	4.8	19
29	Analyses of S-Box in Image Encryption Applications Based on Fuzzy Decision Making Criterion. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2014 , 69, 207-214	1.4	3
28	A construction of novel chaos base nonlinear component of block cipher. <i>Nonlinear Dynamics</i> , 2014 , 76, 377-382	5	49
27	An efficient scheme for digital watermarking using chaotic map. <i>Nonlinear Dynamics</i> , 2013 , 73, 1469-1474		46
26	An efficient technique for the construction of substitution box with chaotic partial differential equation. <i>Nonlinear Dynamics</i> , 2013 , 73, 1795-1801	5	60
25	A novel method for designing nonlinear component for block cipher based on TD-ERCS chaotic sequence. <i>Nonlinear Dynamics</i> , 2013 , 73, 633-637	5	28
24	A novel image encryption algorithm based on chaotic maps and GF(28) exponent transformation. <i>Nonlinear Dynamics</i> , 2013 , 72, 399-406	5	35
23	A method for improving the code rate and error correction capability of a cyclic code. <i>Computational and Applied Mathematics</i> , 2013 , 32, 261-274		5
22	A group theoretic approach to construct cryptographically strong substitution boxes. <i>Neural Computing and Applications</i> , 2013 , 23, 97-104	4.8	78
21	A projective general linear group based algorithm for the construction of substitution box for block ciphers. <i>Neural Computing and Applications</i> , 2013 , 22, 1085-1093	4.8	94
20	Literature survey on nonlinear components and chaotic nonlinear components of block ciphers. <i>Nonlinear Dynamics</i> , 2013 , 74, 869-904	5	36
19	On codes over quaternion integers. <i>Applicable Algebra in Engineering, Communications and Computing</i> , 2013 , 24, 477-496	0.6	3

18	An efficient approach for the construction of LFT S-boxes using chaotic logistic map. <i>Nonlinear Dynamics</i> , 2013 , 71, 133-140	5	64
17	An efficient method for the construction of block cipher with multi-chaotic systems. <i>Nonlinear Dynamics</i> , 2013 , 71, 489-492	5	94
16	Efficient method for designing chaotic S-boxes based on generalized Baker's map and TDERC chaotic sequence. <i>Nonlinear Dynamics</i> , 2013 , 74, 271-275	5	29
15	Substitution Box on Maximal Cyclic Subgroup of Units of a Galois Ring. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2013 , 68, 567-572	1.4	17
14	Image encryption algorithm based on PGL(2,GF(28)) S-boxes and TD-ERCS chaotic sequence. <i>Nonlinear Dynamics</i> , 2012 , 70, 181-187	5	63
13	A novel approach for designing substitution-boxes based on nonlinear chaotic algorithm. <i>Nonlinear Dynamics</i> , 2012 , 70, 1791-1794	5	66
12	A novel technique for the construction of strong S-boxes based on chaotic Lorenz systems. <i>Nonlinear Dynamics</i> , 2012 , 70, 2303-2311	5	108
11	S8 affine-power-affine S-boxes and their applications. <i>Neural Computing and Applications</i> , 2012 , 21, 377-383	3.83	11
10	Generalized Majority Logic Criterion to Analyze the Statistical Strength of S-Boxes. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2012 , 67, 282-288	1.4	34
9	Construction of New S-Boxes Over Finite Field and Their Application to Watermarking. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2012 , 67, 705-710	1.4	4
8	CYCLIC CODES THROUGH $B[X; \frac{a}{b} \mathbb{Z}_0]$, WITH $\frac{a}{b} \in \mathbb{Q}^+$ AND $b = a+1$, AND ENCODING. <i>Discrete Mathematics, Algorithms and Applications</i> , 2012 , 04, 1250059	0.5	4
7	CYCLIC CODES THROUGH $B[X]$, $B[X; \frac{1}{k} \mathbb{Z}_0]$ AND $B[X; \frac{1}{p^k} \mathbb{Z}_0]$: A COMPARISON. <i>Journal of Algebra and Its Applications</i> , 2012 , 11, 1250078	0.4	4
6	Construction and decoding of BCH codes over chain of commutative rings. <i>Mathematical Sciences</i> , 2012 , 6, 51	1.6	5
5	Analysis of S-box in Image Encryption Using Root Mean Square Error Method. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2012 , 67, 327-332	1.4	14
4	Intuitionistic Fuzzy Normal subrings over a non-associative ring. <i>Analele Stiintifice Ale Universitatii Ovidius Constanta, Seria Matematica</i> , 2012 , 20, 369-386	0.4	1
3	Factorization properties of subrings in trigonometric polynomial rings. <i>Publications De L'Institut Mathematique</i> , 2009 , 86, 123-131	0.2	
2	An Efficient Image Privacy-Preserving Scheme Based On Mixed Chaotic Map and Compression. <i>International Journal of Image and Graphics</i> , 2250020	0.5	1
1	Pseudo random sequences based on elliptic curve subgroups and mathematical model for its application to digital image security. <i>Multimedia Tools and Applications</i> , 1	2.5	

