

Neil B Ruderman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5549110/neil-b-ruderman-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

18,363
citations

68
h-index

135
g-index

149
ext. papers

19,806
ext. citations

7
avg, IF

6.37
L-index

#	Paper	IF	Citations
142	The effects of troglitazone on AMPK in HepG2 cells. <i>Archives of Biochemistry and Biophysics</i> , 2017 , 623-624, 49-57	4.1	6
141	Unraveling the actions of AMP-activated protein kinase in metabolic diseases: Systemic to molecular insights. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 634-645	12.7	31
140	PKD1 Inhibits AMPK through Phosphorylation of Serine 491 and Impairs Insulin Signaling in Skeletal Muscle Cells. <i>Journal of Biological Chemistry</i> , 2016 , 291, 5664-5675	5.4	36
139	Pancreatic β Cell Dysfunction in Diet-Induced Obese Mice: Roles of AMP-Kinase, Protein Kinase C Mitochondrial and Cholesterol Metabolism, and Alterations in Gene Expression. <i>PLoS ONE</i> , 2016 , 11, e0153017	3.7	16
138	Knockdown of GSK3 increases basal autophagy and AMPK signalling in nutrient-laden human aortic endothelial cells. <i>Bioscience Reports</i> , 2016 , 36,	4.1	33
137	A beta cell ATGL-lipolysis/adipose tissue axis controls energy homeostasis and body weight via insulin secretion in mice. <i>Diabetologia</i> , 2016 , 59, 2654-2663	10.3	27
136	Insulin resistance as a physiological defense against metabolic stress: implications for the management of subsets of type 2 diabetes. <i>Diabetes</i> , 2015 , 64, 673-86	0.9	139
135	Glucose and palmitate uncouple AMPK from autophagy in human aortic endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2015 , 308, C249-63	5.4	37
134	Response to Comments on Nolan et al. Insulin Resistance as a Physiological Defense Against Metabolic Stress: Implications for the Management of Subsets of Type 2 Diabetes. <i>Diabetes</i> 2015;64:673-686. <i>Diabetes</i> , 2015 , 64, e38-9	0.9	3
133	Overexpression of SIRT1 in rat skeletal muscle does not alter glucose induced insulin resistance. <i>PLoS ONE</i> , 2015 , 10, e0121959	3.7	15
132	Improved Insulin Sensitivity 3 Months After RYGB Surgery Is Associated With Increased Subcutaneous Adipose Tissue AMPK Activity and Decreased Oxidative Stress. <i>Diabetes</i> , 2015 , 64, 3155-9	0.9	37
131	Resveratrol prevents oxidative stress-induced senescence and proliferative dysfunction by activating the AMPK-FOXO3 cascade in cultured primary human keratinocytes. <i>PLoS ONE</i> , 2015 , 10, e0153341	3.7	90
130	Nutrient Excess and AMPK Downregulation in Incubated Skeletal Muscle and Muscle of Glucose Infused Rats. <i>PLoS ONE</i> , 2015 , 10, e0127388	3.7	21
129	AMP-activated Protein Kinase (AMPK): Does This Master Regulator of Cellular Energy State Distinguish Insulin Sensitive from Insulin Resistant Obesity?. <i>Current Obesity Reports</i> , 2014 , 3, 248-55	8.4	17
128	Insulin inhibits AMPK activity and phosphorylates AMPK Ser744 through Akt in hepatocytes, myotubes and incubated rat skeletal muscle. <i>Archives of Biochemistry and Biophysics</i> , 2014 , 562, 62-9	4.1	81
127	AMPK activation: a therapeutic target for type 2 diabetes?. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2014 , 7, 241-53	3.4	167
126	Glucagon-like peptide-1 (GLP-1) analog liraglutide inhibits endothelial cell inflammation through a calcium and AMPK dependent mechanism. <i>PLoS ONE</i> , 2014 , 9, e97554	3.7	103

125	Increased subcutaneous adipose tissue expression of genes involved in glycerolipid-fatty acid cycling in obese insulin-resistant versus -sensitive individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E2518-28	5.6	13
124	Intensive insulin for type 2 diabetes: the risk of causing harm. <i>Lancet Diabetes and Endocrinology</i> , 2013 , 1, 9-10	18.1	27
123	Pioglitazone acutely reduces energy metabolism and insulin secretion in rats. <i>Diabetes</i> , 2013 , 62, 2122-9	0.9	26
122	SIRT4 coordinates the balance between lipid synthesis and catabolism by repressing malonyl CoA decarboxylase. <i>Molecular Cell</i> , 2013 , 50, 686-98	17.6	256
121	What distinguishes adipose tissue of severely obese humans who are insulin sensitive and resistant?. <i>Current Opinion in Lipidology</i> , 2013 , 24, 49-56	4.4	22
120	Protein kinase C- α contributes to impaired endothelial insulin signaling in humans with diabetes mellitus. <i>Circulation</i> , 2013 , 127, 86-95	16.7	118
119	AMPK, insulin resistance, and the metabolic syndrome. <i>Journal of Clinical Investigation</i> , 2013 , 123, 2764-73	7.9	548
118	Nutrient Excess in AMPK Downregulation and Insulin Resistance 2013 , 1, 1008		17
117	Insulin Resistance due to Nutrient Excess: Mechanisms of AMPK Downregulation. <i>FASEB Journal</i> , 2013 , 27, 701.2	0.9	
116	Insulin sensitive and resistant obesity in humans: AMPK activity, oxidative stress, and depot-specific changes in gene expression in adipose tissue. <i>Journal of Lipid Research</i> , 2012 , 53, 792-801	6.3	144
115	Association of fetuin-a with incident diabetes mellitus in community-living older adults: the cardiovascular health study. <i>Circulation</i> , 2012 , 125, 2316-22	16.7	58
114	A novel inverse relationship between metformin-triggered AMPK-SIRT1 signaling and p53 protein abundance in high glucose-exposed HepG2 cells. <i>American Journal of Physiology - Cell Physiology</i> , 2012 , 303, C4-C13	5.4	57
113	Acute activation of AMP-activated protein kinase prevents H ₂ O ₂ -induced premature senescence in primary human keratinocytes. <i>PLoS ONE</i> , 2012 , 7, e35092	3.7	34
112	The evolution of insulin resistance in muscle of the glucose infused rat. <i>Archives of Biochemistry and Biophysics</i> , 2011 , 509, 133-41	4.1	15
111	Decreased AMP-activated protein kinase activity is associated with increased inflammation in visceral adipose tissue and with whole-body insulin resistance in morbidly obese humans. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 404, 382-7	3.4	153
110	Activation of AMP-activated protein kinase prevents lipotoxicity in retinal pericytes 2011 , 52, 3630-9		28
109	Optimal concentrations of N-decanoyl-N-methylglucamine and sodium dodecyl sulfate allow the extraction and analysis of membrane proteins. <i>Analytical Biochemistry</i> , 2011 , 418, 298-300	3.1	6
108	Insulin resistance due to nutrient excess: is it a consequence of AMPK downregulation?. <i>Cell Cycle</i> , 2011 , 10, 3447-51	4.7	62

107	Mitochondrial transporter ATP binding cassette mitochondrial erythroid is a novel gene required for cardiac recovery after ischemia/reperfusion. <i>Circulation</i> , 2011 , 124, 806-13	16.7	51
106	Acute exercise activates AMPK and eNOS in the mouse aorta. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H1255-65	5.2	59
105	Intermediary Metabolism of Carbohydrate, Protein, and Fat 2011 , 25-51		2
104	SIRT3 regulates mitochondrial fatty-acid oxidation by reversible enzyme deacetylation. <i>Nature</i> , 2010 , 464, 121-5	50.4	1143
103	Downregulation of AMPK accompanies leucine- and glucose-induced increases in protein synthesis and insulin resistance in rat skeletal muscle. <i>Diabetes</i> , 2010 , 59, 2426-34	0.9	134
102	Deficiency of electron transport chain in human skeletal muscle mitochondria in type 2 diabetes mellitus and obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 298, E49-58	6	196
101	Activation of AMP-activated protein kinase signaling pathway by adiponectin and insulin in mouse adipocytes: requirement of acyl-CoA synthetases FATP1 and Acsl1 and association with an elevation in AMP/ATP ratio. <i>FASEB Journal</i> , 2010 , 24, 4229-39	0.9	56
100	AMPK and SIRT1: a long-standing partnership?. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 298, E751-60	6	569
99	Adipose tissue inflammation and insulin resistance: all obese humans are not created equal. <i>Biochemical Journal</i> , 2010 , 430, e1-4	3.8	23
98	The Metabolic Syndrome 2010 , 822-839		2
97	Activation of AMP-activated protein kinase by interleukin-6 in rat skeletal muscle: association with changes in cAMP, energy state, and endogenous fuel mobilization. <i>Diabetes</i> , 2009 , 58, 1953-60	0.9	106
96	Adipose triglyceride lipase is implicated in fuel- and non-fuel-stimulated insulin secretion. <i>Journal of Biological Chemistry</i> , 2009 , 284, 16848-16859	5.4	64
95	Association of AMP-activated protein kinase subunits with glycogen particles as revealed in situ by immunoelectron microscopy. <i>Journal of Histochemistry and Cytochemistry</i> , 2009 , 57, 963-71	3.4	30
94	Pioglitazone acutely reduces insulin secretion and causes metabolic deceleration of the pancreatic beta-cell at submaximal glucose concentrations. <i>Endocrinology</i> , 2009 , 150, 3465-74	4.8	45
93	AMPK and the biochemistry of exercise: implications for human health and disease. <i>Biochemical Journal</i> , 2009 , 418, 261-75	3.8	296
92	Ablation of ARNT/HIF1beta in liver alters gluconeogenesis, lipogenic gene expression, and serum ketones. <i>Cell Metabolism</i> , 2009 , 9, 428-39	24.6	63
91	Concurrent regulation of AMP-activated protein kinase and SIRT1 in mammalian cells. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 378, 836-41	3.4	137
90	SIRT1 modulation of the acetylation status, cytosolic localization, and activity of LKB1. Possible role in AMP-activated protein kinase activation. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27628-27635	5.4	563

89	AMP-activated protein kinase is activated as a consequence of lipolysis in the adipocyte: potential mechanism and physiological relevance. <i>Journal of Biological Chemistry</i> , 2008 , 283, 16514-24	5.4	190
88	Physical inactivity rapidly induces insulin resistance and microvascular dysfunction in healthy volunteers. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 2650-6	9.4	307
87	AMP-activated protein kinase and its regulation by adiponectin and interleukin-6. <i>Food Nutrition Research</i> , 2006 , 50, 85-91		7
86	Thiazolidinediones can rapidly activate AMP-activated protein kinase in mammalian tissues. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E175-81	6	227
85	Interleukin-6 regulation of AMP-activated protein kinase. Potential role in the systemic response to exercise and prevention of the metabolic syndrome. <i>Diabetes</i> , 2006 , 55 Suppl 2, S48-54	0.9	137
84	Increased malonyl-CoA and diacylglycerol content and reduced AMPK activity accompany insulin resistance induced by glucose infusion in muscle and liver of rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 290, E471-9	6	92
83	Mice lacking adiponectin show decreased hepatic insulin sensitivity and reduced responsiveness to peroxisome proliferator-activated receptor gamma agonists. <i>Journal of Biological Chemistry</i> , 2006 , 281, 2654-60	5.4	484
82	AMPK regulation of the growth of cultured human keratinocytes. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 349, 519-24	3.4	15
81	Exercise training decreases the concentration of malonyl-CoA and increases the expression and activity of malonyl-CoA decarboxylase in human muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 290, E1296-303	6	36
80	Metabolic syndrome: adenosine monophosphate-activated protein kinase and malonyl coenzyme A. <i>Obesity</i> , 2006 , 14 Suppl 1, 25S-33S	8	51
79	Malonyl-CoA and carnitine in regulation of fat oxidation in human skeletal muscle during exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 288, E133-42	6	123
78	Dietary polyunsaturated fatty acids enhance hepatic AMP-activated protein kinase activity in rats. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 326, 851-8	3.4	102
77	Oleate prevents palmitate-induced cytotoxic stress in cardiac myocytes. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 336, 309-15	3.4	118
76	Malonyl-CoA decarboxylase is present in the cytosolic, mitochondrial and peroxisomal compartments of rat hepatocytes. <i>FEBS Letters</i> , 2005 , 579, 6581-6	3.8	21
75	AMPK, the metabolic syndrome and cancer. <i>Trends in Pharmacological Sciences</i> , 2005 , 26, 69-76	13.2	355
74	AMP-activated protein kinase and malonyl-CoA: Targets for treating insulin resistance?. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2005 , 2, 157-163		14
73	Free fatty acids produce insulin resistance and activate the proinflammatory nuclear factor-kappaB pathway in rat liver. <i>Diabetes</i> , 2005 , 54, 3458-65	0.9	405
72	AMP-activated protein kinase and coordination of hepatic fatty acid metabolism of starved/carbohydrate-refed rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 289, E794-800	6	113

71	Palmitate-induced apoptosis in cultured bovine retinal pericytes: roles of NAD(P)H oxidase, oxidant stress, and ceramide. <i>Diabetes</i> , 2005 , 54, 1838-45	0.9	144
70	Metabolic and hormonal interactions between muscle and adipose tissue. <i>Proceedings of the Nutrition Society</i> , 2004 , 63, 381-5	2.9	50
69	A role for the malonyl-CoA/long-chain acyl-CoA pathway of lipid signaling in the regulation of insulin secretion in response to both fuel and nonfuel stimuli. <i>Diabetes</i> , 2004 , 53, 1007-19	0.9	151
68	AMP kinase and malonyl-CoA: targets for therapy of the metabolic syndrome. <i>Nature Reviews Drug Discovery</i> , 2004 , 3, 340-51	64.1	335
67	AMP-activated protein kinase is required for the lipid-lowering effect of metformin in insulin-resistant human HepG2 cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 47898-905	5.4	340
66	Pioglitazone treatment activates AMP-activated protein kinase in rat liver and adipose tissue in vivo. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 314, 580-5	3.4	182
65	AMPK activity is diminished in tissues of IL-6 knockout mice: the effect of exercise. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 320, 449-54	3.4	223
64	AMP-activated protein kinase activators can inhibit the growth of prostate cancer cells by multiple mechanisms. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 321, 161-7	3.4	225
63	AMPK inhibits fatty acid-induced increases in NF-kappaB transactivation in cultured human umbilical vein endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 324, 1204-9	3.4	206
62	Role of disulfide bonds in Acrp30/adiponectin structure and signaling specificity. Different oligomers activate different signal transduction pathways. <i>Journal of Biological Chemistry</i> , 2003 , 278, 50810-7	5.4	365
61	Insulin resistance in type 2 diabetes: association with truncal obesity, impaired fitness, and atypical malonyl coenzyme A regulation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 82-7	5.6	44
60	Minireview: malonyl CoA, AMP-activated protein kinase, and adiposity. <i>Endocrinology</i> , 2003 , 144, 5166-71	1.8	226
59	Prevention of type 2 diabetes and its macrovascular complications: whom, when, and how should we treat?. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2003 , 10, 229-236		2
58	Malonyl-CoA and AMP-activated protein kinase: an expanding partnership. <i>Molecular and Cellular Biochemistry</i> , 2003 , 253, 65-70	4.2	135
57	Glucose autoregulates its uptake in skeletal muscle: involvement of AMP-activated protein kinase. <i>Diabetes</i> , 2003 , 52, 1635-40	0.9	76
56	The Endocrine System: Metabolic Effects of the Pancreatic, Adrenal, Thyroidal, and Growth Hormones 2003 , 361-422		5
55	Hyperglycemia and insulin resistance: possible mechanisms. <i>Annals of the New York Academy of Sciences</i> , 2002 , 967, 43-51	6.5	94
54	Alterations of nPKC distribution, but normal Akt/PKB activation in denervated rat soleus muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002 , 283, E318-25	6	11

53	Regulation of muscle malonyl-CoA levels in the nutritionally insulin-resistant desert gerbil, <i>Psammomys obesus</i> . <i>Diabetes/Metabolism Research and Reviews</i> , 2002 , 18, 217-23	7.5	4
52	AICAR administration causes an apparent enhancement of muscle and liver insulin action in insulin-resistant high-fat-fed rats. <i>Diabetes</i> , 2002 , 51, 2886-94	0.9	250
51	Enhanced muscle fat oxidation and glucose transport by ACRP30 globular domain: acetyl-CoA carboxylase inhibition and AMP-activated protein kinase activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 16309-13	11.5	797
50	Hyperglycemia-induced apoptosis in human umbilical vein endothelial cells: inhibition by the AMP-activated protein kinase activation. <i>Diabetes</i> , 2002 , 51, 159-67	0.9	296
49	Exercise and insulin signaling: a historical perspective. <i>Journal of Applied Physiology</i> , 2002 , 93, 765-72	3.7	29
48	Hyperglycemia increases endothelial superoxide that impairs smooth muscle cell Na ⁺ -K ⁺ -ATPase activity. <i>American Journal of Physiology - Cell Physiology</i> , 2002 , 282, C560-6	5.4	69
47	Coordinate regulation of malonyl-CoA decarboxylase, sn-glycerol-3-phosphate acyltransferase, and acetyl-CoA carboxylase by AMP-activated protein kinase in rat tissues in response to exercise. <i>Journal of Biological Chemistry</i> , 2002 , 277, 32571-7	5.4	279
46	Lipid-induced insulin resistance in human muscle is associated with changes in diacylglycerol, protein kinase C, and I κ B- α . <i>Diabetes</i> , 2002 , 51, 2005-11	0.9	1101
45	Acute regulation of fatty acid oxidation and amp-activated protein kinase in human umbilical vein endothelial cells. <i>Circulation Research</i> , 2001 , 88, 1276-82	15.7	158
44	Dissociation of 5SAMP-activated protein kinase activation and glucose uptake stimulation by mitochondrial uncoupling and hyperosmolar stress: differential sensitivities to intracellular Ca ²⁺ and protein kinase C inhibition. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 285, 1066-70	3.4	46
43	Regulation of fatty acid oxidation and glucose metabolism in rat soleus muscle: effects of AICAR. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001 , 281, E335-40	6	68
42	Inhibition of insulin signaling and glycogen synthesis by phorbol dibutyrate in rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001 , 281, E8-E15	6	17
41	Cell biology. Chewing the fat--ACC and energy balance. <i>Science</i> , 2001 , 291, 2558-9	33.3	27
40	Malonyl-CoA content and fatty acid oxidation in rat muscle and liver in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000 , 279, E259-65	6	66
39	Activation of malonyl-CoA decarboxylase in rat skeletal muscle by contraction and the AMP-activated protein kinase activator 5-aminoimidazole-4-carboxamide-1-beta -D-ribofuranoside. <i>Journal of Biological Chemistry</i> , 2000 , 275, 24279-83	5.4	149
38	Malonyl-CoA, fuel sensing, and insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999 , 276, E1-E18	6	266
37	Muscle lipid accumulation and protein kinase C activation in the insulin-resistant chronically glucose-infused rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999 , 277, E1070-6	6	57
36	Cytosolic citrate and malonyl-CoA regulation in rat muscle in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999 , 276, E1030-7	6	31

35	The effect of AMP-activated protein kinase and its activator AICAR on the metabolism of human umbilical vein endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 265, 112-5	3.4	78
34	Malonyl CoA, long chain fatty acyl CoA and insulin resistance in skeletal muscle. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 1998 , 9, 295-308	1.6	35
33	Diet-induced muscle insulin resistance in rats is ameliorated by acute dietary lipid withdrawal or a single bout of exercise: parallel relationship between insulin stimulation of glucose uptake and suppression of long-chain fatty acyl-CoA. <i>Diabetes</i> , 1997 , 46, 2022-8	0.9	152
32	Contraction-induced changes in acetyl-CoA carboxylase and 5SAMP-activated kinase in skeletal muscle. <i>Journal of Biological Chemistry</i> , 1997 , 272, 13255-61	5.4	321
31	Exercise and Metabolic Disorders. <i>Medicine and Sport Science</i> , 1993 , 38, 269-298		1
30	Diabetes, exercise, and atherosclerosis. <i>Diabetes Care</i> , 1992 , 15, 1787-93	14.6	39
29	Glucose and diabetic vascular disease. <i>FASEB Journal</i> , 1992 , 6, 2905-14	0.9	332
28	Hyperglycemia, Diabetes, and Vascular Disease: An Overview 1992 , 3-20		13
27	Mutations in the juxtamembrane region of the insulin receptor impair activation of phosphatidylinositol 3-kinase by insulin. <i>Molecular Endocrinology</i> , 1991 , 5, 769-77		43
26	Could intranasal insulin be useful in the treatment of non-insulin-dependent diabetes mellitus?. <i>Diabetes Research and Clinical Practice</i> , 1991 , 13, 69-75	7.4	6
25	Insulin-like growth factor I binding and receptor kinase in red and white muscle. <i>FEBS Letters</i> , 1988 , 234, 257-62	3.8	24
24	Energy state of bovine cerebral microvessels: comparison of isolation methods. <i>Microvascular Research</i> , 1988 , 35, 167-78	3.7	35
23	Metabolic characterization of isolated cerebral microvessels: ATP and ADP concentrations. <i>Microvascular Research</i> , 1988 , 35, 325-33	3.7	19
22	Impaired fibrinolytic response to exercise in type II diabetes: effects of exercise and physical training. <i>Metabolism: Clinical and Experimental</i> , 1988 , 37, 924-9	12.7	48
21	Exercise and Type I Diabetes Mellitus. <i>Exercise and Sport Sciences Reviews</i> , 1988 , 16, 285-304	6.7	15
20	Exercise and Metabolic Disorders. <i>Medicine and Sport Science</i> , 1988 , 27, 230-253		
19	The postexercise state: altered effects of insulin on skeletal muscle and their physiologic relevance. <i>Diabetes/metabolism Reviews</i> , 1986 , 1, 425-44		8
18	Atherosclerosis and physical activity. <i>Diabetes/metabolism Reviews</i> , 1986 , 1, 513-53		35

17	Insulin and exercise stimulate muscle alpha-aminoisobutyric acid transport by a Na ⁺ -K ⁺ -ATPase independent pathway. <i>Biochemical and Biophysical Research Communications</i> , 1986 , 134, 1342-9	3.4	17
16	Regulation of myofibrillar protein degradation in rat skeletal muscle during brief and prolonged starvation. <i>Metabolism: Clinical and Experimental</i> , 1986 , 35, 1121-7	12.7	77
15	Intranasal aerosolized insulin. Mixed-meal studies and long-term use in type I diabetes. <i>New England Journal of Medicine</i> , 1985 , 312, 1078-84	59.2	187
14	Diabetes as an atherogenic factor. <i>Progress in Cardiovascular Diseases</i> , 1984 , 26, 373-412	8.5	260
13	INFLUENCE OF MUSCLE USE ON AMINO ACID METABOLISM. <i>Exercise and Sport Sciences Reviews</i> , 1982 , 10, 1??26	6.7	5
12	Alpha and beta adrenergic effects on metabolism in contracting, perfused muscle. <i>Acta Physiologica Scandinavica</i> , 1982 , 116, 215-22		72
11	Muscle glucose metabolism following exercise in the rat: increased sensitivity to insulin. <i>Journal of Clinical Investigation</i> , 1982 , 69, 785-93	15.9	369
10	Diabetes and exercise. <i>American Journal of Medicine</i> , 1981 , 70, 201-9	2.4	91
9	Ornithine decarboxylase activity in insulin-deficient states. <i>Biochemical Journal</i> , 1980 , 192, 725-32		21
8	Non-beta-cell tumor hypoglycemia associated with increased nonsuppressible insulin-like protein (NSILP). <i>American Journal of Medicine</i> , 1979 , 66, 154-9	2.4	19
7	Effect of diabetes on the induction of ornithine decarboxylase by refeeding. <i>Life Sciences</i> , 1979 , 25, 553-0.8		5
6	Muscle nitrogen metabolism in chronic hepatic insufficiency. <i>Metabolism: Clinical and Experimental</i> , 1976 , 25, 427-35	12.7	115
5	The Formation of Glutamine and Alanine in Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 1974 , 249, 5500-5506	5.4	187
4	Synthesis of essential amino acids from their alpha-keto analogues by perfused rat liver and muscle. <i>Journal of Clinical Investigation</i> , 1973 , 52, 2865-77	15.9	107
3	A biochemical and morphologic study of very low density lipoproteins in carbohydrate-induced hypertriglyceridemia. <i>Journal of Clinical Investigation</i> , 1971 , 50, 1355-68	15.9	109
2	The Regulation of Gluconeogenesis. <i>Journal of Biological Chemistry</i> , 1970 , 245, 818-824	5.4	31
1	Relation of fatty acid oxidation tgluconeogenesis: effect of pentenoic acid. <i>Life Sciences</i> , 1968 , 7, 1083-96.8		24