

Lee M Wetzler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5552315/lee-m-wetzler-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

3,097
citations

30
h-index

55
g-index

70
ext. papers

3,418
ext. citations

6.6
avg. IF

5.1
L-index

#	Paper	IF	Citations
69	CD169+ Subcapsular Macrophage Role in Antigen Adjuvant Activity. <i>Frontiers in Immunology</i> , 2021 , 12, 624197	8.4	1
68	Toll-Like Receptor Ligand Based Adjuvant, PorB, Increases Antigen Deposition on Germinal Center Follicular Dendritic Cells While Enhancing the Follicular Dendritic Cells Network. <i>Frontiers in Immunology</i> , 2020 , 11, 1254	8.4	3
67	Early administration of interleukin-6 inhibitors for patients with severe COVID-19 disease is associated with decreased intubation, reduced mortality, and increased discharge. <i>International Journal of Infectious Diseases</i> , 2020 , 99, 28-33	10.5	40
66	Isolation of Naturally Released Gonococcal Outer Membrane Vesicles as Vaccine Antigens. <i>Methods in Molecular Biology</i> , 2019 , 1997, 121-141	1.4	2
65	Neisserial PorB immune enhancing activity and use as a vaccine adjuvant. <i>Human Vaccines and Immunotherapeutics</i> , 2019 , 15, 2778-2781	4.4	6
64	Murine host response to Neisseria gonorrhoeae upper genital tract infection reveals a common transcriptional signature, plus distinct inflammatory responses that vary between reproductive cycle phases. <i>BMC Genomics</i> , 2018 , 19, 627	4.5	9
63	Meningococcal PorB induces a robust and diverse antigen specific T cell response as a vaccine adjuvant. <i>Vaccine</i> , 2018 , 36, 7689-7699	4.1	8
62	Specific Binding to Differentially Expressed Human Carcinoembryonic Antigen-Related Cell Adhesion Molecules Determines the Outcome of Neisseria gonorrhoeae Infections along the Female Reproductive Tract. <i>Infection and Immunity</i> , 2018 , 86,	3.7	19
61	The TLR2 Binding Neisserial Porin PorB Enhances Antigen Presenting Cell Trafficking and Cross-presentation. <i>Scientific Reports</i> , 2017 , 7, 736	4.9	12
60	Toll-Like Receptor Ligand-Based Vaccine Adjuvants Require Intact MyD88 Signaling in Antigen-Presenting Cells for Germinal Center Formation and Antibody Production. <i>Frontiers in Immunology</i> , 2017 , 8, 225	8.4	19
59	Summary and Recommendations from the National Institute of Allergy and Infectious Diseases (NIAID) Workshop "Gonorrhea Vaccines: the Way Forward". <i>Vaccine Journal</i> , 2016 , 23, 656-63		27
58	Lipid-Mediated Targeting with Membrane-Wrapped Nanoparticles in the Presence of Corona Formation. <i>ACS Nano</i> , 2016 , 10, 1189-200	16.7	52
57	The reproductive cycle is a pathogenic determinant during gonococcal pelvic inflammatory disease in mice. <i>Mucosal Immunology</i> , 2016 , 9, 1051-64	9.2	21
56	Neisseriae internalization by epithelial cells is enhanced by TLR2 stimulation. <i>Microbes and Infection</i> , 2016 , 18, 627-638	9.3	9
55	Antibiotics for respiratory tract infections: a comparison of prescribing in an outpatient setting. <i>Infection Control and Hospital Epidemiology</i> , 2015 , 36, 153-9	2	30
54	Crystallographic analysis of Neisseria meningitidis PorB extracellular loops potentially implicated in TLR2 recognition. <i>Journal of Structural Biology</i> , 2014 , 185, 440-7	3.4	26
53	Distinct gene signatures in aortic tissue from ApoE ^{-/-} mice exposed to pathogens or Western diet. <i>BMC Genomics</i> , 2014 , 15, 1176	4.5	8

52	Macrophage-specific TLR2 signaling mediates pathogen-induced TNF-dependent inflammatory oral bone loss. <i>Journal of Immunology</i> , 2013 , 190, 1148-57	5.3	90
51	In vivo and in vitro characterization of the immune stimulating activity of the Neisserial porin PorB. <i>PLoS ONE</i> , 2013 , 8, e82171	3.7	14
50	Innate immunity and vaccines. <i>Current Topics in Medicinal Chemistry</i> , 2013 , 13, 2597-608	3	15
49	The Role of TLR2 in Infection and Immunity. <i>Frontiers in Immunology</i> , 2012 , 3, 79	8.4	367
48	Analysis of parameters associated with prevention of cellular apoptosis by pathogenic Neisseriae and purified porins. <i>Methods in Molecular Biology</i> , 2012 , 799, 319-41	1.4	
47	The amino acid sequence of Neisseria lactamica PorB surface-exposed loops influences Toll-like receptor 2-dependent cell activation. <i>Infection and Immunity</i> , 2012 , 80, 3417-28	3.7	20
46	The nature of an in vivo anti-capsular polysaccharide response is markedly influenced by the composition and/or architecture of the bacterial subcapsular domain. <i>Journal of Immunology</i> , 2012 , 188, 569-77	5.3	16
45	Toll-like receptor 2 induces mucosal homing receptor expression and IgA production by human B cells. <i>Clinical Immunology</i> , 2011 , 138, 33-40	9	28
44	Meningococcal porin PorB prevents cellular apoptosis in a toll-like receptor 2- and NF-kappaB-independent manner. <i>Infection and Immunity</i> , 2010 , 78, 994-1003	3.7	21
43	Human airway epithelial cell responses to Neisseria lactamica and purified porin via Toll-like receptor 2-dependent signaling. <i>Infection and Immunity</i> , 2010 , 78, 5314-23	3.7	25
42	Innate immune function of the neisserial porins and the relationship to vaccine adjuvant activity. <i>Future Microbiology</i> , 2010 , 5, 749-58	2.9	39
41	Bronchus-associated lymphoid tissue (BALT) and survival in a vaccine mouse model of tularemia. <i>PLoS ONE</i> , 2010 , 5, e11156	3.7	23
40	Neisseria gonorrhoeae infection protects human endocervical epithelial cells from apoptosis via expression of host antiapoptotic proteins. <i>Infection and Immunity</i> , 2009 , 77, 3602-10	3.7	30
39	The PorB porin from commensal Neisseria lactamica induces Th1 and Th2 immune responses to ovalbumin in mice and is a potential immune adjuvant. <i>Vaccine</i> , 2008 , 26, 786-96	4.1	40
38	Neisseria meningitidis PorB, a Toll-like receptor 2 ligand, improves the capacity of Francisella tularensis lipopolysaccharide to protect mice against experimental tularemia. <i>Vaccine Journal</i> , 2008 , 15, 1322-9		21
37	Identification of immunologic and pathologic parameters of death versus survival in respiratory tularemia. <i>Infection and Immunity</i> , 2008 , 76, 486-96	3.7	35
36	Role of protein tyrosine kinase and Erk1/2 activities in the Toll-like receptor 2-induced cellular activation of murine B cells by neisserial porin. <i>Vaccine Journal</i> , 2008 , 15, 630-7		15
35	Neisseria meningitidis PorB, a TLR2 ligand, induces an antigen-specific eosinophil recall response: potential adjuvant for helminth vaccines?. <i>Journal of Immunology</i> , 2007 , 179, 3222-30	5.3	15

34	Induction of cell signaling events by the cholera toxin B subunit in antigen-presenting cells. <i>Infection and Immunity</i> , 2007 , 75, 3150-9	3-7	36
33	T cell activation by TLRs: a role for TLRs in the adaptive immune response. <i>Science's STKE: Signal Transduction Knowledge Environment</i> , 2007 , 2007, pe48		46
32	Toll-like receptor 2-mediated human B cell differentiation. <i>Clinical Immunology</i> , 2006 , 120, 272-84	9	38
31	Meningococcal porin PorB binds to TLR2 and requires TLR1 for signaling. <i>Journal of Immunology</i> , 2006 , 176, 2373-80	5-3	128
30	Improved purification of native meningococcal porin PorB and studies on its structure/function. <i>Protein Expression and Purification</i> , 2005 , 44, 136-46	2	36
29	Cutting edge: MyD88 controls phagocyte NADPH oxidase function and killing of gram-negative bacteria. <i>Journal of Immunology</i> , 2005 , 175, 5596-600	5-3	125
28	The pilus and porin of <i>Neisseria gonorrhoeae</i> cooperatively induce Ca(2+) transients in infected epithelial cells. <i>Cellular Microbiology</i> , 2005 , 7, 1736-48	3-9	18
27	The gonococcal Fur-regulated <i>tbpA</i> and <i>tbpB</i> genes are expressed during natural mucosal gonococcal infection. <i>Infection and Immunity</i> , 2005 , 73, 4281-7	3-7	21
26	<i>Neisseria gonorrhoeae</i> enhances infection of dendritic cells by HIV type 1. <i>Journal of Immunology</i> , 2005 , 174, 7995-8002	5-3	58
25	Neisserial porin-induced dendritic cell activation is MyD88 and TLR2 dependent. <i>Journal of Immunology</i> , 2005 , 174, 3545-50	5-3	88
24	Neisserial PorB is translocated to the mitochondria of HeLa cells infected with <i>Neisseria meningitidis</i> and protects cells from apoptosis. <i>Cellular Microbiology</i> , 2003 , 5, 99-109	3-9	71
23	The role of Toll-like receptor 2 in microbial disease and immunity. <i>Vaccine</i> , 2003 , 21 Suppl 2, S55-60	4-1	113
22	The role of porins in neisserial pathogenesis and immunity. <i>Trends in Microbiology</i> , 2003 , 11, 87-93	12.4	138
21	Cutting edge: Immune stimulation by neisserial porins is toll-like receptor 2 and MyD88 dependent. <i>Journal of Immunology</i> , 2002 , 168, 1533-7	5-3	261
20	<i>Neisseria gonorrhoeae</i> porin P1.B induces endosome exocytosis and a redistribution of Lamp1 to the plasma membrane. <i>Infection and Immunity</i> , 2002 , 70, 5965-71	3-7	22
19	Studies on the effect of neisserial porins on apoptosis of Mammalian cells. <i>Methods in Molecular Medicine</i> , 2001 , 67, 587-97		
18	<i>Neisseria meningitidis</i> lipopolysaccharide modulates the specific humoral immune response to neisserial porins but has no effect on porin-induced upregulation of costimulatory ligand B7-2. <i>Infection and Immunity</i> , 2001 , 69, 5031-6	3-7	5
17	Testing meningococcal vaccines for mitogenicity and superantigenicity. <i>Methods in Molecular Medicine</i> , 2001 , 66, 199-221		2

16	IgG antibody levels to meningococcal porins in patient sera: comparison of immunoblotting and ELISA measurements. <i>Journal of Immunological Methods</i> , 2000 , 244, 9-15	2.5	14
15	<i>Neisseria meningitidis</i> porin PorB interacts with mitochondria and protects cells from apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 9070-5	11.5	133
14	The role of B/T costimulatory signals in the immunopotentiating activity of neisserial porin. <i>Journal of Infectious Diseases</i> , 1999 , 180, 755-61	7	43
13	The contrasting mechanisms of serum resistance of <i>Neisseria gonorrhoeae</i> and group B <i>Neisseria meningitidis</i> . <i>Molecular Immunology</i> , 1999 , 36, 915-28	4.3	133
12	Antigen-specific T-cell responses in humans after intranasal immunization with a meningococcal serogroup B outer membrane vesicle vaccine. <i>Infection and Immunity</i> , 1999 , 67, 921-7	3.7	35
11	An epitope shared by enterobacterial and neisserial porin proteins. <i>Apmis</i> , 1998 , 106, 818-24	3.4	1
10	Human T-cell responses after vaccination with the Norwegian group B meningococcal outer membrane vesicle vaccine. <i>Infection and Immunity</i> , 1998 , 66, 959-65	3.7	34
9	Immunologic memory induced by a glycoconjugate vaccine in a murine adoptive lymphocyte transfer model. <i>Infection and Immunity</i> , 1998 , 66, 2026-32	3.7	42
8	<i>Neisserial</i> porins induce B lymphocytes to express costimulatory B7-2 molecules and to proliferate. <i>Journal of Experimental Medicine</i> , 1996 , 183, 1151-9	16.6	100
7	Vaccines for gonorrhoea: where are we on the curve?. <i>Trends in Microbiology</i> , 1995 , 3, 469-74	12.4	21
6	Serum resistance of <i>Neisseria gonorrhoeae</i> . Does it thwart the inflammatory response and facilitate the transmission of infection?. <i>Annals of the New York Academy of Sciences</i> , 1994 , 730, 7-14	6.5	21
5	Immunopotentiating ability of neisserial major outer membrane proteins. Use as an adjuvant for poorly immunogenic substances and potential use in vaccines. <i>Annals of the New York Academy of Sciences</i> , 1994 , 730, 367-70	6.5	30
4	Gonococcal porin vaccine evaluation: comparison of Por proteosomes, liposomes, and blebs isolated from rmp deletion mutants. <i>Journal of Infectious Diseases</i> , 1992 , 166, 551-5	7	90
3	The construction and characterization of <i>Neisseria gonorrhoeae</i> lacking protein III in its outer membrane. <i>Journal of Experimental Medicine</i> , 1989 , 169, 2199-209	16.6	31
2	Characterization and specificity of antibodies to protein I of <i>Neisseria gonorrhoeae</i> produced by injection with various protein I-adjuvant preparations. <i>Journal of Experimental Medicine</i> , 1988 , 168, 1883-97	16.6	56
1	AIDS vaccine and the private sector. <i>New England Journal of Medicine</i> , 1986 , 314, 1511-2	59.2	1