Kristian Karstoft

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5552373/publications.pdf

Version: 2024-02-01

257357 197736 2,731 76 24 49 h-index citations g-index papers 79 79 79 4410 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The Effects of Free-Living Interval-Walking Training on Glycemic Control, Body Composition, and Physical Fitness in Type 2 Diabetic Patients. Diabetes Care, 2013, 36, 228-236.	4.3	280
2	FGF21 Mediates Endocrine Control of Simple Sugar Intake and Sweet Taste Preference by the Liver. Cell Metabolism, 2016, 23, 335-343.	7.2	270
3	Exercise-Induced Changes in Visceral Adipose Tissue Mass Are Regulated by IL-6 Signaling: A Randomized Controlled Trial. Cell Metabolism, 2019, 29, 844-855.e3.	7.2	228
4	Exercise and type 2 diabetes: focus on metabolism and inflammation. Immunology and Cell Biology, 2016, 94, 146-150.	1.0	182
5	Effect of an Intensive Lifestyle Intervention on Glycemic Control in Patients With Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2017, 318, 637.	3.8	154
6	Skeletal muscle as a gene regulatory endocrine organ. Current Opinion in Clinical Nutrition and Metabolic Care, 2016, 19, 270-275.	1.3	95
7	Interleukin-6 Delays Gastric Emptying in Humans with Direct Effects on Glycemic Control. Cell Metabolism, 2018, 27, 1201-1211.e3.	7.2	73
8	Mechanisms behind the superior effects of interval vs continuous training on glycaemic control in individuals with type 2 diabetes: a randomised controlled trial. Diabetologia, 2014, 57, 2081-2093.	2.9	70
9	Pharmacological but not physiological GDF15 suppresses feeding and the motivation to exercise. Nature Communications, 2021, 12, 1041.	5.8	69
10	Pancreatic \hat{I}^2 -cell Function Is a Stronger Predictor of Changes in Glycemic Control After an Aerobic Exercise Intervention Than Insulin Sensitivity. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 4176-4186.	1.8	66
11	The Acute Effects of Interval- Vs Continuous-Walking Exercise on Glycemic Control in Subjects With Type 2 Diabetes: A Crossover, Controlled Study. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 3334-3342.	1.8	63
12	Effect of Aerobic and Resistance Exercise on Cardiac Adipose Tissues. JAMA Cardiology, 2019, 4, 778.	3.0	58
13	The Influence of Hyperglycemia on the Therapeutic Effect of Exercise on Glycemic Control in Patients With Type 2 Diabetes Mellitus. JAMA Internal Medicine, 2013, 173, 1834.	2.6	50
14	Association Between Cardiorespiratory Fitness and the Determinants of Glycemic Control Across the Entire Glucose Tolerance Continuum. Diabetes Care, 2015, 38, 921-929.	4.3	49
15	GLP-1 secretion is regulated by IL-6 signalling: a randomised, placebo-controlled study. Diabetologia, 2020, 63, 362-373.	2.9	48
16	The effects of 2Âweeks of interval vs continuous walking training on glycaemic control and whole-body oxidative stress in individuals with type 2 diabetes: a controlled, randomised, crossover trial. Diabetologia, 2017, 60, 508-517.	2.9	46
17	Increased shelterin mRNA expression in peripheral blood mononuclear cells and skeletal muscle following an ultra-long-distance running event. Journal of Applied Physiology, 2012, 112, 773-781.	1.2	44
18	Examining the Effects of Hyperglycemia on Pancreatic Endocrine Function in Humans: Evidence for <i>in Vivo </i> Glucotoxicity. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 4682-4691.	1.8	44

#	Article	IF	Citations
19	Normal physical activity obliterates the deleterious effects of a high-caloric intake. Journal of Applied Physiology, 2014, 116, 231-239.	1.2	44
20	Circulating soluble RAGE isoforms are attenuated in obese, impaired-glucose-tolerant individuals and are associated with the development of type 2 diabetes. American Journal of Physiology - Endocrinology and Metabolism, 2017, 313, E631-E640.	1.8	43
21	The immediate effects of a single bout of aerobic exercise on oral glucose tolerance across the glucose tolerance continuum. Physiological Reports, 2014, 2, e12114.	0.7	42
22	Type 2 diabetes remission 1 year after an intensive lifestyle intervention: A secondary analysis of a randomized clinical trial. Diabetes, Obesity and Metabolism, 2019, 21, 2257-2266.	2.2	37
23	Aerobic Exercise Induces Cardiac Fat Loss and Alters Cardiac Muscle Mass Through an Interleukin-6 Receptor–Dependent Mechanism. Circulation, 2019, 140, 1684-1686.	1.6	30
24	The effects of dapagliflozin, metformin or exercise on glycaemic variability in overweight or obese individuals with prediabetes (the PRE-D Trial): a multi-arm, randomised, controlled trial. Diabetologia, 2021, 64, 42-55.	2.9	29
25	Experimental Hyperglycemia Alters Circulating Concentrations and Renal Clearance of Oxidative and Advanced Glycation End Products in Healthy Obese Humans. Nutrients, 2019, 11, 532.	1.7	26
26	Intermittent Standing but not a Moderate Exercise Bout Reduces Postprandial Glycemia. Medicine and Science in Sports and Exercise, 2017, 49, 2305-2314.	0.2	24
27	Determining pancreatic \hat{l}^2 -cell compensation for changing insulin sensitivity using an oral glucose tolerance test. American Journal of Physiology - Endocrinology and Metabolism, 2014, 307, E822-E829.	1.8	23
28	Head-to-head comparison of intensive lifestyle intervention (U-TURN) versus conventional multifactorial care in patients with type 2 diabetes: protocol and rationale for an assessor-blinded, parallel group and randomised trial. BMJ Open, 2015, 5, e009764.	0.8	23
29	The effect of alternate-day caloric restriction on the metabolic consequences of 8 days of bed rest in healthy lean men: a randomized trial. Journal of Applied Physiology, 2017, 122, 230-241.	1.2	22
30	The effects of interval- vs. continuous exercise on excess post-exercise oxygen consumption and substrate oxidation rates in subjects with type 2 diabetes. Metabolism: Clinical and Experimental, 2016, 65, 1316-1325.	1.5	20
31	Why prescribe exercise as therapy in type 2 diabetes? We have a pill for that!. Diabetes/Metabolism Research and Reviews, 2018, 34, e2999.	1.7	20
32	Effect of ecological momentary assessment, goal-setting and personalized phone-calls on adherence to interval walking training using the InterWalk application among patients with type 2 diabetesâ€"A pilot randomized controlled trial. PLoS ONE, 2019, 14, e0208181.	1.1	18
33	Beta-aminoisobutyric acid is released by contracting human skeletal muscle and lowers insulin release from INS-1 832/3Âcells by mediating mitochondrial energy metabolism. Metabolism Open, 2020, 7, 100053.	1.4	18
34	Differential time responses in inflammatory and oxidative stress markers after a marathon: An observational study. Journal of Sports Sciences, 2020, 38, 2080-2091.	1.0	18
35	Protocol for a randomised controlled trial of the effect of dapagliflozin, metformin and exercise on glycaemic variability, body composition and cardiovascular risk in prediabetes (the PRE-D Trial). BMJ Open, 2017, 7, e013802.	0.8	17
36	Resting Metabolic Rate Does Not Change in Response to Different Types of Training in Subjects with Type 2 Diabetes. Frontiers in Endocrinology, 2017, 8, 132.	1.5	17

#	Article	IF	CITATIONS
37	Altered brown fat thermoregulation and enhanced cold-induced thermogenesis in young, healthy, winter-swimming men. Cell Reports Medicine, 2021, 2, 100408.	3.3	17
38	Direct effect of incretin hormones on glucose and glycerol metabolism and hemodynamics. American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E426-E433.	1.8	16
39	Criterion validity and reliability of a smartphone delivered sub-maximal fitness test for people with type 2 diabetes. BMC Sports Science, Medicine and Rehabilitation, 2016, 8, 31.	0.7	16
40	The role of exercise combined with tocilizumab in visceral and epicardial adipose tissue and gastric emptying rate in abdominally obese participants: protocol for a randomised controlled trial. Trials, 2018, 19, 266.	0.7	16
41	The effect of frequency of activity interruptions in prolonged sitting on postprandial glucose metabolism: A randomized crossover trial. Metabolism: Clinical and Experimental, 2019, 96, 1-7.	1.5	16
42	The Impact of Physical Activity on Glycemic Variability Assessed by Continuous Glucose Monitoring in Patients With Type 2 Diabetes Mellitus: A Systematic Review. Frontiers in Endocrinology, 2020, 11, 486.	1.5	16
43	Effects of an intensive lifestyle intervention on the underlying mechanisms of improved glycaemic control in individuals with type 2 diabetes: a secondary analysis of a randomised clinical trial. Diabetologia, 2020, 63, 2410-2422.	2.9	16
44	The association between renal function and structural parameters: a pig study. BMC Nephrology, 2008, 9, 18.	0.8	15
45	Blocking endogenous IL-6 impairs mobilization of free fatty acids during rest and exercise in lean and obese men. Cell Reports Medicine, 2021, 2, 100396.	3.3	15
46	Implementation of interval walking training in patients with type 2 diabetes in Denmark: rationale, design, and baseline characteristics. Clinical Epidemiology, 2016, 8, 201.	1.5	14
47	The interaction between metformin and physical activity on postprandial glucose and glucose kinetics: a randomised, clinical trial. Diabetologia, 2021, 64, 397-409.	2.9	14
48	Dose-Response Effects of Exercise on Glucose-Lowering Medications for Type 2 Diabetes: A Secondary Analysis of a Randomized Clinical Trial. Mayo Clinic Proceedings, 2020, 95, 488-503.	1.4	14
49	Kidney biopsies can be used for estimations of glomerular number and volume: a pig study. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2008, 452, 393-403.	1.4	13
50	Impaired postprandial fullness in Type 2 diabetic subjects is rescued by acute exercise independently of total and acylated ghrelin. Journal of Applied Physiology, 2013, 115, 618-625.	1.2	13
51	Hyperglycemia abolishes meal-induced satiety by a dysregulation of ghrelin and peptide YY _{3â€"36} in healthy overweight/obese humans. American Journal of Physiology - Endocrinology and Metabolism, 2014, 306, E225-E231.	1.8	13
52	Daily Marathon Running for a Weekâ€"The Biochemical and Body Compositional Effects of Participation. Journal of Strength and Conditioning Research, 2013, 27, 2927-2933.	1.0	12
53	Glucose effectiveness, but not insulin sensitivity, is improved after short-term interval training in individuals with type 2 diabetes mellitus: a controlled, randomised, crossover trial. Diabetologia, 2017, 60, 2432-2442.	2.9	12
54	Effects of Exercise Training and IL-6 Receptor Blockade on Gastric Emptying and GLP-1 Secretion in Obese Humans: Secondary Analyses From a Double Blind Randomized Clinical Trial. Frontiers in Physiology, 2019, 10, 1249.	1.3	12

#	Article	IF	CITATIONS
55	Effects of an exercise-based lifestyle intervention on systemic markers of oxidative stress and advanced glycation endproducts in persons with type 2 diabetes: Secondary analysis of a randomised clinical trial. Free Radical Biology and Medicine, 2022, 188, 328-336.	1.3	12
56	Insulin sensitivity is independent of lipid binding protein trafficking at the plasma membrane in human skeletal muscle: effect of a 3-day, high-fat diet. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2014, 307, R1136-R1145.	0.9	11
57	Long-term effect of smartphone-delivered Interval Walking Training on physical activity in patients with type 2 diabetes: protocol for a parallel group single-blinded randomised controlled trial. BMJ Open, 2017, 7, e014036.	0.8	11
58	The Acute Effects of Interval-Type Exercise on Glycemic Control in Type 2 Diabetes Subjects: Importance of Interval Length. A Controlled, Counterbalanced, Crossover Study. PLoS ONE, 2016, 11, e0163562.	1.1	10
59	Impact of intensive lifestyle intervention on gut microbiota composition in type 2 diabetes: a <i>post-hoc</i> analysis of a randomized clinical trial. Gut Microbes, 2022, 14, 2005407.	4.3	10
60	No effects of dapagliflozin, metformin or exercise on plasma glucagon concentrations in individuals with prediabetes: A post hoc analysis from the randomized controlled ⟨scp⟩PREâ€D⟨/scp⟩ trial. Diabetes, Obesity and Metabolism, 2021, 23, 530-539.	2.2	9
61	Skeletal muscle adaptations to exercise are not influenced by metformin treatment in humans: secondary analyses of 2 randomized, clinical trials. Applied Physiology, Nutrition and Metabolism, 2022, 47, 309-320.	0.9	8
62	The effects of different doses of exercise on pancreatic l̂²-cell function in patients with newly diagnosed type 2 diabetes: study protocol for and rationale behind the "DOSE-EX―multi-arm parallel-group randomised clinical trial. Trials, 2021, 22, 244.	0.7	7
63	The Effect of Metformin on Self-Selected Exercise Intensity in Healthy, Lean Males: A Randomized, Crossover, Counterbalanced Trial. Frontiers in Endocrinology, 2021, 12, 599164.	1.5	6
64	Plasma FGF21 concentrations are regulated by glucose independently of insulin and GLP-1 in lean, healthy humans. PeerJ, 2022, 10, e12755.	0.9	6
65	Advantages and Controversies in the Era of Intrarenal Volumetry. American Journal of Nephrology, 2011, 33, 40-45.	1.4	5
66	The impact of acute bouts of interval and continuous walking on energy-intake and appetite regulation in subjects with type 2 diabetes. Physiological Reports, 2017, 5, e13524.	0.7	4
67	Effects of a Lifestyle Intervention on Bone Turnover in Persons with Type 2 Diabetes: A Post Hoc Analysis of the U-TURN Trial. Medicine and Science in Sports and Exercise, 2022, 54, 38-46.	0.2	4
68	Changes in oxidative nucleic acid modifications and inflammation following one-week treatment with the bile acid sequestrant sevelamer: Two randomised, placebo-controlled trials. Journal of Diabetes and Its Complications, 2020, 34, 107446.	1.2	3
69	Editorial: Optimizing Exercise for the Prevention and Treatment of Type 2 Diabetes. Frontiers in Endocrinology, 2018, 9, 237.	1.5	2
70	Structural and functional MRI in children with renal disease: First experience. Zeitschrift Fur Medizinische Physik, 2010, 20, 115-121.	0.6	1
71	The direct effect of incretin hormones on glucose metabolism. FASEB Journal, 2013, 27, lb748.	0.2	1
72	Renal cortical volume measured by MRI: a feasibility study. Journal of Pediatric Urology, 2007, 3, S64.	0.6	0

#	Article	IF	CITATIONS
73	MRI Functional Evaluation of Children with Renal Dysfunction: First Clinical Experience. Journal of Pediatric Urology, 2008, 4, S70-S71.	0.6	0
74	Editorial: Understanding the Heterogeneity in Exercise-Induced Changes in Glucose Metabolism to Help Optimize Treatment Outcomes. Frontiers in Endocrinology, 2021, 12, 699354.	1.5	0
75	Interval Walking Training Reduces T Cell CCR5 in Individuals with Type 2 Diabetes. Medicine and Science in Sports and Exercise, 2017, 49, 197-198.	0.2	O
76	Amino acid metabolism and protein turnover in lean and obese humans during exercise ─ effect of IL-6 receptor blockade. Journal of Clinical Endocrinology and Metabolism, 2022, , .	1.8	0