

# Paola Del Bianco

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5552658/publications.pdf>

Version: 2024-02-01

92  
papers

2,901  
citations

201385

27  
h-index

197535

49  
g-index

96  
all docs

96  
docs citations

96  
times ranked

4847  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Randomized Clinical Trial on Sentinel Lymph Node Biopsy Versus Axillary Lymph Node Dissection in Breast Cancer. <i>Annals of Surgery</i> , 2008, 247, 207-213.	2.1	277
2	Morbidity comparison of sentinel lymph node biopsy versus conventional axillary lymph node dissection for breast cancer patients: Results of the sentinellaâ€“GIVOM Italian randomised clinical trial. <i>European Journal of Surgical Oncology</i> , 2008, 34, 508-513.	0.5	175
3	Peripheral Blood Markers Identify Risk of Immune-Related Toxicity in Advanced Non-Small Cell Lung Cancer Treated with Immune-Checkpoint Inhibitors. <i>Oncologist</i> , 2019, 24, 1128-1136.	1.9	156
4	A phase lâ€“II study of weekly oxaliplatin, 5-fluorouracil continuous infusion and preoperative radiotherapy in locally advanced rectal cancer. <i>Annals of Oncology</i> , 2005, 16, 1140-1146.	0.6	133
5	Circulating Cell-Free DNA: A Promising Marker of Pathologic Tumor Response in Rectal Cancer Patients Receiving Preoperative Chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2011, 18, 2461-2468.	0.7	114
6	Relationship between telomere shortening, genetic instability, and site of tumour origin in colorectal cancers. <i>British Journal of Cancer</i> , 2010, 102, 1300-1305.	2.9	110
7	The immune suppressive microenvironment of human gliomas depends on the accumulation of bone marrow-derived macrophages in the center of the lesion. , 2019, 7, 58.		109
8	Diagnostic and prognostic role of cellâ€“free DNA testing for colorectal cancer patients. <i>International Journal of Cancer</i> , 2017, 140, 1888-1898.	2.3	96
9	Patient-Reported Outcomes After Neoadjuvant Chemoradiotherapy for Rectal Cancer. <i>Annals of Surgery</i> , 2011, 253, 71-77.	2.1	95
10	Relationship Between Tumor and Plasma Levels of hTERT mRNA in Patients with Colorectal Cancer: Implications for Monitoring of Neoplastic Disease. <i>Clinical Cancer Research</i> , 2008, 14, 7444-7451.	3.2	82
11	Premature aging and immune senescence in HIV-infected children. <i>Aids</i> , 2016, 30, 1363-1373.	1.0	79
12	Circulating cell-free DNA: A promising marker of regional lymphonode metastasis in breast cancer patients. <i>Cancer Biomarkers</i> , 2012, 11, 89-98.	0.8	68
13	Prospective assessment of imaging after preoperative chemoradiotherapy for rectal cancer. <i>Surgery</i> , 2011, 149, 56-64.	1.0	63
14	Circulating cell-free DNA, SLC5A8 and SLC26A4 hypermethylation, BRAFV600E: A non-invasive tool panel for early detection of thyroid cancer. <i>Biomedicine and Pharmacotherapy</i> , 2013, 67, 723-730.	2.5	59
15	Quality of life evaluation in a randomised trial of chemotherapy versus bio-chemotherapy in advanced melanoma patients. <i>European Journal of Cancer</i> , 2003, 39, 1577-1585.	1.3	56
16	Survivin in esophageal cancer: An accurate prognostic marker for squamous cell carcinoma but not adenocarcinoma. <i>International Journal of Cancer</i> , 2006, 119, 1717-1722.	2.3	53
17	Central nervous system failure in melanoma patients: results of a randomised, multicentre phase 3 study of temozolomide- and dacarbazine- based regimens. <i>British Journal of Cancer</i> , 2011, 104, 1816-1821.	2.9	53
18	Health-Related Quality of Life Outcomes in Disease-Free Survivors of Mid-Low Rectal Cancer After Curative Surgery. <i>Annals of Surgical Oncology</i> , 2008, 15, 1846-1854.	0.7	50

#	ARTICLE	IF	CITATIONS
19	Health-related quality of life, faecal continence and bowel function in rectal cancer patients after chemoradiotherapy followed by radical surgery. <i>Supportive Care in Cancer</i> , 2010, 18, 601-608.	1.0	50
20	Telomere length and telomerase levels delineate subgroups of B-cell chronic lymphocytic leukemia with different biological characteristics and clinical outcomes. <i>Haematologica</i> , 2012, 97, 56-63.	1.7	47
21	Role of resection margins in patients treated with breast conservation surgery. <i>Cancer</i> , 2008, 112, 1923-1931.	2.0	40
22	Phase II trial of docetaxel, cisplatin and fluorouracil followed by carboplatin and radiotherapy in locally advanced oesophageal cancer. <i>British Journal of Cancer</i> , 2007, 96, 432-438.	2.9	35
23	Early assessment of KRAS mutation in cfDNA correlates with risk of progression and death in advanced non-small-cell lung cancer. <i>British Journal of Cancer</i> , 2020, 123, 81-91.	2.9	35
24	A multidisciplinary approach to improve preoperative understanding and reduce anxiety. <i>European Journal of Anaesthesiology</i> , 2013, 30, 734-742.	0.7	34
25	Effect of antiadhesive agents on peritoneal carcinomatosis in an experimental model. <i>British Journal of Surgery</i> , 2003, 90, 66-71.	0.1	33
26	Clinical impact of false-negative sentinel lymph nodes in breast cancer. <i>European Journal of Surgical Oncology</i> , 2008, 34, 620-625.	0.5	31
27	Survivin expression impacts prognostically on NSCLC but not SCLC. <i>Lung Cancer</i> , 2013, 79, 180-186.	0.9	29
28	Quality of life after surgery for rectal cancer: a systematic review of comparisons with the general population. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1227-1242.	1.4	28
29	Self-efficacy for Coping Moderates the Effects of Distress on Quality of Life in Palliative Cancer Care. <i>Anticancer Research</i> , 2017, 37, 1609-1615.	0.5	26
30	Randomized phase II trial of avelumab alone or in combination with cetuximab for patients with previously treated, locally advanced, or metastatic squamous cell anal carcinoma: the CARACAS study. <i>Journal of Clinical Oncology</i> , 2021, 39, e002996.		24
31	Selective killing of human T-ALL cells: an integrated approach targeting redox homeostasis and the OMA1/OPA1 axis. <i>Cell Death and Disease</i> , 2018, 9, 822.	2.7	23
32	Tolerability of intensified intravenous interferon alfa-2b versus the ECOG 1684 schedule as adjuvant therapy for stage III melanoma: a randomized phase III Italian Melanoma Inter-group trial (IMI "Mel.A.") [ISRCTN75125874]. <i>BMC Cancer</i> , 2006, 6, 44.	1.1	22
33	Multi-center phase II trial of chemo-radiotherapy with 5-fluorouracil, leucovorin and oxaliplatin in locally advanced esophageal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 63, 1111-1119.	1.1	22
34	Impact of 21-Gene Breast Cancer Assay on Treatment Decision for Patients with T1-T3, N0-N1, Estrogen Receptor-Positive/Human Epidermal Growth Receptor 2-Negative Breast Cancer: Final Results of the Prospective Multicenter ROXANE Study. <i>Oncologist</i> , 2019, 24, 1424-1431.	1.9	22
35	Psychological well-being outcomes in disease-free survivors of mid-low rectal cancer following curative surgery. <i>Psycho-Oncology</i> , 2011, 20, 706-714.	1.0	21
36	Polymorphisms of innate immunity genes influence disease progression in HIV-1-infected children. <i>Aids</i> , 2012, 26, 765-768.	1.0	21

#	ARTICLE	IF	CITATIONS
37	Epstein-Barr Virus Load in Children Infected With Human Immunodeficiency Virus Type 1 in Uganda. <i>Journal of Infectious Diseases</i> , 2014, 210, 392-399.	1.9	21
38	<i>BRAF</i> Gene Copy Number and Mutant Allele Frequency Correlate with Time to Progression in Metastatic Melanoma Patients Treated with MAPK Inhibitors. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 1332-1340.	1.9	21
39	Colonic J-Pouch or Straight Colorectal Reconstruction After Low Anterior Resection For Rectal Cancer: Impact on Quality of Life and Bowel Function: A Multicenter Prospective Randomized Study. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1511-1523.	0.7	21
40	The predictive and prognostic potential of plasma telomerase reverse transcriptase (TERT) RNA in rectal cancer patients. <i>British Journal of Cancer</i> , 2018, 118, 878-886.	2.9	20
41	Phosphorylated Acetyl-CoA Carboxylase Is Associated with Clinical Benefit with Regorafenib in Relapsed Glioblastoma: REGOMA Trial Biomarker Analysis. <i>Clinical Cancer Research</i> , 2020, 26, 4478-4484.	3.2	20
42	Evaluation of cell-free DNA in urine as a marker for bladder cancer diagnosis. <i>International Journal of Biological Markers</i> , 2009, 24, 147-155.	0.7	20
43	The immune cell landscape of metastatic uveal melanoma correlates with overall survival. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 154.	3.5	19
44	Rectal Sparing Approach After Neoadjuvant Therapy in Patients with Rectal Cancer: The Preliminary Results of the ReSARCh Trial. <i>Annals of Surgical Oncology</i> , 2022, 29, 1880-1889.	0.7	19
45	Validity and reliability of the MSKCC Bowel Function instrument in a sample of Italian rectal cancer patients. <i>European Journal of Surgical Oncology</i> , 2011, 37, 589-596.	0.5	18
46	Self-efficacy for coping: utility of the Cancer behavior inventory (Italian) for use in palliative care. <i>BMC Palliative Care</i> , 2019, 18, 34.	0.8	18
47	Clinical Predictive Circulating Peptides in Rectal Cancer Patients Treated with Neoadjuvant Chemoradiotherapy. <i>Journal of Cellular Physiology</i> , 2015, 230, 1822-1828.	2.0	17
48	Microsatellite and RAS/RAF Mutational Status as Prognostic Factors in Colorectal Peritoneal Metastases Treated with Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy (HIPEC). <i>Annals of Surgical Oncology</i> , 2022, 29, 3405-3417.	0.7	16
49	Quality of Life Perception, Cognitive Function, and Psychological Status in a Real-world Population of Glioblastoma Patients Treated With Radiotherapy and Temozolomide. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018, 41, 1263-1271.	0.6	15
50	TERT Promoter Mutations Differently Correlate with the Clinical Outcome of MAPK Inhibitor-Treated Melanoma Patients. <i>Cancers</i> , 2020, 12, 946.	1.7	15
51	Immune senescence and immune activation in elderly colorectal cancer patients. <i>Aging</i> , 2019, 11, 3864-3875.	1.4	15
52	Predicting Tumor Outcome following Cancer Vaccination by Monitoring Quantitative and Qualitative CD8+ T Cell Parameters. <i>Journal of Immunology</i> , 2006, 176, 1999-2006.	0.4	14
53	Long-Term Outcomes of Local Excision Following Neoadjuvant Chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 2801-2808.	0.7	14
54	The Role of Genetic Variants of Stromal Cell-Derived Factor 1 in Pediatric HIV-1 Infection and Disease Progression. <i>PLoS ONE</i> , 2012, 7, e44460.	1.1	13

#	ARTICLE	IF	CITATIONS
55	Role of miR-15a/miR-16-1 and the TP53 axis in regulating telomerase expression in chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, e253-e256.	1.7	13
56	Immune activation, immune senescence and levels of Epstein Barr Virus in kidney transplant patients: Impact of mTOR inhibitors. <i>Cancer Letters</i> , 2020, 469, 323-331.	3.2	13
57	Patient-reported outcomes in a phase II randomised study of regorafenib compared with lomustine in patients with relapsed glioblastoma (the REGOMA trial). <i>European Journal of Cancer</i> , 2021, 155, 179-190.	1.3	13
58	Genetic Variants of the TERT Gene, Telomere Length, and Circulating TERT as Prognostic Markers in Rectal Cancer Patients. <i>Cancers</i> , 2020, 12, 3115.	1.7	12
59	Modelling the distribution of health-related quality of life of advanced melanoma patients in a longitudinal multi-centre clinical trial using M-quantile random effects regression. <i>Statistical Methods in Medical Research</i> , 2018, 27, 549-563.	0.7	11
60	Sentinel node biopsy for breast cancer: is it already a standard of care? A survey of current practice in an Italian region. <i>BMC Cancer</i> , 2004, 4, 2.	1.1	9
61	Dissecting molecular mechanisms of resistance to NOTCH1-targeted therapy in T-cell acute lymphoblastic leukemia xenografts. <i>Haematologica</i> , 2020, 105, 1317-1328.	1.7	9
62	Impact of monotherapy on HIV-1 reservoir, immune activation, and co-infection with Epstein-Barr virus. <i>PLoS ONE</i> , 2017, 12, e0185128.	1.1	9
63	First Prospective Multicenter Italian Study on the Impact of the Gene Recurrence Score in Adjuvant Clinical Decisions for Patients with ER Positive/HER2 Negative Breast Cancer. <i>Oncologist</i> , 2018, 23, 297-305.	1.9	8
64	Circulating miRNA-375 as a potential novel biomarker for active Kaposi's sarcoma in AIDS patients. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 1486-1494.	1.6	8
65	Prognostic Stratification of Bladder Cancer Patients with a MicroRNA-Based Approach. <i>Cancers</i> , 2020, 12, 3133.	1.7	8
66	In situ Metabolic Profiling of Ovarian Cancer Tumor Xenografts: A Digital Pathology Approach. <i>Frontiers in Oncology</i> , 2020, 10, 1277.	1.3	8
67	Periostin and Epithelial-Mesenchymal Transition Score as Novel Prognostic Markers for Leiomyosarcoma, Myxofibrosarcoma, and Undifferentiated Pleomorphic Sarcoma. <i>Clinical Cancer Research</i> , 2020, 26, 2921-2931.	3.2	8
68	How the COVID-19 Pandemic Impacted on Integrated Care Pathways for Lung Cancer: The Parallel Experience of a COVID-Spared and a COVID-Dedicated Center. <i>Frontiers in Oncology</i> , 2021, 11, 669786.	1.3	8
69	Quality of Life After Surgery for Rectal Cancer. <i>Recent Results in Cancer Research</i> , 2014, 203, 117-149.	1.8	8
70	Myeloid Diagnostic and Prognostic Markers of Immune Suppression in the Blood of Glioma Patients. <i>Frontiers in Immunology</i> , 2021, 12, 809826.	2.2	8
71	Differential dynamics of Epstein-Barr virus in individuals infected with human immunodeficiency virus-1 receiving intermittent interleukin-2 and antiretroviral therapy. <i>Haematologica</i> , 2006, 91, 244-7.	1.7	8
72	Implementation of Next Generation Sequencing-Based Liquid Biopsy for Clinical Molecular Diagnostics in Non-Small Cell Lung Cancer (NSCLC) Patients. <i>Diagnostics</i> , 2021, 11, 1468.	1.3	7



#	ARTICLE	IF	CITATIONS
91	Monitoring advanced non-small cell lung cancer (NSCLC) through plasma genotyping during systemic treatment: KRAS-mutated (m) cohort results.. Journal of Clinical Oncology, 2018, 36, e24074-e24074.	0.8	0
92	ASO Visual Abstract: Rectal Sparing Approach After Neoadjuvant Therapy in Patients with Rectal Cancer: The Preliminary Results of the ReSARCh Trial. Annals of Surgical Oncology, 2022, 29, 1892-1893.	0.7	0