

Paola Del Bianco

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5552658/paola-del-bianco-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

2,119

citations

26

h-index

44

g-index

96

ext. papers

2,530

ext. citations

4.8

avg. IF

4.25

L-index

#	Paper	IF	Citations
88	A Randomized clinical trial on sentinel lymph node biopsy versus axillary lymph node dissection in breast cancer: results of the Sentinella/GIVOM trial. <i>Annals of Surgery</i> , 2008 , 247, 207-13	7.8	230
87	Morbidity comparison of sentinel lymph node biopsy versus conventional axillary lymph node dissection for breast cancer patients: results of the sentinella-GIVOM Italian randomised clinical trial. <i>European Journal of Surgical Oncology</i> , 2008 , 34, 508-13	3.6	138
86	A phase I-II study of weekly oxaliplatin, 5-fluorouracil continuous infusion and preoperative radiotherapy in locally advanced rectal cancer. <i>Annals of Oncology</i> , 2005 , 16, 1140-6	10.3	118
85	Relationship between telomere shortening, genetic instability, and site of tumour origin in colorectal cancers. <i>British Journal of Cancer</i> , 2010 , 102, 1300-5	8.7	98
84	Circulating cell-free DNA: a promising marker of pathologic tumor response in rectal cancer patients receiving preoperative chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2461-8	3.1	87
83	Patient-reported outcomes after neoadjuvant chemoradiotherapy for rectal cancer: a multicenter prospective observational study. <i>Annals of Surgery</i> , 2011 , 253, 71-7	7.8	79
82	Relationship between tumor and plasma levels of hTERT mRNA in patients with colorectal cancer: implications for monitoring of neoplastic disease. <i>Clinical Cancer Research</i> , 2008 , 14, 7444-51	12.9	76
81	Peripheral Blood Markers Identify Risk of Immune-Related Toxicity in Advanced Non-Small Cell Lung Cancer Treated with Immune-Checkpoint Inhibitors. <i>Oncologist</i> , 2019 , 24, 1128-1136	5.7	68
80	Premature aging and immune senescence in HIV-infected children. <i>Aids</i> , 2016 , 30, 1363-73	3.5	65
79	Diagnostic and prognostic role of cell-free DNA testing for colorectal cancer patients. <i>International Journal of Cancer</i> , 2017 , 140, 1888-1898	7.5	62
78	The immune suppressive microenvironment of human gliomas depends on the accumulation of bone marrow-derived macrophages in the center of the lesion 2019 , 7, 58		57
77	Prospective assessment of imaging after preoperative chemoradiotherapy for rectal cancer. <i>Surgery</i> , 2011 , 149, 56-64	3.6	57
76	Circulating cell-free DNA: a promising marker of regional lymphnode metastasis in breast cancer patients. <i>Cancer Biomarkers</i> , 2012 , 11, 89-98	3.8	57
75	Survivin in esophageal cancer: An accurate prognostic marker for squamous cell carcinoma but not adenocarcinoma. <i>International Journal of Cancer</i> , 2006 , 119, 1717-22	7.5	50
74	Quality of life evaluation in a randomised trial of chemotherapy versus bio-chemotherapy in advanced melanoma patients. <i>European Journal of Cancer</i> , 2003 , 39, 1577-85	7.5	48
73	Central nervous system failure in melanoma patients: results of a randomised, multicentre phase 3 study of temozolomide- and dacarbazine- based regimens. <i>British Journal of Cancer</i> , 2011 , 104, 1816-21	8.7	44
72	Circulating cell-free DNA, SLC5A8 and SLC26A4 hypermethylation, BRAF(V600E): A non-invasive tool panel for early detection of thyroid cancer. <i>Biomedicine and Pharmacotherapy</i> , 2013 , 67, 723-30	7.5	43

71	Telomere length and telomerase levels delineate subgroups of B-cell chronic lymphocytic leukemia with different biological characteristics and clinical outcomes. <i>Haematologica</i> , 2012 , 97, 56-63	6.6	43
70	Health-related quality of life, faecal continence and bowel function in rectal cancer patients after chemoradiotherapy followed by radical surgery. <i>Supportive Care in Cancer</i> , 2010 , 18, 601-8	3.9	43
69	Health-related quality of life outcomes in disease-free survivors of mid-low rectal cancer after curative surgery. <i>Annals of Surgical Oncology</i> , 2008 , 15, 1846-54	3.1	43
68	Role of resection margins in patients treated with breast conservation surgery. <i>Cancer</i> , 2008 , 112, 1923-34	3.4	34
67	Effect of antiadhesive agents on peritoneal carcinomatosis in an experimental model. <i>British Journal of Surgery</i> , 2003 , 90, 66-71	5.3	32
66	Clinical impact of false-negative sentinel lymph nodes in breast cancer. <i>European Journal of Surgical Oncology</i> , 2008 , 34, 620-5	3.6	29
65	Phase II trial of docetaxel, cisplatin and fluorouracil followed by carboplatin and radiotherapy in locally advanced oesophageal cancer. <i>British Journal of Cancer</i> , 2007 , 96, 432-8	8.7	29
64	Survivin expression impacts prognostically on NSCLC but not SCLC. <i>Lung Cancer</i> , 2013 , 79, 180-6	5.9	26
63	A multidisciplinary approach to improve preoperative understanding and reduce anxiety: a randomised study. <i>European Journal of Anaesthesiology</i> , 2013 , 30, 734-42	2.3	26
62	Early assessment of KRAS mutation in cfDNA correlates with risk of progression and death in advanced non-small-cell lung cancer. <i>British Journal of Cancer</i> , 2020 , 123, 81-91	8.7	23
61	Polymorphisms of innate immunity genes influence disease progression in HIV-1-infected children. <i>Aids</i> , 2012 , 26, 765-8	3.5	20
60	Quality of life after surgery for rectal cancer: a systematic review of comparisons with the general population. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 1227-42	4.2	19
59	Multi-center phase II trial of chemo-radiotherapy with 5-fluorouracil, leucovorin and oxaliplatin in locally advanced esophageal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 1111-9	3.5	19
58	Validity and reliability of the MSKCC Bowel Function instrument in a sample of Italian rectal cancer patients. <i>European Journal of Surgical Oncology</i> , 2011 , 37, 589-96	3.6	18
57	Tolerability of intensified intravenous interferon alfa-2b versus the ECOG 1684 schedule as adjuvant therapy for stage III melanoma: a randomized phase III Italian Melanoma Inter-group trial (IMI - Mel.A.) [ISRCTN75125874]. <i>BMC Cancer</i> , 2006 , 6, 44	4.8	18
56	Self-efficacy for Coping Moderates the Effects of Distress on Quality of Life in Palliative Cancer Care. <i>Anticancer Research</i> , 2017 , 37, 1609-1615	2.3	18
55	Evaluation of cell-free DNA in urine as a marker for bladder cancer diagnosis. <i>International Journal of Biological Markers</i> , 2009 , 24, 147-55	2.8	18
54	Selective killing of human T-ALL cells: an integrated approach targeting redox homeostasis and the OMA1/OPA1 axis. <i>Cell Death and Disease</i> , 2018 , 9, 822	9.8	16

53	Psychological well-being outcomes in disease-free survivors of mid-low rectal cancer following curative surgery. <i>Psycho-Oncology</i> , 2011 , 20, 706-14	3.9	16
52	Epstein-Barr virus load in children infected with human immunodeficiency virus type 1 in Uganda. <i>Journal of Infectious Diseases</i> , 2014 , 210, 392-9	7	14
51	Predicting tumor outcome following cancer vaccination by monitoring quantitative and qualitative CD8+ T cell parameters. <i>Journal of Immunology</i> , 2006 , 176, 1999-2006	5.3	14
50	Clinical predictive circulating peptides in rectal cancer patients treated with neoadjuvant chemoradiotherapy. <i>Journal of Cellular Physiology</i> , 2015 , 230, 1822-8	7	13
49	Gene Copy Number and Mutant Allele Frequency Correlate with Time to Progression in Metastatic Melanoma Patients Treated with MAPK Inhibitors. <i>Molecular Cancer Therapeutics</i> , 2018 , 17, 1332-1340	6.1	13
48	Role of and the axis in regulating telomerase expression in chronic lymphocytic leukemia. <i>Haematologica</i> , 2017 , 102, e253-e256	6.6	12
47	The predictive and prognostic potential of plasma telomerase reverse transcriptase (TERT) RNA in rectal cancer patients. <i>British Journal of Cancer</i> , 2018 , 118, 878-886	8.7	12
46	The role of genetic variants of Stromal cell-Derived Factor 1 in pediatric HIV-1 infection and disease progression. <i>PLoS ONE</i> , 2012 , 7, e44460	3.7	11
45	Impact of 21-Gene Breast Cancer Assay on Treatment Decision for Patients with T1-T3, N0-N1, Estrogen Receptor-Positive/Human Epidermal Growth Receptor 2-Negative Breast Cancer: Final Results of the Prospective Multicenter ROXANE Study. <i>Oncologist</i> , 2019 , 24, 1424-1431	5.7	11
44	Dissecting molecular mechanisms of resistance to NOTCH1-targeted therapy in T-cell acute lymphoblastic leukemia xenografts. <i>Haematologica</i> , 2020 , 105, 1317-1328	6.6	8
43	Sentinel node biopsy for breast cancer: is it already a standard of care? A survey of current practice in an Italian region. <i>BMC Cancer</i> , 2004 , 4, 2	4.8	8
42	Impact of monotherapy on HIV-1 reservoir, immune activation, and co-infection with Epstein-Barr virus. <i>PLoS ONE</i> , 2017 , 12, e0185128	3.7	8
41	Immune activation, immune senescence and levels of Epstein Barr Virus in kidney transplant patients: Impact of mTOR inhibitors. <i>Cancer Letters</i> , 2020 , 469, 323-331	9.9	8
40	Differential dynamics of Epstein-Barr virus in individuals infected with human immunodeficiency virus-1 receiving intermittent interleukin-2 and antiretroviral therapy. <i>Haematologica</i> , 2006 , 91, 244-7	6.6	8
39	Self-efficacy for coping: utility of the Cancer behavior inventory (Italian) for use in palliative care. <i>BMC Palliative Care</i> , 2019 , 18, 34	3	7
38	TERT Promoter Mutations Differently Correlate with the Clinical Outcome of MAPK Inhibitor-Treated Melanoma Patients. <i>Cancers</i> , 2020 , 12,	6.6	7
37	Colonic J-Pouch or Straight Colorectal Reconstruction After Low Anterior Resection For Rectal Cancer: Impact on Quality of Life and Bowel Function: A Multicenter Prospective Randomized Study. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 1511-1523	3.1	7
36	First Prospective Multicenter Italian Study on the Impact of the 21-Gene Recurrence Score in Adjuvant Clinical Decisions for Patients with ER Positive/HER2 Negative Breast Cancer. <i>Oncologist</i> , 2018 , 23, 297-305	5.7	7

35	Modelling the distribution of health-related quality of life of advanced melanoma patients in a longitudinal multi-centre clinical trial using M-quantile random effects regression. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 549-563	2.3	6
34	Handling dropout and clustering in longitudinal multicentre clinical trials. <i>Statistical Modelling</i> , 2006 , 6, 141-157	0.7	6
33	Immune senescence and immune activation in elderly colorectal cancer patients. <i>Aging</i> , 2019 , 11, 3864-3875	3.75	6
32	Phosphorylated Acetyl-CoA Carboxylase Is Associated with Clinical Benefit with Regorafenib in Relapsed Glioblastoma: REGOMA Trial Biomarker Analysis. <i>Clinical Cancer Research</i> , 2020 , 26, 4478-4484	12.9	5
31	Quality of life after surgery for rectal cancer. <i>Recent Results in Cancer Research</i> , 2014 , 203, 117-49	1.5	5
30	Prognostic Stratification of Bladder Cancer Patients with a MicroRNA-based Approach. <i>Cancers</i> , 2020 , 12,	6.6	5
29	Quality of Life Perception, Cognitive Function, and Psychological Status in a Real-world Population of Glioblastoma Patients Treated With Radiotherapy and Temozolomide: A Single-center Prospective Study. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018 , 41, 1263-1271	2.7	5
28	The immune cell landscape of metastatic uveal melanoma correlates with overall survival. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 154	12.8	4
27	How the COVID-19 Pandemic Impacted on Integrated Care Pathways for Lung Cancer: The Parallel Experience of a COVID-Spared and a COVID-Dedicated Center. <i>Frontiers in Oncology</i> , 2021 , 11, 669786	5.3	4
26	Patient-reported outcomes in a phase II randomised study of regorafenib compared with lomustine in patients with relapsed glioblastoma (the REGOMA trial). <i>European Journal of Cancer</i> , 2021 , 155, 179-190	7.5	4
25	Randomized phase II trial of avelumab alone or in combination with cetuximab for patients with previously treated, locally advanced, or metastatic squamous cell anal carcinoma: the CARACAS study 2021 , 9,		3
24	Rectal Sparing Approach After Neoadjuvant Therapy in Patients with Rectal Cancer: The Preliminary Results of the ReSARCh Trial. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	3
23	Metabolic Profiling of Ovarian Cancer Tumor Xenografts: A Digital Pathology Approach. <i>Frontiers in Oncology</i> , 2020 , 10, 1277	5.3	3
22	Periostin and Epithelial-Mesenchymal Transition Score as Novel Prognostic Markers for Leiomyosarcoma, Myxofibrosarcoma, and Undifferentiated Pleomorphic Sarcoma. <i>Clinical Cancer Research</i> , 2020 , 26, 2921-2931	12.9	3
21	P3.01-017 Primary Lung Adenocarcinomas with Enteric Differentiation: A Retrospective Analysis. <i>Journal of Thoracic Oncology</i> , 2017 , 12, S1128-S1129	8.9	2
20	Genetic Variants of the Gene, Telomere Length, and Circulating as Prognostic Markers in Rectal Cancer Patients. <i>Cancers</i> , 2020 , 12,	6.6	2
19	Analysis of morbidity and mortality, quality of life and bowel function after total colectomy with ileorectal anastomosis versus right and left hemicolectomy: A study to optimise the treatment of lynch syndrome and attenuated polyposis coli. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1613-1619	3.6	2
18	Health-related quality of life (HRQoL) evaluation in the REGOMA trial: A randomized, phase II clinical trial analyzing regorafenib activity in relapsed glioblastoma patients.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2045-2045	2.2	2

17	Prognostic Stratification of Metastatic Prostate Cancer Patients Treated With Abiraterone and Enzalutamide Through an Integrated Analysis of Circulating Free microRNAs and Clinical Parameters. <i>Frontiers in Oncology</i> , 2021 , 11, 626104	5.3	2
16	Radiological response and survival in locally advanced non-small-cell lung cancer patients treated with three-drug induction chemotherapy followed by radical local treatment. <i>OncoTargets and Therapy</i> , 2016 , 9, 3671-81	4.4	2
15	Long-Term Outcomes of Local Excision Following Neoadjuvant Chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2021 , 28, 2801-2808	3.1	2
14	Circulating miRNA-375 as a potential novel biomarker for active Kaposi's sarcoma in AIDS patients. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 1486-1494	5.6	2
13	Long-Term Outcomes of Induction Chemotherapy Followed by Chemo-Radiotherapy as Intensive Neoadjuvant Protocol in Patients with Esophageal Cancer. <i>Cancers</i> , 2020 , 12,	6.6	1
12	Peptic ulcer inheritance in patients with elevated serum pepsinogen group A levels and without infection of <i>Helicobacter pylori</i> . <i>Digestive and Liver Disease</i> , 2000 , 32, 12-9	3.3	1
11	Intermittent intensified high-dose intravenous interferon alpha 2b (IFN α 2b) for adjuvant treatment of stage III malignant melanoma: Pooled analysis of two randomized phase III trials (NCT00226408 and ISRCTN75125874) with 980 patients.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e20028-e20028	2.2	1
10	Randomized phase II trial of avelumab alone or with cetuximab for unresectable, locally advanced or metastatic squamous cell anal carcinoma progressed to at least one line of treatment: The CARACAS study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4051-4051	2.2	1
9	Microsatellite and RAS/RAF Mutational Status as Prognostic Factors in Colorectal Peritoneal Metastases Treated with Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy (HIPEC). <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	1
8	Implementation of Next Generation Sequencing-Based Liquid Biopsy for Clinical Molecular Diagnostics in Non-Small Cell Lung Cancer (NSCLC) Patients. <i>Diagnostics</i> , 2021 , 11,	3.8	1
7	Myeloid Diagnostic and Prognostic Markers of Immune Suppression in the Blood of Glioma Patients.. <i>Frontiers in Immunology</i> , 2021 , 12, 809826	8.4	0
6	Reply to Letter to the Editor Weekly oxaliplatin and pre-operative radiotherapy as a new neoadjuvant therapy for locally advanced rectal cancer by T. Watanabe et al. (Ann Oncol 2006; 17: 1173). <i>Annals of Oncology</i> , 2006 , 17, 1173-1174	10.3	
5	ASO Visual Abstract: Rectal Sparing Approach After Neoadjuvant Therapy in Patients with Rectal Cancer: The Preliminary Results of the ReSARCh Trial.. <i>Annals of Surgical Oncology</i> , 2022 , 29, 1892	3.1	
4	Monitoring advanced non-small cell lung cancer (NSCLC) through plasma genotyping during systemic treatment: KRAS-mutated (m) cohort results.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e24074-e24074	2.2	
3	Effect of BRCA status on overall survival of patients with both breast and ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12502-e12502	2.2	
2	First prospective multicenter Italian study on the impact of the 21-Gene Recurrence Score (RS) in adjuvant clinical decisions for ER+/HER2- early breast cancer (BC) patients.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e12038-e12038	2.2	
1	The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2021 , 64, e476	3.1	