

Gerardo Salerno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5552720/publications.pdf>

Version: 2024-02-01

57
papers

1,150
citations

393982

19
h-index

433756

31
g-index

58
all docs

58
docs citations

58
times ranked

2372
citing authors

#	ARTICLE	IF	CITATIONS
1	Challenges in Diagnosis and Clinical Management of COVID-19 in Patient with B-Cell Chronic Lymphocytic Leukemia (CLL): Report of One Case. <i>Hematology Reports</i> , 2022, 14, 31-37.	0.3	1
2	Safety of Multiple Vaccinations and Durability of Vaccine-Induced Antibodies in an Italian Military Cohort 5 Years after Immunization. <i>Biomedicines</i> , 2022, 10, 6.	1.4	6
3	SARS-CoV-2 Transmission Control Measures in the Emergency Department: The Role of Rapid Antigenic Testing in Asymptomatic Subjects. <i>Healthcare (Switzerland)</i> , 2022, 10, 790.	1.0	2
4	Age-Related Dynamics of Serum Anti-Spike IgG Ab After the Third Dose of BNT162b2 Vaccine in a Naive Health Care Workers Population. <i>Viral Immunology</i> , 2022, 35, 386-389.	0.6	2
5	Increased kynurenine-to-tryptophan ratio in the serum of patients infected with SARS-CoV2: An observational cohort study.. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166042.	1.8	61
6	Psychotropic Drugs Levels in Seminal Fluid: A New Therapeutic Drug Monitoring Analysis?. <i>Frontiers in Endocrinology</i> , 2021, 12, 620936.	1.5	7
7	Gene signature and immune cell profiling by high-dimensional, single-cell analysis in COVID-19 patients, presenting Low T3 syndrome and coexistent hematological malignancies. <i>Journal of Translational Medicine</i> , 2021, 19, 139.	1.8	13
8	Serum Cardiac Biomarkers in Asymptomatic Hemodialysis Patients: Role of Soluble Suppression of Tumorigenicity-2. <i>Blood Purification</i> , 2021, , 1-8.	0.9	1
9	On the Effect of Bimodal Rehabilitation in Asymmetric Hearing Loss. <i>Journal of Clinical Medicine</i> , 2021, 10, 3927.	1.0	1
10	Immunogenicity of Viral Vaccines in the Italian Military. <i>Biomedicines</i> , 2021, 9, 87.	1.4	5
11	Prognostic value of high-sensitive cardiac troponin I in asymptomatic chronic hemodialysis patients. <i>Journal of Nephrology</i> , 2020, 33, 129-136.	0.9	4
12	Serum S100B protein as a marker of severity in Covid-19 patients. <i>Scientific Reports</i> , 2020, 10, 18665.	1.6	68
13	Can Haematological and Hormonal Biomarkers Predict Fitness Parameters in Youth Soccer Players? A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6294.	1.2	11
14	Impact of Mediterranean Diet on Disease Activity and Gut Microbiota Composition of Rheumatoid Arthritis Patients. <i>Microorganisms</i> , 2020, 8, 1989.	1.6	35
15	Bone conductive implantation in asymmetric hearing loss (AHL). <i>Acta Oto-Laryngologica</i> , 2020, 140, 643-650.	0.3	5
16	Urinary and exhaled biomarkers of exercise-induced bronchoconstriction in atopic asthmatic children. <i>Pediatric Pulmonology</i> , 2019, 54, 1447-1456.	1.0	5
17	Mono-institutional phase 2 study of innovative Stereotactic Body RadioTherapy targeting Partial Tumor Hypoxic (SBRT-PATHY) clonogenic cells in unresectable bulky non-small cell lung cancer: profound non-targeted effects by sparing peri-tumoral immune microenvironment. <i>Radiation Oncology</i> , 2019, 14, 212.	1.2	33
18	Different ST2 Serum Concentrations in Asymptomatic and Symptomatic Carotid Artery Stenosis. <i>Annals of Vascular Surgery</i> , 2019, 56, 240-245.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Tetanus-diphtheria vaccination in adults: the long-term persistence of antibodies is not dependent on polyclonal B-cell activation and the defective response to diphtheria toxoid re-vaccination is associated to HLA-DRB1*01:01. <i>Vaccine</i> , 2018, 36, 6718-6725.	1.7	11
20	Analysis of Gut Microbiota in Rheumatoid Arthritis Patients: Disease-Related Dysbiosis and Modifications Induced by Etanercept. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2938.	1.8	152
21	Pharmacogenetic considerations for migraine therapies. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2018, 14, 1-7.	1.5	12
22	Anti-polysaccharide and anti-diphtheria protective antibodies after 13-valent pneumococcal conjugate vaccination in rheumatoid arthritis patients under immunosuppressive therapy. <i>Clinical Immunology</i> , 2018, 195, 18-27.	1.4	6
23	Chronic heart failure is characterized by altered mitochondrial function and structure in circulating leucocytes. <i>Oncotarget</i> , 2018, 9, 35028-35040.	0.8	15
24	Lymphocyte subsets are influenced by positivity levels in healthy subjects before and after mild acute stress. <i>Immunology Letters</i> , 2017, 188, 13-20.	1.1	5
25	Lack of evidence for post-vaccine onset of autoimmune/lymphoproliferative disorders, during a nine-month follow-up in multiply vaccinated Italian military personnel. <i>Clinical Immunology</i> , 2017, 181, 60-66.	1.4	5
26	Anthracycline-Free Neoadjuvant Chemotherapy Ensures Higher Rates of Pathologic Complete Response in Breast Cancer. <i>Clinical Breast Cancer</i> , 2017, 17, 34-40.	1.1	5
27	Circulating Neuregulin-1 and Galectin-3 can be Prognostic Markers in Breast Cancer. <i>International Journal of Biological Markers</i> , 2017, 32, 333-336.	0.7	14
28	Comparison Between Soluble ST2 and High-Sensitivity Troponin I in Predicting Short-Term Mortality for Patients Presenting to the Emergency Department With Chest Pain. <i>Annals of Laboratory Medicine</i> , 2017, 37, 137-146.	1.2	20
29	Correlates of Calcaneal Quantitative Ultrasound Parameters in Patients with Diabetes: The Study on the Assessment of Determinants of Muscle and Bone Strength Abnormalities in Diabetes. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-12.	1.0	7
30	Soluble ST2 Levels and Left Ventricular Structure and Function in Patients With Metabolic Syndrome. <i>Annals of Laboratory Medicine</i> , 2016, 36, 542-549.	1.2	12
31	The kinesin Eg5 inhibitor K858 induces apoptosis but also survivin-related chemoresistance in breast cancer cells. <i>Investigational New Drugs</i> , 2016, 34, 399-406.	1.2	23
32	Data on the lipoprotein (a), coronary atherosclerotic burden and vulnerable plaque phenotype in angiographic obstructive coronary artery disease. <i>Data in Brief</i> , 2016, 7, 1409-1412.	0.5	7
33	Lipoprotein (a) is related to coronary atherosclerotic burden and a vulnerable plaque phenotype in angiographically obstructive coronary artery disease. <i>Atherosclerosis</i> , 2016, 246, 214-220.	0.4	29
34	Breast cancer cells respond differently to docetaxel depending on their phenotype and on survivin upregulation. <i>Tumor Biology</i> , 2016, 37, 2603-2611.	0.8	9
35	Serum biomarkers evaluation to predict chemotherapy-induced cardiotoxicity in breast cancer patients. <i>Tumor Biology</i> , 2016, 37, 3379-3387.	0.8	52
36	On and off Metronomic Oral Vinorelbine in Elderly Women with Advanced Breast Cancer. <i>Tumori</i> , 2015, 101, 30-35.	0.6	39

#	ARTICLE	IF	CITATIONS
37	Serum Cystatin C for the Diagnosis of Acute Kidney Injury in Patients Admitted in the Emergency Department. <i>Disease Markers</i> , 2015, 2015, 1-7.	0.6	18
38	Manipulation of radiation-induced bystander effect in prostate adenocarcinoma by dose and tumor differentiation grade: In vitro study. <i>International Journal of Radiation Biology</i> , 2015, 91, 166-171.	1.0	7
39	Taxane induced neuropathy in patients affected by breast cancer: Literature review. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 96, 34-45.	2.0	71
40	Are pharmacogenomic biomarkers an effective tool to predict taxane toxicity and outcome in breast cancer patients? Literature review. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 76, 679-690.	1.1	21
41	Clinicopathologic Characterization of Diffuse-Large-B-Cell Lymphoma with an Associated Serum Monoclonal IgM Component. <i>PLoS ONE</i> , 2014, 9, e93903.	1.1	37
42	Usefulness of Combining Galectin-3 and BIVA Assessments in Predicting Short- and Long-Term Events in Patients Admitted for Acute Heart Failure. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	19
43	Comparison between white blood cell count, procalcitonin and C reactive protein as diagnostic and prognostic biomarkers of infection or sepsis in patients presenting to emergency department. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 1465-72.	1.4	61
44	Copeptin decrease from admission to discharge has favorable prognostic value for 90-day events in patients admitted with dyspnea. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 1457-64.	1.4	18
45	Thirty and ninety days mortality predictive value of admission and in-hospital procalcitonin and mid-regional pro-adrenomedullin testing in patients with dyspnea. Results from the VErifying DYspnea trial. <i>American Journal of Emergency Medicine</i> , 2014, 32, 334-341.	0.7	33
46	Effect of supervised exercise training on musculoskeletal symptoms and function in patients with type 2 diabetes: the Italian Diabetes Exercise Study (IDES). <i>Acta Diabetologica</i> , 2014, 51, 647-654.	1.2	12
47	Structural myocardial alterations in diabetes and hypertension: the role of galectin-3. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 1499-505.	1.4	16
48	Elderly woman with triple-negative metastatic breast cancer successfully treated with metronomic capecitabine. <i>Anticancer Research</i> , 2014, 34, 4287-91.	0.5	2
49	Chemotherapy of rare skin adnexal tumors: a review of literature. <i>Anticancer Research</i> , 2014, 34, 5263-8.	0.5	27
50	EMT markers in lung adenocarcinoma pleural effusion spheroid cells. <i>Journal of Cellular Physiology</i> , 2013, 228, 1720-1726.	2.0	28
51	Recovery of Immunological Homeostasis Positively Correlates Both with Early Stages of Right-Colorectal Cancer and Laparoscopic Surgery. <i>PLoS ONE</i> , 2013, 8, e74455.	1.1	13
52	Supervised Exercise Training Counterbalances the Adverse Effects of Insulin Therapy in Overweight/Obese Subjects With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 39-41.	4.3	30
53	Utility of Procalcitonin (PCT) and Mid regional pro-Adrenomedullin (MR-proADM) in risk stratification of critically ill febrile patients in Emergency Department (ED). A comparison with APACHE II score. <i>BMC Infectious Diseases</i> , 2012, 12, 184.	1.3	51
54	Diffuse-Large-B-Cell Lymphoma Patients with Secretory IgM Monoclonal Component Are A Very Poor Prognostic Subset.. <i>Blood</i> , 2012, 120, 2659-2659.	0.6	2

#	ARTICLE	IF	CITATIONS
55	MR-Proanp and VEGF As Markers of Response to MEL-DEX Treatment in Systemic AL Amyloidosis. Blood, 2012, 120, 4970-4970.	0.6	0
56	Valuation of MIP-1 α and MR-Proadm in Serum of Patients with Systemic AL Amyloidosis. Blood, 2012, 120, 4995-4995.	0.6	0
57	Circadian blood pressure rhythm and intimal media thickness changes in non-dipper normotensives patients. Italian Journal of Medicine, 0, 11, .	0.2	0