

Sergi Valero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5554053/publications.pdf>

Version: 2024-02-01

122
papers

3,116
citations

147801

31
h-index

214800

47
g-index

130
all docs

130
docs citations

130
times ranked

4695
citing authors

#	ARTICLE	IF	CITATIONS
1	A Longitudinal Follow-Up of 550 Mild Cognitive Impairment Patients: Evidence for Large Conversion to Dementia Rates and Detection of Major Risk Factors Involved. <i>Journal of Alzheimer's Disease</i> , 2013, 34, 769-780.	2.6	164
2	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417.	12.8	140
3	Genome-wide association analysis of dementia and its clinical endophenotypes reveal novel loci associated with Alzheimer's disease and three causality networks: The GR@ACE project. <i>Alzheimer's and Dementia</i> , 2019, 15, 1333-1347.	0.8	111
4	Association Study of 10 Genes Encoding Neurotrophic Factors and Their Receptors in Adult and Child Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2008, 63, 935-945.	1.3	93
5	Comorbid Attention-Deficit/Hyperactivity Disorder in Borderline Patients Defines an Impulsive Subtype of Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2010, 24, 812-822.	1.4	84
6	Acculturative stress as a risk factor of depression and anxiety in the Latin American immigrant population. <i>International Review of Psychiatry</i> , 2011, 23, 84-92.	2.8	82
7	Cut-off Scores of a Brief Neuropsychological Battery (NBACE) for Spanish Individual Adults Older than 44 Years Old. <i>PLoS ONE</i> , 2013, 8, e76436.	2.5	69
8	Design of a comprehensive Alzheimer's disease clinic and research center in Spain to meet critical patient and family needs. <i>Alzheimer's and Dementia</i> , 2014, 10, 409-415.	0.8	69
9	Normative data of a brief neuropsychological battery for Spanish individuals older than 49. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012, 34, 209-219.	1.3	63
10	Psychoeducation for Adults With Attention Deficit Hyperactivity Disorder vs. Cognitive Behavioral Group Therapy. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 894-900.	1.0	60
11	Ecological assessment of executive functions in mild cognitive impairment and mild Alzheimer's disease. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 751-757.	1.8	59
12	A Two-Year Follow-Up of Cognitive Deficits and Brain Perfusion in Mild Cognitive Impairment and Mild Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 30, 109-120.	2.6	59
13	Decreased serum levels of brain-derived neurotrophic factor in adults with attention-deficit hyperactivity disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1267-1275.	2.1	56
14	Detection of visuoperceptual deficits in preclinical and mild Alzheimer's disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009, 31, 860-867.	1.3	52
15	Usefulness of peripapillary nerve fiber layer thickness assessed by optical coherence tomography as a biomarker for Alzheimer's disease. <i>Scientific Reports</i> , 2018, 8, 16345.	3.3	52
16	Working memory in siblings of schizophrenia patients. <i>Schizophrenia Research</i> , 2007, 95, 70-75.	2.0	51
17	Effect of Switching Drug Formulations from Immediate-Release to Extended-Release OROS Methylphenidate. <i>CNS Drugs</i> , 2008, 22, 603-611.	5.9	47
18	Correlations between plasma and PET beta-amyloid levels in individuals with subjective cognitive decline: the Fundació ACE Healthy Brain Initiative (FACEHBI). <i>Alzheimer's Research and Therapy</i> , 2018, 10, 119.	6.2	46

#	ARTICLE	IF	CITATIONS
19	Validez de criterio y concurrente de la versión española de la Conners Adult ADHD Diagnostic Interview for DSM-IV. <i>Revista De Psiquiatría Y Salud Mental</i> , 2012, 5, 229-235.	1.8	45
20	Effectiveness of a psycho-educational group program for major depression in primary care: a randomized controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 230.	2.6	45
21	Attention deficit hyperactivity disorder in cocaine-dependent adults: A psychiatric comorbidity analysis. <i>American Journal on Addictions</i> , 2013, 22, 466-473.	1.4	42
22	Predicting treatment failure in pathological gambling: The role of personality traits. <i>Addictive Behaviors</i> , 2015, 43, 54-59.	3.0	41
23	Psychometric Properties of the Zuckerman-Kuhlman Personality Questionnaire in a Spanish Sample. <i>European Journal of Psychological Assessment</i> , 2004, 20, 134-146.	3.0	41
24	Influence of Sampling and Recruitment Methods in Studies of Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S99-S107.	2.6	40
25	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020, 139, 1025-1044.	7.7	40
26	The Role of Verb Fluency in the Detection of Early Cognitive Impairment in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 611-619.	2.6	39
27	Dementia Care in Times of COVID-19: Experience at Fundació ACE in Barcelona, Spain. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 33-40.	2.6	38
28	Risk factors for cocaine-induced psychosis in cocaine-dependent patients. <i>European Psychiatry</i> , 2013, 28, 141-146.	0.2	36
29	Blood Amyloid Beta Levels in Healthy, Mild Cognitive Impairment and Alzheimer's Disease Individuals: Replication of Diastolic Blood Pressure Correlations and Analysis of Critical Covariates. <i>PLoS ONE</i> , 2013, 8, e81334.	2.5	36
30	Neuropsychiatric profiles and conversion to dementia in mild cognitive impairment, a latent class analysis. <i>Scientific Reports</i> , 2021, 11, 6448.	3.3	36
31	Development and psychometric properties of the Verona Service Satisfaction Scale for methadone-treated opioid-dependent patients (VSSS-MT). <i>Drug and Alcohol Dependence</i> , 2002, 68, 209-214.	3.2	35
32	Consensual Validity Parameters of the Zuckerman-Kuhlman Personality Questionnaire: Evidence From Self-Reports and Spouse Reports. <i>Journal of Personality Assessment</i> , 2005, 84, 279-286.	2.1	35
33	A satisfaction survey of opioid-dependent clients at methadone treatment centres in Spain. <i>Drug and Alcohol Dependence</i> , 2004, 73, 307-313.	3.2	34
34	Exploring APOE genotype effects on Alzheimer's disease risk and amyloid β burden in individuals with subjective cognitive decline: The Fundació ACE Healthy Brain Initiative (FACEHBI) study baseline results. <i>Alzheimer's and Dementia</i> , 2018, 14, 634-643.	0.8	33
35	Neuroticism and impulsivity: Their hierarchical organization in the personality characterization of drug-dependent patients from a decision tree learning perspective. <i>Comprehensive Psychiatry</i> , 2014, 55, 1227-1233.	3.1	32
36	Visual impairment in aging and cognitive decline: experience in a Memory Clinic. <i>Scientific Reports</i> , 2019, 9, 8698.	3.3	32

#	ARTICLE	IF	CITATIONS
37	Patient perspectives on methadone maintenance treatment in the Valencia Region: Dose adjustment, participation in dosage regulation, and satisfaction with treatment. <i>Drug and Alcohol Dependence</i> , 2005, 79, 405-412.	3.2	31
38	Brain Perfusion Correlates of Visuo-perceptual Deficits in Mild Cognitive Impairment and Mild Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 557-567.	2.6	30
39	Cognitive, Genetic, and Brain Perfusion Factors Associated with Four Year Incidence of Alzheimer's Disease from Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 739-748.	2.6	30
40	Emotional lability: The discriminative value in the diagnosis of attention deficit/hyperactivity disorder in adults. <i>Comprehensive Psychiatry</i> , 2014, 55, 1712-1719.	3.1	30
41	Concordance between Subjective and Objective Memory Impairment in Volunteer Subjects. <i>Journal of Alzheimer's Disease</i> , 2015, 48, 1109-1117.	2.6	30
42	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021, 26, 5797-5811.	7.9	30
43	The Spanish version of Face-Name Associative Memory Exam (S-FNAME) performance is related to amyloid burden in Subjective Cognitive Decline. <i>Scientific Reports</i> , 2018, 8, 3828.	3.3	28
44	The MAPT H1 Haplotype Is a Risk Factor for Alzheimer's Disease in APOE ϵ 4 Non-carriers. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 327.	3.4	27
45	Strengths and Difficulties Questionnaire: Psychometric Properties and Normative Data for Spanish 5- to 17-Year-Olds. <i>Assessment</i> , 2021, 28, 1445-1458.	3.1	27
46	Impact of Recruitment Methods in Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 625-632.	2.6	26
47	Cognitive Composites Domain Scores Related to Neuroimaging Biomarkers within Probable-Amnesic Mild Cognitive Impairment-Storage Subtype. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 447-459.	2.6	26
48	The alternative five-factor model of personality, nicotine dependence and relapse after treatment for smoking cessation. <i>Addictive Behaviors</i> , 2011, 36, 965-971.	3.0	25
49	Early-age clinical and developmental features associated to Substance Use Disorders in Attention-Deficit/Hyperactivity Disorder in Adults. <i>Comprehensive Psychiatry</i> , 2014, 55, 639-649.	3.1	25
50	A computerized version of the Short Form of the Face-Name Associative Memory Exam (FACEmemory [®]) for the early detection of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 25.	6.2	24
51	Association between retinal thickness and β -amyloid brain accumulation in individuals with subjective cognitive decline: Fundaci3 ACE Healthy Brain Initiative. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 37.	6.2	24
52	ZUCKERMAN-KUHLMAN PERSONALITY QUESTIONNAIRE: PSYCHOMETRIC PROPERTIES IN A SAMPLE OF THE GENERAL POPULATION. <i>Psychological Reports</i> , 2008, 103, 845.	1.7	23
53	Effectiveness of combined individual and group dialectical behavior therapy compared to only individual dialectical behavior therapy: A preliminary study.. <i>Psychotherapy</i> , 2012, 49, 241-250.	1.2	22
54	The role of personality in the prediction of treatment outcome in pathological gamblers: A follow-up study.. <i>Psychological Assessment</i> , 2013, 25, 599-605.	1.5	22

#	ARTICLE	IF	CITATIONS
55	Validation of the Spanish Version of the Face Name Associative Memory Exam (S-FNAME) in Cognitively Normal Older Individuals. <i>Archives of Clinical Neuropsychology</i> , 2015, 30, 712-720.	0.5	22
56	Evaluation of macular thickness and volume tested by optical coherence tomography as biomarkers for Alzheimer's disease in a memory clinic. <i>Scientific Reports</i> , 2020, 10, 1580.	3.3	22
57	FACEHBI: A PROSPECTIVE STUDY OF RISK FACTORS, BIOMARKERS AND COGNITION IN A COHORT OF INDIVIDUALS WITH SUBJECTIVE COGNITIVE DECLINE. STUDY RATIONALE AND RESEARCH PROTOCOLS. <i>Journal of prevention of Alzheimer's disease, The</i> , 2017, 4, 1-9.	2.7	22
58	Identification of Misdiagnosed Fronto-Temporal Dementia using APOE Genotype and Phenotype-Genotype Correlation Analyses. <i>Current Alzheimer Research</i> , 2014, 11, 182-191.	1.4	22
59	Discriminant Validity of the ZKPQ in a Sample Meeting BPD Diagnosis vs. Normal-Range Controls. <i>Journal of Personality Disorders</i> , 2008, 22, 178-190.	1.4	21
60	Personality as a predictor of depression symptoms in burn patients: A follow-up study. <i>Burns</i> , 2015, 41, 25-32.	1.9	20
61	The MOPEAD project: Advancing patient engagement for the detection of "hidden" undiagnosed cases of Alzheimer's disease in the community. , 2019, 15, 828-839.		20
62	Dual Diagnosis Among Physicians: A Clinical Perspective. <i>Journal of Dual Diagnosis</i> , 2014, 10, 148-155.	1.2	19
63	Personality profile of adult ADHD: The alternative five factor model. <i>Psychiatry Research</i> , 2012, 198, 130-134.	3.3	18
64	Promoting voluntary help-seeking among doctors with mental disorders. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2014, 27, 435-43.	1.3	18
65	Neuroticism Associated with Cocaine-Induced Psychosis in Cocaine-Dependent Patients: A Cross-Sectional Observational Study. <i>PLoS ONE</i> , 2014, 9, e106111.	2.5	17
66	Changes in the serum levels of brain-derived neurotrophic factor in adults with attention deficit hyperactivity disorder after treatment with atomoxetine. <i>Psychopharmacology</i> , 2014, 231, 1389-1395.	3.1	17
67	Functioning Assessment Short Test (FAST): validity and reliability in adults with attention-deficit/hyperactivity disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 719-727.	3.2	16
68	Exploratory analysis of seven Alzheimer's disease genes: disease progression. <i>Neurobiology of Aging</i> , 2013, 34, 1310.e1-1310.e7.	3.1	15
69	The role of neuroticism, perfectionism and depression in chronic fatigue syndrome. A structural equation modeling approach. <i>Comprehensive Psychiatry</i> , 2013, 54, 1061-1067.	3.1	15
70	Borderline Personality Disorder and Personality Inventory for DSM-5 (PID-5): Dimensional personality assessment with DSM-5. <i>Comprehensive Psychiatry</i> , 2016, 70, 105-111.	3.1	14
71	Interaction of neuropsychiatric symptoms with APOE ϵ 4 and conversion to dementia in MCI patients in a Memory Clinic. <i>Scientific Reports</i> , 2020, 10, 20058.	3.3	13
72	The role of sex and gender in the selection of Alzheimer patients for clinical trial pre-screening. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 95.	6.2	13

#	ARTICLE	IF	CITATIONS
73	Establishing In-House Cutoffs of CSF Alzheimer's Disease Biomarkers for the AT(N) Stratification of the Alzheimer Center Barcelona Cohort. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6891.	4.1	13
74	Criterion and concurrent validity of Conners Adult ADHD Diagnostic Interview for DSM-IV (CAADID) Spanish version. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2012, 5, 229-235.	0.3	12
75	Exploring Genetic Associations of Alzheimer's Disease Loci With Mild Cognitive Impairment Neurocognitive Endophenotypes. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 340.	3.4	12
76	From Face-to-Face to Home-to-Home: Validity of a Teleneuropsychological Battery. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1541-1553.	2.6	11
77	Dual diagnosis in inpatient physicians: prevalence and clinical characteristics. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2008, 1, 10-20.	0.5	10
78	Psychopathology and traffic violations in subjects who have lost their driving license. <i>Comprehensive Psychiatry</i> , 2017, 76, 45-55.	3.1	10
79	Association between cell-bound blood amyloid- β (1 - 40) levels and hippocampus volume. <i>Alzheimer's Research and Therapy</i> , 2014, 6, 56.	6.2	9
80	Chronic fatigue syndrome and personality: A case-control study using the alternative five factor model. <i>Psychiatry Research</i> , 2014, 216, 373-378.	3.3	9
81	Beneficial Effects of an Integrated Psychostimulation Program in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 559-566.	2.6	9
82	Gender Differences in Demographic and Clinical Features of Physicians Admitted to a Program for Medical Professionals with Mental Disorders. <i>Frontiers in Psychiatry</i> , 2016, 7, 181.	2.6	9
83	Cortisol awakening response in adults with attention deficit hyperactivity disorder: Subtype differences and association with the emotional lability. <i>European Neuropsychopharmacology</i> , 2016, 26, 1140-1149.	0.7	9
84	Social Representation of Dementia: An Analysis of 5,792 Consecutive Cases Evaluated in a Memory Clinic. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 1099-1108.	2.6	9
85	Neuropsychiatric Profile as a Predictor of Cognitive Decline in Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 718949.	3.4	9
86	To what extent is personality associated with time perspective?. <i>Anales De Psicología</i> , 2015, 31, 488.	0.7	8
87	Automatized FACEmemory® scoring is related to Alzheimer's disease phenotype and biomarkers in early-onset mild cognitive impairment: the BIOFACE cohort. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 43.	6.2	8
88	Feasibility of Double-Blind Clinical Trials with Oral Diacetylmorphine: A Randomized Controlled Phase II Study in an Inpatient Setting. <i>European Addiction Research</i> , 2012, 18, 279-287.	2.4	7
89	Rasgos de personalidad (ZKPQ) en pacientes con fibromialgia: un estudio de casos y controles.. <i>Anales De Psicología</i> , 2014, 30, .	0.7	7
90	Cigarette dependence and depressive symptoms as predictors of smoking status at five-year follow-up after a workplace smoking cessation program. <i>Addictive Behaviors</i> , 2017, 73, 9-15.	3.0	7

#	ARTICLE	IF	CITATIONS
91	Psychometric Properties and Normative Data of the Zuckerman-Kuhlman Personality Questionnaire in a Psychiatric Outpatient Sample. <i>Journal of Personality Assessment</i> , 2017, 99, 219-224.	2.1	7
92	Assessing high risk of suicide amongst physicians and nurses in treatment. <i>Psychiatry Research</i> , 2020, 291, 113237.	3.3	7
93	Personality Factors and Subjective Cognitive Decline: The FACEHBI Cohort. <i>Behavioural Neurology</i> , 2020, 2020, 1-6.	2.1	7
94	BIOFACE: A Prospective Study of Risk Factors, Cognition, and Biomarkers in a Cohort of Individuals with Early-Onset Mild Cognitive Impairment. Study Rationale and Research Protocols. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1233-1249.	2.6	7
95	Long runs of homozygosity are associated with Alzheimer's disease. <i>Translational Psychiatry</i> , 2021, 11, 142.	4.8	6
96	Comorbid personality disorders in chronic fatigue syndrome patients: a marker of psychopathological severity. <i>Actas Espanolas De Psiquiatria</i> , 2015, 43, 58-65.	0.1	6
97	Impulsive clinical profile of Borderline Personality Disorder with comorbid Substance Use Disorder. <i>Actas Espanolas De Psiquiatria</i> , 2016, 44, 145-52.	0.1	6
98	Effectiveness and Tolerability of Duloxetine in 2 Different Ethnic Samples. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 254-256.	1.4	5
99	Subtle executive deficits are associated with higher brain amyloid burden and lower cortical volume in subjective cognitive decline: the FACEHBI cohort. <i>Scientific Reports</i> , 2020, 10, 17721.	3.3	5
100	Integral Treatment Programme for Addicted Physicians: Results from The Galatea Care Programme for Sick Physicians. <i>European Addiction Research</i> , 2020, 26, 122-130.	2.4	5
101	Doctors admitted to a Physicians' Health Program: a comparison of self-referrals versus directed referrals. <i>BMJ Open</i> , 2014, 4, e005248-e005248.	1.9	4
102	A Cost-Consequence Analysis of Different Screening Procedures in Alzheimer's Disease: Results from the MOPEAD Project. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1149-1159.	2.6	4
103	Help Seeking of Highly Specialized Mental Health Treatment before and during the COVID-19 Pandemic among Health Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3665.	2.6	4
104	Complementary pre-screening strategies to uncover hidden prodromal and mild Alzheimer's disease: Results from the MOPEAD project. <i>Alzheimer's and Dementia</i> , 2021, , .	0.8	3
105	Impacto de la sintomatología depresiva en los resultados de un programa de deshabituación tabáquica en el lugar de trabajo. <i>Revista De Psicología De La Salud</i> , 2010, 22, 101.	0.5	3
106	Study of prevalence of Personality Disorders in inmate men sample with Substance Use Disorders using of PDQ-4+ Self-Report. <i>Actas Espanolas De Psiquiatria</i> , 2016, 44, 178-82.	0.1	3
107	Inpatient Physicians and Nurses With Dual Diagnosis: An Exploratory Study. <i>Journal of Dual Diagnosis</i> , 2014, 10, 156-161.	1.2	2
108	Family physicians with mental disorders admitted to a physicians' health programme: what can be learned?. <i>Family Practice</i> , 2020, 37, 655-660.	1.9	2

#	ARTICLE	IF	CITATIONS
109	Characteristics of resident physicians accessing a specialised mental health service: a retrospective study. <i>BMJ Open</i> , 2021, 11, e055184.	1.9	2
110	The SCID-II and DIB-R interviews: diagnostic association with poor outcome risk factors in Borderline Personality Disorder. <i>Psicothema</i> , 2012, 24, 523-8.	0.9	2
111	Motivational interviewing group at inpatient detoxification, its influence in maintaining abstinence and treatment retention after discharge. <i>Revista De Psicologia De La Salud</i> , 2015, 27, 109-18.	0.5	2
112	Relationship between depressive disorders and personality traits: the value of the alternative five factor model. <i>Current Psychology</i> , 2020, , 1.	2.8	1
113	ZUCKERMAN-KUHLMAN PERSONALITY QUESTIONNAIRE: PSYCHOMETRIC PROPERTIES IN A SAMPLE OF THE GENERAL POPULATION1. <i>Psychological Reports</i> , 2008, 103, 843-836.	1.7	1
114	Diagnostic Concordance Between Categorical and Dimensional Instruments to Assess Personality Disorder in Chronic Fatigue Syndrome. <i>European Journal of Psychological Assessment</i> , 2017, 33, 158-165.	3.0	1
115	Nurse admissions at a specialized mental health programme: A pre-Covid-19 retrospective review (2000-2019). <i>Journal of Advanced Nursing</i> , 2022, 78, 2807-2814.	3.3	1
116	Encuesta sobre la satisfacción de los pacientes dependientes de heroína de la Comunidad de Valencia con los centros de tratamiento con metadona. <i>Trastornos Adictivos</i> , 2012, 14, 66-72.	0.1	0
117	P3-196: Cognitive composites and prodromal Alzheimer's disease. , 2015, 11, P707-P708.		0
118	Reply to the Letter to the Editor: "Depression symptoms in burn patients". <i>Burns</i> , 2015, 41, 1895-1896.	1.9	0
119	P2-087: Genetic Determinants of Alzheimer's Disease Progression: Exploratory Analysis of International Genomics of Alzheimer Project (IGAP) Genetic Markers in MMSE Rate of Decline and GDS. <i>Alzheimer's and Dementia</i> , 2016, 12, P642.	0.8	0
120	P1-120: Exploring International Genomics of Alzheimer's Project (IGAP) Genetic Markers' Effect on Age at Onset of Dementia in Alzheimer's Disease Patients. <i>Alzheimer's and Dementia</i> , 2016, 12, P448.	0.8	0
121	[P3-233]: CORRELATIONS BETWEEN PLASMA AND BRAIN BETA-AMYLOID LEVELS IN INDIVIDUALS WITH SUBJECTIVE COGNITIVE DECLINE: THE FUNDACIÓN ACE HEALTHY BRAIN INITIATIVE (FACEHBI). <i>Alzheimer's and Dementia</i> , 2017, 13, P1027.	0.8	0
122	[P1-554]: OPTIMAL HARMONIZATION OF COGNITIVE MEASURES ENHANCES THE DETECTION OF GENETIC EFFECTS ON ALZHEIMER'S DISEASE PROGRESSION: A COMPARISON OF SIX STATISTICAL APPROACHES IN 1796 MCI PATIENTS FROM THREE COHORTS. <i>Alzheimer's and Dementia</i> , 2017, 13, P506.	0.8	0