Saou-Hsing Liou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5555227/publications.pdf

Version: 2024-02-01

331670 377865 1,394 61 21 34 citations h-index g-index papers 66 66 66 1984 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Exposure profiles of workers from indium tin oxide target manufacturing and recycling factories in Taiwan. International Journal of Hygiene and Environmental Health, 2021, 233, 113708.	4.3	1
2	The roles of lumbar load thresholds in cumulative lifting exposure to predict disk protrusion in an Asian population. BMC Musculoskeletal Disorders, 2020, 21, 169.	1.9	2
3	Measurement of urinary arsenic profiles and DNA hypomethylation in a case–control study of urothelial carcinoma. Archives of Toxicology, 2019, 93, 2155-2164.	4.2	17
4	Effects of nanoparticles exposure and PON1 genotype on heart rate variability. Environmental Research, 2019, 176, 108377.	7.5	2
5	P.2.12â€Clustering of malignant pleural mesothelioma in asbestos factories in a 29-years follow-up study to identify high-risk industries in taiwan. Occupational and Environmental Medicine, 2019, 76, A90.2-A90.	2.8	O
6	P.1.25â€The effect of variations air pollution concentration on ischemic stroke. Occupational and Environmental Medicine, 2019, 76, A84.1-A84.	2.8	0
7	Professional Driver's Job Stress and 8-year Risk of Cardiovascular Disease. Epidemiology, 2019, 30, S39-S47.	2.7	24
8	Longitudinal follow-up of health effects among workers handling engineered nanomaterials: a panel study. Environmental Health, 2019, 18, 107.	4.0	17
9	Identification of osteopontin as a biomarker of human exposure to fine particulate matter. Environmental Pollution, 2019, 245, 975-985.	7. 5	13
10	Levels and temporal variations of urinary lead, cadmium, cobalt, and copper exposure in the general population of Taiwan. Environmental Science and Pollution Research, 2019, 26, 6048-6064.	5.3	30
11	Feasibility of using urinary N7-(2-carbamoyl-2-hydroxyethyl) Guanine as a biomarker for acrylamide exposed workers. Journal of Exposure Science and Environmental Epidemiology, 2018, 28, 589-598.	3.9	12
12	Clustering of malignant pleural mesothelioma in asbestos factories: a subgroup analysis in a 29-year follow-up study to identify high-risk industries in Taiwan. BMJ Open, 2018, 8, e021063.	1.9	2
13	The impact of occupational psychological hazards and metabolic syndrome on the 8-year risk of cardiovascular diseases—A longitudinal study. PLoS ONE, 2018, 13, e0202977.	2.5	16
14	198â€Nanoparticles concentration in frozen exhaled breath condensate as an internal dose of nanomaterials exposure. , 2018, , .		0
15	Risk of Alzheimer's disease with metal concentrations in whole blood and urine: A case–control study using propensity score matching. Toxicology and Applied Pharmacology, 2018, 356, 8-14.	2.8	50
16	Relationships among DNA hypomethylation, Cd, and Pb exposure and risk of cigarette smoking-related urothelial carcinoma. Toxicology and Applied Pharmacology, 2017, 316, 107-113.	2.8	16
17	Effect of CYP3A4 genetic polymorphisms on the genotoxicity of 4,4′-methylene-bis (2-chloroaniline)-exposed workers. Occupational and Environmental Medicine, 2017, 74, 30-38.	2.8	1
18	Global DNA methylation and oxidative stress biomarkers in workers exposed to metal oxide nanoparticles. Journal of Hazardous Materials, 2017, 331, 329-335.	12.4	90

#	Article	IF	CITATIONS
19	Exposure to fine particulate matter causes oxidative and methylated DNA damage in young adults: A longitudinal study. Science of the Total Environment, 2017, 598, 289-296.	8.0	31
20	Association between levels of urinary heavy metals and increased risk of urothelial carcinoma. International Journal of Urology, 2016, 23, 233-239.	1.0	27
21	Usefulness of overnight pulse oximeter as the sleep assessment tool to assess the 6-year risk of road traffic collision: evidence from the Taiwan Bus Driver Cohort Study. International Journal of Epidemiology, 2016, 46, dyw141.	1.9	8
22	Increased levels of oxidative stress biomarkers in metal oxides nanomaterial-handling workers. Biomarkers, 2016, 21, 600-606.	1.9	17
23	Utility of overnight pulse oximeter as a screening tool for sleep apnea to assess the 8-year risk of cardiovascular disease: Data from a large-scale bus driver cohort study. International Journal of Cardiology, 2016, 225, 206-212.	1.7	10
24	Reply to "Serum high-sensitivity C-reactive protein in patients with obstructive sleep apnea with special reference to metabolic syndrome―by Kawada (Letter to the Editor). Sleep and Breathing, 2016, 20, 385-385.	1.7	0
25	The relationship between plasma and urinary 8-hydroxy-2-deoxyguanosine biomarkers measured by liquid chromatography tandem mass spectrometry. Environmental Science and Pollution Research, 2016, 23, 17496-17502.	5.3	18
26	Association between urinary lead and bone health in a general population from Taiwan. Journal of Exposure Science and Environmental Epidemiology, 2016, 26, 481-487.	3.9	23
27	Cancer Attributable to Asbestos Exposure in Shipbreaking Workers: A Matched-Cohort Study. PLoS ONE, 2015, 10, e0133128.	2.5	34
28	Nickel may contribute to EGFR mutation and synergistically promotes tumor invasion in EGFR-mutated lung cancer via nickel-induced microRNA-21 expression. Toxicology Letters, 2015, 237, 46-54.	0.8	35
29	Assessing the first wave of epidemiological studies of nanomaterial workers. Journal of Nanoparticle Research, 2015, 17, 413.	1.9	112
30	Potential Association of Urinary <i>N</i> 7-(2-Carbamoyl-2-hydroxyethyl) Guanine with Dietary Acrylamide Intake of Smokers and Nonsmokers. Chemical Research in Toxicology, 2015, 28, 43-50.	3.3	18
31	The impact of obstructive sleep apnea on high-sensitivity C-reactive protein in subjects with or without metabolic syndrome. Sleep and Breathing, 2015, 19, 1449-1457.	1.7	13
32	The Association between Obstructive Sleep Apnea and Metabolic Markers and Lipid Profiles. PLoS ONE, 2015, 10, e0130279.	2.5	30
33	Predictors for Progression of Sleep Disordered Breathing among Public Transport Drivers: A 3-Year Follow-Up Study. Journal of Clinical Sleep Medicine, 2015, 11, 419-425.	2.6	10
34	The Effects of Fine Particulate Air Pollution on Daily Mortality: A Case-Crossover Study in a Subtropical City, Taipei, Taiwan. International Journal of Environmental Research and Public Health, 2014, 11, 5081-5093.	2.6	21
35	Effect of Nanoparticles Exposure on Fractional Exhaled Nitric Oxide (FENO) in Workers Exposed to Nanomaterials. International Journal of Molecular Sciences, 2014, 15, 878-894.	4.1	45
36	Six-month follow-up study of health markers of nanomaterials among workers handling engineered nanomaterials. Nanotoxicology, 2014, 8, 100-110.	3.0	88

#	Article	IF	CITATIONS
37	Monitoring of PAEMs and beta-agonists in urine for a small group of experimental subjects and PAEs and beta-agonists in drinking water consumed by the same subjects. Journal of Hazardous Materials, 2014, 277, 169-179.	12.4	30
38	Cancer incidence of Taiwanese shipbreaking workers who have been potentially exposed to asbestos. Environmental Research, 2014, 132, 370-378.	7.5	23
39	The Dose-Response Relationship Between Cumulative Lifting Load and Lumbar Disk Degeneration Based on Magnetic Resonance Imaging Findings. Physical Therapy, 2014, 94, 1582-1593.	2.4	18
40	The Influences of Storage and Further Purification on Residual Concentrations of Pharmaceuticals and Phthalate Esters in Drinking Water. Water, Air, and Soil Pollution, 2014, 225, 1.	2.4	7
41	Paraoxonase 1 (PON1) genotype associated with heart rate variability (HRV) in workers. International Journal of Cardiology, 2014, 172, e364-e365.	1.7	0
42	High job strain is associated with inflammatory markers of disease in young long-haul bus drivers Journal of Occupational Health Psychology, 2014, 19, 336-347.	3.3	19
43	Rapid and intermediate N-acetylators are less susceptible to oxidative damage among 4,4′-methylenebis(2-chloroaniline) (MBOCA)-exposed workers. International Journal of Hygiene and Environmental Health, 2013, 216, 515-520.	4.3	4
44	Androgenic Alopecia Is Associated with Less Dietary Soy, Higher Blood Vanadium and rs1160312 1 Polymorphism in Taiwanese Communities. PLoS ONE, 2013, 8, e79789.	2.5	19
45	Brain cancer associated with environmental lead exposure: Evidence from implementation of a National Petrol-Lead Phase-Out Program (PLPOP) in Taiwan between 1979 and 2007. Environment International, 2012, 40, 97-101.	10.0	20
46	Epidemiological study of health hazards among workers handling engineered nanomaterials. Journal of Nanoparticle Research, 2012, 14, 1.	1.9	60
47	The association between frequencies of mitomycin C-induced sister chromatid exchange and cancer risk in arseniasis. Toxicology Letters, 2002, 129, 237-243.	0.8	20
48	Exposure Assessment on Volatile Organic Compounds (VOCs) for Tollway Station Workers via Direct and Indirect Approaches. Journal of Occupational Health, 2002, 44, 294-300.	2.1	11
49	A pilot evaluation of tibia lead concentrations in Taiwan. American Journal of Industrial Medicine, 2001, 40, 127-132.	2.1	6
50	Urinary 2-Methoxy Acetic Acid Accumulation in Response to 2-Methoxy Ethanol Exposure. Archives of Environmental Health, 2001, 56, 20-25.	0.4	20
51	Relationship between hyperuricemia and other cardiovascular disease risk factors among adult males in Taiwan. European Journal of Epidemiology, 2000, 16, 13-17.	5.7	77
52	Lipoprotein profiles, not anthropometric measures, correlate with serum lipoprotein(a) values in children: the Taipei children heart study. European Journal of Epidemiology, 2000, 16, 5-12.	5.7	12
53	Effects of Lead and Noise Exposures on Hearing Ability. Archives of Environmental Health, 2000, 55, 109-114.	0.4	40
54	Glutathione S-transferase (GST) M1 and GST T1 genotypes and hematopoietic effects of benzene exposure. Archives of Toxicology, 1999, 73, 80-82.	4.2	17

SAOU-HSING LIOU

#	Article	IF	CITATION
55	Epidemiologic study of occupational injuries among foreign and native workers in Taiwan. , 1997, 31, 623-630.		30
56	Respiratory symptoms and pulmonary function in mill workers exposed to wood dust., 1996, 30, 293-299.		27
57	Three-year survey of blood lead levels in 8828 Taiwanese adults. International Archives of Occupational and Environmental Health, 1996, 68, 80-87.	2.3	31
58	Pneumoconiosis and Pulmonary Function Defects in Silica-Exposed Fire Brick Workers. Archives of Environmental Health, 1996, 51, 227-233.	0.4	24
59	Three-year survey of blood lead levels in 8828 Taiwanese adults. International Archives of Occupational and Environmental Health, 1996, 68, 80-87.	2.3	1
60	Assessment of Interlaboratory Performance on the Measurement of Blood Lead Levels in Taiwanese Adults Industrial Health, 1995, 33, 181-190.	1.0	14
61	Blood lead levels in the general population of Taiwan, Republic of China. International Archives of Occupational and Environmental Health, 1994, 66, 255-260.	2.3	31