
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5556285/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Attitudes & behaviors toward the management of tobacco smoking patients: qualitative study with French primary care physicians. , 2022, 23, 10.		2
2	Sodium oxybate for the maintenance of abstinence in alcohol-dependent patients: An international, multicenter, randomized, double-blind, placebo-controlled trial. Journal of Psychopharmacology, 2022, 36, 1136-1145.	2.0	5
3	Experimenting first with e igarettes versus first with cigarettes and transition to daily cigarette use among adolescents: the crucial effect of age at first experiment. Addiction, 2021, 116, 1521-1531.	1.7	11
4	Association of smoking reduction and mortality: protocol for a systematic review and meta-analysis of longitudinal observational studies. BMJ Open, 2021, 11, e039483.	0.8	2
5	The Efficacy of Primavera, a Prevention Programme on Alcohol and Tobacco Use among 10–12-Year-Old Schoolchildren: A Randomized Controlled Cluster Study. International Journal of Environmental Research and Public Health, 2021, 18, 3852.	1.2	4
6	Use of Nalmefene in Routine Practice: Results from a French Prospective Cohort Study and a National Database Analysis. Alcohol and Alcoholism, 2021, 56, 545-555.	0.9	2
7	Baseline severity and the prediction of placebo response in clinical trials for alcohol dependence: A metaâ€regression analysis to develop an enrichment strategy. Alcoholism: Clinical and Experimental Research, 2021, 45, 1722-1734.	1.4	12
8	Treating alcohol dependence with an abuse and misuse deterrent formulation of sodium oxybate: Results of a randomised, double-blind, placebo-controlled study. European Neuropsychopharmacology, 2021, 52, 18-30.	0.3	13
9	France Grants an Approval to Baclofen for Alcohol Dependence. Alcohol and Alcoholism, 2020, 55, 44-45.	0.9	13
10	"The post-COVID eraâ€ı challenges in the treatment of substance use disorder (SUD) after the pandemic. BMC Medicine, 2020, 18, 241.	2.3	44
11	Tobacco smoking: the likely confounder of the association between heart diseases and suicide. Journal of Internal Medicine, 2020, 288, 605-606.	2.7	2
12	Characteristics of Gamblers Who Use the French National Problem Gambling Helpline and Real-Time Chat Facility: Longitudinal Observational Study. JMIR Formative Research, 2020, 4, e13388.	0.7	5
13	Passive smoking in childhood increases the risk of developing rheumatoid arthritis. Rheumatology, 2019, 58, 1154-1162.	0.9	39
14	Feasibility, acceptability and preliminary outcomes of a mindfulness-based relapse prevention program in a naturalistic setting among treatment-seeking patients with alcohol use disorder: a prospective observational study. BMJ Open, 2019, 9, e026839.	0.8	14
15	RE: "ASSOCIATION BETWEEN REDUCTIONS OF NUMBER OF CIGARETTES SMOKED PER DAY AND MORTALITY AMONG OLDER ADULTS IN THE UNITED STATES― American Journal of Epidemiology, 2019, 188, 1756-1757.	1.6	1
16	Quality of life instruments used in problem gambling studies: A systematic review and a meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 104, 58-72.	2.9	6
17	Giving room to subjectivity in understanding and assessing problem gambling: A patient-centered approach focused on quality of life. Journal of Behavioral Addictions, 2019, 8, 103-113.	1.9	7
18	Exploring the Association of Sex Differences and Exposure to Maternal Smoking With Low Fetal Growth. JAMA Psychiatry, 2019, 76, 766.	6.0	0

#	Article	IF	CITATIONS
19	Cognitive training: A new avenue in gambling disorder management?. Neuroscience and Biobehavioral Reviews, 2019, 106, 227-233.	2.9	13
20	Medication Development: Reducing Casualties in the Valley of Death and Providing Support for Survivors. Alcoholism: Clinical and Experimental Research, 2019, 43, 22-25.	1.4	1
21	Health-related quality of life in alcohol dependence: Similar cross-cultural impact beyond specific drinking habits. Journal of Ethnicity in Substance Abuse, 2019, 18, 279-295.	0.6	2
22	Efficacy and safety of varenicline for smoking cessation in people living with HIV in France (ANRS 144) Tj ETQqO	0 0 rgBT /0 2.1	Overlock 101 48
23	Pooled analysis of three randomized, doubleâ€blind, placebo controlled trials with rimonabant for smoking cessation. Addiction Biology, 2018, 23, 291-303.	1.4	31
24	Description and assessment of trustability of motives for self-exclusion reported by online poker gamblers in a cohort using account-based gambling data. BMJ Open, 2018, 8, e022541.	0.8	10
25	Baclofen for the treatment of alcohol use disorder: the Cagliari Statement. Lancet Psychiatry,the, 2018, 5, 957-960.	3.7	94
26	Alcohol consumption, drinker identity, and quality of life among students: why there cannot be one prevention strategy for all. Quality of Life Research, 2018, 27, 2629-2637.	1.5	1
27	Comment on the Association of Hormonal Contraception With Suicide Attempts and Suicides. American Journal of Psychiatry, 2018, 175, 683-683.	4.0	1
28	Efficacy and safety of sodium oxybate in alcoholâ€dependent patients with a very high drinking risk level. Addiction Biology, 2018, 23, 969-986.	1.4	59
29	The Use of Baclofen as a Treatment for Alcohol Use Disorder: A Clinical Practice Perspective. Frontiers in Psychiatry, 2018, 9, 708.	1.3	47
30	A Randomized, Placebo-Controlled Study of High-Dose Baclofen in Alcohol-Dependent Patients—The ALPADIR Study. Alcohol and Alcoholism, 2017, 52, 439-446.	0.9	112
31	Reduced Drinking in Alcohol Dependence Treatment, What Is the Evidence?. European Addiction Research, 2017, 23, 219-230.	1.3	67
32	E-Cigarettes and Toxin Exposure. Annals of Internal Medicine, 2017, 167, 524.	2.0	1
33	Can reduced drinking be a viable goal for alcohol dependent patients?. World Psychiatry, 2017, 16, 325-326.	4.8	16
34	Associations between substance use disorders and suicide mortality risk should be adjusted for tobacco use disorder. Addiction, 2017, 112, 2066-2066.	1.7	2
35	Neuropsychological Impairment in Detoxified Alcohol-Dependent Subjects with Preserved Psychosocial Functioning. Frontiers in Psychiatry, 2017, 8, 193.	1.3	4
36	Towards new recommendations to reduce the burden of alcohol-induced hypertension in the European Union. BMC Medicine, 2017, 15, 173.	2.3	24

#	Article	IF	CITATIONS
37	The Role of General Practitioners in the 2015 French Guidelines on Alcohol Misuse. Alcohol and Alcoholism, 2017, 52, 747-748.	0.9	2
38	Validation of a new patient-reported outcome instrument of health-related quality of life specific to patients with alcohol use disorder: the Alcohol Quality of Life Scale (AQoLS). Quality of Life Research, 2016, 25, 1549-1560.	1.5	15
39	Letter by Aubin et al Regarding Article, "Association of Coffee Consumption with Total and Cause-Specific Mortality in 3 Large Prospective Cohorts― Circulation, 2016, 133, e659.	1.6	Ο
40	The 2015 French guidelines on alcohol misuse, issued in partnership with the European Federation of Addiction Societies: a focus on children and adolescents. European Child and Adolescent Psychiatry, 2016, 25, 1145-1148.	2.8	6
41	A Pointâ€byâ€Point Response to Braillon. CNS Neuroscience and Therapeutics, 2016, 22, 537-538.	1.9	Ο
42	Pharmacotherapy for Alcohol Dependence: The 2015 Recommendations of the French Alcohol Society, Issued in Partnership with the European Federation of Addiction Societies. CNS Neuroscience and Therapeutics, 2016, 22, 25-37.	1.9	91
43	The role of alcohol in the management of hypertension in patients in European primary health care practices – a survey in the largest European Union countries. BMC Family Practice, 2016, 17, 130.	2.9	24
44	Opioid analgesics. Lancet, The, 2016, 388, 656.	6.3	1
45	Students worry about the impact of alcohol on quality of life: Roles of frequency of binge drinking and drinker self-concept. Drug and Alcohol Dependence, 2016, 167, 42-48.	1.6	29
46	Tobacco use is associated with increased plasma BDNF levels in depressed patients. Psychiatry Research, 2016, 246, 370-372.	1.7	16
47	Tracking online poker problem gamblers with player account-based gambling data only. International Journal of Methods in Psychiatric Research, 2016, 25, 333-342.	1.1	26
48	The Efficacy of Three Modalities of Internet-Based Psychotherapy for Non–Treatment-Seeking Online Problem Gamblers: A Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e36.	2.1	49
49	Smoking and Suicide Mortality Risk in Alcohol-Dependent Individuals. Journal of Clinical Psychiatry, 2016, 77, e906-e906.	1.1	3
50	Smoking as a confounder of the association of suicidality with serum lipid levels. Journal of Psychiatry and Neuroscience, 2016, 41, E24.1-E24.	1.4	2
51	The New French Guidelines on Alcohol Misuse: An Initiative for Strengthening Crossâ€European Interplay. Addiction, 2015, 110, 1362-1363.	1.7	8
52	Smoker's identity scale: Measuring identity in tobacco dependence and its relationship with confidence in quitting. American Journal on Addictions, 2015, 24, 607-612.	1.3	21
53	Feeding Two Birds with One Scone: The Case of Varenicline. Alcoholism: Clinical and Experimental Research, 2015, 39, 2299-2301.	1.4	3
54	People with Alcohol Use Disorders in Specialized Care in Eight Different European Countries. Alcohol and Alcoholism, 2015, 50, 310-318.	0.9	45

#	Article	IF	CITATIONS
55	Development of the Alcohol Quality of Life Scale (AQoLS): a new patient-reported outcome measure to assess health-related quality of life in alcohol use disorder. Quality of Life Research, 2015, 24, 1471-1481.	1.5	25
56	Clinical Relevance of As-Needed Treatment with Nalmefene in Alcohol-Dependent Patients. European Addiction Research, 2015, 21, 160-168.	1.3	31
57	Re: "Coffee Consumption and Mortality From all Causes, Cardiovascular Disease, and Cancer: A Dose-Response Meta-Analysis". American Journal of Epidemiology, 2015, 181, 734-735.	1.6	0
58	The Effects of as-Needed Nalmefene on Patient-Reported Outcomes and Quality of Life in Relation to a Reduction in Alcohol Consumption in Alcohol-Dependent Patients. PLoS ONE, 2015, 10, e0129289.	1.1	24
59	Self-medication of achalasia with cannabis, complicated by a cannabis use disorder. World Journal of Gastroenterology, 2015, 21, 6381.	1.4	3
60	Acute and Long-Term Effects of Cannabis Use: A Review. Current Pharmaceutical Design, 2014, 20, 4112-4118.	0.9	200
61	Wim van den Brink and colleagues reply to Des Spence and Alain Braillon. BMJ, The, 2014, 348, g2605-g2605.	3.0	4
62	Patient preferences and perspectives regarding reducing alcohol consumption: role of nalmefene. Patient Preference and Adherence, 2014, 8, 1347.	0.8	14
63	Spirituality and Religion Among French Prisoners. International Journal of Offender Therapy and Comparative Criminology, 2014, 58, 821-834.	0.8	26
64	Cultural Adaptation of the Alcohol Quality of Life Scale for Use in Japan, China, and Korea. Value in Health, 2014, 17, A462.	0.1	2
65	Pharmacotherapy for smoking cessation: pharmacological principles and clinical practice. British Journal of Clinical Pharmacology, 2014, 77, 324-336.	1.1	103
66	Disulfiram Efficacy in the Treatment of Alcohol Dependence: A Meta-Analysis. PLoS ONE, 2014, 9, e87366.	1.1	218
67	Off-Label Baclofen Prescribing Practices among French Alcohol Specialists: Results of a National Online Survey. PLoS ONE, 2014, 9, e98062.	1.1	41
68	Pharmacotherapies and harm-reduction options for the treatment of tobacco dependence. Expert Opinion on Pharmacotherapy, 2013, 14, 1959-1967.	0.9	15
69	Emerging pharmacotherapies for alcohol dependence: A systematic review focusing on reduction in consumption. Drug and Alcohol Dependence, 2013, 133, 15-29.	1.6	46
70	Efficacy of As-Needed Nalmefene in Alcohol-Dependent Patients with at Least a High Drinking Risk Level: Results from a Subgroup Analysis of Two Randomized Controlled 6-Month Studies. Alcohol and Alcoholism, 2013, 48, 570-578.	0.9	293
71	The Economic Burden of Alcohol Dependence in Europe. Alcohol and Alcoholism, 2013, 48, 259-269.	0.9	80
72	Quantitative damage-benefit evaluation of drug effects: major discrepancies between the general population, users and experts. Journal of Psychopharmacology, 2013, 27, 590-599.	2.0	11

#	Article	IF	CITATIONS
73	The Evolutionary Puzzle of Suicide. International Journal of Environmental Research and Public Health, 2013, 10, 6873-6886.	1.2	35
74	Alcohol dependence treatment in the EU: A literature search and expert consultation about the availability and use of guidelines in all EU countries plus Iceland, Norway, and Switzerland. The International Journal of Alcohol and Drug Research, 2013, 2, 53-67.	0.9	22
75	Weight gain in smokers after quitting cigarettes: meta-analysis. BMJ, The, 2012, 345, e4439-e4439.	3.0	377
76	Efficacy of a dose range of surinabant, a cannabinoid receptor blocker, for smoking cessation: a randomized controlled clinical trial. Journal of Psychopharmacology, 2012, 26, 1003-1009.	2.0	15
77	Ethyl Glucuronide for Detecting Alcohol Lapses in Patients With an Alcohol Use Disorder. Journal of Addiction Medicine, 2012, 6, 35-38.	1.4	7
78	Early Life Origins of Adult Disease and Maternal Smoking During Pregnancy. American Journal of Public Health, 2012, 102, e12-e12.	1.5	2
79	Increased risk of coronary heart disease in female smokers. Lancet, The, 2012, 379, 801.	6.3	1
80	Is Baclofen a Revolutionary Medication in Alcohol Addiction Management? Review and Recent Updates. Substance Abuse, 2012, 33, 336-349.	1.1	36
81	French-language version of the World Health Organization quality of life spirituality, religiousness and personal beliefs instrument. Health and Quality of Life Outcomes, 2012, 10, 39.	1.0	26
82	Do Placebo Response Rates from Cessation Trials Inform on Strength of Addictions?. International Journal of Environmental Research and Public Health, 2012, 9, 192-211.	1.2	16
83	Smoking, quitting, and psychiatric disease: A review. Neuroscience and Biobehavioral Reviews, 2012, 36, 271-284.	2.9	198
84	Current Smoking, Hypoxia, and Suicide. American Journal of Psychiatry, 2011, 168, 326-327.	4.0	19
85	Pharmacotherapy for Smoking Cessation: Present and Future. Current Pharmaceutical Design, 2011, 17, 1343-1350.	0.9	35
86	Craving's place in addiction theory: Contributions of the major models. Neuroscience and Biobehavioral Reviews, 2010, 34, 606-623.	2.9	264
87	The French Observational Cohort of Usual Smokers (FOCUS) cohort: French smokers perceptions and attitudes towards smoking cessation. BMC Public Health, 2010, 10, 100.	1.2	35
88	Coalitional Affiliation Rather Than Religiosity Might Explain the Heritability of Church Attendance. American Journal of Psychiatry, 2010, 167, 215-216.	4.0	0
89	Effect of the threat of a disulfiram–ethanol reaction on cue reactivity in alcoholics. Drug and Alcohol Dependence, 2010, 112, 239-246.	1.6	18
90	Determinants of improvement in quality of life of alcohol-dependent patients during an inpatient withdrawal programme. International Journal of Medical Sciences, 2009, 6, 160-167.	1.1	51

#	Article	lF	CITATIONS
91	Factors Associated with Higher Body Mass Index, Weight Concern, and Weight Gain in a Multinational Cohort Study of Smokers Intending to Quit. International Journal of Environmental Research and Public Health, 2009, 6, 943-957.	1.2	30
92	Cost-effectiveness of varenicline compared with nicotine patches for smoking cessation—results from four European countries. European Journal of Public Health, 2009, 19, 650-654.	0.1	43
93	Diffusion Tensor Tractography in Mesencephalic Bundles: Relation to Mental Flexibility in Detoxified Alcohol-Dependent Subjects. Neuropsychopharmacology, 2009, 34, 1223-1232.	2.8	79
94	Imaging of Languageâ€Related Brain Regions in Detoxified Alcoholics. Alcoholism: Clinical and Experimental Research, 2009, 33, 977-984.	1.4	23
95	Management of smoking cessation in patients with psychiatric disorders. Current Medical Research and Opinion, 2009, 25, 511-518.	0.9	79
96	Management of emergent psychiatric symptoms during smoking cessation. Current Medical Research and Opinion, 2009, 25, 519-525.	0.9	22
97	Episodic Memory in Detoxified Alcoholics: Contribution of Grey Matter Microstructure Alteration. PLoS ONE, 2009, 4, e6786.	1.1	59
98	Varenicline versus transdermal nicotine patch for smoking cessation: results from a randomised open-label trial. Thorax, 2008, 63, 717-724.	2.7	285
99	Brain Morphometry and Cognitive Performance in Detoxified Alcohol-Dependents with Preserved Psychosocial Functioning. Neuropsychopharmacology, 2007, 32, 429-438.	2.8	358
100	Comparison of the effects of a 24â€hour nicotine patch and a 16â€hour nicotine patch on smoking urges and sleep. Nicotine and Tobacco Research, 2006, 8, 193-201.	1.4	24
101	Description of tobacco addiction in pregnant women. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 120, 146-151.	0.5	30
102	The Modified Reasons for Smoking Scale: factorial structure, gender effects and relationship with nicotine dependence and smoking cessation in French smokers*. Addiction, 2003, 98, 1575-1583.	1.7	125
103	Traitement de la dépendance aux substances psycho-actives. Annales Medico-Psychologiques, 2003, 161, 556-562.	0.2	1
104	Tolerability and Safety of Sustained-Release Bupropion in the Management of Smoking Cessation. Drugs, 2002, 62, 45-52.	4.9	74
105	Lazabemide, a selective, reversible monoamine oxidase B inhibitor, as an aid to smoking cessation. Addiction, 2002, 97, 1347-1354.	1.7	42
106	Changes in cigarette smoking and coffee drinking after alcohol detoxification in alcoholics. Addiction, 1999, 94, 411-416.	1.7	26
107	Joint influence of alcohol, tobacco, and coffee on biological markers of heavy drinking in alcoholics. Biological Psychiatry, 1998, 44, 638-643.	0.7	19