Raymond T Kraker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5557329/publications.pdf Version: 2024-02-01



PAVMOND T KDAKED

#	Article	IF	CITATIONS
1	A computerized method of visual acuity testing. American Journal of Ophthalmology, 2003, 135, 194-205.	3.3	475
2	Treatment of Anisometropic Amblyopia in Children with Refractive Correction. Ophthalmology, 2006, 113, 895-903.	5.2	271
3	Computerized method of visual acuity testing: adaptation of the amblyopia treatment study visual acuity testing protocol11Additional technical information about the Electronic Visual Acuity Tester and the Amblyopia Treatment Study visual acuity testing protocol application can be obtained from the lead author (pmoke@jaeb.org) American lournal of Ophthalmology. 2001. 132. 903-909.	3.3	217
4	Effect of a Binocular iPad Game vs Part-time Patching in Children Aged 5 to 12 Years With Amblyopia. JAMA Ophthalmology, 2016, 134, 1391.	2.5	139
5	Assessment of Lower Doses of Intravitreous Bevacizumab for Retinopathy of Prematurity. JAMA Ophthalmology, 2017, 135, 654.	2.5	112
6	Optical Treatment of Strabismic and Combined Strabismic–Anisometropic Amblyopia. Ophthalmology, 2012, 119, 150-158.	5.2	102
7	A Dosing Study of Bevacizumab for Retinopathy of Prematurity. Ophthalmology, 2018, 125, 1961-1966.	5.2	88
8	A Randomized Trial of a Binocular iPad Game Versus Part-Time Patching in Children Aged 13 to 16 Years With Amblyopia. American Journal of Ophthalmology, 2018, 186, 104-115.	3.3	83
9	A Randomized Trial of Binocular Dig Rush Game Treatment for Amblyopia in Children Aged 7 to 12 Years. Ophthalmology, 2019, 126, 456-466.	5.2	79
10	A Randomized Trial Comparing Part-Time Patching with Observation for Children 3 to 10 Years of Age with Intermittent Exotropia. Ophthalmology, 2014, 121, 2299-2310.	5.2	54
11	A Randomized Trial Comparing Bilateral Lateral Rectus Recession versus Unilateral Recess and Resect for Basic-Type Intermittent Exotropia. Ophthalmology, 2019, 126, 305-317.	5.2	48
12	Three-Year Observation of Children 3 to 10 Years of Age with Untreated Intermittent Exotropia. Ophthalmology, 2019, 126, 1249-1260.	5.2	30
13	Overminus Lens Therapy for Children 3 to 10 Years of Age With Intermittent Exotropia. JAMA Ophthalmology, 2021, 139, 464.	2.5	27
14	A Randomized Trial Evaluating Short-term Effectiveness of Overminus Lenses in Children 3 to 6 Years of Age with Intermittent Exotropia. Ophthalmology, 2016, 123, 2127-2136.	5.2	26
15	A Randomized Trial of Binocular Dig Rush Game Treatment for Amblyopia in Children Aged 4 to 6 Years. Optometry and Vision Science, 2022, 99, 213-227.	1.2	16
16	Secondary 12-Month Ocular Outcomes of a Phase 1 Dosing Study of Bevacizumab for Retinopathy of Prematurity. JAMA Ophthalmology, 2020, 138, 14.	2.5	13
17	Low- and Very Low-Dose Bevacizumab for Retinopathy of Prematurity. Ophthalmology, 2022, 129, 1120-1128.	5.2	10
18	Improvement in health-related quality of life following strabismus surgery for children with intermittent exotropia. Journal of AAPOS, 2021, 25, 82.e1-82.e7.	0.3	5

RAYMOND T KRAKER

#	Article	IF	CITATIONS
19	Threeâ€year observation of children 12 to 35 months old with untreated intermittent exotropia. Ophthalmic and Physiological Optics, 2020, 40, 202-215.	2.0	4
20	Health-related quality of life in children with untreated intermittent exotropia and their parents. Journal of AAPOS, 2021, 25, 80.e1-80.e4.	0.3	3
21	Rasch-calibrated Intermittent Exotropia Symptom Questionnaire for Children. Optometry and Vision Science, 2022, Publish Ahead of Print, .	1.2	1
22	Low-Dose Bevacizumab—But What About Long-term Results?—In Reply. JAMA Ophthalmology, 2022, 140, 288.	2.5	0