

Fang Zeng

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5557597/fang-zeng-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

6,166
citations

46
h-index

72
g-index

155
ext. papers

7,012
ext. citations

7.2
avg. IF

6.22
L-index

#	Paper	IF	Citations
152	Carbon-dot-based ratiometric fluorescent sensor for detecting hydrogen sulfide in aqueous media and inside live cells. <i>Chemical Communications</i> , 2013 , 49, 403-5	5.8	400
151	Inverse Molecular Weight Dependence of Cloud Points for Aqueous Poly(N-isopropylacrylamide) Solutions. <i>Macromolecules</i> , 1999 , 32, 4488-4490	5.5	185
150	Pyrene Derivative Emitting Red or near-Infrared Light with Monomer/Excimer Conversion and Its Application to Ratiometric Detection of Hypochlorite. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 1511-9	9.5	162
149	Real-Time Monitoring of Endogenous Cysteine Levels In Vivo by near-Infrared Turn-on Fluorescent Probe with Large Stokes Shift. <i>Analytical Chemistry</i> , 2018 , 90, 1014-1020	7.8	155
148	Carbon dots-based fluorescent probes for sensitive and selective detection of iodide. <i>Mikrochimica Acta</i> , 2013 , 180, 453-460	5.8	139
147	Cyclodextrin supramolecular complex as a water-soluble ratiometric sensor for ferric ion sensing. <i>Langmuir</i> , 2010 , 26, 4529-34	4	133
146	Ratiometric detection and imaging of endogenous hypochlorite in live cells and in vivo achieved by using an aggregation induced emission (AIE)-based nanoprobe. <i>Chemical Communications</i> , 2016 , 52, 7288-91	5.8	132
145	A targeted and FRET-based ratiometric fluorescent nanoprobe for imaging mitochondrial hydrogen peroxide in living cells. <i>Small</i> , 2014 , 10, 964-72	11	118
144	A fluorescent probe for simultaneous discrimination of GSH and Cys/Hcy in human serum samples via distinctly-separated emissions with independent excitations. <i>Biosensors and Bioelectronics</i> , 2016 , 81, 341-348	11.8	115
143	A fluorescence turn-on sensor for iodide based on a thymine-Hg(II)-thymine complex. <i>Chemistry - A European Journal</i> , 2011 , 17, 14844-50	4.8	113
142	Ratiometric fluorescent probe for alkaline phosphatase based on betaine-modified polyethylenimine via excimer/monomer conversion. <i>Analytical Chemistry</i> , 2014 , 86, 9873-9	7.8	106
141	A two-photon fluorescent sensor revealing drug-induced liver injury via tracking Glutamyltranspeptidase (GGT) level in vivo. <i>Biomaterials</i> , 2016 , 80, 46-56	15.6	102
140	FRET-based ratiometric detection system for mercury ions in water with polymeric particles as scaffolds. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 874-82	3.4	98
139	Activatable probes for diagnosing and positioning liver injury and metastatic tumors by multispectral optoacoustic tomography. <i>Nature Communications</i> , 2018 , 9, 3983	17.4	95
138	A PEGylated fluorescent turn-on sensor for detecting fluoride ions in totally aqueous media and its imaging in live cells. <i>Chemistry - A European Journal</i> , 2013 , 19, 936-42	4.8	92
137	Preparation of a mitochondria-targeted and NO-releasing nanoplatform and its enhanced pro-apoptotic effect on cancer cells. <i>Small</i> , 2014 , 10, 3750-60	11	90
136	Polymer micelle with pH-triggered hydrophobic-hydrophilic transition and de-cross-linking process in the core and its application for targeted anticancer drug delivery. <i>Biomacromolecules</i> , 2012 , 13, 4126-37	6.9	88

135	A highly selective fluorescent nanoprobe based on AIE and ESIPT for imaging hydrogen sulfide in live cells and zebrafish. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 838-845	7.8	87
134	Nanoaggregate Probe for Breast Cancer Metastasis through Multispectral Optoacoustic Tomography and Aggregation-Induced NIR-I/II Fluorescence Imaging. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 10111-10121	16.4	87
133	A ratiometric fluorescent system for carboxylesterase detection with AIE dots as FRET donors. <i>Chemical Communications</i> , 2015 , 51, 12791-4	5.8	86
132	A low cytotoxic and ratiometric fluorescent nanosensor based on carbon-dots for intracellular pH sensing and mapping. <i>Nanotechnology</i> , 2013 , 24, 365101	3.4	86
131	A core-shell nanoparticle approach to photoreversible fluorescence modulation of a hydrophobic dye in aqueous media. <i>Chemistry - A European Journal</i> , 2008 , 14, 4851-60	4.8	83
130	A FRET-based ratiometric sensor for mercury ions in water with multi-layered silica nanoparticles as the scaffold. <i>Chemical Communications</i> , 2011 , 47, 8913-5	5.8	82
129	Dual-targeting nanosystem for enhancing photodynamic therapy efficiency. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 9287-96	9.5	81
128	Water-dispersible fullerene aggregates as a targeted anticancer prodrug with both chemo- and photodynamic therapeutic actions. <i>Small</i> , 2013 , 9, 613-21	11	81
127	An ICT-based ratiometric fluorescent probe for hydrazine detection and its application in living cells and in vivo. <i>Sensors and Actuators B: Chemical</i> , 2016 , 227, 411-418	8.5	79
126	A fast-responding fluorescent turn-on sensor for sensitive and selective detection of sulfite anions. <i>Analytical Methods</i> , 2012 , 4, 2638	3.2	74
125	A logic gate-based fluorescent sensor for detecting H ₂ S and NO in aqueous media and inside live cells. <i>Chemical Communications</i> , 2015 , 51, 4414-6	5.8	72
124	Reusable polymer film chemosensor for ratiometric fluorescence sensing in aqueous media. <i>Sensors and Actuators B: Chemical</i> , 2010 , 145, 451-456	8.5	71
123	Synthesis and fluorescence property of terbium complex with novel schiff-base macromolecular ligand. <i>European Polymer Journal</i> , 2006 , 42, 1670-1675	5.2	71
122	An AIE-based fluorescent test strip for the portable detection of gaseous phosgene. <i>Chemical Communications</i> , 2017 , 53, 9813-9816	5.8	70
121	A fluorescent ratiometric nanosensor for detecting NO in aqueous media and imaging exogenous and endogenous NO in live cells. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 4152-4159	7.3	69
120	Ratiometric fluorescence assay for Eglutamyltranspeptidase detection based on a single fluorophore via analyte-induced variation of substitution. <i>Chemical Communications</i> , 2014 , 50, 3417-20	5.8	65
119	Targeted anticancer prodrug with mesoporous silica nanoparticles as vehicles. <i>Nanotechnology</i> , 2011 , 22, 455102	3.4	65
118	Hyperbranched polyester-based fluorescent probe for histone deacetylase via aggregation-induced emission. <i>Biomacromolecules</i> , 2013 , 14, 4507-14	6.9	64

117	β-cyclodextrin as the vehicle for forming ratiometric mercury ion sensor usable in aqueous media, biological fluids, and live cells. <i>Langmuir</i> , 2010 , 26, 17764-71	4	63
116	A DT-diaphorase responsive theranostic prodrug for diagnosis, drug release monitoring and therapy. <i>Chemical Communications</i> , 2015 , 51, 9567-70	5.8	62
115	A water-soluble and specific BODIPY-based fluorescent probe for hypochlorite detection and cell imaging. <i>Analytical Methods</i> , 2013 , 5, 5589	3.2	61
114	Photoreversible fluorescence modulation of a rhodamine dye by supramolecular complexation with photosensitive cyclodextrin. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 7015-8	16.4	59
113	Energy and electron transfers in photosensitive chitosan. <i>Journal of the American Chemical Society</i> , 2005 , 127, 2048-9	16.4	58
112	Conjugation with betaine: a facile and effective approach to significant improvement of gene delivery properties of PEI. <i>Biomacromolecules</i> , 2013 , 14, 728-36	6.9	54
111	A fluorescent assay for Eglutamyltranspeptidase via aggregation induced emission and its applications in real samples. <i>Biosensors and Bioelectronics</i> , 2016 , 85, 317-323	11.8	52
110	A ratiometric fluorescent probe for in vivo tracking of alkaline phosphatase level variation resulting from drug-induced organ damage. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 1042-1048	7.3	49
109	Fabrication of Inverse Opal via Ordered Highly Charged Colloidal Spheres. <i>Langmuir</i> , 2002 , 18, 9116-9120		49
108	Ratiometric fluorescent biosensor for hyaluronidase with hyaluronan as both nanoparticle scaffold and substrate for enzymatic reaction. <i>Biomacromolecules</i> , 2014 , 15, 3383-9	6.9	47
107	A Gold Nanocage/Cluster Hybrid Structure for Whole-Body Multispectral Optoacoustic Tomography Imaging, EGFR Inhibitor Delivery, and Photothermal Therapy. <i>Small</i> , 2019 , 15, e1900309	11	46
106	Nanosized diblock copolymer micelles as a scaffold for constructing a ratiometric fluorescent sensor for metal ion detection in aqueous media. <i>Nanotechnology</i> , 2010 , 21, 195501	3.4	46
105	An Activatable Near-Infrared Chromophore for Multispectral Optoacoustic Imaging of Tumor Hypoxia and for Tumor Inhibition. <i>Theranostics</i> , 2019 , 9, 7313-7324	12.1	45
104	Phase Separation in Poly(N-isopropyl acrylamide)/Water Solutions I. Cloud Point Curves and Microgelation. <i>Polymer Journal</i> , 1998 , 30, 284-288	2.7	45
103	A Turn-On Optoacoustic Probe for Imaging Metformin-Induced Upregulation of Hepatic Hydrogen Sulfide and Subsequent Liver Injury. <i>Theranostics</i> , 2019 , 9, 77-89	12.1	44
102	Handy ratiometric detection of gaseous nerve agents with AIE-fluorophore-based solid test strips. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 10105-10110	7.1	43
101	One-pot fabrication of polymer nanoparticle-based chemosensors for Cu ²⁺ detection in aqueous media. <i>Polymer Chemistry</i> , 2013 , 4, 2325	4.9	41
100	Mesoporous silica particles for selective detection of dopamine with β-cyclodextrin as the selective barricade. <i>Chemical Communications</i> , 2011 , 47, 9086-8	5.8	41

99	A facile approach for cupric ion detection in aqueous media using polyethyleneimine/PMMA core-shell fluorescent nanoparticles. <i>Nanotechnology</i> , 2009 , 20, 365502	3.4	41
98	Fluorescent nanoprobe for in-vivo ratiometric imaging of endogenous hydrogen peroxide resulted from drug-induced organ damages. <i>Biosensors and Bioelectronics</i> , 2017 , 94, 278-285	11.8	40
97	A self-immolative prodrug nanosystem capable of releasing a drug and a NIR reporter for in vivo imaging and therapy. <i>Biomaterials</i> , 2017 , 139, 139-150	15.6	40
96	A polylysine-based fluorescent probe for sulfite anion detection in aqueous media via analyte-induced charge generation and complexation. <i>Polymer Chemistry</i> , 2013 , 4, 5416	4.9	40
95	A ratiometric fluorescent nanoprobe for HO sensing and in vivo detection of drug-induced oxidative damage to the digestive system. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 8528-8537	7.3	40
94	Diagnosing Drug-Induced Liver Injury by Multispectral Optoacoustic Tomography and Fluorescence Imaging Using a Leucine-Aminopeptidase-Activated Probe. <i>Analytical Chemistry</i> , 2019 , 91, 8085-8092	7.8	39
93	A Fluorescent Probe for Early Detection of Melanoma and Its Metastasis by Specifically Imaging Tyrosinase Activity in a Mouse Model. <i>Analytical Chemistry</i> , 2018 , 90, 8807-8815	7.8	39
92	Tumor Inhibition Achieved by Targeting and Regulating Multiple Key Elements in EGFR Signaling Pathway Using a Self-Assembled Nanoprodrug. <i>Advanced Functional Materials</i> , 2018 , 28, 1800692	15.6	34
91	A turn-on fluorescence probe based on aggregation-induced emission for leucine aminopeptidase in living cells and tumor tissue. <i>Analytica Chimica Acta</i> , 2018 , 1031, 169-177	6.6	34
90	A facile approach for sensitive, reversible and ratiometric detection of biothiols based on thymine-mediated excimer-monomer transformation. <i>Chemical Communications</i> , 2012 , 48, 6007-9	5.8	34
89	A Nanoprobe for Diagnosing and Mapping Lymphatic Metastasis of Tumor Using 3D Multispectral Optoacoustic Tomography Owing to Aggregation/Deaggregation Induced Spectral Change. <i>Advanced Functional Materials</i> , 2019 , 29, 1807960	15.6	34
88	A bioorthogonal nanosystem for imaging and in vivo tumor inhibition. <i>Biomaterials</i> , 2017 , 138, 57-68	15.6	33
87	A Nanosystem Capable of Releasing a Photosensitizer Bioprecursor under Two-Photon Irradiation for Photodynamic Therapy. <i>Advanced Science</i> , 2016 , 3, 1500254	13.6	33
86	A Fluorescent Probe with Aggregation-Induced Emission for Detecting Alkaline Phosphatase and Cell Imaging. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 802-808	4.5	32
85	A nanoparticle-supported fluorescence resonance energy transfer system formed via layer-by-layer approach as a ratiometric sensor for mercury ions in water. <i>Analytica Chimica Acta</i> , 2012 , 734, 69-78	6.6	31
84	Synthesis and photochromic property of nanoparticles with spiropyran moieties via one-step miniemulsion polymerization. <i>Polymer Bulletin</i> , 2008 , 61, 425-434	2.4	31
83	Ratiometric sensing of mercury(II) based on a FRET process on silica core-shell nanoparticles acting as vehicles. <i>Mikrochimica Acta</i> , 2013 , 180, 845-853	5.8	29
82	All-Optical Switching Effect in Novel Chiral Biazobenzene Polymer Films. <i>Macromolecules</i> , 2003 , 36, 9292-9294	5.294	29

81	Activatable Nanocomposite Probe for Preoperative Location and Intraoperative Navigation for Orthotopic Hepatic Tumor Resection via MSOT and Aggregation-Induced Near-IR-I/II Fluorescence Imaging. <i>Analytical Chemistry</i> , 2020 , 92, 9257-9264	7.8	28
80	Grafting zwitterionic polymer chains onto PEI as a convenient strategy to enhance gene delivery performance. <i>Polymer Chemistry</i> , 2013 , 4, 5810	4.9	28
79	A self-immolative and DT-diaphorase-activatable prodrug for drug-release tracking and therapy. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 2635-2643	7.3	27
78	A ratiometric fluorescent probe for aluminum ions based-on monomer/excimer conversion and its applications to real samples. <i>Talanta</i> , 2016 , 151, 8-13	6.2	27
77	A water-soluble, low-cytotoxic and sensitive fluorescent probe based on poly(ethylene glycol) for detecting sulfide anion in aqueous media and imaging inside live cells. <i>Polymer</i> , 2013 , 54, 5691-5697	3.9	27
76	Oligo(ethylene glycol)-Functionalized Squaraine Fluorophore as a Near-Infrared-Fluorescent Probe for the In Vivo Detection of Diagnostic Enzymes. <i>Analytical Chemistry</i> , 2018 , 90, 9359-9365	7.8	26
75	A mitochondrial-targeting and NO-based anticancer nanosystem with enhanced photo-controllability and low dark-toxicity. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 4904-4912	7.3	25
74	Construction of energy transfer systems within nanosized polymer micelles and their fluorescence modulation properties. <i>ChemPhysChem</i> , 2010 , 11, 1036-43	3.2	25
73	A ratiometric fluorescent probe for hyaluronidase detection via hyaluronan-induced formation of red-light emitting excimers. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 776-83	11.8	24
72	Low molecular weight PEIs modified by hydrazone-based crosslinker and betaine as improved gene carriers. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 122, 472-481	6	23
71	A sequential enzyme-activated and light-triggered pro-prodrug nanosystem for cancer detection and therapy. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 2547-2556	7.3	21
70	Photoinduced Formation of Microscopic Ordering and Macroscopic Pattern in Spiropyran-Containing Polyacrylate-tetraoctylammonium Bromide Films. <i>Macromolecules</i> , 2007 , 40, 5060-5066	5.5	21
69	Photo-induced birefringence and all-optical switching effect in azobenzene-grafted polyurethanes. <i>Optical Materials</i> , 2004 , 27, 585-590	3.3	21
68	A conjugated-polymer-based ratiometric nanoprobe for evaluating in-vivo hepatotoxicity induced by herbal medicine via MSOT imaging. <i>Photoacoustics</i> , 2019 , 13, 6-17	9	21
67	A robust, water-soluble and low cytotoxic fluorescent probe for sulfide anion achieved through incorporation of betaine. <i>Sensors and Actuators B: Chemical</i> , 2013 , 188, 1012-1018	8.5	20
66	A silica nanoparticle-based sensor for selective fluorescent detection of homocysteine via interaction differences between thiols and particle-surface-bound polymers. <i>Nanotechnology</i> , 2012 , 23, 305503	3.4	20
65	Phase separation in poly(N-isopropyl acrylamide)/water solutions. II. Salt effects on cloud-point curves and gelation. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001 , 39, 901-907	2.6	20
64	A two-photon-activated prodrug for therapy and drug release monitoring. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 7538-7546	7.3	18

63	An anthracenecarboximide fluorescent probe for in vitro and in vivo ratiometric imaging of endogenous alpha-L-fucosidase for hepatocellular carcinoma diagnosis. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 660-667	7.8	18
62	A novel ratiometric fluorescent probe through aggregation-induced emission and analyte-induced excimer dissociation. <i>Sensors and Actuators B: Chemical</i> , 2014 , 203, 504-510	8.5	18
61	Molecular chain properties of poly (N-isopropyl acrylamide). <i>Science in China Series B: Chemistry</i> , 1999 , 42, 290-297		18
60	Nanoaggregate Probe for Breast Cancer Metastasis through Multispectral Optoacoustic Tomography and Aggregation-Induced NIR-I/II Fluorescence Imaging. <i>Angewandte Chemie</i> , 2020 , 132, 10197-10207	3.6	18
59	Emerging contrast agents for multispectral optoacoustic imaging and their biomedical applications. <i>Chemical Society Reviews</i> , 2021 , 50, 7924-7940	58.5	18
58	Targeted anti-cancer prodrug based on carbon nanotube with photodynamic therapeutic effect and pH-triggered drug release. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	17
57	An Unsymmetrical Squaraine-Based Activatable Probe for Imaging Lymphatic Metastasis by Responding to Tumor Hypoxia with MSOT and Aggregation-Enhanced Fluorescent Imaging. <i>Chemistry - A European Journal</i> , 2019 , 25, 16740	4.8	16
56	Novel Structure Change in Nonequimolar Complexes of Linear Poly(ethylenimine) and Octadecanoic Acid: Effects of Composition. <i>Macromolecules</i> , 2005 , 38, 5675-5680	5.5	16
55	Activatable fluorescent probe based on aggregation-induced emission for detecting hypoxia-related pathological conditions. <i>Analytica Chimica Acta</i> , 2020 , 1125, 152-161	6.6	16
54	Preparation of Highly Charged, Monodisperse Nanospheres. <i>Macromolecular Chemistry and Physics</i> , 2002 , 203, 673-677	2.6	14
53	A dopamine-precursor-based nanoprodrug for in-situ drug release and treatment of acute liver failure by inhibiting NLRP3 inflammasome and facilitating liver regeneration. <i>Biomaterials</i> , 2021 , 268, 120573	15.6	14
52	A theranostic prodrug based on FRET for real-time drug release monitoring in response to biothiols. <i>Materials Science and Engineering C</i> , 2017 , 72, 77-85	8.3	13
51	A HO-activatable nanoprobe for diagnosing interstitial cystitis and liver ischemia-reperfusion injury via multispectral optoacoustic tomography and NIR-II fluorescent imaging. <i>Nature Communications</i> , 2021 , 12, 6870	17.4	13
50	Tetranitrile-anthracene as a probe for fluorescence detection of viscosity in fluid drinks via aggregation-induced emission. <i>Analyst, The</i> , 2020 , 145, 844-850	5	13
49	An activatable probe for detecting alcoholic liver injury via multispectral optoacoustic tomography and fluorescence imaging. <i>Chemical Communications</i> , 2020 , 56, 11102-11105	5.8	13
48	A fluorescent probe based on aggregation-induced emission for hydrogen sulfide-specific assaying in food and biological systems. <i>Analyst, The</i> , 2019 , 144, 6570-6577	5	13
47	A low dielectric constant polyimide/polyoxometalate composite. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 209-214	3.2	12
46	Phase Separation and Network Formation in Poly(vinyl methyl ether)/Water Solutions. <i>Polymer Journal</i> , 2001 , 33, 399-403	2.7	12

45	An Activatable Nano-Prodrug for Treating Tyrosine-Kinase-Inhibitor-Resistant Non-Small Cell Lung Cancer and for Optoacoustic and Fluorescent Imaging. <i>Small</i> , 2020 , 16, e2003451	11	12
44	Bioorthogonal Nanosystem for Near-Infrared Fluorescence Imaging and Prodrug Activation in Mouse Model 2019 , 1, 549-557		11
43	The conductive properties of the electrorheological suspensions based on dihydroxypropyl chitosan particles. <i>Journal of Applied Polymer Science</i> , 1998 , 67, 2077-2082	2.9	10
42	The Electrorheological Properties of Polypyrrole Suspensions. <i>Polymer Journal</i> , 1998 , 30, 451-454	2.7	10
41	Therapeutic Nanosystem Consisting of Singlet-Oxygen-Responsive Prodrug and Photosensitizer Excited by Two-Photon Light. <i>ACS Medicinal Chemistry Letters</i> , 2018 , 9, 23-27	4.3	9
40	An Activatable Probe with Aggregation-Induced Emission for Detecting and Imaging Herbal Medicine Induced Liver Injury with Optoacoustic Imaging and NIR-II Fluorescence Imaging. <i>Advanced Healthcare Materials</i> , 2021 , e2100867	10.1	9
39	AIE fluorophore with enhanced cellular uptake for tracking esterase-activated release of taurine and ROS scavenging. <i>Faraday Discussions</i> , 2017 , 196, 335-350	3.6	8
38	A fluorescent probe capable of discriminately and simultaneously detecting dl-dithiothreitol and single sulfhydryl-containing thiols. <i>Sensors and Actuators B: Chemical</i> , 2016 , 224, 88-94	8.5	8
37	Photoreversible Fluorescence Modulation of a Rhodamine Dye by Supramolecular Complexation with Photosensitive Cyclodextrin. <i>Angewandte Chemie</i> , 2007 , 119, 7145-7148	3.6	8
36	Mesomorphous Structure and Macroscopic Patterns Formed by Polymer and Surfactant from Organic Solutions. <i>Macromolecules</i> , 2005 , 38, 9266-9274	5.5	8
35	Fluorescence study of chromophore labeled strong polyelectrolyte bound with oppositely charged surfactant. <i>Colloid and Polymer Science</i> , 2002 , 280, 814-821	2.4	8
34	Biomarker-activatable probes based on smart AIEgens for fluorescence and optoacoustic imaging. <i>Coordination Chemistry Reviews</i> , 2022 , 458, 214438	23.2	8
33	Preparation of a Multifunctional Nano-carrier System Based on Carbon Dots with pH-Triggered Drug Release. <i>Acta Chimica Sinica</i> , 2016 , 74, 241	3.3	8
32	A biopolymer-based and inflammation-responsive nanodrug for rheumatoid arthritis treatment inhibiting JAK-STAT and JNK signalling pathways. <i>Nanoscale</i> , 2020 , 12, 23013-23027	7.7	8
31	Modulation of Fluorescence of a Terbium-Complex-Containing Polymer by Gold Nanoparticles through Energy Transfer. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2007 , 17, 679-685	3.3	7
30	Temperature-responsive behavior of polymer fluorescent system via electrostatic interaction mediated aggregation/deaggregation. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2016 , 34, 830-837	3.5	7
29	Tetrazine-Mediated Bioorthogonal System for Prodrug Activation, Photothermal Therapy, and Optoacoustic Imaging. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 41875-41888	9.5	6
28	Tunability of Fluorescence Property of a Terbium-Complex-Containing Polymer via Incorporation of a Transition-Metal Complex. <i>Macromolecular Rapid Communications</i> , 2006 , 27, 937-942	4.8	6

27	Preparation of colloidal crystals with polyhedral building blocks through post-polymerization. <i>Colloid and Polymer Science</i> , 2004 , 282, 651-655	2.4	6
26	Temperature dependence of the photorefractive property of PMMA-based composite. <i>European Polymer Journal</i> , 2001 , 37, 459-462	5.2	6
25	NIR AIE System for Tracking Release of Taurine and ROS Scavenging. <i>Acta Chimica Sinica</i> , 2016 , 74, 910	3.3	6
24	Binding on strong polyelectrolytes of mixed ionic and nonionic surfactants below their critical micelle concentration observed by fluorescence. <i>Colloid and Polymer Science</i> , 2003 , 282, 141-148	2.4	5
23	Thermal reversible gelation during phase separation of poly(N-isopropyl acrylamide)/water solution. <i>Science in China Series B: Chemistry</i> , 2000 , 43, 428-434		5
22	A turn-on probe for detecting antituberculous drug-induced liver injury in mice NIR-II fluorescence/optoacoustic imaging. <i>Chemical Communications</i> , 2021 , 57, 7842-7845	5.8	5
21	A Targeted Nanosystem for Detection of Inflammatory Diseases via Fluorescent/Optoacoustic Imaging and Therapy via Modulating Nrf2/NF- κ B Pathways. <i>Small</i> , 2021 , 17, e2102598	11	5
20	Fluorescence study for the electrostatic interaction and aggregation in dilute polar solution of polyelectrolytes. <i>Macromolecular Symposia</i> , 2003 , 192, 251-264	0.8	4
19	Effects of glass-transition temperature on properties of photorefractive polymer composite. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1999 , 37, 3302-3306	2.6	4
18	An AIEgen-based oral-administration nanosystem for detection and therapy of ulcerative colitis via 3D-MSOT/NIR-II fluorescent imaging and inhibiting NLRP3 inflammasome.. <i>Biomaterials</i> , 2022 , 283, 121468	15.6	4
17	An activatable probe for detection and therapy of food-additive-related hepatic injury via NIR-II fluorescence/optoacoustic imaging and biomarker-triggered drug release.. <i>Analytica Chimica Acta</i> , 2022 , 1208, 339831	6.6	4
16	Diffusion-controlled deposition of polyaniline onto poly(methyl methacrylate) substrates. <i>Polymer International</i> , 1998 , 47, 335-339	3.3	3
15	CORE-SHELL POLYMER PARTICLES AS A FRET-BASED RATIOMETRIC SENSOR FOR MERCURY ION DETECTION IN WATER. <i>Acta Polymerica Sinica</i> , 2012 , 012, 666-672		3
14	Fluorophore-Dapagliflozin Dyad for Detecting Diabetic Liver/Kidney Damages via Fluorescent Imaging and Treating Diabetes via Inhibiting SGLT2. <i>Analytical Chemistry</i> , 2021 , 93, 4647-4656	7.8	3
13	Refashioning benzothiadiazole dye as an activatable nanoprobe for biomarker detection with NIR-II fluorescence/optoacoustic imaging. <i>Cell Reports Physical Science</i> , 2021 , 100570	6.1	3
12	Biomarker-responsive nanoprobe with aggregation-induced emission for locating and guiding resection of deep-seated tumors via optoacoustic and NIR fluorescence imaging. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 1962-1970	7.8	3
11	Near-Infrared Fluorescent Nanoprobe for Detecting Hydrogen Peroxide in Inflammation and Ischemic Kidney Injury. <i>Chinese Journal of Chemistry</i> , 2020 , 38, 1304-1310	4.9	3
10	Thermo-optical properties of poly(methyl methacrylate)-based azobenzene composites. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 2374-2377	2.9	2

- 9 Targeted and activatable nanosystem for fluorescent and optoacoustic imaging of immune-mediated inflammatory diseases and therapy via inhibiting NF- κ B/NLRP3 pathways.. *Bioactive Materials*, **2022**, 10, 79-92 16.7 2
- 8 Synthesis of NQO1-activatable Optoacoustic Probe and Its Imaging of Breast Cancer. *Acta Chimica Sinica*, **2021**, 79, 331 3.3 2
- 7 Polyimide/polyoxometalate copolymer thin films: synthesis, thermal and dielectric properties. *Polymers for Advanced Technologies*, **2009**, 21, n/a-n/a 3.2 1
- 6 ALP-activated probe for diagnosis of liver injury by multispectral optoacoustic tomography. *Methods in Enzymology*, **2021**, 657, 301-330 1.7 0
- 5 A dual-targeting strategy to enhance photodynamic efficacy using a pH-responsive polymeric micelles. *Journal of Controlled Release*, **2015**, 213, e49 11.7
- 4 Supramolecular motif and macroscopic pattern in alpha-methylferrocenemethanol films cast from organic solution. *Applied Surface Science*, **2009**, 255, 4304-4308 6.7
- 3 Electrorheological effect and conductive properties of carboxymethylchitosan suspensions. *Angewandte Makromolekulare Chemie*, **1998**, 260, 21-24
- 2 Interactions Between Gold Nanoparticles and Polymer Bearing 3-Styryl Thiophene Chromophores. *Journal of Inorganic and Organometallic Polymers and Materials*, **2008**, 18, 463-471 3.2
- 1 Phase stability of the photoconductive polysiloxane-based photorefractive composites. *Polymer-Plastics Technology and Engineering*, **2001**, 40, 627-634