

Yukako Ito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5558163/publications.pdf>

Version: 2024-02-01

50
papers

1,748
citations

257450

24
h-index

276875

41
g-index

51
all docs

51
docs citations

51
times ranked

1437
citing authors

#	ARTICLE	IF	CITATIONS
1	A Physiologically Based Pharmacokineticâ€“Pharmacodynamic Model for Capecitabine in Colorectal Cancer Rats: Simulation of Antitumor Efficacy at Various Administration Schedules. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2021, 46, 301-315.	1.6	4
2	Population Pharmacokinetic Model-Based Evaluation of Intact Oxaliplatin in Rats with Acute Kidney Injury. <i>Cancers</i> , 2021, 13, 6382.	3.7	1
3	Mechanism-based pharmacokineticâ€“pharmacodynamic (PKâ€“PD) modeling and simulation of oxaliplatin for hematological toxicity in rats. <i>Xenobiotica</i> , 2020, 50, 146-153.	1.1	7
4	Effect of intact oxaliplatin in plasma on a cold allodynia after multiple administrations in colorectal cancer model rats. <i>Annals of Palliative Medicine</i> , 2020, 9, 3000-3006.	1.2	3
5	Semi-Mechanism-Based Pharmacokinetic-Toxicodynamic Model of Oxaliplatin-Induced Acute and Chronic Neuropathy. <i>Pharmaceutics</i> , 2020, 12, 125.	4.5	5
6	Cytology-based Detection of Circulating Tumour Cells in Human Pancreatic Cancer Xenograft Models With <i>KRAS</i> Mutation. <i>Anticancer Research</i> , 2020, 40, 6781-6789.	1.1	3
7	Assessment of Oxaliplatin-induced Chronic Neuropathy and Anticancer Efficacy Through Pharmacokinetic and Toxicodynamic Evaluation of a Rat Model of Colorectal Cancer. <i>Anticancer Research</i> , 2019, 39, 4207-4213.	1.1	5
8	Pharmacokinetic and toxicodynamic evaluation of oxaliplatin-induced neuropathy and hematological toxicity in rats. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 155-161.	2.3	9
9	Dissolving microneedles for enhanced local delivery of capsaicin to rat skin tissue. <i>Journal of Drug Targeting</i> , 2017, 25, 420-424.	4.4	7
10	Population Pharmacokineticâ€“Pharmacodynamic Modeling of 5-Fluorouracil for Toxicities in Rats. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2017, 42, 707-718.	1.6	9
11	Therapeutic Drug Monitoring of Vancomycin in Dermal Interstitial Fluid Using Dissolving Microneedles. <i>International Journal of Medical Sciences</i> , 2016, 13, 271-276.	2.5	43
12	Population pharmacokinetic modelling and simulation of 5-fluorouracil incorporating a circadian rhythm in rats. <i>Xenobiotica</i> , 2016, 46, 597-604.	1.1	10
13	Semi-physiological pharmacokineticâ€“pharmacodynamic (PKâ€“PD) modeling and simulation of 5-fluorouracil for thrombocytopenia in rats. <i>Xenobiotica</i> , 2015, 45, 19-28.	1.1	8
14	Semi-physiological pharmacokineticâ€“pharmacodynamic modeling and simulation of 5-fluorouracil for the whole time course of alterations in leukocyte, neutrophil and lymphocyte counts in rats. <i>Xenobiotica</i> , 2014, 44, 804-818.	1.1	8
15	Pharmacokineticâ€“pharmacodynamic (PKâ€“PD) modeling and simulation of 5-fluorouracil for erythropenia in rats. <i>Journal of Pharmacological and Toxicological Methods</i> , 2014, 70, 134-144.	0.7	10
16	Application of Dissolving Microneedles to Glucose Monitoring through Dermal Interstitial Fluid. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 1776-1781.	1.4	19
17	Dissolving microneedles to obtain rapid local anesthetic effect of lidocaine at skin tissue. <i>Journal of Drug Targeting</i> , 2013, 21, 770-775.	4.4	24
18	Pharmacokinetic/Pharmacodynamic Modeling of 5-Fluorouracil by Using a Biomarker to Predict Tumor Growth in a Rat Model of Colorectal Cancer. <i>Journal of Pharmaceutical Sciences</i> , 2013, 102, 2056-2067.	3.3	12

#	ARTICLE	IF	CITATIONS
19	A predictive biomarker for altered 5-Fluorouracil pharmacokinetics following repeated administration in a rat model of colorectal cancer. <i>Biopharmaceutics and Drug Disposition</i> , 2013, 34, 365-376.	1.9	10
20	Pre-therapeutic Assessment of Plasma Dihydrouracil/Uracil Ratio for Predicting the Pharmacokinetic Parameters of 5-Fluorouracil and Tumor Growth in a Rat Model of Colorectal Cancer. <i>Biological and Pharmaceutical Bulletin</i> , 2013, 36, 907-916.	1.4	13
21	Method to Increase the Systemically Delivered Amount of Drug from Dissolving Microneedles. <i>Chemical and Pharmaceutical Bulletin</i> , 2013, 61, 8-15.	1.3	11
22	Two-layered dissolving microneedles formulated with intermediate-acting insulin. <i>International Journal of Pharmaceutics</i> , 2012, 436, 387-393.	5.2	79
23	Antigen-loaded dissolving microneedle array as a novel tool for percutaneous vaccination. <i>Vaccine</i> , 2012, 30, 1191-1197.	3.8	55
24	Transdermal Insulin Application System with Dissolving Microneedles. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 891-899.	4.4	37
25	Two-and Three-Layered Dissolving Microneedles for Transcutaneous Delivery of Model Vaccine Antigen in Rats. <i>Journal of Biomaterials and Nanobiotechnology</i> , 2012, 03, 325-334.	0.5	6
26	Effect of Lipophilicity on the Bioavailability of Drugs After Percutaneous Administration by Dissolving Microneedles. <i>Journal of Pharmaceutical Sciences</i> , 2012, 101, 1145-1156.	3.3	28
27	Insulin micropiles comprising biodegradable polymers for production of a long-term hypoglycemic effect. <i>Journal of Drug Targeting</i> , 2011, 19, 212-218.	4.4	0
28	Two-Layered Dissolving Microneedles for Percutaneous Delivery of Peptide/Protein Drugs in Rats. <i>Pharmaceutical Research</i> , 2011, 28, 7-21.	3.5	142
29	Incidence of low bioavailability of leuprolide acetate after percutaneous administration to rats by dissolving microneedles. <i>International Journal of Pharmaceutics</i> , 2011, 407, 126-131.	5.2	51
30	Two-layered dissolving microneedles for percutaneous delivery of sumatriptan in rats. <i>Drug Development and Industrial Pharmacy</i> , 2011, 37, 1387-1393.	2.0	44
31	Self-Dissolving Micropile Array Chip as Percutaneous Delivery System of Protein Drug. <i>Biological and Pharmaceutical Bulletin</i> , 2010, 33, 683-690.	1.4	30
32	Permeation Enhancement of Ascorbic Acid by Self-Dissolving Micropile Array Tip through Rat Skin. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 458-463.	1.3	12
33	Three-layered microcapsules as a long-term sustained release injection preparation. <i>International Journal of Pharmaceutics</i> , 2010, 384, 53-59.	5.2	11
34	Self-dissolving micropile array tips for percutaneous administration of insulin. <i>Journal of Materials Science: Materials in Medicine</i> , 2010, 21, 835-841.	3.6	32
35	Pharmacokinetic and Pharmacodynamic Evaluation of Insulin Dissolving Microneedles in Dogs. <i>Diabetes Technology and Therapeutics</i> , 2010, 12, 465-474.	4.4	37
36	Molecular weight dependence on bioavailability of FITC-dextran after administration of self-dissolving micropile to rat skin. <i>Drug Development and Industrial Pharmacy</i> , 2010, 36, 845-851.	2.0	14

#	ARTICLE	IF	CITATIONS
37	Evaluation of self-dissolving needles containing low molecular weight heparin (LMWH) in rats. <i>International Journal of Pharmaceutics</i> , 2008, 349, 124-129.	5.2	60
38	Percutaneous absorption of interferon- β by self-dissolving micropiles. <i>Journal of Drug Targeting</i> , 2008, 16, 243-249.	4.4	32
39	Long-Term Pharmacokinetic Efficacy and Safety of Low-Dose Ritonavir as a Booster and Atazanavir Pharmaceutical Formulation Based on Solid Dispersion System in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 1209-1214.	1.4	13
40	Self-Dissolving Micropiles for the Percutaneous Absorption of Recombinant Human Growth Hormone in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 1631-1633.	1.4	33
41	Antihyperglycemic Effect of Insulin from Self-Dissolving Micropiles in Dogs. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 243-246.	1.3	28
42	Sustained-release self-dissolving micropiles for percutaneous absorption of insulin in mice. <i>Journal of Drug Targeting</i> , 2007, 15, 323-326.	4.4	27
43	Effect of fiber length of carbon nanotubes on the absorption of erythropoietin from rat small intestine. <i>International Journal of Pharmaceutics</i> , 2007, 337, 357-360.	5.2	25
44	Self-dissolving microneedles for the percutaneous absorption of EPO in mice. <i>Journal of Drug Targeting</i> , 2006, 14, 255-261.	4.4	134
45	Preparation and evaluation of oral solid heparin using emulsifier and adsorbent for in vitro and in vivo studies. <i>International Journal of Pharmaceutics</i> , 2006, 317, 114-119.	5.2	46
46	Feasibility of microneedles for percutaneous absorption of insulin. <i>European Journal of Pharmaceutical Sciences</i> , 2006, 29, 82-88.	4.0	199
47	Effect of adsorbents on the absorption of lansoprazole with surfactant. <i>International Journal of Pharmaceutics</i> , 2005, 289, 69-77.	5.2	57
48	Oral solid gentamicin preparation using emulsifier and adsorbent. <i>Journal of Controlled Release</i> , 2005, 105, 23-31.	9.9	102
49	Liquid filled nanoparticles as a drug delivery tool for protein therapeutics. <i>Biomaterials</i> , 2005, 26, 7154-7163.	11.4	175
50	Absorption of interferon alpha from patches in rats. <i>Journal of Drug Targeting</i> , 2005, 13, 383-390.	4.4	18