

Margaret Ashwell

List of Publications by Citations

Source: <https://exaly.com/author-pdf/555969/margaret-ashwell-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42
papers

4,256
citations

23
h-index

46
g-index

46
ext. papers

4,990
ext. citations

4.2
avg. IF

5.91
L-index

#	Paper	IF	Citations
42	Waist-to-height ratio is a better screening tool than waist circumference and BMI for adult cardiometabolic risk factors: systematic review and meta-analysis. <i>Obesity Reviews</i> , 2012 , 13, 275-86	10.6	955
41	A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value. <i>Nutrition Research Reviews</i> , 2010 , 23, 247-69	7	729
40	Six reasons why the waist-to-height ratio is a rapid and effective global indicator for health risks of obesity and how its use could simplify the international public health message on obesity. <i>International Journal of Food Sciences and Nutrition</i> , 2005 , 56, 303-7	3.7	544
39	Brown adipose tissue in the parametrial fat pad of the mouse. <i>FEBS Letters</i> , 1984 , 167, 10-4	3.8	286
38	Waist-to-height ratio as an indicator of 'early health risk': simpler and more predictive than using a 'matrix' based on BMI and waist circumference. <i>BMJ Open</i> , 2016 , 6, e010159	3	205
37	Ratio of waist circumference to height is strong predictor of intra-abdominal fat. <i>BMJ: British Medical Journal</i> , 1996 , 313, 559-60		161
36	Ratio of waist circumference to height may be better indicator of need for weight management. <i>BMJ: British Medical Journal</i> , 1996 , 312, 377		145
35	Waist to height ratio is a simple and effective obesity screening tool for cardiovascular risk factors: Analysis of data from the British National Diet And Nutrition Survey of adults aged 19-64 years. <i>Obesity Facts</i> , 2009 , 2, 97-103	5.1	127
34	Current micronutrient recommendations in Europe: towards understanding their differences and similarities. <i>European Journal of Nutrition</i> , 2008 , 47 Suppl 1, 17-40	5.2	124
33	A structured literature review on the role of mindfulness, mindful eating and intuitive eating in changing eating behaviours: effectiveness and associated potential mechanisms. <i>Nutrition Research Reviews</i> , 2017 , 30, 272-283	7	112
32	UK Food Standards Agency Workshop Consensus Report: the choice of method for measuring 25-hydroxyvitamin D to estimate vitamin D status for the UK National Diet and Nutrition Survey. <i>British Journal of Nutrition</i> , 2010 , 104, 612-9	3.6	97
31	A proposal for a primary screening tool: 'Keep your waist circumference to less than half your height'. <i>BMC Medicine</i> , 2014 , 12, 207	11.4	91
30	UK Food Standards Agency Workshop Report: an investigation of the relative contributions of diet and sunlight to vitamin D status. <i>British Journal of Nutrition</i> , 2010 , 104, 603-11	3.6	87
29	Waist-to-height ratio is more predictive of years of life lost than body mass index. <i>PLoS ONE</i> , 2014 , 9, e103483	3.7	81
28	Does regular breakfast cereal consumption help children and adolescents stay slimmer? A systematic review and meta-analysis. <i>Obesity Facts</i> , 2013 , 6, 70-85	5.1	66
27	How we will produce the evidence-based EURRECA toolkit to support nutrition and food policy. <i>European Journal of Nutrition</i> , 2008 , 47 Suppl 1, 2-16	5.2	48
26	Charts Based on Body Mass Index and Waist-to-Height Ratio to Assess the Health Risks of Obesity: A Review. <i>The Open Obesity Journal</i> , 2011 , 3, 78-84		42

25	Measurement by radioimmunoassay of the mitochondrial uncoupling protein from brown adipose tissue of obese (ob/ob) mice and Zucker (fa/fa) rats at different ages. <i>FEBS Letters</i> , 1985 , 179, 233-7	3.8	40
24	Obesity risk: importance of the waist-to-height ratio. <i>Nursing Standard (Royal College of Nursing (Great Britain): 1987)</i> , 2009 , 23, 49-54; quiz 55	1.1	38
23	UK Food Standards Agency Optimal Nutrition Status Workshop: environmental factors that affect bone health throughout life. <i>British Journal of Nutrition</i> , 2003 , 89, 835-40	3.6	27
22	Stevia, Nature's Zero-Calorie Sustainable Sweetener: A New Player in the Fight Against Obesity. <i>Nutrition Today</i> , 2015 , 50, 129-134	1.6	25
21	EURRECA DA Network of Excellence to align European micronutrient recommendations. <i>Food Chemistry</i> , 2009 , 113, 748-753	8.5	25
20	Expert consensus on low-calorie sweeteners: facts, research gaps and suggested actions. <i>Nutrition Research Reviews</i> , 2020 , 33, 145-154	7	21
19	Urgency of reassessment of role of obesity indices for metabolic risks. <i>Metabolism: Clinical and Experimental</i> , 2010 , 59, 834-40	12.7	21
18	What can the food and drink industry do to help achieve the 5% free sugars goal?. <i>Perspectives in Public Health</i> , 2017 , 137, 237-247	1.4	19
17	Dietary patterns among British adults: compatibility with dietary guidelines for salt/sodium, fat, saturated fat and sugars. <i>Public Health Nutrition</i> , 2011 , 14, 1323-36	3.3	17
16	Nutrition and bone health projects funded by the UK Food Standards Agency: have they helped to inform public health policy?. <i>British Journal of Nutrition</i> , 2008 , 99, 198-205	3.6	17
15	Documentation of functional and clinical effects of infant nutrition: setting the scene for COMMENT. <i>Annals of Nutrition and Metabolism</i> , 2012 , 60, 222-32	4.5	12
14	National diet and nutrition surveys: the British experience. <i>Public Health Nutrition</i> , 2006 , 9, 523-30	3.3	11
13	A simple cut-off for waist-to-height ratio (0.5) can act as an indicator for cardiometabolic risk: recent data from adults in the Health Survey for England. <i>British Journal of Nutrition</i> , 2020 , 123, 681-690	3.6	10
12	Shape. <i>Nutrition Today</i> , 2011 , 46, 85-89	1.6	9
11	Potential for waist-to-height ratio to detect overfat adolescents from a Pacific Island, even those within the normal BMI range. <i>Obesity Research and Clinical Practice</i> , 2018 , 12, 351-357	5.4	6
10	An examination of the relationship between breakfast, weight and shape. <i>British Journal of Nursing</i> , 2010 , 19, 1155-9	0.7	6
9	Nature of the evidence base and frameworks underpinning dietary recommendations for prevention of non-communicable diseases: a position paper from the Academy of Nutrition Sciences. <i>British Journal of Nutrition</i> , 2021 , 126, 1076-1090	3.6	4
8	How does breakfast help manage bodyweight?. <i>Nutrition Bulletin</i> , 2012 , 37, 395-397	3.5	3

7	Comments on the article 'Optimum waist circumference-height indices for evaluating adult adiposity: An analytic review': Consideration of relationship to cardiovascular risk factors and to the public health message. <i>Obesity Reviews</i> , 2020 , 21, e13074	10.6	2
6	Elsie Widdowson. <i>Nutrition Today</i> , 2016 , 51, 86-92	1.6	1
5	Workshop on funding opportunities within the Food Standards Agency. <i>Proceedings of the Nutrition Society</i> , 2004 , 63, 549-52	2.9	1
4	Low-calorie sweeteners in the human diet: scientific evidence, recommendations, challenges and future needs. A symposium report from the FENS 2019 conference. <i>Journal of Nutritional Science</i> , 2021 , 10, e7	2.7	1
3	Highlights from Elsie Widdowson's Personal Diary of Her Meetings With Early US Nutrition Pioneers in 1936. <i>Nutrition Today</i> , 2016 , 51, 93-101	1.6	
2	Weight management in the digital age. <i>Nutrition Bulletin</i> , 2014 , 39, 390-394	3.5	
1	What is the EARNEST Dissemination and Exploitation Consensus Panel (DECP)? <i>Advances in Experimental Medicine and Biology</i> , 2009 , 646, 189-94	3.6	