Wen-Hua Sun

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5561291/publications.pdf

Version: 2024-02-01

times ranked

citing authors

docs citations

all docs

| # | Article | IF | Citations |
|----|---|--------------|-----------|
| 1 | Iron and Cobalt Ethylene Polymerization Catalysts Bearing 2,6-Bis(Imino)Pyridyl Ligands:Â Synthesis, Structures, and Polymerization Studies. Journal of the American Chemical Society, 1999, 121, 8728-8740. | 6.6 | 1,011 |
| 2 | Novel olefin polymerization catalysts based on iron and cobalt. Chemical Communications, 1998 , , $849-850$. | 2.2 | 990 |
| 3 | Bis(imino)pyridines:Â Surprisingly Reactive Ligands and a Gateway to New Families of Catalysts. Chemical Reviews, 2007, 107, 1745-1776. | 23.0 | 776 |
| 4 | Self-Supported Catalysts. Chemical Reviews, 2009, 109, 322-359. | 23.0 | 524 |
| 5 | Oligomerisation of Ethylene by Bis(imino)pyridyliron and -cobalt Complexes. Chemistry - A European Journal, 2000, 6, 2221-2231. | 1.7 | 333 |
| 6 | Catalytic Hydrogenation of Cyclic Carbonates: A Practical Approach from CO ₂ and Epoxides to Methanol and Diols. Angewandte Chemie - International Edition, 2012, 51, 13041-13045. | 7.2 | 317 |
| 7 | Highly Efficient Rutheniumâ€Catalyzed Nâ€Formylation of Amines with H ₂ and CO ₂ . Angewandte Chemie - International Edition, 2015, 54, 6186-6189. | 7.2 | 284 |
| 8 | Recent advances in Ni-mediated ethylene chain growth: Nimine-donor ligand effects on catalytic activity, thermal stability and oligo-/polymer structure. Coordination Chemistry Reviews, 2017, 350, 68-83. | 9.5 | 229 |
| 9 | 2,6-Dibenzhydryl- <i>N</i> -(2-phenyliminoacenaphthylenylidene)-4-methylbenzenamine Nickel Dibromides: Synthesis, Characterization, and Ethylene Polymerization. Organometallics, 2011, 30, 2418-2424. | 1.1 | 192 |
| 10 | Progression of Diiminopyridines: From Single Application to Catalytic Versatility. ACS Catalysis, 2015, 5, 4713-4724. | 5 . 5 | 186 |
| 11 | Cationic alkyl aluminium ethylene polymerization catalysts based on monoanionic N,N,N-pyridyliminoamide ligands. Chemical Communications, 1998, , 2523-2524. | 2.2 | 176 |
| 12 | Intramolecularly Dinuclear Magnesium Complex Catalyzed Copolymerization of Cyclohexene Oxide with CO2under Ambient CO2Pressure:Â Kinetics and Mechanism. Macromolecules, 2006, 39, 128-137. | 2.2 | 176 |
| 13 | Carbocyclic-fused N,N,N-pincer ligands as ring-strain adjustable supports for iron and cobalt catalysts in ethylene oligo-/polymerization. Coordination Chemistry Reviews, 2018, 363, 92-108. | 9.5 | 172 |
| 14 | Iron(II) and Cobalt(II) 2-(Benzimidazolyl)-6-(1-(arylimino)ethyl)pyridyl Complexes as Catalysts for Ethylene Oligomerization and Polymerization. Organometallics, 2007, 26, 2720-2734. | 1.1 | 170 |
| 15 | Recent progress on nickel-based systems for ethylene oligo-/polymerization catalysis. Journal of Organometallic Chemistry, 2014, 751, 717-741. | 0.8 | 165 |
| 16 | Iron Complexes Bearing 2-Imino-1,10-phenanthrolinyl Ligands as Highly Active Catalysts for Ethylene Oligomerization. Organometallics, 2006, 25, 666-677. | 1.1 | 161 |
| 17 | Tailoring iron complexes for ethylene oligomerization and/or polymerization. Dalton Transactions, 2013, 42, 8988-8997. | 1.6 | 159 |

From model compounds to protein binding: syntheses, characterizations and fluorescence studies of [Rull(bipy)(terpy)L]2+complexes (bipy = 2,2′-bipyridine; terpy = 2,2′-6′,2″-terpyridine; L = imidazole, pyrazole) Tj ETQq0 0 0 rg

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Nickel complex pre-catalysts in ethylene polymerization: new approaches to elastomeric materials. Catalysis Science and Technology, 2013, 3, 1172. | 2.1 | 150 |
| 20 | Access to highly active and thermally stable iron procatalysts using bulky 2-[1-(2,6-dibenzhydryl-4-methylphenylimino)ethyl]-6-[1-(arylimino)ethyl]pyridine ligands. Chemical Communications, 2011, 47, 3257. | 2.2 | 143 |
| 21 | Synthesis, Characterization, and Ethylene Oligomerization and Polymerization of Ferrous and Cobaltous 2-(Ethylcarboxylato)-6-iminopyridyl Complexes. Organometallics, 2004, 23, 5037-5047. | 1.1 | 140 |
| 22 | Vinyl Polymerization of Norbornene with Neutral Salicylaldiminato Nickel(II) Complexes. Organometallics, 2003, 22, 3678-3683. | 1.1 | 133 |
| 23 | Chromium(III) complexes bearing N,N-chelate ligands as ethene polymerization catalysts. Chemical Communications, 1998, , 1651-1652. | 2.2 | 131 |
| 24 | Synthesis, Characterization and Ethylene Oligomerization Studies of Nickel Complexes Bearing 2-Benzimidazolylpyridine Derivatives. Organometallics, 2007, 26, 2439-2446. | 1.1 | 128 |
| 25 | Synthesis, Characterization, and Ethylene Oligomerization and Polymerization of [2,6-Bis(2-benzimidazolyl)pyridyl]chromium Chlorides. Organometallics, 2006, 25, 1961-1969. | 1.1 | 127 |
| 26 | Nickel (II) complexes bearing 2-ethylcarboxylate-6-iminopyridyl ligands: synthesis, structures and their catalytic behavior for ethylene oligomerization and polymerization. Journal of Organometallic Chemistry, 2005, 690, 1570-1580. | 0.8 | 121 |
| 27 | Bis(imino)pyridyl iron and cobalt complexes: the effect of nitrogen substituents on ethylene oligomerisation and polymerisation. Dalton Transactions RSC, 2001, , 1639-1644. | 2.3 | 120 |
| 28 | 2-(1 <i>H</i> -2-Benzimidazolyl)-6-(1-(arylimino)ethyl)pyridyl Iron(II) and Cobalt(II) Dichlorides: Syntheses, Characterizations, and Catalytic Behaviors toward Ethylene Reactivity. Organometallics, 2009, 28, 2225-2233. | 1.1 | 118 |
| 29 | Rhodium omplex atalyzed Hydroformylation of Olefins with CO ₂ and Hydrosilane. Angewandte Chemie - International Edition, 2017, 56, 310-313. | 7.2 | 117 |
| 30 | Bridged bis-pyridinylimino dinickel(II) complexes: Syntheses, characterization, ethylene oligomerization and polymerization. Journal of Organometallic Chemistry, 2005, 690, 1739-1749. | 0.8 | 116 |
| 31 | Bi- and tri-dentate imino-based iron and cobalt pre-catalysts for ethylene oligo-/polymerization. Inorganic Chemistry Frontiers, 2014, 1, 14-34. | 3.0 | 116 |
| 32 | Late transition metal complexes bearing 2,9-bis(imino)-1,10-phenanthrolinyl ligands: synthesis, characterization and their ethylene activity. Journal of Organometallic Chemistry, 2002, 658, 62-70. | 0.8 | 114 |
| 33 | 2-Arylimino-9-phenyl-1,10-phenanthrolinyl-iron, -cobalt and -nickel Complexes: Synthesis, Characterization and Ethylene Oligomerization Behavior. European Journal of Inorganic Chemistry, 2007, 2007, 5584-5598. | 1.0 | 114 |
| 34 | Conjugated Ligands Modulated Sandwich Structures and Luminescence Properties of Lanthanide Metal–Organic Frameworks. Inorganic Chemistry, 2011, 50, 5242-5248. | 1.9 | 114 |
| 35 | A Ruthenium Catalyst with Unprecedented Effectiveness for the Coupling Cyclization of \hat{l}^3 -Amino Alcohols and Secondary Alcohols. ACS Catalysis, 2016, 6, 1247-1253. | 5.5 | 111 |
| 36 | Ethylene polymerization by 2-iminopyridylnickel halide complexes: synthesis, characterization and catalytic influence of the benzhydryl group. Dalton Transactions, 2012, 41, 11999. | 1.6 | 109 |

3

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Machine Learning in Catalysis, From Proposal to Practicing. ACS Omega, 2020, 5, 83-88. | 1.6 | 108 |
| 38 | Controlling the ethylene polymerization parameters in iron pre-catalysts of the type 2-[1-(2,4-dibenzhydryl-6-methylphenylimino)ethyl]-6-[1-(arylimino)ethyl] pyridyliron dichloride. Polymer, 2012, 53, 130-137. | 1.8 | 105 |
| 39 | 2-(1-Isopropyl-2-benzimidazolyl)-6-(1-aryliminoethyl)pyridyl transition metal (Fe, Co, and Ni) dichlorides: Syntheses, characterizations and their catalytic behaviors toward ethylene reactivity. Journal of Organometallic Chemistry, 2008, 693, 1829-1840. | 0.8 | 103 |
| 40 | A five-coordinate chromium alkyl complex stabilised by salicylaldiminato ligands. Dalton Transactions RSC, 2000, , 1969-1971. | 2.3 | 102 |
| 41 | Recent advances in homogeneous chromium catalyst design for ethylene tri-, tetra-, oligo- and polymerization. Coordination Chemistry Reviews, 2019, 385, 208-229. | 9.5 | 101 |
| 42 | Synthesis, characterisation and ethylene oligomerization behaviour of N-(2-substituted-5,6,7-trihydroquinolin-8-ylidene)arylaminonickel dichlorides. New Journal of Chemistry, 2011, 35, 178-183. | 1.4 | 98 |
| 43 | 2-(1-(2-Benzhydrylnaphthylimino)ethyl)pyridylnickel halides: synthesis, characterization, and ethylene polymerization behavior. Dalton Transactions, 2014, 43, 423-431. | 1.6 | 97 |
| 44 | 2-(1-(Arylimino)ethyl)-8-arylimino-5,6,7-trihydroquinoline Iron(II) Chloride Complexes: Synthesis, Characterization, and Ethylene Polymerization Behavior. Organometallics, 2012, 31, 5039-5048. | 1.1 | 96 |
| 45 | Enhancing the Activity and Thermal Stability of Nickel Complex Precatalysts Using 1-[2,6-Bis(bis(4-fluorophenyl)methyl)-4-methyl phenylimino]-2-aryliminoacenaphthylene Derivatives. Organometallics, 2015, 34, 582-590. | 1.1 | 96 |
| 46 | Synthesis, Characterization, and Ethylene Oligomerization of Nickel Complexes Bearing N-((Pyridin-2-yl)methylene)quinolin-8-amine Derivatives. Organometallics, 2007, 26, 4781-4790. | 1.1 | 95 |
| 47 | Synthesis, characterization and ethylene oligomerization studies of nickel complexes bearing 2-imino-1,10-phenanthrolines. Journal of Organometallic Chemistry, 2006, 691, 4196-4203. | 0.8 | 94 |
| 48 | Synthesis, characterization and ethylenepolymerization behavior of nickel dihalide complexes bearing bulky unsymmetrical α-diimine ligands. Catalysis Science and Technology, 2012, 2, 415-422. | 2.1 | 94 |
| 49 | 2-[1-(2,6-Dibenzhydryl-4-chlorophenylimino)ethyl]-6-[1-(arylimino)ethyl]pyridyliron(II) dichlorides: Synthesis, characterization and ethylene polymerization behavior. Polymer, 2012, 53, 1870-1880. | 1.8 | 93 |
| 50 | Synthesis, characterization and catalytic behavior toward ethylene of 2-[1-(4,6-dimethyl-2-benzhydrylphenylimino)ethyl]-6-[1-(arylimino)ethyl]pyridylmetal (iron or cobalt) chlorides. Dalton Transactions, 2013, 42, 9188. | 1.6 | 93 |
| 51 | Developments in compartmentalized bimetallic transition metal ethylene polymerization catalysts. Coordination Chemistry Reviews, 2018, 372, 101-116. | 9.5 | 93 |
| 52 | Synthesis and characterization of novel nickel(ii) complexes bearing N,P ligands and their catalytic activity in ethylene oligomerization. New Journal of Chemistry, 2002, 26, 1474-1478. | 1.4 | 92 |
| 53 | Zirconocene-Mediated Intramolecular Carbonâ [^] Carbon Bond Formation of Two Alkynyl Groups of Bis(alkynyl)silanes. Journal of the American Chemical Society, 1997, 119, 12842-12848. | 6.6 | 91 |
| 54 | N-(5,6,7-Trihydroquinolin-8-ylidene)arylaminonickel dichlorides as highly active single-site pro-catalysts in ethylene polymerization. Dalton Transactions, 2011, 40, 8436. | 1.6 | 91 |

| # | Article | IF | CITATIONS |
|----|---|-----------|-----------|
| 55 | 2,6-Dibenzhydryl-N-(2-phenyliminoacenaphthylenylidene)-4-chloro-aniline nickel dihalides: Synthesis, characterization and ethylene polymerization for polyethylenes with high molecular weights. Journal of Organometallic Chemistry, 2013, 725, 37-45. | 0.8 | 91 |
| 56 | Synthesis and Characterization of Tridentate Nickel Complexes Bearing Pâ^§Nâ^§N and Pâ^§Nâ^§P Ligands and The Catalytic Property in Ethylene Oligomerization. Organometallics, 2006, 25, 236-244. | ir 1.1 | 89 |
| 57 | Ultra-high molecular weight elastomeric polyethylene using an electronically and sterically enhanced nickel catalyst. Polymer Chemistry, 2017, 8, 6416-6430. | 1.9 | 89 |
| 58 | Highly Regio- and Enantioselective Alkoxycarbonylative Amination of Terminal Allenes Catalyzed by a Spiroketal-Based Diphosphine/Pd(II) Complex. Journal of the American Chemical Society, 2015, 137, 15346-15349. | 6.6 | 88 |
| 59 | Elastomeric polyethylenes accessible via ethylene homo-polymerization using an unsymmetrical α-diimino-nickel catalyst. Polymer Chemistry, 2017, 8, 2785-2795. | 1.9 | 87 |
| 60 | 2-[1-(2,6-Dibenzhydryl-4-methylphenylimino)ethyl]-6-[1-(arylimino)ethyl]pyridylcobalt(ii) dichlorides: Synthesis, characterization and ethylene polymerization behavior. Dalton Transactions, 2011, 40, 10209. | 1.6 | 86 |
| 61 | Synthesis and characterization of N-(2-pyridyl)benzamide-based nickel complexes and their activity for ethylene oligomerization. Journal of Organometallic Chemistry, 2004, 689, 917-929. | 0.8 | 85 |
| 62 | Cobalt and nickel complexes bearing 2,6-bis (imino) phenoxy ligands: syntheses, structures and oligomerization studies. Journal of Organometallic Chemistry, 2002, 650, 59-64. | 0.8 | 84 |
| 63 | Iron(II) complexes ligated by 2-imino-1,10-phenanthrolines: Preparation and catalytic behavior toward ethylene oligomerization. Journal of Molecular Catalysis A, 2007, 269, 85-96. | 4.8 | 84 |
| 64 | Iron(II) and cobalt(II) complexes bearing N-((pyridin-2-yl)methylene)-quinolin-8-amine derivatives: Synthesis and application to ethylene oligomerization. Journal of Organometallic Chemistry, 2008, 693, 1073-1080. | 0.8 | 84 |
| 65 | Chiral Cyclohexyl-Fused Spirobiindanes: Practical Synthesis, Ligand Development, and Asymmetric Catalysis. Journal of the American Chemical Society, 2018, 140, 10374-10381. | 6.6 | 84 |
| 66 | Synthesis and characterization of iron and cobalt dichloride bearing 2-quinoxalinyl-6-iminopyridines and their catalytic behavior toward ethylene reactivity. Journal of Organometallic Chemistry, 2007, 692, 4506-4518. | 0.8 | 83 |
| 67 | Enhancing the Activity and Thermal Stability of Iron Precatalysts Using 2â€(1â€{2,6â€bis[bis(4â€fluorophenyl)methyl]â€4â€methylphenylimino}ethyl)â€6â€{1â€(arylimino)ethyl]pyridir Macromolecular Chemistry and Physics, 2012, 213, 1266-1273. | nesi | 82 |
| 68 | Bimetallic (Iron or Cobalt) Complexes Bearing 2-Methyl-2,4-bis(6-iminopyridin-2-yl)-1H-1,5-benzodiazepines for Ethylene Reactivity. Organometallics, 2007, 26, 2456-2460. | 1.1 | 81 |
| 69 | 2-(Benzimidazol-2-yl)-1,10-phenanthrolyl metal (Fe and Co) complexes and their catalytic behaviors toward ethylene oligomerization. Journal of Organometallic Chemistry, 2008, 693, 483-491. | 0.8 | 81 |
| 70 | 2-[1-(2,4-Dibenzhydryl-6-methylphenylimino)ethyl]-6-[1-(arylimino)ethyl]pyridylcobalt(ii) dichlorides: Synthesis, characterization and ethylene polymerization behavior. Polymer Chemistry, 2012, 3, 787. | 1.9 | 81 |
| 71 | Solution processed inorganic V2O x as interfacial function materials for inverted planar-heterojunction perovskite solar cells with enhanced efficiency. Nano Research, 2016, 9, 2960-2971. | 5.8 | 81 |
| 72 | Spiro-2,2′-bichroman-based bisoxazoline (SPANbox) ligands for ZnII-catalyzed enantioselective hydroxylation of β-keto esters and 1,3-diester. Chemical Science, 2011, 2, 1141. | 3.7 | 80 |

| # | Article | lF | Citations |
|----|--|-----|-----------|
| 73 | Ferrous and Cobaltous Chlorides Bearing 2,8-Bis(imino)quinolines: Highly Active Catalysts for Ethylene Polymerization at High Temperature. Organometallics, 2010, 29, 1168-1173. | 1.1 | 79 |
| 74 | 2-(1-Aryliminoethyl)-9-arylimino-5,6,7,8-tetrahydrocycloheptapyridyl iron(<scp>ii</scp>) dichloride: synthesis, characterization, and the highly active and tunable active species in ethylene polymerization. Dalton Transactions, 2014, 43, 16818-16829. | 1.6 | 79 |
| 75 | Palladiumâ€Catalyzed Asymmetric Construction of Vicinal Tertiary and Allâ€Carbon Quaternary Stereocenters by Allylation of βâ€Ketocarbonyls with Morita–Baylis–Hillman Adducts. Angewandte Chemie - International Edition, 2017, 56, 5050-5054. | 7.2 | 79 |
| 76 | Unsymmetric bimetal(II) complexes: Synthesis, structures and catalytic behaviors toward ethylene. Journal of Organometallic Chemistry, 2007, 692, 5307-5316. | 0.8 | 78 |
| 77 | 2-Oxazoline/benzoxazole-1,10-phenanthrolinylmetal (iron, cobalt or nickel) dichloride: Synthesis, characterization and their catalytic reactivity for the ethylene oligomerization. Journal of Organometallic Chemistry, 2008, 693, 3867-3877. | 0.8 | 78 |
| 78 | Our variations on iron and cobalt catalysts toward ethylene oligomerization and polymerization. Comptes Rendus Chimie, 2008, 11, 307-316. | 0.2 | 77 |
| 79 | Nickel(II) Complexes Chelated by 2-Arylimino-6-benzoxazolylpyridine: Syntheses, Characterization, and Ethylene Oligomerization. Organometallics, 2008, 27, 5641-5648. | 1.1 | 77 |
| 80 | N-(5,6,7-Trihydroquinolin-8-ylidene)-2-benzhydrylbenzenaminonickel halide complexes: synthesis, characterization and catalytic behavior towards ethylene polymerization. Dalton Transactions, 2012, 41, 1617-1623. | 1.6 | 76 |
| 81 | 2-(1-(Arylimino)ethyl)-8-arylimino-5,6,7-trihydroquinolylcobalt dichloride: Synthesis and polyethylene wax formation. Applied Catalysis A: General, 2012, 447-448, 67-73. | 2.2 | 76 |
| 82 | Recent progress in the application of group 1, 2 & Department of the state of the s | 3.0 | 76 |
| 83 | Methylene-bridged bimetallic \hat{l} ±-diimino nickel(ii) complexes: synthesis and high efficiency in ethylene polymerization. Dalton Transactions, 2013, 42, 9176. | 1.6 | 75 |
| 84 | Synthesis and characterization of 2-(2-benzhydrylnaphthyliminomethyl)pyridylnickel halides: formation of branched polyethylene. Dalton Transactions, 2014, 43, 3339-3346. | 1.6 | 75 |
| 85 | Synthesis, Characterization, and Ethylene Polymerization Behavior of 8-(Nitroarylamino)-5,6,7-trihydroquinolylnickel Dichlorides: Influence of the Nitro Group and Impurities on Catalytic Activity. ACS Catalysis, 2011, 1, 1213-1220. | 5.5 | 74 |
| 86 | Controlling the molecular weights of polyethylene waxes using the highly active precatalysts of 2-(1-aryliminoethyl)-9-arylimino-5,6,7,8-tetrahydrocycloheptapyridylcobalt chlorides: synthesis, characterization, and catalytic behavior. Dalton Transactions, 2016, 45, 657-666. | 1.6 | 74 |
| 87 | Influence of electronic effect on catalytic activity of salicylaldiminato nickel(II) complexes. Journal of Polymer Science Part A, 2004, 42, 4765-4774. | 2.5 | 72 |
| 88 | Nickel Complexes Bearing 2-(Benzimidazol-2-yl)-1,10-phenanthrolines: Synthesis, Characterization and Their Catalytic Behavior Toward Ethylene Oligomerization. European Journal of Inorganic Chemistry, 2007, 2007, 3816-3826. | 1.0 | 72 |
| 89 | 2-[1-(2,6-dibenzhydryl-4-chlorophenylimino)ethyl]-6-[1-aryliminoethyl]pyridyl cobalt dichlorides: Synthesis, characterization and ethylene polymerization behavior. Journal of Organometallic Chemistry, 2012, 713, 209-216. | 0.8 | 72 |
| 90 | Ring-tension adjusted ethylene polymerization by aryliminocycloheptapyridyl nickel complexes. Dalton Transactions, 2015, 44, 14281-14292. | 1.6 | 72 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Bis(imino)pyridines Incorporating Doubly Fused Eight-Membered Rings as Conformationally Flexible Supports for Cobalt Ethylene Polymerization Catalysts. Organometallics, 2018, 37, 380-389. | 1.1 | 72 |
| 92 | Dimethylaluminium aldiminophenolates: synthesis, characterization and ring-opening polymerization behavior towards lactides. Dalton Transactions, 2012, 41, 11587. | 1.6 | 71 |
| 93 | Recent advancements in N-ligated group 4 molecular catalysts for the (co)polymerization of ethylene. Coordination Chemistry Reviews, 2020, 411, 213254. | 9.5 | 71 |
| 94 | Synthesis and characterization of organoaluminum compounds containing quinolin-8-amine derivatives and their catalytic behaviour for ring-opening polymerization of $\hat{l}\mu$ -caprolactone. Dalton Transactions, 2009, , 9000. | 1.6 | 69 |
| 95 | Manganeseâ€Catalyzed <i>anti</i> à€Selective Asymmetric Hydrogenation of αâ€Substituted βâ€Ketoamides. Angewandte Chemie - International Edition, 2020, 59, 15565-15569. | 7.2 | 67 |
| 96 | Ethylene oligomerization promoted by group 8 metal complexes containing 2-(2-pyridyl)quinoxaline ligands. Catalysis Communications, 2002, 3, 405-410. | 1.6 | 66 |
| 97 | Spacially Confined M2Centers (M = Fe, Co, Ni, Zn) on a Sterically Bulky Binucleating Support:Â Synthesis, Structures and Ethylene Oligomerization Studies. Inorganic Chemistry, 2006, 45, 9890-9900. | 1.9 | 66 |
| 98 | Palladiumâ€Catalyzed Asymmetric Allylic Allylation of Racemic Morita–Baylis–Hillman Adducts. Angewandte Chemie - International Edition, 2017, 56, 1116-1119. | 7.2 | 66 |
| 99 | Synthesis and characterisation of neutral dialkylaluminium complexes stabilised by salicylaldiminato ligands, and their conversion to monoalkylaluminium cationsâ€Sâ€. Dalton Transactions RSC, 2001, , 1472-1476. | 2.3 | 65 |
| 100 | Nickel(II) complexes chelated by 2-quinoxalinyl-6-iminopyridines: Synthesis, crystal structures and ethylene oligomerization. Journal of Organometallic Chemistry, 2007, 692, 3532-3541. | 0.8 | 65 |
| 101 | BINOLate–Magnesium Catalysts for Enantioselective Heteroâ€Diels–Alder Reaction of Danishefsky's Diene with Aldehydes. European Journal of Organic Chemistry, 2008, 2008, 2248-2254. | 1.2 | 65 |
| 102 | A practical ethylene polymerization for vinyl-polyethylenes: synthesis, characterization and catalytic behavior of $\hat{l}\pm,\hat{l}\pm\hat{a}\in^2$ -bisimino-2,3:5,6-bis(pentamethylene)pyridyliron chlorides. Polymer Chemistry, 2016, 7, 4188-4197. | 1.9 | 65 |
| 103 | Cobalt(II) complexes bearing 2-imino-1,10-phenanthroline ligands: synthesis, characterization andÂethylene oligomerization. Comptes Rendus Chimie, 2006, 9, 1500-1509. | 0.2 | 64 |
| 104 | Cobalt and Nickel Complexes Bearing Pyrazolyliminophosphorane Ligands: Synthesis, Characterisation and Catalytic Ethylene Oligomerisation Behaviour. European Journal of Inorganic Chemistry, 2006, 2006, 4895-4902. | 1.0 | 64 |
| 105 | 2â€Benzoxazolylâ€6â€{1â€(arylimino)ethyl]pyridyliron(II) Chlorides as Ethylene Oligomerization Catalysts. European Journal of Inorganic Chemistry, 2009, 2009, 4149-4156. | 1.0 | 64 |
| 106 | 1â€(2,6â€dibenzhydrylâ€4â€fluorophenylimino)â€2â€aryliminoacenaphthylylnickel halides highly polymerizing ethylene for the polyethylenes with high branches and molecular weights. Journal of Polymer Science Part A, 2015, 53, 1369-1378. | 2.5 | 64 |
| 107 | Advancing polyethylene properties by incorporating NO ₂ moiety in 1,2-bis(arylimino)acenaphthylnickel precatalysts: synthesis, characterization and ethylene polymerization. Dalton Transactions, 2017, 46, 6934-6947. | 1.6 | 64 |
| 108 | Origin of "Multisite-like―Ethylene Polymerization Behavior of the Single-Site Nonsymmetrical Bis(imino)pyridine Iron(II) Complex in the Presence of Modified Methylaluminoxane. ACS Catalysis, 2017, 7, 2868-2877. | 5.5 | 64 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Practical Asymmetric Catalytic Synthesis of Spiroketals and Chiral Diphosphine Ligands. Advanced Synthesis and Catalysis, 2013, 355, 2900-2907. | 2.1 | 63 |
| 110 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Synthesis and characterisation of alkylaluminium benzimidazolates and their use in the ring-opening polymerisation of $\hat{l}\mu$ -caprolactone. Dalton Transactions, 2010, 39, 9912. | 1.6 | 56 |
| 128 | A new family of two-dimensional lanthanide(III) coordination polymers: synthesis, structures and properties of [Ln(SIP)(H2O)4]n (Ln=Eu, Gd, Ce, and NaH2SIP=5-sulfoisophthalic acid monosodium salt). Inorganic Chemistry Communication, 2002, 5, 230-234. | 1.8 | 55 |
| 129 | Preparation and characterization of acylhydrazone nickel(II) complexes and their catalytic behavior in vinyl polymerization of norbornene and oligomerization of ethylene. Journal of Molecular Catalysis A, 2005, 231, 221-233. | 4.8 | 55 |
| 130 | Synthesis of palladium complexes containing 2-methoxycarbonyl-6-iminopyridine ligand and their catalytic behaviors in reaction of ethylene and norbornene. Journal of Organometallic Chemistry, 2006, 691, 4759-4767. | 0.8 | 55 |
| 131 | Temperature Dependence of the Activity of a Late Transition Metal Catalyst by Molecular Modeling. Macromolecular Theory and Simulations, 2002, 11, 1006-1012. | 0.6 | 54 |
| 132 | Syntheses, Structures, and Fluorescent Properties of 2-(1H-Imidazol-2-yl)phenols and Their Neutral Zn(II) Complexes. Inorganic Chemistry, 2009, 48, 9133-9146. | 1.9 | 54 |
| 133 | Dichlorocobalt(II) Complexes Ligated by Bidentate 8-(Benzoimidazol-2-yl)quinolines: Synthesis, Characterization, and Catalytic Behavior toward Ethylene. Organometallics, 2011, 30, 4847-4853. | 1.1 | 54 |
| 134 | Iron-oriented ethylene oligomerization and polymerization: The Iron Age or a flash in the pan. Comptes Rendus Chimie, 2011, 14, 851-855. | 0.2 | 54 |
| 135 | Tailoring Polyethylenes by Nickel Complexes Bearing Modified 1-(2-Benzhydrylnaphthylimino)-2-phenyliminoacenaphthylene Derivatives. Organometallics, 2014, 33, 7223-7231. | 1.1 | 54 |
| 136 | î±,î±â€²â€Bis(arylimino)â€2,3:5,6â€bis(pentamethylene)pyridylcobalt Chlorides: Synthesis, Characterization, and Ethylene Polymerization Behavior. European Journal of Inorganic Chemistry, 2016, 2016, 1748-1755. | 1.0 | 54 |
| 137 | Recent developments in vanadium-catalyzed olefin coordination polymerization. Coordination Chemistry Reviews, 2020, 416, 213332. | 9.5 | 54 |
| 138 | From polyethylene waxes to HDPE using an $\hat{l}\pm,\hat{l}\pm\hat{a}$ $\hat{l}\pm,\hat{l}\pm\hat{a}$ $\hat{l}\pm,\hat{l}\pm\hat{a}$ (*scp>iii) chloride pre-catalyst in ethylene polymerisation. Dalton Transactions, 2017, 46, 6948-6957. | 1.6 | 53 |
| 139 | Direct synthesis of alkenyl iodides <i>via</i> indium-catalyzed iodoalkylation of alkynes with alcohols and aqueous HI. Organic and Biomolecular Chemistry, 2018, 16, 3177-3180. | 1.5 | 53 |
| 140 | Ethylene polymerization by iron complexes with symmetrical and unsymmetrical ligands. Polymer International, 2002, 51, 994-997. | 1.6 | 52 |
| 141 | Highly active vinyl-polymerization of norbornene by [2-methyl-8-(diphenylphosphino)quinoline]nickel(II) dichloride/methylaluminoxane. Journal of Molecular Catalysis A, 2003, 206, 23-28. | 4.8 | 52 |
| 142 | Aluminum Alkyl-Mediated Route to Novel <i>N,N,O</i> -Chelates for Five-Coordinate Iron(II) Chloride Complexes:  Synthesis, Structures, and Ethylene Polymerization Studies. Organometallics, 2007, 26, 5119-5123. | 1.1 | 52 |
| 143 | Preparation of silica-supported late transition metal catalyst and ethylene polymerization. Polymer International, 2002, 51, 349-352. | 1.6 | 51 |
| 144 | 2-[1-(2,6-Dibenzhydryl-4-methylphenylimino)ethyl]-6-[1-(arylimino)ethyl]pyridylnickel(II) halides: Synthesis, characterization and ethylene oligomerization behavior. Journal of Organometallic Chemistry, 2012, 702, 52-58. | 0.8 | 51 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|--------------|
| 145 | Raising the N-aryl fluoride content in unsymmetrical diaryliminoacenaphthylenes as a route to highly active nickel(<scp>ii</scp>) catalysts in ethylene polymerization. Dalton Transactions, 2016, 45, 18313-18323. | 1.6 | 51 |
| 146 | Chromium(III) complexes ligated by 2-(1-isopropyl-2-benzimidazolyl)-6-(1-(arylimino)ethyl)pyridines: Synthesis, characterization and their ethylene oligomerization and polymerization. Journal of Organometallic Chemistry, 2008, 693, 750-762. | 0.8 | 50 |
| 147 | Synthesis, characterization and ethylene oligomerization behavior of N-(2-alkyl-5,6,7-trihydroquinolin-8-ylidene)arylaminonickel(II) dichlorides. Inorganica Chimica Acta, 2012, 385, 21-26. | 1.2 | 50 |
| 148 | Nitro-functionalized bis(imino)pyridylferrous chlorides as thermo-stable precatalysts for linear polyethylenes with high molecular weights. Polymer, 2018, 159, 124-137. | 1.8 | 50 |
| 149 | Ethylene polymerization promoted by nickel complexes. Kinetics and Catalysis, 2006, 47, 278-283. | 0.3 | 49 |
| 150 | $\langle i\rangle N\langle i\rangle$, $\langle i\rangle N\langle i\rangle$ -chelated nickel catalysts for highly branched polyolefin elastomers: a survey. Royal Society Open Science, 2018, 5, 180367. | 1.1 | 49 |
| 151 | Selective one carbon-carbon bond formation reaction of zirconacyclopentadienes with aryl iodides or alkynyl iodides. Tetrahedron, 1998, 54, 715-726. | 1.0 | 48 |
| 152 | Vinyl-polymerization of norbornene catalyzed by bis-[N-(substituted) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 Td | (methyl)-9 2:2 | sąlicylidene |
| 153 | Synthesis and characterization of new bis(1-aryliminomethylenylnaphthalen-2-oxy)nickel complexes and their catalytic behavior for vinyl polymerization of norbornene. Journal of Organometallic Chemistry, 2004, 689, 936-946. | 0.8 | 48 |
| 154 | Synthesis of (Arylimido)vanadium(V) Complexes Containing (2-Anilidomethyl)pyridine Ligands and Their Use as the Catalyst Precursors for Olefin Polymerization. Organometallics, 2009, 28, 5925-5933. | 1.1 | 48 |
| 155 | Highly substituted enyne formation by coupling reaction of alkenylzirconium compounds with alkynyl halides. Tetrahedron Letters, 1997, 38, 4103-4106. | 0.7 | 47 |
| 156 | Copper-Catalyzed Intermolecular [4+4] and [4+5] Coupling of Zirconacyclopentadienes with Bis(halomethyl)arenes:Â A New Pathway to Eight- and Nine-Membered Ring Derivatives. Organometallics, 1998, 17, 3841-3843. | 1.1 | 47 |
| 157 | Synthesis and crystal structures of novel \hat{l}^2 -diketiminato-lithium, iron, cobalt, nickel, zirconium complexes and their catalytical behaviors in polymerization of ethylene. Journal of Organometallic Chemistry, 2003, 665, 237-245. | 0.8 | 47 |
| 158 | Highly active ethylene polymerization and copolymerization with norbornene using bis(imino-indolide) titanium dichloride-MAO system. Journal of Polymer Science Part A, 2007, 45, 3415-3430. | 2.5 | 47 |
| 159 | {2â€{1â€(2,6â€Diisopropylphenylimino)ethyl]pyridyl}palladium Dibromide Polymorphs Originating from Different Br··ķπ and C–H···Br Contacts. European Journal of Inorganic Chemistry, 2008, 2008, 2830-2830 | 6 ^{1.0} | 47 |
| 160 | Asymmetric Baeyer–Villiger Oxidation of 2,3―and 2,3,4â€Substituted Cyclobutanones Catalyzed by Chiral Phosphoric Acids with Aqueous H ₂ O ₂ as the Oxidant. European Journal of Organic Chemistry, 2011, 2011, 110-116. | 1.2 | 47 |
| 161 | 8-(2-Cycloalkylphenylimino)-5,6,7-trihydro-quinolylnickel halides: polymerizing ethylene to highly branched and lower molecular weight polyethylenes. Inorganic Chemistry Frontiers, 2015, 2, 223-227. | 3.0 | 47 |
| 162 | Strictly linear polyethylene using Co-catalysts chelated by fused bis(arylimino)pyridines: Probing ortho-cycloalkyl ring-size effects on molecular weight. Polymer, 2018, 149, 45-54. | 1.8 | 47 |

| # | Article | IF | Citations |
|-----|--|-----------------------|-----------|
| 163 | 2-(1-{2,6-Bis[bis(4-fluorophenyl)methyl]-4-methylphenylimino}ethyl)-6-[1-(arylimino)ethyl]pyridylcobalt dichlorides: Synthesis, characterization and ethylene polymerization behavior. Journal of Organometallic Chemistry, 2013, 731, 78-84. | 0.8 | 46 |
| 164 | Chromium(III) complexes bearing 2-imino-1,10-phenanthrolines: Synthesis, molecular structures and ethylene oligomerization and polymerization. Journal of Molecular Catalysis A, 2007, 276, 174-183. | 4.8 | 45 |
| 165 | 2-Benzoxazolyl-6-(1-(arylimino)ethyl)pyridyl cobalt (II) chlorides: A temperature switch catalyst in oligomerization and polymerization of ethylene. Journal of Molecular Catalysis A, 2009, 309, 166-171. | 4.8 | 45 |
| 166 | Syntheses, Characterization, and Ethylene (Co-)Polymerization Screening of Amidate Half-Titanocene Dichlorides. Organometallics, 2010, 29, 2459-2464. | 1,1 | 45 |
| 167 | 2-{2,6-Bis[bis(4-fluorophenyl)methyl]-4-chlorophenylimino}-3-aryliminobutylnickel(II) bromide complexes: Synthesis, characterization, and investigation of their catalytic behavior. Applied Catalysis A: General, 2014, 475, 195-202. | 2.2 | 45 |
| 168 | Targeting polyethylene waxes: 9-(2-cycloalkylphenylimino)-5,6,7,8-tetrahydrocycloheptapyridylnickel halides and their use as catalysts for ethylene polymerization. RSC Advances, 2015, 5, 77913-77921. | 1.7 | 45 |
| 169 | Probing the Effect of Binding Site and Metal Centre Variation in Pentadentate Oligopyridylimineâ€Bearing Bimetallic (Fe ₂ , Co ₂ , Ni ₂) Ethylene Oligomerisation Catalysts. European Journal of Inorganic Chemistry, 2008, 2008, 4597-4607. | 1.0 | 44 |
| 170 | From symmetrical to unsymmetrical bimetallic nickel complexes bearing aryl-linked iminopyridines; synthesis, structures and ethylene polymerisation studies. Journal of Organometallic Chemistry, 2008, 693, 2723-2731. | 0.8 | 44 |
| 171 | Synthesis of benzoxazolylpyridine nickel complexes and their efficient dimerization of ethylene to î±-butene. Dalton Transactions, 2008, , 5645. | 1.6 | 44 |
| 172 | Novel Polyethylenes via Late Transition Metal Complex Pre-catalysts. Advances in Polymer Science, 2013, , 163-178. | 0.4 | 44 |
| 173 | Direct Amination of Polyethylene by Metal-Free Reaction. Macromolecules, 2017, 50, 3510-3515. | 2.2 | 44 |
| 174 | Thermoâ€stable 2â€(arylimino)benzylideneâ€9â€aryliminoâ€5,6,7,8â€tetrahydro cyclohepta <i>[b]</i> pyridyliror precatalysts toward ethylene polymerization and highly linear polyethylenes. Journal of Polymer Science Part A, 2017, 55, 830-842. | n(II) 2 . 5 | 44 |
| 175 | Syntheses, Characterization, and the Ethylene (Co-)Polymerization Screening of 2-Benzimidazolyl- <i>N</i> -phenylquinoline-8-carboxamide Half-Titanocene Chlorides. Organometallics, 2010, 29, 732-741. | 1.1 | 43 |
| 176 | Synthesis, characterization and ethylene oligomerization behaviour of 8-(1-aryliminoethylidene)quinaldinylnickel dihalides. Catalysis Science and Technology, 2011, 1, 69. | 2.1 | 43 |
| 177 | Nickel(<scp>ii</scp>) complexes bearing 4,5-bis(arylimino)pyrenylidenes: synthesis, characterization, and ethylenepolymerization behaviour. Dalton Transactions, 2013, 42, 9166-9175. | 1.6 | 43 |
| 178 | Construction of Allâ€Carbon Chiral Quaternary Centers through Cu ^I â€Catalyzed Enantioselective Reductive Hydroxymethylation of 1,1â€Disubstituted Allenes with CO ₂ . Chemistry - A European Journal, 2019, 25, 13874-13878. | 1.7 | 43 |
| 179 | Ir-Catalyzed Double Asymmetric Hydrogenation of 3,6-Dialkylidene-2,5-diketopiperazines for Enantioselective Synthesis of Cyclic Dipeptides. Journal of the American Chemical Society, 2019, 141, 8981-8988. | 6.6 | 43 |
| 180 | Self-supported chiral catalysts for heterogeneous enantioselective reactions. Pure and Applied Chemistry, 2007, 79, 1531-1540. | 0.9 | 42 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 181 | Luminescent properties of some imidazole and oxazole based heterocycles: Synthesis, structure and substituent effects. Dyes and Pigments, 2011, 88, 262-273. | 2.0 | 42 |
| 182 | Enhancing thermo-stability to ethylene polymerization: synthesis, characterization and the catalytic behavior of 1-(2,4-dibenzhydryl-6-chlorophenylimino)-2-aryliminoacenaphthylnickel halides. RSC Advances, 2015, 5, 93274-93282. | 1.7 | 42 |
| 183 | Random hyperbranched linear polyethylene: One step production ofÂthermoplastic elastomer. Polymer, 2015, 56, 119-122. | 1.8 | 42 |
| 184 | Efficient acceptorless dehydrogenation of secondary alcohols to ketones mediated by a PNN-Ru(<scp>ii</scp>) catalyst. Catalysis Science and Technology, 2017, 7, 1654-1661. | 2.1 | 42 |
| 185 | Bis(imino)pyridines fused with 6- and 7-membered carbocylic rings as $\langle i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > , < i > N < i > , < i > N < i > , < i > N < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > , < i > $ | 1.6 | 42 |
| 186 | Synthesis and Characterization of Dialkylaluminum Amidates and Their Ring-Opening Polymerization of \hat{l}_{μ} -Caprolactone. Organometallics, 2011, 30, 6253-6261. | 1.1 | 41 |
| 187 | 2-Substituted 8-(2-benzhydrylarylimino)-5,6,7-trihydroquinoline-N,N′ nickel dichlorides: Synthesis, characterization and catalytic behavior towards ethylene. Journal of Organometallic Chemistry, 2012, 708-709, 98-105. | 0.8 | 41 |
| 188 | Synthesis, characterization and ethylene polymerization behavior of binuclear iron complexes bearing N,N′-bis(1-(6-(1-(arylimino)ethyl) pyridin-2-yl)ethylidene)benzidines. RSC Advances, 2013, 3, 26184. | 1.7 | 41 |
| 189 | Highly branched unsaturated polyethylenes achievable using strained imino-cyclopenta[b]pyridyl-nickel precatalysts. Polymer Chemistry, 2017, 8, 995-1005. | 1.9 | 40 |
| 190 | Balancing high thermal stability with high activity in diaryliminoacenaphtheneâ€nickel(II) catalysts for ethylene polymerization. Journal of Polymer Science Part A, 2017, 55, 1971-1983. | 2.5 | 40 |
| 191 | Ethylene polymerization of nickel catalysts with \hat{l}_{\pm} -diimine ligands: factors controlling the structure of active species and polymer properties. Dalton Transactions, 2019, 48, 7974-7984. | 1.6 | 40 |
| 192 | Chromium(III) complexes bearing 2-benzoxazolyl-6-arylimino-pyridines: Synthesis and their ethylene reactivity. Journal of Organometallic Chemistry, 2009, 694, 3701-3707. | 0.8 | 39 |
| 193 | Recent Progress on Transition Metal (Fe, Co, Ni, Ti and V) Complex Catalysts in Olefin Polymerization with High Thermal Stability. Chinese Journal of Chemistry, 2017, 35, 531-540. | 2.6 | 39 |
| 194 | Catalytic dechlorination of aromatic chlorides using Grignard reagents in the presence of (C5H5)2TiCl2. Chemical Communications, 1999, , 845-846. | 2.2 | 38 |
| 195 | Flexible N,N,N-chelates as supports for iron and cobalt chloride complexes; synthesis, structures, DFT calculations and ethylene oligomerisation studies. Dalton Transactions, 2004, , 3231-3240. | 1.6 | 38 |
| 196 | Chromium(III) complexes bearing 2-benzazole-1,10-phenanthrolines: synthesis, molecular structures and ethylene oligomerization and polymerization. Dalton Transactions, 2009, , 6354. | 1.6 | 38 |
| 197 | 2-Ethyl-ketimino-1,10-phenanthroline iron(II) complexes as highly active catalysts for ethylene oligomerizationâ ⁻ †. Journal of Molecular Catalysis A, 2010, 320, 92-96. | 4.8 | 38 |
| 198 | Biphenyl-Bridged 6-(1-Aryliminoethyl)-2-iminopyridylcobalt Complexes: Synthesis, Characterization, and Ethylene Polymerization Behavior. Organometallics, 2014, 33, 1382-1388. | 1.1 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|-----------|---------------------|
| 199 | Revisiting Benzylidenequinolinylnickel Catalysts through the Electronic Effects on Catalytic Activity by DFT Studies. Macromolecular Chemistry and Physics, 2015, 216, 1125-1133. | 1.1 | 38 |
| 200 | Accessing highly linear polyethylenes by 2-(1-aryliminoethyl)-7-arylimino-6,6-dimethylcyclopenta[b]pyridylchromium(<scp>iii</scp>) chlorides. RSC Advances, 2016, 6, 91401-91408. | 1.7 | 38 |
| 201 | Triple Self-Condensation of Ketones Yielding Aromatics Promoted with Titanium Tetrachloride. Synlett, 2001, 2001, 1947-1949. | 1.0 | 37 |
| 202 | Synthesis, characterization, and catalytic behaviours of \hat{l}^2 -carbonylenamine-derived [Oâ^'NS]TiCl3 complexes in ethylene homo- and copolymerization. Dalton Transactions, 2009, , 8945. | 1.6 | 37 |
| 203 | Chloroyttrium 2-(1-(Arylimino)alkyl)quinolin-8-olate Complexes: Synthesis, Characterization, and Catalysis of the Ring-Opening Polymerization of ε-Caprolactone. Organometallics, 2012, 31, 8178-8188. | 1.1 | 37 |
| 204 | Synthesis and Structural Analysis of (Imido)Vanadium(V) Complexes Containing Chelate (Anilido)Methyl-imine Ligands: Ligand Effect in Ethylene Dimerization. Inorganic Chemistry, 2013, 52, 2607-2614. | 1.9 | 37 |
| 205 | Beneficial influence of nanocarbon on the aryliminopyridylnickel chloride catalyzed ethylene polymerization. Catalysis Communications, 2014, 43, 227-230. | 1.6 | 37 |
| 206 | Ethylene polymerization by the thermally unique 1-[2-(bis(4-fluoro) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td (Transactions, 2015, 44, 12282-12291. | phenyl)mo | ethyl)-4,6-di 37 |
| 207 | Activity and stability spontaneously enhanced toward ethylene polymerization by employing 2â€(1â€(2,4â€dibenzhydrylnaphthylimino)ethyl)â€6â€(1â€(arylimino)ethyl) pyridyliron(II) dichlorides. Journal of Polymer Science Part A, 2017, 55, 988-996. | 2.5 | 37 |
| 208 | Enhancing thermostability of iron ethylene polymerization catalysts through <i>N</i> , <i>N</i> ,chelation of doubly fused α,α′-bis(arylimino)-2,3:5,6-bis(hexamethylene)pyridines. Catalysis Science and Technology, 2019, 9, 1933-194 | 2.1 3. | 37 |
| 209 | Complete Chiral Induction from Enantiopure 1,2-Diamines to Benzophenone-Based Achiral Bisphosphane Ligands in Noyori-Type Rull Catalysts. European Journal of Organic Chemistry, 2006, 2006, 3606-3616. | 1.2 | 36 |
| 210 | Synthesis, characterization and ethylene polymerization behaviour of binuclear nickel halides bearing 4,5,9,10-tetra(arylimino)pyrenylidenes. Dalton Transactions, 2014, 43, 7830-7837. | 1.6 | 36 |
| 211 | Multinuclear late transition metal catalysts for olefin polymerization. Coordination Chemistry Reviews, 2021, 434, 213788. | 9.5 | 36 |
| 212 | Synthesis, characterization and ethylene oligomerization and polymerization of 2-(1H-2-benzimidazolyl)-6-(1-(arylimino)ethyl)pyridylchromium chlorides. Polyhedron, 2010, 29, 142-147. | 1.0 | 35 |
| 213 | 2-(1-Aryliminoethylidene)quinolylnickel(II) dibromides: Synthesis, characterization and ethylene dimerization capability. Journal of Organometallic Chemistry, 2011, 696, 3772-3778. | 0.8 | 35 |
| 214 | Access to Both Enantiomers of αâ€Chloroâ€Î²â€keto Esters with a Single Chiral Ligand: Highly Efficient Enantioselective Chlorination of Cyclic βâ€Keto Esters Catalyzed by Chiral Copper(II) and Zinc(II) Complexes of a Spiroâ€2,2′â€bischromanâ€Based Bisoxazoline Ligand. Advanced Synthesis and Catalysis, 2013 354, 1980-1986. | 2,2.1 | 35 |
| 215 | Highly linear polyethylenes tailored with 2,6-bis[1-(<i>>pyridylcobalt dichlorides. Dalton Transactions, 2019, 48, 5604-5613.</i> | 1.6 | 35 |
| 216 | Halfâ€titanocene complexes bearing dianionic 6â€benzimidazolylpyridylâ€2 arboximidate ligands: Synthesis, characterization, and their ethylene polymerization. Journal of Polymer Science Part A, 2008, 46, 3396-3410. | 2.5 | 34 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|--------------------|
| 217 | Synthesis, characterization and ethylene oligomerization of nickel complexes bearing N-(2-(1H-benzo[d]imidazol-2-yl)quinolin-8-yl)benzamide derivatives. Dalton Transactions, 2009, , 4085. | 1.6 | 34 |
| 218 | Ethylene polymerization by 2,3-diiminobutylnickel bromide pre-catalysts bearing remote benzhydryl substituents. Journal of Organometallic Chemistry, 2015, 798, 401-407. | 0.8 | 34 |
| 219 | Moderately branched ultraâ€high molecular weight polyethylene by using <i>N,N′</i> àâ€nickel catalysts adorned with sterically hindered dibenzocycloheptyl groups. Applied Organometallic Chemistry, 2019, 33, e4749. | 1.7 | 34 |
| 220 | Cyclodivanadazene Alkyl and Aryl Complexes. Organometallics, 1994, 13, 2572-2574. | 1.1 | 33 |
| 221 | From monomeric to polymeric manganese complexes bearing bis(imino)pyridine and related ligands. Dalton Transactions, 2003, , 221-226. | 1.6 | 33 |
| 222 | Practical by Ligand Design: A New Class of Monodentate Phosphoramidite Ligands for Rhodium-Catalyzed Enantioselective Hydrogenations. Advanced Synthesis and Catalysis, 2006, 348, 1049-1057. | 2.1 | 33 |
| 223 | Chromium complexes ligated by 2-carbethoxy-6-iminopyridines: Synthesis, characterization and their catalytic behavior toward ethylene polymerization. Journal of Molecular Catalysis A, 2007, 265, 159-166. | 4.8 | 33 |
| 224 | N,N-Chelate-control on the regioselectivity in acetate-assisted C–H activation. Chemical Communications, 2013, 49, 1918. | 2.2 | 33 |
| 225 | Finely Tuned α,α′-Bis(arylimino)-2,3:5,6-bis(pentamethylene)pyridine-Based Practical Iron Precatalysts for Targeting Highly Linear and Narrow Dispersive Polyethylene Waxes with Vinyl Ends. Organometallics, 2019, 38, 4455-4470. | 1.1 | 33 |
| 226 | Branched polyethylenes attainable using thermally enhanced bis(imino)acenaphthene-nickel catalysts: Exploring the effects of temperature and pressure. Applied Catalysis A: General, 2019, 573, 73-86. | 2.2 | 33 |
| 227 | Substantially enhancing the catalytic performance of <i>bis</i> (imino)pyridylcobaltous chloride preâ€catalysts adorned with benzhydryl and nitro groups for ethylene polymerization. Applied Organometallic Chemistry, 2019, 33, e4857. | 1.7 | 33 |
| 228 | Synthesis and crystal structure of metal-organic frameworks [Ln2(pydc-3,5)3(H2O)9]n3nH2O (Ln=Sm,) Tj ETQq0 europium one. Journal of Molecular Structure, 2007, 837, 185-189. | 0 0 0 rgBT 1.8 | /Overlock 10 32 |
| 229 | Synthesis and characterization of nickel(II) complexes bearing 2-(imidazol-2-yl)pyridines or 2-(pyridin-2-yl)phenanthroimidazoles/oxazoles and their polymerization of norbornene. Inorganica Chimica Acta, 2010, 363, 1970-1978. | 1.2 | 32 |
| 230 | Palladium-catalyzed asymmetric allylic amination: enantioselective synthesis of chiral \hat{l} ±-methylene substituted \hat{l} 2-aminophosphonates. Organic Chemistry Frontiers, 2017, 4, 271-276. | 2.3 | 32 |
| 231 | <i>ortho</i> -Cycloalkyl substituted <i>N</i> , <i>N</i> ,ê²-diaryliminoacenaphthene-Ni(<scp>ii</scp>) catalysts for polyethylene elastomers; exploring ring size and temperature effects. Dalton Transactions, 2017, 46, 15684-15697. | 1.6 | 32 |
| 232 | Narrow dispersed linear polyethylene using cobalt catalysts bearing cycloheptyl-fused bis(imino)pyridines; probing the effects of ortho-benzhydryl substitution. European Polymer Journal, 2019, 110, 240-251. | 2.6 | 32 |
| 233 | Generation of Self-Supported Noyori-Type Catalysts Using Achiral Bridged-BIPHEP for Heterogeneous Asymmetric Hydrogenation of Ketones. Advanced Synthesis and Catalysis, 2006, 348, 1533-1538. | 2.1 | 31 |
| 234 | Iminoâ€indolate halfâ€titanocene chlorides: Synthesis and their ethylene (coâ€)polymerization. Journal of Polymer Science Part A, 2009, 47, 357-372. | 2.5 | 31 |

| # | Article | IF | CITATIONS |
|-----|--|-------|-----------|
| 235 | 2-(1-Arylimino)quinolylnickel halides: Synthesis, characterization and catalytic behavior towards ethylene. Journal of Organometallic Chemistry, 2012, 699, 18-25. | 0.8 | 31 |
| 236 | Phenolate Substituent Effects on Ring-Opening Polymerization of ε-Caprolactone by Aluminum Complexes Bearing 2-(Phenyl-2-olate)-6-(1-amidoalkyl)pyridine Pincers. Organometallics, 2013, 32, 249-259. | 1.1 | 31 |
| 237 | Enhanced ethylene polymerization of Ni(II) complexes supported on carbon nanotubes. Catalysis Today, 2014, 235, 33-40. | 2.2 | 31 |
| 238 | Probing the effect of <i>ortho </i> cycloalkyl ring size on activity and thermostability in cycloheptyl-fused <i>N</i> , <i>N</i> , <i>N</i> -iron ethylene polymerization catalysts. Dalton Transactions, 2020, 49, 136-146. | 1.6 | 31 |
| 239 | Zirconocene Catalyzed Dehalogenation of Aromatic Halides by Alkylmagnesium Reagents. Chemistry Letters, 1997, 26, 1251-1252. | 0.7 | 30 |
| 240 | Generation of cyclobutadiene derivatives from 1-metallo-4-halobuta-1,3-diene derivatives. Chemical Communications, 1998, , 1931-1932. | 2.2 | 30 |
| 241 | Alkyne–phosphinoalkyne coupling reactions on mixed-metal tungsten–cobalt centres; P–C(alkyne) bond cleavage versus P–C(alkyne) bond preservation. Dalton Transactions RSC, 2001, , 1269-1277. | 2.3 | 30 |
| 242 | Controllable Supramolecular Assembly by ¨i€âˆˆ ¨i€ Interactions: Cobalt(II) and Copper(II) Complexes with Benzimidazole Derivatives. Organometallics, 2002, 21, 4350-4355. | 1.1 | 30 |
| 243 | Factors affecting imine coordination in (iminoterpyridine)MX2(M = Fe, Co, Ni, Zn): synthesis, structures, DFT calculations and ethylene oligomerisation studies. New Journal of Chemistry, 2007, 31, 75-85. | 1.4 | 30 |
| 244 | Synthesis, structure and catalytic properties of a novel zirconium guanidinato complex [Zr{ArNC(NMe2)N(SiMe3)}(\hat{l} /42-Cl)Cl2]2[Ar=2,6-iPr2-C6H3]. Inorganic Chemistry Communication, 2007, 10, 1262-1264. | 1.8 | 30 |
| 245 | μ ₂ ,Î ¹ - <i>N</i> -[(<i>N</i> , <i>N</i> -Dimethylamino)dimethylsilyl]-2,6-diisopropylanilida Metal (Li, Zr, Hf) Compounds and the Catalytic Behaviors of the IVB Compounds in Ethylene (Co)Polymerization. Organometallics, 2010, 29, 2085-2092. | 0 1.1 | 30 |
| 246 | Bidentate Iron(II) Dichloride Complexes Bearing Substituted 8-(Benzimidazol-2-yl)quinolines: Synthesis, Characterization, and Ethylene Polymerization Behavior. Organometallics, 2011, 30, 3658-3665. | 1.1 | 30 |
| 247 | Asymmetric hydrogenation of \hat{l}_{\pm} -arylacrylic and \hat{l}_{\pm} -arylbut-3-enoic acids catalyzed by a Rh(i) complex of a monodentate secondary phosphine oxide ligand. Organic Chemistry Frontiers, 2014, 1, 155. | 2.3 | 30 |
| 248 | Rigid geometry 8-arylimino-7,7-dimethyl-5,6-dihydroquinolyl nickel bromides: single-site active species towards ethylene polymerization. New Journal of Chemistry, 2016, 40, 9329-9336. | 1.4 | 30 |
| 249 | Cooperative interplay between a flexible PNN-Ru(<scp>ii</scp>) complex and a NaBH ₄ additive in the efficient catalytic hydrogenation of esters. Catalysis Science and Technology, 2017, 7, 1297-1304. | 2.1 | 30 |
| 250 | Finely tuned nickel complexes as highly active catalysts affording branched polyethylene of high molecular weight: 1-(2,6-Dibenzhydryl-4- methoxyphenylimino)-2-(arylimino)acenaphthylenenickel halides. Polymer, 2018, 153, 574-586. | 1.8 | 30 |
| 251 | Plastomeric-like polyethylenes achievable using thermally robust ⟨i⟩N⟨/i⟩,⟨i⟩N⟨/i⟩′-nickel catalysts appended with electron withdrawing difluorobenzhydryl and nitro groups. Dalton Transactions, 2019, 48, 1878-1891. | 1.6 | 30 |
| 252 | Highly Linear Polyethylenes Achieved Using Thermo-Stable and Efficient Cobalt Precatalysts Bearing Carbocyclic-Fused NNN-Pincer Ligand. Molecules, 2019, 24, 1176. | 1.7 | 30 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Selectivity Effects on <i>N</i> , <i>N<!--</td--><td>1.1</td><td>30</td></i> | 1.1 | 30 |
| 254 | Reductive elimination of \hat{l}_{\pm} -alkynyl substituted zirconacyclopentenes: formation of cyclobutene derivatives. Chemical Communications, 1998, , 1133-1134. | 2.2 | 29 |
| 255 | Ethylene oligomerization by hydrazone Ni(II) complexes/MAO. Applied Catalysis A: General, 2003, 246, 11-16. | 2.2 | 29 |
| 256 | Mono- vs. bi-metallic assembly on a bulky bis(imino)terpyridine framework: a combined experimental and theoretical study. Dalton Transactions, 2006, , 2350-2361. | 1.6 | 29 |
| 257 | Bis(2â€(6â€methylpyridinâ€2â€yl)â€benzimidazolyl)titanium dichloride and titanium bis(6â€benzimidazolylpyridineâ€2â€carboxylimidate): Synthesis, characterization, and their catalytic behaviors for ethylene polymerization. Journal of Polymer Science Part A, 2008, 46, 3411-3423. | 2.5 | 29 |
| 258 | <i>N</i> â€(2â€benzimidazolylquinolinâ€8â€yl)benzamidate halfâ€titanocene chlorides: Synthesis, characterization and their catalytic behavior toward ethylene polymerization. Journal of Polymer Science Part A, 2009, 47, 3154-3169. | 2.5 | 29 |
| 259 | A Practical Asymmetric Synthesis of Enantiopure Spiro[4,4]nonaneâ€1,6â€dione. Advanced Synthesis and Catalysis, 2011, 353, 1584-1590. | 2.1 | 29 |
| 260 | Synthesis, characterization and catalytic behavior toward ethylene of cobalt(II) and iron(II) complexes bearing 2-(1-aryliminoethylidene)quinolines. Journal of Organometallic Chemistry, 2011, 696, 3029-3035. | 0.8 | 29 |
| 261 | Highly linear polyethylenes using the 2-(1-(2,4-dibenzhydrylnaphthylimino)ethyl)-6-(1-(arylimino)ethyl)-pyridylcobalt chlorides: synthesis, characterization and ethylene polymerization. Science China Chemistry, 2016, 59, 1291-1300. | 4.2 | 29 |
| 262 | Synthesis, characterization, and ethylene polymerization of 1-[2,4-bis(bis(4-fluorophenyl)methyl)naphthylimino]-2-aryliminoacenaphthylnickel bromides: influences of polymerization parameters on polyethylenes. RSC Advances, 2016, 6, 7431-7438. | 1.7 | 29 |
| 263 | Vinylâ€Polyethylene Waxes with Narrow Dispersity Obtained by Using a Thermally Robust [Bis(imino)trihydroquinolyl]chromium Catalyst. European Journal of Inorganic Chemistry, 2017, 2017, 4158-4166. | 1.0 | 29 |
| 264 | Bis-cycloheptyl-fused bis(imino)pyridine-cobalt catalysts for PE wax formation: positive effects of fluoride substitution on catalytic performance and thermal stability. Dalton Transactions, 2020, 49, 9425-9437. | 1.6 | 29 |
| 265 | 1,1-Cycloaddition of zirconacyclopentadienes to propynoates. Chemical Communications, 1997, , 2069-2070. | 2.2 | 28 |
| 266 | Ethylene polymerization with a silica-supported iron-based diimine catalyst. Journal of Applied Polymer Science, 2003, 88, 466-469. | 1.3 | 28 |
| 267 | 2-Benzimidazolyl- <i>N</i> -phenylquinoline-8-carboxamide Chromium(III) Trichlorides: Synthesis and Application for Ethylene Oligomerization and Polymerization. Organometallics, 2011, 30, 3001-3009. | 1.1 | 28 |
| 268 | 2,6-Dibenzhydryl-N-(2-aryliminoacenaphthylenylidene)-4-chlorobenzenamino-palladium dichlorides: Synthesis, characterization, and use as catalysts in the Heck-reaction. Journal of Organometallic Chemistry, 2012, 713, 151-156. | 0.8 | 28 |
| 269 | Synthesis of (Imido)vanadium(V) Complexes Containing 8-(2,6-Dimethylanilide)-5,6,7-trihydroquinoline Ligands: Highly Active Catalyst Precursors for Ethylene Dimerization. Organometallics, 2014, 33, 1053-1060. | 1.1 | 28 |
| 270 | Dialkylaluminium 2-imidazolylphenolates: Synthesis, characterization and ring-opening polymerization behavior towards lactides. Journal of Organometallic Chemistry, 2014, 750, 65-73. | 0.8 | 28 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Cycloheptyl-fused <i>N</i> , <i>N</i> ,, <i>N</i> ,, <i>N</i> ,,,,,,,, | 1.6 | 28 |
| 272 | Bis(imino)quaterpyridine-bearing multimetallic late transition metal complexes as ethylene oligomerisation catalysts. Dalton Transactions, 2009, , 8935. | 1.6 | 27 |
| 273 | 2-(1H-2-Benzimidazolyl)-6-(1-(arylimino)ethyl)pyridylnickel Complexes: Synthesis, Characterization, and Ethylene Oligomerization. Australian Journal of Chemistry, 2010, 63, 109. | 0.5 | 27 |
| 274 | Iron(III) complexes bearing 2-(benzimidazole)-6-(1-aryliminoethyl)pyridines: Synthesis, characterization and their catalytic behaviors towards ethylene oligomerization and polymerization. Journal of Organometallic Chemistry, 2010, 695, 90-95. | 0.8 | 27 |
| 275 | Probing the Characteristics of Mono- or Bimetallic (Iron or Cobalt) Complexes Bearing 2,4-Bis(6-iminopyridin-2-yl)-3H-benzazepines: Synthesis, Characterization, and Ethylene Reactivity. Organometallics, 2013, 32, 2309-2318. | 1.1 | 27 |
| 276 | Assessing Catalytic Activities Through Modeling Net Charges of Iron Complex Precatalysts. Macromolecular Chemistry and Physics, 2014, 215, 1810-1817. | 1.1 | 27 |
| 277 | NMR and EPR Spectroscopic Identification of Intermediates Formed upon Activation of 8-Mesitylimino-5,6,7-trihydroquinolylnickel Dichloride with AlR ₂ Cl (R = Me, Et). Organometallics, 2015, 34, 3222-3227. | 1.1 | 27 |
| 278 | Access to polyethylene elastomers via ethylene homo-polymerization using N,N \hat{a} e²-nickel(II) catalysts appended with electron withdrawing difluorobenzhydryl group. European Polymer Journal, 2019, 117, 254-271. | 2.6 | 27 |
| 279 | Synthesis, Characterization, and Ethylene Oligomerization and Polymerization by 2-Quinoxalinyl-6-iminopyridine Chromium Chlorides. Australian Journal of Chemistry, 2008, 61, 397. | 0.5 | 26 |
| 280 | Synthesis, characterization and ethylene oligomerization behavior of 2-benzoimidazol-8-ethoxyquinolylnickel dihalides. Dalton Transactions, 2011, 40, 2614. | 1.6 | 26 |
| 281 | Vanadyl complexes bearing bi-dentate phenoxyimine ligands: synthesis, structural studies and ethylene polymerization capability. Dalton Transactions, 2014, 43, 8300-8310. | 1.6 | 26 |
| 282 | Sodium iminoquinolates with cubic and hexagonal prismatic motifs: synthesis, characterization and their catalytic behavior toward the ROP of rac-lactide. Inorganic Chemistry Frontiers, 2016, 3, 1178-1189. | 3.0 | 26 |
| 283 | Synthesis and Structural Analysis of (Imido)vanadium Dichloride Complexes Containing 2-(2′-Benz-imidazolyl)pyridine Ligands: Effect of Al Cocatalyst for Efficient Ethylene (Co)polymerization. ACS Omega, 2017, 2, 8660-8673. | 1.6 | 26 |
| 284 | Comparisons between homogeneous and immobilized 1-(2,6-dibenzhydryl-4-nitrophenylimino)-2-mesityliminoacenaphthylnickel bromide as a precatalyst in ethylene polymerization. Journal of Catalysis, 2019, 372, 103-108. | 3.1 | 26 |
| 285 | Synthesis and characterization of 2-imino-indole nickel complexes and their ethylene oligomerization study. Inorganic Chemistry Communication, 2003, 6, 1372-1374. | 1.8 | 25 |
| 286 | Second-sphere coordination of 5,5′-diamino-2,2′-bipyridine metal complexes with oxygen ligands through Nî—,Hâ√O hydrogen bonding. Inorganica Chimica Acta, 2003, 343, 366-372. | 1.2 | 25 |
| 287 | Nickel complexes bearing 2-(1H-benzimidazol-2-yl)-phenoxy ligands: Synthesis, characterization and ethylene oligomerization. Comptes Rendus Chimie, 2007, 10, 1200-1208. | 0.2 | 25 |
| 288 | Synthesis, characterization and ethylene oligomerization behavior of 2-(chloro-substituted-1H-benzoimidazol-2-yl)-6-(1-aryliminoethyl)pyridylnickel dihalides. Inorganica Chimica Acta, 2011, 370, 156-163. | 1,2 | 25 |

| # | Article | IF | CITATIONS |
|-----|--|--------------|-----------|
| 289 | Nickel bis {4,6-dibenzhydryl-2-[(arylimino)methyl]phenoxylate} complexes: Synthesis, structures, and catalytic behaviour towards ethylene and norbornene. Catalysis Science and Technology, 2012, 2, 1340. | 2.1 | 25 |
| 290 | Synthesis and ethylene polymerization of 8â€(fluorenylarylimino)â€5,6,7â€trihydroquinolylnickel chlorides: Tailoring polyethylenes by adjusting fluorenyl position and adduct Et ₂ Zn. Journal of Polymer Science Part A, 2017, 55, 1910-1919. | 2.5 | 25 |
| 291 | Highly thermo-stable and electronically controlled palladium precatalysts for vinyl homo/co-polymerization of norbornene-ethylene. European Polymer Journal, 2018, 103, 342-350. | 2.6 | 25 |
| 292 | Steric and electronic modulation of iron catalysts as a route to remarkably high molecular weight linear polyethylenes. Dalton Transactions, 2019, 48, 17488-17498. | 1.6 | 25 |
| 293 | 4,4′-Difluorobenzhydryl-modified bis(imino)-pyridyliron(<scp>ii</scp>) chlorides as thermally stable precatalysts for strictly linear polyethylenes with narrow dispersities. Dalton Transactions, 2020, 49, 7384-7396. | 1.6 | 25 |
| 294 | Modular Chiral Bisoxalamide–Copper-Catalyzed Asymmetric Oxo-Diels–Alder Reaction: Carbonyl Coordination for High Enantio- and Diastereocontrols. ACS Catalysis, 2020, 10, 3556-3563. | 5 . 5 | 25 |
| 295 | SOLVENT-FREE SYNTHESES OF SALICYLALDIMINES ASSISTED BY MICROWAVE IRRADIATION. Synthetic Communications, 2002, 32, 2395-2402. | 1.1 | 24 |
| 296 | Bimodal polyethylene promoted by novel nickel complex. Polymer International, 2004, 53, 2155-2161. | 1.6 | 24 |
| 297 | Use of Stille-type cross-coupling as a route to oligopyridylimines. Tetrahedron, 2006, 62, 79-89. | 1.0 | 24 |
| 298 | Synthesis, characterization, and ethylene (Co)polymerization behavior of trichlorotitanium 2â€(1â€(arylimino)propyl)quinolinâ€8â€olates. Journal of Polymer Science Part A, 2011, 49, 1887-1894. | 2.5 | 24 |
| 299 | Nickel halide complexes bearing 2-benzimidazolyl-N-arylquinoline-8-carboxamide derived ligands: Synthesis, characterization and catalytic behavior towards ethylene oligomerization and the vinyl polymerization of norbornene. Journal of Organometallic Chemistry, 2012, 712, 46-51. | 0.8 | 24 |
| 300 | Computational study of the structure, UV-vis absorption spectra and conductivity of biphenylene-based polymers and their boron nitride analogues. RSC Advances, 2016, 6, 49505-49516. | 1.7 | 24 |
| 301 | Efficient Catalyst for Both Suzuki and Heck Crossâ€Coupling Reactions: Synthesis and Catalytic Behaviour of Geometry―Constrained Iminopyridylpalladium Chlorides. Advanced Synthesis and Catalysis, 2016, 358, 2642-2651. | 2.1 | 24 |
| 302 | Tailoring polymers through interplay of ligands within precatalysts: 8â€(Nitro/benzhydrylâ€arylimino)â€₹,7â€dimethylâ€5,6â€dihydroquinolylnickel halides in ethylene polymerizatio Journal of Polymer Science Part A, 2017, 55, 2071-2083. | n2.5 | 24 |
| 303 | CH(phenol)-Bridged Bis(imino)pyridines as Compartmental Supports for Diiron Precatalysts for Ethylene Polymerization: Exploring Cooperative Effects on Performance. Organometallics, 2018, 37, 4002-4014. | 1.1 | 24 |
| 304 | Coâ€eatalyst effects on the thermal stability/activity of <i>N,N,N,V/i> o ethylene polymerization Catalysts Bearing Fluoroâ€Substituted Nâ€2,6â€dibenzhydrylphenyl groups. Applied Organometallic Chemistry, 2019, 33, e5134.</i> | 1.7 | 24 |
| 305 | Attaining highly branched polyethylene elastomers by employing modified α-diiminonickel(II) catalysts: Probing the effects of enhancing fluorine atom on the ligand framework towards mechanical properties of polyethylene. Polymer, 2020, 187, 122089. | 1.8 | 24 |
| 306 | Manganeseâ€Catalyzed <i>anti</i> à€Selective Asymmetric Hydrogenation of αâ€Substituted βâ€Ketoamides. Angewandte Chemie, 2020, 132, 15695-15699. | 1.6 | 24 |

| # | Article | IF | CITATIONS |
|-----|---|----------------------|-----------|
| 307 | Perpendicular to parallel reorientation of a terminal alkyne on a mixed-metal triangle; synthesis and structural characterisation. Dalton Transactions RSC, 2002, , 1671-1677. | 2.3 | 23 |
| 308 | Minimizing Aryloxy Elimination in Rh ^I â€Catalyzed Asymmetric Hydrogenation of βâ€Aryloxyacrylic Acids using a Mixedâ€Ligand Strategy. Chemistry - A European Journal, 2015, 21, 16387-16390 | . 1.7 | 23 |
| 309 | Direct Hydrogenation of a Broad Range of Amides under Baseâ€free Conditions using an Efficient and Selective Ruthenium(II) Pincer Catalyst. ChemCatChem, 2017, 9, 4275-4281. | 1.8 | 23 |
| 310 | Chiral N-Heterocyclic-Carbene-Catalyzed Cascade Asymmetric Desymmetrization of Cyclopentenediones with Enals: Access to Optically Active 1,3-Indandione Derivatives. Organic Letters, 2019, 21, 8582-8586. | 2.4 | 23 |
| 311 | <i>gem</i> -Dimethyl-substituted bis(imino)dihydroquinolines as thermally stable supports for highly active cobalt catalysts that produce linear PE waxes. Dalton Transactions, 2019, 48, 8175-8185. | 1.6 | 23 |
| 312 | Cycloheptylâ€fused NNOâ€ligands as electronically modifiable supports for M(II) (M = Co, Fe) chloride precatalysts; probing performance in ethylene oligoâ€/polymerization. Journal of Polymer Science Part A, 2017, 55, 3980-3989. | 2.5 | 23 |
| 313 | Formation of cyclooctatetraenes from zirconacyclopentadienes. Chemical Communications, 1999, , 1595-1596. | 2.2 | 22 |
| 314 | Synthesis, characterization and catalytic behaviors of neutral nickel complexes: Arylnickel N-alkyl-6-(1-(arylimino)ethyl)picolinamide. Journal of Organometallic Chemistry, 2008, 693, 1683-1695. | 0.8 | 22 |
| 315 | Synthesis of (1-Adamantylimido)vanadium(V)-alkyl Complexes Containing a Chelate Alkoxo(imino)pyridine Ligand, and Reactions with Alcohols (ROH) That Proceed via Intermediates Formed by Coordination of ROH. Organometallics, 2009, 28, 1558-1568. | 1.1 | 22 |
| 316 | 2-(N-Alkylcarboxamide)-6-iminopyridyl palladium and nickel complexes: coordination chemistry and catalysis. Dalton Transactions, 2011, 40, 12856. | 1.6 | 22 |
| 317 | Ferrous and cobaltous chloride complexes bearing 2-(1-(arylimino)methyl)-8-(1H-benzimidazol-2-yl)quinolines: Synthesis, characterization and catalytic behavior in ethylene polymerization. Polymer, 2011, 52, 5803-5810. | 1.8 | 22 |
| 318 | Highly Active, Thermally Stable, Ethylene-Polymerisation Pre-Catalysts Based on Niobium/TantalumImine Systems. Chemistry - A European Journal, 2013, 19, 8884-8899. | 1.7 | 22 |
| 319 | Structure effect on transition mechanism of UV–visible absorption spectrum in polyimides: A density functional theory study. Polymer, 2018, 148, 356-369. | 1.8 | 22 |
| 320 | Activity and Thermal Stability of Cobalt(II)-Based Olefin Polymerization Catalysts Adorned with Sterically Hindered Dibenzocycloheptyl Groups. Molecules, 2019, 24, 2007. | 1.7 | 22 |
| 321 | Highly branched and highâ€molecularâ€weight polyethylenes produced by 1â€[2,6â€bis(bis(4â€fluorophenyl)methyl)â€4â€MeOC ₆ H ₂ N]â€2â€aryliminoacenaphtl halides. Journal of Polymer Science Part A, 2019, 57, 130-145. | n ylis ickel(| ll)22 |
| 322 | High molecular weight polyethylenes of narrow dispersity promoted using bis(arylimino)cyclohepta[<i>b</i>)pyridine-cobalt catalysts <i>ortho</i> -substituted with benzhydryl & amp; cycloalkyl groups. Dalton Transactions, 2020, 49, 4774-4784. | 1.6 | 22 |
| 323 | Preparation of Benzocycloheptene Derivatives from Zirconacyclopentadienes. Organic Letters, 2000, 2, 1197-1199. | 2.4 | 21 |
| 324 | (î-3-Azaallyl)zirconium Chlorides: Synthesis, Characterization, and Ethylene (Co-)polymerization Activity. Organometallics, 2010, 29, 2132-2138. | 1.1 | 21 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 325 | 2-Î ² -Benzothiazolyl-6-iminopyridylmetal dichlorides and the catalytic behavior towards ethylene oligomerization and polymerization. Inorganica Chimica Acta, 2011, 376, 373-380. | 1.2 | 21 |
| 326 | Palladium(II) complexes bearing 2-(1H-imidazol/oxazol-2-yl)-pyridines: Synthesis, structures and ligand effects in Suzuki–Miyaura cross-coupling. Journal of Organometallic Chemistry, 2014, 754, 39-50. | 0.8 | 21 |
| 327 | Correlating net charges and the activity of bis(imino)pyridylcobalt complexes in ethylene polymerization. Inorganica Chimica Acta, 2014, 423, 450-453. | 1.2 | 21 |
| 328 | Highly <i>cis</i> -1,4 selective polymerization of isoprene promoted by \hat{l}_{\pm} -diimine cobalt(II) chlorides. Journal of Polymer Science Part A, 2016, 54, 3609-3615. | 2.5 | 21 |
| 329 | Rhodiumâ€Complexâ€Catalyzed Hydroformylation of Olefins with CO ₂ and Hydrosilane. Angewandte Chemie, 2017, 129, 316-319. | 1.6 | 21 |
| 330 | Vinyl/Vinylene functionalized highly branched polyethylene waxes obtained using electronically controlled cyclohexylâ€fused pyridinylimineâ€nickel precatalysts. Journal of Polymer Science Part A, 2018, 56, 1269-1281. | 2.5 | 21 |
| 331 | Catalytic Activities of Bis(pentamethylene)pyridyl(Fe/Co) Complex Analogues in Ethylene Polymerization by Modeling Method. Journal of Physical Chemistry A, 2018, 122, 9637-9644. | 1.1 | 21 |
| 332 | EPR spectroscopic study of Ni(I) species in the catalyst system for ethylene polymerization based on α-diimine Ni(II) complex activated by MMAO. Journal of Organometallic Chemistry, 2019, 880, 267-271. | 0.8 | 21 |
| 333 | Organo-catalyzed asymmetric cascade annulation reaction for the construction of bi-spirocyclic pyrazolone and oxindole derivatives. Organic Chemistry Frontiers, 2020, 7, 796-809. | 2.3 | 21 |
| 334 | Low valent chromium complexes bearing N,O-chelating pyridyl-enolate ligands [OC(But)(î€2-CHN5H3Me-x)]â^Â(x = 3–6). Dalton Transactions, 2003, , 4612-4617. | 1.6 | 20 |
| 335 | Second-Sphere Coordination of the Tris(5, 5′-diamino-2, 2′-bipyridine)iron Complex With Arene-Carboxylate Ligands Through N-H···O Hydrogen Bonding. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2004, 630, 1564-1572. | 0.6 | 20 |
| 336 | Supramolecular Assemblies of a Series of 2-Arylbenzimidazoles at the Air/Water Interface: In Situ Coordination, Surface Architecture and Supramolecular Chirality. Chemistry - A European Journal, 2005, 11, 4155-4162. | 1.7 | 20 |
| 337 | Iron(II) and cobalt(II) complexes bearing 8-(1-aryliminoethylidene) quinaldines: Synthesis, characterization and ethylene dimerization behavior. Journal of Organometallic Chemistry, 2011, 696, 2594-2599. | 0.8 | 20 |
| 338 | Trimetallic yttrium N-(2-methylquinolin-8-yl)benzamides: synthesis, structure and use in ring-opening polymerization (ROP) of Îμ-caprolactone. New Journal of Chemistry, 2012, 36, 2392. | 1.4 | 20 |
| 339 | Enantioselective Ring Opening of <i>meso</i> â€Epoxides with Aromatic Amines Catalyzed by Dinuclear Magnesium Complexes. Chinese Journal of Chemistry, 2013, 31, 67-71. | 2.6 | 20 |
| 340 | Palladiumâ€Catalyzed Asymmetric Construction of Vicinal Tertiary and Allâ€Carbon Quaternary Stereocenters by Allylation of βâ€Ketocarbonyls with Morita–Baylis–Hillman Adducts. Angewandte Chemie, 2017, 129, 5132-5136. | 1.6 | 20 |
| 341 | Methylene-bridged bimetallic bis(imino)pyridine-cobaltous chlorides as precatalysts for vinyl-terminated polyethylene waxes. Dalton Transactions, 2018, 47, 6124-6133. | 1.6 | 20 |
| 342 | Formation of cyclopentadiene derivatives by reaction of zirconacyclopentadienes with 1,1-dihalo compounds. Tetrahedron Letters, 2000, 41, 7471-7474. | 0.7 | 19 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Synthesis and characterization of trichlorotitanium 2-(2-pyridinyliminomethyl)phenolates and their ethylene (co-)polymerization behavior. Polymer, 2011, 52, 3732-3737. | 1.8 | 19 |
| 344 | High <i>cis</i> -1,4 polyisoprene or <i>cis</i> -1,4/3,4 binary polyisoprene synthesized using 2-(benzimidazolyl)-6-(1-(arylimino)ethyl)pyridine cobalt(II) dichlorides. Polymer International, 2013, 62, 1758-1766. | 1.6 | 19 |
| 345 | Bisimino-functionalized dibenzo[a,c]acridines as highly conjugated pincer frameworks for palladium(<scp>ii</scp>): synthesis, characterization and catalytic performance in Heck coupling. Organic Chemistry Frontiers, 2016, 3, 1668-1679. | 2.3 | 19 |
| 346 | Synthesis, characterization and ethylene polymerization of 1-(2,6-dimethyl-4-fluorenylphenylimino)-2-aryliminoacenaphthylnickel bromides. Comptes Rendus Chimie, 2016, 19, 604-613. | 0.2 | 19 |
| 347 | Tailoring polyethylenes through constraining geometry of nickel complex: Synthesis, characterization and ethylene polymerization of 8-(2-benzhydrylnaphthylimino)-5,6,7-trihydroquinolylnickel halides. Inorganica Chimica Acta, 2016, 442, 178-186. | 1.2 | 19 |
| 348 | Achieving branched polyethylene waxes by aryliminocycloocta[<i>b</i>) pyridylnickel precatalysts: Synthesis, characterization, and ethylene polymerization. Journal of Polymer Science Part A, 2017, 55, 2601-2610. | 2.5 | 19 |
| 349 | 2D-QSAR modeling on the catalytic activities of 2-azacyclyl-6-aryliminopyridylmetal precatalysts in ethylene oligomerization. Catalysis Communications, 2017, 101, 40-43. | 1.6 | 19 |
| 350 | 1,5-Naphthyl-linked bis(imino)pyridines as binucleating scaffolds for dicobalt ethylene oligo-/polymerization catalysts: exploring temperature and steric effects. Dalton Transactions, 2019, 48, 8264-8278. | 1.6 | 19 |
| 351 | Alkylaluminum activator effects on polyethylene branching using a <i>N,N′</i> àênickel precatalyst appended with bulky 4,4′â€dimethoxybenzhydryl groups. Applied Organometallic Chemistry, 2019, 33, e4785. | 1.7 | 19 |
| 352 | Chiral Bidentate Phosphoramidite-Pd Catalyzed Asymmetric Decarboxylative Dipolar Cycloaddition for Multistereogenic Tetrahydrofurans with Cyclic <i>N</i> Sulfonyl Ketimine Moieties. Organic Letters, 2021, 23, 4715-4720. | 2.4 | 19 |
| 353 | Title is missing!. Chinese Journal of Polymer Science (English Edition), 2005, 23, 619. | 2.0 | 19 |
| 354 | Chargeâ€Transfer Effect on Chiral Phosphoric Acid Catalyzed Asymmetric Baeyerâ€Villiger Oxidation of 3â€Substituted Cyclobutanones Using 30% Aqueous H ₂ O ₂ as the Oxidant. Chinese Journal of Chemistry, 2010, 28, 1731-1735. | 2.6 | 18 |
| 355 | Bis-Cyclometalation of Fluorinated <i>N</i> -Aryl NHCs. Organometallics, 2012, 31, 1518-1523. | 1.1 | 18 |
| 356 | 2-(1-Aryliminoethyl)cycloheptapyridylpalladium complexes: Synthesis, characterization and the use in the Heck-reaction. Inorganica Chimica Acta, 2013, 407, 281-288. | 1.2 | 18 |
| 357 | Synthesis of Aluminum Complexes Bearing 8-Anilide-5,6,7-trihydroquinoline Ligands: Highly Active Catalyst Precursors for Ring-Opening Polymerization of Cyclic Esters. Polymers, 2017, 9, 83. | 2.0 | 18 |
| 358 | Sterically and Electronically Modified Aryliminopyridyl-Nickel Bromide Precatalysts for an Access to Branched Polyethylene with Vinyl/Vinylene End Groups. ACS Omega, 2020, 5, 10610-10625. | 1.6 | 18 |
| 359 | Reactivity of cyclo-(PhX)6 (X=As, P) towards [M3L2(CO)10] (M=Ru, L=CO or NCMe; M=Fe, L=CO). Journal of Organometallic Chemistry, 2002, 664, 27-36. | 0.8 | 17 |
| 360 | Synthesis, Characterization, and Ethylene Oligomerization of 2,6-Bis(imino)phenoxy Cobalt Complexes. Australian Journal of Chemistry, 2003, 56, 703. | 0.5 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|-----------|
| 361 | Controlled Synthesis of 2â€Acetylâ€6â€carbethoxypyridine and 2,6â€Diacetylpyridine from 2,6â€Dimethylpyridine Synthetic Communications, 2005, 35, 2317-2324. | ² 1.1 | 17 |
| 362 | Vinyl polymerization of norbornene over supported nickel catalyst. Journal of Applied Polymer Science, 2006, 102, 2233-2240. | 1.3 | 17 |
| 363 | The Advantages of Metal Complexes as Catalysts toward Polyolefins ―The Vinyl Polymerization of Norbornene. Macromolecular Symposia, 2007, 260, 74-79. | 0.4 | 17 |
| 364 | Transformation of 2-alkoxyimidate-1,10-phenanthroline metal (Mn2+, Co2+ and Ni2+) chlorides from bis(2-cyano-1,10-phenanthroline) metal chlorides: Syntheses, characterizations and their catalytic behavior toward ethylene oligomerization. Journal of Organometallic Chemistry, 2008, 693, 3858-3866. | 0.8 | 17 |
| 365 | Nickel complexes bearing 2-(1H-benzo[d]imidazol-2-yl)-N-benzylidenequinolin-8-amines: Synthesis, structure and catalytic ethylene oligomerization. Catalysis Communications, 2009, 10, 1730-1733. | 1.6 | 17 |
| 366 | Routes to Ruthenium-Fluoro Cations of the Type [RuL2(CO)nF]+ (n = 2,3; L = PR3, NHC): A Play-Off between Solvent, L and Weakly Coordinating Anion. European Journal of Inorganic Chemistry, 2010, 2010, 4130-4138. | 1.0 | 17 |
| 367 | 6-Benzhydryl-4-methyl-2-(1H-benzoimidazol-2-yl)phenol ligands and their zinc complexes: Syntheses, characterization and photoluminescence behavior. Inorganica Chimica Acta, 2012, 392, 345-353. | 1.2 | 17 |
| 368 | Novel spiroketal-based diphosphite ligands for hydroformylation of terminal and internal olefins. Catalysis Science and Technology, 2013, 3, 1901. | 2.1 | 17 |
| 369 | Highly active 8-benzoxazolyl- or 8-benzothiazolyl-2-alkylquinolinylnickel(II) complexes for ethylene dimerization and vinyl polymerization of norbornene. Polyhedron, 2013, 52, 1138-1144. | 1.0 | 17 |
| 370 | Vanadyl Di(5â€ <i>t</i> à€butylâ€2â€(aryliminomethyl)quinolinâ€8â€olate): Synthesis, Characterization, and Ethylene (Coâ€)Polymerization. Macromolecular Chemistry and Physics, 2014, 215, 1744-1752. | 1.1 | 17 |
| 371 | Spin-dependent effects in ethylene polymerization with bis(imino)pyridine iron(II) complexes. Journal of Organometallic Chemistry, 2016, 811, 48-65. | 0.8 | 17 |
| 372 | Judiciously balancing steric and electronic influences on 2,3â€diiminobutaneâ€based Pd(II) complexes in nourishing polyethylene properties. Journal of Polymer Science Part A, 2017, 55, 3214-3222. | 2.5 | 17 |
| 373 | Synthesis of characteristic polyisoprenes using rationally designed iminopyridyl metal (Fe and Co) precatalysts: investigation of co-catalysts and steric influence on their catalytic activity. New Journal of Chemistry, 2020, 44, 8076-8084. | 1.4 | 17 |
| 374 | Fluorinated cobalt catalysts and their use in forming narrowly dispersed polyethylene waxes of high linearity and incorporating vinyl functionality. Catalysis Science and Technology, 2021, 11, 656-670. | 2.1 | 17 |
| 375 | Pd-Catalyzed Regio- and Enantioselective Aminoarylation of Allenols with Aryl Iodides and 2-Pyridones. Organic Letters, 2021, 23, 3567-3572. | 2.4 | 17 |
| 376 | NNN-type iron(II) complexes consisting sterically hindered dibenzocycloheptyl group: Synthesis and catalytic activity towards ethylene polymerization. Molecular Catalysis, 2020, 492, 110981. | 1.0 | 17 |
| 377 | Use of Suzuki cross-coupling as a route to 2-phenoxy-6-iminopyridines and chiral 2-phenoxy-6-(methanamino)pyridines. Tetrahedron, 2008, 64, 9857-9864. | 1.0 | 16 |
| 378 | 2-(1-Aryliminopropylidene) quinolylcobalt(ii) dichlorides: synthesis, characterization and catalytic behaviour towards ethylene. Catalysis Science and Technology, 2011, 1, 462. | 2.1 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----------------|-----------|
| 379 | 2-(1-(Arylimino)propyl)quinolin-8-olate half-titanocene dichlorides: Synthesis, characterization and ethylene (co-)polymerization behaviour. Dalton Transactions, 2011, 40, 6802. | 1.6 | 16 |
| 380 | Ethylene Polymerization Catalyzed by Pyreneâ€Tagged Iron Complexes: The Positive Effect of Ï€â€Conjugation and Immobilization on Multiwalled Carbon Nanotubes. ChemCatChem, 2014, 6, 1310-1316. | 1.8 | 16 |
| 381 | Polymerization of isoprene catalyzed by 2â€(methylâ€2â€benzimidazolyl)â€6â€(1â€(arylimino) ethyl) pyridine iro trichloride with an additional donor. Journal of Polymer Science Part A, 2014, 52, 2395-2398. | n(III) 2.5 | 16 |
| 382 | Propyl substituted 4-arylimino-1,2,3-trihydroacridylnickel complexes: Their synthesis, characterization and catalytic behavior toward ethylene. Journal of Organometallic Chemistry, 2015, 798, 408-413. | 0.8 | 16 |
| 383 | Modeling study on the catalytic activities of 2-imino-1,10-phenanthrolinylmetal (Fe, Co, and Ni) precatalysts in ethylene oligomerization. RSC Advances, 2016, 6, 79335-79342. | 1.7 | 16 |
| 384 | Dialkylaluminum 2-substituted 6,6-dimethylcyclopentylpyridin-7-oxylates toward structural-differentiation of the ring-opening polymerization of $\hat{\mu}$ -caprolactone and <scp> </scp> -lactides. Dalton Transactions, 2019, 48, 4157-4167. | 1.6 | 16 |
| 385 | Adjusting Ortho-Cycloalkyl Ring Size in a Cycloheptyl-Fused N,N,N-Iron Catalyst as Means to Control Catalytic Activity and Polyethylene Properties. Catalysts, 2020, 10, 1002. | 1.6 | 16 |
| 386 | Trifluoromethoxy-substituted nickel catalysts for producing highly branched polyethylenes: impact of solvent, activator and <i>N</i> , <i>N</i> ,ê≥-ligand on polymer properties. Polymer Chemistry, 2022, 13, 1040-1058. | 1.9 | 16 |
| 387 | Reaction of Alkenylzirconocenes with Dialkylzirconocenes: Â Unexpected Formation of Bimetallic (î½-Alkynyl)zirconocene Complexes. Organometallics, 1997, 16, 2216-2219. | 1.1 | 15 |
| 388 | Synthesis and ethylene polymerization by \hat{l}^2 -diketiminato zirconium chlorides. Macromolecular Research, 2010, 18, 690-694. | 1.0 | 15 |
| 389 | Dichloropalladium complexes ligated by 4,5-bis(arylimino)pyrenylidenes: Synthesis, characterization, and catalytic behavior towards Heck-reaction. Journal of Organometallic Chemistry, 2014, 751, 453-457. | 0.8 | 15 |
| 390 | Active O,N _{py} ,N-Titanium(IV) Fluoride Precatalysts for Ethylene Polymerization: Exploring "Fluoride Effects―on Polymer Properties and Catalytic Performance. Organometallics, 2016, 35, 1183-1191. | 1.1 | 15 |
| 391 | Thermo-enhanced ring-opening polymerization of $\hat{l}\mu$ -caprolactone: the synthesis, characterization, and catalytic behavior of aluminum hydroquinolin-8-olates. Dalton Transactions, 2017, 46, 7833-7843. | 1.6 | 15 |
| 392 | Highly bulky and stable geometry-constrained iminopyridines: Synthesis, structure and application in Pd-catalyzed Suzuki coupling of aryl chlorides. Beilstein Journal of Organic Chemistry, 2017, 13, 213-221. | 1.3 | 15 |
| 393 | Remote dibenzocycloheptyl-substitution of an iminotrihydroquinoline-nickel catalyst as a route to narrowly dispersed branched polyethylene waxes with alkene functionality. European Polymer Journal, 2018, 107, 315-328. | 2.6 | 15 |
| 394 | Achieving strictly linear polyethylenes by the <i>NNN</i> å€Fe precatalysts finely tuned with different sizes of <i>ortho</i> å€eycloalkyl substituents. Applied Organometallic Chemistry, 2020, 34, e5937. | 1.7 | 15 |
| 395 | Palladium atalyzed Enantioselective Intramolecular Heck Carbonylation Reactions: Asymmetric Synthesis of 2â€Oxindole Ynones and Carboxylic Acids. Chemistry - A European Journal, 2022, 28, . | 1.7 | 15 |
| 396 | Heterometallic sulfido clusters by metal exchange: syntheses and X-ray crystal structures of (î-5-C5H4CH3)MoFeCo(CO)8(î-43-S) and (î-5-C5H4CH3)2Mo2Fe(CO)7(î-43-S). Journal of Organometallic Chemis 1994, 465, 263-265. | t10), 8 | 14 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 397 | Asymmetric Conjugate Addition of Unmodified Cyclic Ketones to Nitroolefins Using Aminophosphonate as the Organocatalyst. Chinese Journal of Chemistry, 2009, 27, 163-168. | 2.6 | 14 |
| 398 | Catalytic activity correlation of Ni(II), Co(II) and Pd(II) complexes to metal atom net charge. Science in China Series B: Chemistry, 2009, 52, 48-55. | 0.8 | 14 |
| 399 | Synthesis, characterization and ethylene (co-)polymerization behavior of half-titanocene 2-(1-(arylimino)ethyl)quinolin-8-olate chlorides. Catalysis Science and Technology, 2011, 1, 1208. | 2.1 | 14 |
| 400 | 2-Aldiminophenoxytitanium chloride complexes: Synthesis, characterization, andÂethylene (co-)polymerization behavior. Journal of Organometallic Chemistry, 2012, 715, 119-128. | 0.8 | 14 |
| 401 | Isoprene Polymerization on Iron Nanoparticles Confined in Carbon Nanotubes. Chemistry - A European Journal, 2015, 21, 17437-17444. | 1.7 | 14 |
| 402 | Correlating Cobalt Net Charges with Catalytic Activities of the $2\hat{a}\in (Benzimidazolyl)\hat{a}\in (Benzimidazolyl$ | 0.9 | 14 |
| 403 | Highly <i>cis</i> â€1,4â€selective polymerization of isoprene achieved using neodymium chloride 8â€hydroxyquinolines. Polymer International, 2015, 64, 1030-1036. | 1.6 | 14 |
| 404 | Nickel(II) Complexes Bearing 4-Arylimino-1,2,3-trihydroacridines: Synthesis, Characterization, and Ethylene Oligomerization. ChemistryOpen, 2015, 4, 328-334. | 0.9 | 14 |
| 405 | Palladium atalyzed Asymmetric Allylic Allylation of Racemic Morita–Baylis–Hillman Adducts. Angewandte Chemie, 2017, 129, 1136-1139. | 1.6 | 14 |
| 406 | Catalytic performance of bis(imino)pyridine Fe/Co complexes toward ethylene polymerization by 2Dâ€/3Dâ€QSPR modeling. Journal of Computational Chemistry, 2019, 40, 1374-1386. | 1.5 | 14 |
| 407 | Highly efficient iron(II) catalysts toward ring opening polymerization of $\hat{l}\mu$ -caprolactone through in situ initiation. Inorganica Chimica Acta, 2019, 488, 299-303. | 1.2 | 14 |
| 408 | A direct functionalization of polyolefins for blend compatibilization by an insertion of 1,1-bis(phenylsulfonyl)ethylene (BPSE). Polymer Chemistry, 2019, 10, 3325-3333. | 1.9 | 14 |
| 409 | Exploring <i>ortho</i> â€(4,4′â€dimethoxybenzhydryl) substitution in iron ethylene polymerization catalysts: Coâ€catalyst effects, thermal stability, and polymer molecular weight variations. Applied Organometallic Chemistry, 2021, 35, e6259. | 1.7 | 14 |
| 410 | Remote dibenzocycloheptyl substitution on a bis(arylimino)pyridyl-iron ethylene polymerization catalyst; enhanced thermal stability and unexpected effects on polymer properties. Polymer Chemistry, 2021, 12, 4214-4225. | 1.9 | 14 |
| 411 | Preparation and x-ray crystal structure of a mixed-metal cluster (î·5-CH3C5H4)Mo(î¼3-NH)(î¼2-NO) (î¼2-CO)Fe2(CO)6. Polyhedron, 1992, 11, 1143-1144. | 1.0 | 13 |
| 412 | Self-assembly of dinuclear M2Cl4(C13H9N3)2: stepwise supramolecular array by π–π stacking. Inorganic Chemistry Communication, 2002, 5, 667-670. | 1.8 | 13 |
| 413 | 2,9-disubstituted 1,10-phenanthroline nickel complexes: Syntheses, characterization, and their ethylene oligomerization. Kinetics and Catalysis, 2007, 48, 664-668. | 0.3 | 13 |
| 414 | Zirconadihydrophosphetes as highly active species for ethylene polymerization. Journal of Molecular Catalysis A, 2009, 302, 1-6. | 4.8 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|---------------|-----------|
| 415 | Solid and solution state flexibility of sterically congested bis(imino)bipyridine complexes of zinc(ii) and nickel(ii). Dalton Transactions, 2009, , 185-196. | 1.6 | 13 |
| 416 | O,N,N-Pincer ligand effects on oxidatively induced carbon–chlorine coupling reactions at palladium. Dalton Transactions, 2015, 44, 6040-6051. | 1.6 | 13 |
| 417 | Quantitative Investigation of the Electronic and Steric Influences on Ethylene Oligo/Polymerization by 2â€Azacyclylâ€6â€aryliminopyridylmetal (Fe, Co, and Cr) Complexes. Macromolecular Chemistry and Physics, 2016, 217, 757-764. | 1.1 | 13 |
| 418 | Frustratingly synergic effect of cobalt–nickel heterometallic precatalysts on ethylene reactivity: the cobalt and its heteronickel complexes bearing 2-methyl-2,4-bis(6-aryliminopyridin-2-yl)-1H-1,5-benzodiazepines. RSC Advances, 2016, 6, 72170-72176. | 1.7 | 13 |
| 419 | Exceptionally high molecular weight linear polyethylene by using N,N,N′―Co catalysts appended with a N′ â€2,6â€bis{di(4â€fluorophenyl)methyl}â€4â€nitrophenyl group. Applied Organometallic Chemistry, 2019, 3 e5157. | 3 3, 7 | 13 |
| 420 | Activation of an \hat{l}_{\pm} -Diimine Ni(II) Precatalyst with AlMe ₃ and Al ⁱ Bu ₃ : Catalytic and NMR and EPR Spectroscopy Studies. Organometallics, 2020, 39, 3034-3040. | 1.1 | 13 |
| 421 | Ruthenium-catalyzed hydrogenation of CO ₂ as a route to methyl esters for use as biofuels or fine chemicals. Chemical Science, 2020, 11, 6766-6774. | 3.7 | 13 |
| 422 | Enhancing performance of αâ€diiminonickel precatalyst for ethylene polymerization by substitution with the 2,4â€bis(4,4'â€dimethoxybenzhydryl)â€6â€methylphenyl group. Applied Organometallic Chemistry, 2020, 34 e5638. | ·,1.7 | 13 |
| 423 | Polymerization of cyclopentadiene initiated by methylaluminoxane. Journal of Polymer Science Part A, 2006, 44, 264-272. | 2.5 | 12 |
| 424 | Hydrodebromination of bromoarenes using Grignard reagents catalyzed by metal ions. Applied Organometallic Chemistry, 2009, 23, 51-54. | 1.7 | 12 |
| 425 | 2-(7-methyl-1H-benzoimidazol-2-yl)-6-(1-aryliminoethyl)pyridinylnickel complexes: Synthesis, characterization and their ethylene oligomerization. Comptes Rendus Chimie, 2010, 13, 1450-1459. | 0.2 | 12 |
| 426 | From discrete monomeric complexes to hydrogen-bonded dimeric assemblies based on sterically encumbered square planar palladium(ii) ONN-pincers. Dalton Transactions, 2013, 42, 7710. | 1.6 | 12 |
| 427 | (Co-)polymerization of methylacrylate with NBE/1-hexene by (8-arylimino-5,6,7-trihydroquinolyl)(methyl)palladium chlorides: an approaching mechanism and the polymeric microstructures. New Journal of Chemistry, 2017, 41, 3653-3660. | 1.4 | 12 |
| 428 | A DFT study on ring-opening polymerization of $\hat{l}\mu\text{-caprolactone}$ initiated by Mg and Al complexes. Inorganica Chimica Acta, 2018, 477, 34-39. | 1.2 | 12 |
| 429 | Synthesis of Chiral Tertiary α,αâ€Difluoromethyl Carbinols by Cu atalyzed Asymmetric Propargylation. Chemistry - A European Journal, 2019, 25, 16425-16434. | 1.7 | 12 |
| 430 | 6-Arylimino-2-(2-(1-phenylethyl)naphthalen-1-yl)-iminopyridylmetal (Fe and Co) Complexes as Highly Active Precatalysts for Ethylene Polymerization: Influence of Metal and/or Substituents on the Active, Thermostable Performance of Their Complexes and Resultant Polyethylenes. Molecules, 2020, 25, 4244. | 1.7 | 12 |
| 431 | Post-functionalization of narrowly dispersed PE waxes generated using tuned N,N,N′-cobalt ethylene polymerization catalysts substituted with ortho-cycloalkyl groups. Polymer, 2021, 213, 123294. | 1.8 | 12 |
| 432 | N-(Pyridin-2-yl)picolinamide tetranickel clusters: Synthesis, structure and ethylene oligomerization. Polyhedron, 2010, 29, 564-568. | 1.0 | 11 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 433 | Syntheses of new imidazole ligand series and evaluation of 1-, 2- and 4,5-imidazole substituent electronic and steric effects on N-donor strengths. Journal of Molecular Structure, 2010, 984, 117-124. | 1.8 | 11 |
| 434 | \hat{l}^2 -Diketiminato 3d-metal compounds: Synthesis, characterization and catalytic behavior towards ethylene. Inorganica Chimica Acta, 2011, 370, 215-223. | 1.2 | 11 |
| 435 | Halonickel 2,4-di-t-butyl-6-(quinolin-8-yliminomethyl)phenolates: Synthesis, characterization and ethylene reactivity. Chinese Journal of Polymer Science (English Edition), 2013, 31, 769-777. | 2.0 | 11 |
| 436 | Enhancing catalytic activity towards Heck-reaction by using 4,5,9,10-tetra(arylimino)pyrenylidenyldipalladium tetrachlorides. RSC Advances, 2015, 5, 14228-14234. | 1.7 | 11 |
| 437 | N-(2,2-Dimethyl-1-(quinolin-2-yl)propylidene) arylaminonickel Complexes and Their Ethylene Oligomerization. Molecules, 2017, 22, 630. | 1.7 | 11 |
| 438 | Vinyl homo/copolymerization of norbornene and ethylene using sterically enhanced 1,2â€bis(arylimino)acenaphthene–palladium precatalysts. Journal of Polymer Science Part A, 2018, 56, 922-930. | 2.5 | 11 |
| 439 | Bimetallic Aluminum 5,6-Dihydro-7,7-dimethyl quinolin-8-olates as Pro-Initiators for the ROP of Îμ-CL; Probing the Nuclearity of the Active Initiator. Polymers, 2018, 10, 764. | 2.0 | 11 |
| 440 | A comparative kinetic study of ethylene polymerization mediated by iron, cobalt and chromium catalysts bearing the same N,N,N-bis(imino)trihydroquinoline. Journal of Catalysis, 2019, 369, 1-9. | 3.1 | 11 |
| 441 | 2â€Acetyloxymethylâ€substituted 5,6,7â€ŧrihydroquinolinylâ€8â€ylideneamineâ€Ni(II) chlorides and their application in ethylene dimerization/trimerization. Applied Organometallic Chemistry, 2020, 34, e5254. | 1.7 | 11 |
| 442 | The nature of nickel species formed upon the activation of \hat{l} ±-diimine nickel(II) pre-catalyst with alkylaluminum sesquichlorides. Journal of Organometallic Chemistry, 2020, 907, 121063. | 0.8 | 11 |
| 443 | Enhancing Ethylene Polymerization of <i>NNN</i> -Cobalt(II) Precatalysts Adorned with a Fluoro-substituent. ACS Omega, 2021, 6, 4448-4460. | 1.6 | 11 |
| 444 | Fusing Carbocycles of Inequivalent Ring Size to a Bis(imino)pyridine-Iron Ethylene Polymerization Catalyst: Distinctive Effects on Activity, PE Molecular Weight, and Dispersity. Research, 2019, 2019, 9426063. | 2.8 | 11 |
| 445 | Crystal structure and modeling calculation of the columnar helix 2,6-Bis(imino)phenoxy iron(III) chloride. Inorganic Chemistry Communication, 2003, 6, 5-9. | 1.8 | 10 |
| 446 | Supramolecular helical architecture assembled by double-helical [Ag2L2] units. Journal of Organometallic Chemistry, 2004, 689, 43-49. | 0.8 | 10 |
| 447 | Preparation and characterization of carboximidate iron(II) complexes. Inorganic Chemistry Communication, 2005, 8, 41-43. | 1.8 | 10 |
| 448 | 2-(R-1H-Benzoimidazol-2-yl)-6-(1-aryliminoethyl)pyridyliron(II) dichlorides: Synthesis, characterization and the ethylene oligomerization behavior. Inorganica Chimica Acta, 2011, 379, 70-75. | 1.2 | 10 |
| 449 | Synthesis, structure and photophysical properties of 2-benzhydryl-4-methyl-6-(aryliminomethyl)phenol ligands and the zinc complexes thereof. Inorganica Chimica Acta, 2012, 392, 292-299. | 1.2 | 10 |
| 450 | Synthesis, structure and fluorescent properties of 2-(1H-benzoimidazol-2-yl)quinolin-8-ol ligands and their zinc complexes. Inorganica Chimica Acta, 2013, 394, 569-575. | 1.2 | 10 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 451 | Dimethyl-Aluminium Complexes Bearing Naphthyl-Substituted Pyridine-Alkylamides as Pro-Initiators for the Efficient ROP of ε-Caprolactone. Catalysts, 2015, 5, 1425-1444. | 1.6 | 10 |
| 452 | Geometry Constrained N-(5,6,7-Trihydroquinolin-8-ylidene)arylaminopalladium Dichloride Complexes: Catalytic Behavior toward Methyl Acrylate (MA), Methyl Acrylate-co-Norbornene (MA-co-NB) Polymerization and Heck Coupling. Molecules, 2016, 21, 1686. | 1.7 | 10 |
| 453 | Trichlorozirconium î· 2-hydrazonides: Synthesis, characterization and their catalytic behavior toward ethylene polymerization. Chinese Journal of Polymer Science (English Edition), 2016, 34, 390-398. | 2.0 | 10 |
| 454 | Molecular weight control of polyethylene waxes using a constrained iminoâ€cyclopenta[<i>b</i>)pyridylâ€nickel catalyst. Journal of Polymer Science Part A, 2017, 55, 3494-3505. | 2.5 | 10 |
| 455 | 2-Chloro/phenyl-7-arylimino-6,6-dimethylcyclopenta[b]pyridylnickel chlorides: Synthesis, characterization and ethylene oligomerization. Catalysis Communications, 2017, 102, 26-30. | 1.6 | 10 |
| 456 | Regioselective Synthesis of 2-Vinylanilines Using O-aroyloxycarba-mates by Sequential Decarboxylation/Amination/Heck Reaction. Journal of Organic Chemistry, 2017, 82, 8251-8257. | 1.7 | 10 |
| 457 | Quantitative Structure-Thermostability Relationship of Late Transition Metal Catalysts in Ethylene Oligo/Polymerization. Catalysts, 2017, 7, 120. | 1.6 | 10 |
| 458 | Palladium atalyzed Synthesis of Indolines from Aroyloxycarbamates through a Tandem Decarboxylative Amination/Heck/Annulation Reaction. Advanced Synthesis and Catalysis, 2019, 361, 192-200. | 2.1 | 10 |
| 459 | Ethylene oligomerization with 2-hydroxymethyl-5,6,7-trihydroquinolinyl-8-ylideneamine-Ni(II) chlorides. Journal of Organometallic Chemistry, 2021, 937, 121720. | 0.8 | 10 |
| 460 | Niâ€Catalyzed Regioselective Hydroarylation of 1â€Arylâ€1,3â€Butadienes with Aryl Halides. Chemistry - A European Journal, 2021, 27, 15903-15907. | 1.7 | 10 |
| 461 | Fluorinated Sterically Bulky Mononuclear and Binuclear 2-Iminopyridylnickel Halides for Ethylene Polymerization: Effects of Ligand Frameworks and Remote Substituents. ACS Omega, 2021, 6, 30157-30172. | 1.6 | 10 |
| 462 | Highly active and thermostable camphyl αâ€diimine–nickel(II) catalysts for ethylene polymerization: Effects of <i>N</i> à€aryl substituting groups on catalytic properties and branching structures of polyethylene. Applied Organometallic Chemistry, 2022, 36, . | 1.7 | 10 |
| 463 | CF ₃ O-Functionalized Bis(arylimino)pyridine–Cobalt Ethylene Polymerization Catalysts: Harnessing Solvent Effects on Performance and Polymer Properties. Organometallics, 2022, 41, 3237-3248. | 1.1 | 10 |
| 464 | Preparation and crystal structure of [(η5-C5H4CH3)MoFeCo(CO)6(μ,η4-Ph2PCH2CH2PPh2) (μ3-S)]. Polyhedron, 1996, 15, 2613-2616. | 1.0 | 9 |
| 465 | Coordinated 1,3-Diyne Diols as Organometallic Building Blocks for Large Macrocycles Containing Oxygen and Unsaturated Donor Units. European Journal of Inorganic Chemistry, 2007, 2007, 3101-3114. | 1.0 | 9 |
| 466 | SYNTHESIS, CHARACTERIZATION AND CATALYTIC BEHAVIOR OF DIMERIC Co(II) AND Ni(II) COMPLEXES CONTAINIGN N,N'-(PHENYL-2-PYRIDINYLMETHYLENE)-3,3',5,5'-TETRAMETHYLBENZIDINE. Chinese Journal of Polymer Science (English Edition), 2008, 26, 539. | 2.0 | 9 |
| 467 | Quinolylâ€Amidinates Chelating Bimetallic Magnesium and Mononuclear Aluminum Complexes for <i>lµ</i> i>a€Caprolactone Polymerization. ChemistrySelect, 2016, 1, 5660-5665. | 0.7 | 9 |
| 468 | Dinuclear nickel(II) chlorides bearing N,N′-bis(5,6,7-trihydroquinolin-8-ylidene)-[1,1′-biphenyl]-4,4′-diamines: Synthesis and ethylene polymerization. Chinese Journal of Polymer Science (English Edition), 2018, 36, 207-213. | 2.0 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 469 | Chromium ethylene polymerization catalysts bearing sterically enhanced $\hat{l}\pm,\hat{l}\pm\hat{a}\in^2$ -bis(imino)-2,3:5,6-bis(pentamethylene)pyridines: Tuning activity and molecular weight. Polymer, 2019, 171, 87-95. | 1.8 | 9 |
| 470 | Potassium N-arylbenzimidates as readily accessible and benign (pre)catalysts for the ring opening polymerization of $\hat{l}\mu$ -CL and L-LA. Molecular Catalysis, 2020, 498, 111280. | 1.0 | 9 |
| 471 | Bimetallic aluminum complexes bearing novel spiro-phenanthrene-monoketone/OH derivatives: synthesis, characterization and the ring-opening polymerization of $\hat{l}\mu$ -caprolactone. RSC Advances, 2021, 11, 13274-13281. | 1.7 | 9 |
| 472 | Synthesis of Enantiopure Hydrocarbon Cages Based on an Optically Resolved <i>C</i> ₃ -Symmetric Triaminotribenzotriquinacene. Organic Letters, 2021, 23, 1478-1483. | 2.4 | 9 |
| 473 | Thermally resilient cobalt ethylene polymerization catalysts under the joint influence of co-catalyst, gem-dimethyl substitution and ortho-cycloalkyl ring size. Polymer, 2021, 222, 123684. | 1.8 | 9 |
| 474 | Achieving polydispersive HDPE by $\langle i \rangle N \langle i \rangle, \langle i \rangle N \langle i \rangle$. Co precatalysts appended with $\langle i \rangle N \langle i \rangle$ -2,4-bis (di (4-methoxyphenyl) methyl)-6-methyl phenyl. RSC Advances, 2020, 10, 43400-43411. | 1.7 | 9 |
| 475 | Direct synthesis of ring-fused quinolines and pyridines catalyzed by $\langle i\rangle NN\langle i\rangle \langle i\rangle H\langle i\rangle \langle i\rangle V\langle i\rangle V(i) = NR\langle i\rangle V(i) V(i) V(i) V(i) V(i) V(i) V(i) V(i)$ | 2.1 | 9 |
| 476 | Formation of carbene and cyclopentadienyl ligands from phenylacetylene via oligomerisation and CC bond scission at a mixed-metal W–Co centre. Chemical Communications, 2000, , 1313-1314. | 2.2 | 8 |
| 477 | Synthesis and circular dichroism spectra of silver(I) complexes with R,R-DIOP (4R,5R-trans-4,5-bis[(diphenylphosphino)methyl]-2,2-dimethyl-1,3-dioxalane): crystal structures of [AgCl(R,R-DIOP)]2·2CHCl3, {[AgBr(R,R-DIOP)]2}2·CH2Cl2·2H2O, [AgI(R,R-DIOP)]2 and [AgSCN(R,R-DIOP)]2. lournal of Organometallic Chemistry, 2001, 640, 57-64. | 0.8 | 8 |
| 478 | Combination of 8-aminoquinoline nickel dichloride and Cp2ZrCl2 catalysts for ethylene polymerization. Polymer International, 2001, 50, 1275-1278. | 1.6 | 8 |
| 479 | Tridentate NˆNˆN iron(II) and cobalt(II) complexes of ion-paired structures: Synthesis, characterization and magnetism. Journal of Molecular Structure, 2008, 890, 95-100. | 1.8 | 8 |
| 480 | Synthesis of novel chiral bisoxazoline ligands with a spiro [4,4]-1,6-nonadiene skeleton. Science Bulletin, 2010, 55, 2840-2846. | 1.7 | 8 |
| 481 | Synthesis of chiral 1,3-bis(1-(diarylphosphoryl)ethyl)-benzenes via Ir-catalyzed double asymmetric hydrogenation of bis(diarylvinylphosphine oxides). Science China Chemistry, 2014, 57, 1073-1078. | 4.2 | 8 |
| 482 | Magnesium and aluminum complexes bearing bis (5,6,7-trihydro quinolyl)-fused benzodiazepines for $\hat{l}\mu$ -caprolactone polymerization. Inorganic Chemistry Frontiers, 2016, 3, 1317-1325. | 3.0 | 8 |
| 483 | $\label{eq:cu} Cu(\scp>i)/\{Nb6O19\}\ catalyzed N-acylation of arylacetic acids with amines under aerobic conditions. Chemical Communications, 2018, 54, 12471-12474.$ | 2.2 | 8 |
| 484 | The Catalytic Activities of Carbocyclic Fused Pyridineimine Nickel Complexes Analogues in Ethylene Polymerization by Modeling Study. Catalysts, 2019, 9, 520. | 1.6 | 8 |
| 485 | Producing highly linear polyethylenes by using t â€butylâ€functionalized 2,6â€bis(imino)pyridylchromium(III) chlorides. Journal of Polymer Science Part A, 2019, 57, 1049-1058. | 2.5 | 8 |
| 486 | Development of Chiral Spiro Phosphoramidites for Rhodium atalyzed Enantioselective Reactions. Chemistry - A European Journal, 2019, 25, 9491-9497. | 1.7 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 487 | Chiral Binaphthyl Box-Copper-Catalyzed Enantioselective Tandem Michael–Ketalization Annulations for Optically Active Aryl and Heteroaryl Fused Bicyclicnonanes. Organic Letters, 2020, 22, 3936-3941. | 2.4 | 8 |
| 488 | Box-copper catalyzed asymmetric inverse-electron-demand oxa-hetero-Diels–Alder reaction for efficient synthesis of spiro pyranyl-oxindole derivatives. Organic Chemistry Frontiers, 2021, 8, 2009-2018. | 2.3 | 8 |
| 489 | Doubly fused $\langle i \rangle N \langle i \rangle, \langle i \rangle N \langle i \rangle, \langle i \rangle N \langle i \rangle$ -iron ethylene polymerization catalysts appended with fluoride substituents; probing catalytic performance $\langle i \rangle via \langle i \rangle$ a combined experimental and MLR study. Catalysis Science and Technology, 2021, 11, 4605-4618. | 2.1 | 8 |
| 490 | Rational Design of Cycloheptylâ€Fused Bis(arylimino)pyridylâ€cobalt(II) Precatalysts Adorned with Sterically and Electronically Modified <i>N</i> â€Aryls for Enhancing Ethylene Polymerization. European Journal of Inorganic Chemistry, 2021, 2021, 720-733. | 1.0 | 8 |
| 491 | The Quantitative Influence of Coordinated Halogen Atoms on the Catalytic Performance of Bisiminoacenaphthylnickel Complexes in Ethylene Polymerization. ChemPhysChem, 2021, 22, 585-592. | 1.0 | 8 |
| 492 | Resin Transfer Moldable Fluorinated Phenylethynyl-Terminated Imide Oligomers with High Tg: Structure–Melt Stability Relationship. Polymers, 2021, 13, 903. | 2.0 | 8 |
| 493 | Enhancing Performance of a Bis(arylimino)pyridineâ€iron Precatalyst for Ethylene Polymerization by Substitution with a 2,4â€Bis(4,4′â€dimethoxybenzhydryl)â€6â€methylphenyl Group. European Journal of Inorganic Chemistry, 2021, 2021, 1571-1580. | 1.0 | 8 |
| 494 | Methyleneâ€bridged bis(8â€arylimino)â€5,6,7â€trihydroâ€quinolylinickel precatalysts for ethylene polymerization. Journal of Polymer Science, 2020, 58, 1675-1686. | 2.0 | 8 |
| 495 | Ring size enlargement in an <i>ortho</i> òâ€cycloalkylâ€substituted bis(imino)pyridineâ€cobalt ethylene polymerization catalyst and its impact on performance and polymer properties. Applied Organometallic Chemistry, 2022, 36, e6529. | 1.7 | 8 |
| 496 | Syntheses and structures of (î·5-C5H4CH3)MoFeCo(CO)8(î¾3-S) and (î·5-C5H4CH3)2Mo2Fe(CO)7(î¾3-S): meta exchange with electrophilic additionâ€"elimination via substitution. Polyhedron, 1994, 13, 389-394. | 1.0 | 7 |
| 497 | Synthesis, characterization and structure of a new $\hat{l}/4$ 4-S cluster [($\hat{l}\cdot$ 5-C5H5)Fe3Co(CO)11($\hat{l}/4$ 4-S)]. Polyhedron, 1996, 15, 4169-4172. | 1.0 | 7 |
| 498 | Synthesis of three-membered metallaphosphaheterocycles and their ring opening with Ph2PH on mixed-metal molybdenum–cobalt centres â€. Dalton Transactions RSC, 2000, , 3331-3339. | 2.3 | 7 |
| 499 | Half-Titanocene chlorides 2-(benzimidazol-2-yl)quinolin-8-olates: Synthesis, characterization and ethylene (co-)polymerization behavior. Chinese Journal of Polymer Science (English Edition), 2013, 31, 601-609. | 2.0 | 7 |
| 500 | Synthesis of indoles from aroyloxycarbamates with alkynes <i>via</i> decarboxylation/cyclization. Organic and Biomolecular Chemistry, 2018, 16, 2421-2426. | 1.5 | 7 |
| 501 | Achievement of strictly linear ultra-high molecular weight polyethylene with narrow dispersity by dint of nitro-enhanced 2,6-bis(imino)pyridylchromium chloride complexes. New Journal of Chemistry, 2019, 43, 11307-11315. | 1.4 | 7 |
| 502 | Norbornadiene homopolymerization and norbornene/norbornadiene/1-octene terpolymerization by <i>ansa</i> -fluorenylamidotitanium-based catalysts. Polymer Chemistry, 2020, 11, 6803-6810. | 1.9 | 7 |
| 503 | 2-(<i>N</i> , <i>N</i> -0iethylaminomethyl)-6,7-trihydroquinolinyl-8-ylideneamine-Ni(<scp>ii</scp>) chlorides: application in ethylene dimerization and trimerization. New Journal of Chemistry, 2020, 44, 17047-17052. | 1.4 | 7 |
| 504 | Prediction of catalytic activities of bis(imino)pyridine metal complexes by machine learning. Journal of Computational Chemistry, 2020, 41, 1064-1067. | 1.5 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----------------|--------------|
| 505 | Fluorinated 2,6-bis(arylimino)pyridyl iron complexes targeting bimodal dispersive polyethylenes: probing chain termination pathways <i>via</i> a combined experimental and DFT study. Dalton Transactions, 2022, 51, 8290-8302. | 1.6 | 7 |
| 506 | Polyethylene Waxes with Short Chain Branching via Steric and Electronic Tuning of an 8-(Arylimino)-5,6,7-trihydroquinoline-nickel Catalyst. Organometallics, 2022, 41, 3197-3211. | 1.1 | 7 |
| 507 | Modulating Thermostability and Productivity of Benzhydrylâ€Substituted Bis(imino)pyridineâ€ron C ₂ H ₄ Polymerization Catalysts through <i>ortho</i> _n H _{2nâ^1} (n=5, 6, 8, 12) Ring Size Adjustment. European Journal of Inorganic Chemistry, 2022, 2022, . | 1.0 | 7 |
| 508 | Chiral oxamide–phosphine–palladium catalyzed highly asymmetric allylic amination: carbonyl assistance for high regio- and enantiocontrols. Organic Chemistry Frontiers, 2022, 9, 3976-3989. | 2.3 | 7 |
| 509 | Synthesis and Structural Characterization of the .mu.4-S Heterometallic Cluster (.eta.5-C5H4CH3)Fe3Co(.mu.4-S)(CO)11. Organometallics, 1994, 13, 2910-2912. | 1.1 | 6 |
| 510 | The Synthesis of New Asymmetric Double Schiff Bases Containing a Newoâ€Amino Benzoic Acid Derivative. Synthetic Communications, 2004, 34, 3235-3242. | 1.1 | 6 |
| 511 | Reaction of zirconacyclopentadienes with electrophiles such as benzaldehyde, methyl methacrylate and 1-bromo-2-butyne after treatment with RLi. Tetrahedron Letters, 2004, 45, 9041-9043. | 0.7 | 6 |
| 512 | An Improved Synthetic Protocol and Plausible Mechanism in Forming Acetylpyridines from 2,6-Dicarbethoxypyridine. Letters in Organic Chemistry, 2008, 5, 296-299. | 0.2 | 6 |
| 513 | Synthesis, characterization, and the ethylene (co-)polymerization behaviour of half-titanocene dichloride 2-aryliminoquinolin-8-olates. Catalysis Science and Technology, 2012, 2, 2090. | 2.1 | 6 |
| 514 | Catalytic behavior of Co(II) complexes with $2\hat{a} \in (benzimidazolyl) \hat{a} \in 6\hat{a} \in (1\hat{a} \in (arylimino)ethyl)$ pyridine ligands on isoprene stereospecific polymerization. Journal of Applied Polymer Science, 2014, 131, . | 1.3 | 6 |
| 515 | Zinc 2-((2-(benzoimidazol-2-yl)quinolin-8-ylimino)methyl)phenolates: Synthesis, characterization and photoluminescence behavior. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 118, 1047-1055. | 2.0 | 6 |
| 516 | Half-titanocene 5-t-butyl-2-(1-(arylimino)methyl)quinolin-8-olate chlorides: Synthesis, characterization and ethylene (co-)polymerization behavior. Journal of Organometallic Chemistry, 2014, 753, 34-41. | 0.8 | 6 |
| 517 | Structure and spectral and luminescence properties of the trinuclear zinc complex with (E)-5-((2,6-diethylphenylimino)methyl)-2-methylquinolin-8-ol: Experimental and DFT study. Russian Journal of Inorganic Chemistry, 2015, 60, 1560-1567. | 0.3 | 6 |
| 518 | Highly enantio- and diastereoselective reductive aldol reactions catalyzed by chiral spiro bisphosphine oxides. Chinese Journal of Catalysis, 2015, 36, 100-105. | 6.9 | 6 |
| 519 | Bis(iminopyridyl)phthalazine as a sterically hindered compartmental ligand for an M2 (M=Co, Ni, Fe,) Tj ETQq1 1 (| 0.784314 1.2 | rgBT /Overlo |
| 520 | Lithium Quinolylâ€Amidinates Efficiently Promoting Ringâ€Opening Polymerization of εâ€Caprolactone: Synthesis and ⁷ Li NMR Spectroscopic Studies. European Journal of Inorganic Chemistry, 2017, 2053-2660. | 1.0 | 6 |
| 521 | Oxo-bridged azaallylzirconium complexes: Synthesis, characterization and ethylene polymerization behavior. Inorganica Chimica Acta, 2017, 466, 497-501. | 1.2 | 6 |
| 522 | Base-Mediated Intramolecular Decarboxylative Synthesis of Alkylamines from Alkanoyloxycarbamates. Journal of Organic Chemistry, 2018, 83, 8233-8240. | 1.7 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|------------|-----------|
| 523 | An air and moisture tolerant iminotrihydroquinoline-ruthenium(ii) catalyst for the transfer hydrogenation of ketones. Dalton Transactions, 2018, 47, 8738-8745. | 1.6 | 6 |
| 524 | Comparison of the Reactivity and Structures for the Neutral and Cationic Bis(imino)pyridyl Iron and Cobalt Species by DFT Calculations. Catalysts, 2020, 10, 1396. | 1.6 | 6 |
| 525 | The chloroâ€substituent enhances performance of 2,4â€bis (imino)pyridylchromium catalysts yielding highly linear polyethylene. Applied Organometallic Chemistry, 2020, 34, e5471. | 1.7 | 6 |
| 526 | Revisiting the 2-imino-1,10-phenanthrolylmetal precatalyst in ethylene oligomerization: Benzhydryl-modified cobalt(II) complexes and their dimerization of ethylene. Polyhedron, 2021, 193, 114865. | 1.0 | 6 |
| 527 | Formation of branched polyethylenes by ethylene homopolymerization using <scp>LNiBr₂</scp> homo―and heterogeneous precatalysts: Interpretation of the polymer structures in comparison with commercial <scp>LLDPE</scp> . Journal of Applied Polymer Science, 2021. 138. 50436. | 1.3 | 6 |
| 528 | Nature of Heterobinuclear Ni(l) Complexes Formed upon the Activation of the $\hat{l}\pm$ -Diimine Complex LNillBr2 with AlMe3 and MMAO. Organometallics, 2021, 40, 907-914. | 1.1 | 6 |
| 529 | α,α'â€Bis (imino)â€2,3:5,6â€bis (pentamethylene)pyridines appended with benzhydryl and cycloalkyl substituent Probing their effectiveness as tunable <i>N,N,Nâ€</i> supports for cobalt ethylene polymerization catalysts. Applied Organometallic Chemistry, 2021, 35, e6429. | ts: 1.7 | 6 |
| 530 | Synthesis and characterization of Cp*MCpWFe(CO)7($\hat{l}\frac{1}{4}$ 3-S) (Cp*=C5H5, C5H4CH3; Cp=C5H5; M=W, Mo) and crystal structure of (\hat{l} -5-C5H5)W(\hat{l} -5-C5H4CH3)WFe(CO)7($\hat{l}\frac{1}{4}$ 3-S). Polyhedron, 1999, 18, 1541-1544. | 1.0 | 5 |
| 531 | Isomerisation and fragmentation of sulfur-containing organometallacycles on dicobalt centres induced by phosphorus donor ligands. Dalton Transactions RSC, 2001, , 202-210. | 2.3 | 5 |
| 532 | Ethylene Polymerization Using (Imino)vanadium(V) Dichloride Complexes Containing (Anilido)methyl-pyridine, -quinoline Ligands–Halogenated Al Alkyls Catalyst Systems. Catalysts, 2013, 3, 148-156. | 1.6 | 5 |
| 533 | Synthesis and characterization of titanium complexes bearing sulfoxide groups and their catalytic behaviors in ethylene homo- and copolymerization. Science China Chemistry, 2014, 57, 1144-1149. | 4.2 | 5 |
| 534 | Alkyl substituents triggered an unexpected formation of monoâ€and dinuclear zirconium hydrazonate complexes: synthesis, characterization and their catalytic behavior toward ethylene polymerization. Applied Organometallic Chemistry, 2020, 34, e5586. | 1.7 | 5 |
| 535 | Boosting activity, thermostability, and lifetime of iron ethylene polymerization catalysts through gem â€dimethyl substitution and incorporation of ortho â€cycloalkyl substituents. Applied Organometallic Chemistry, 2021, 35, e6376. | 1.7 | 5 |
| 536 | Investigating the Effects of Para-methoxy Substitution in Sterically Enhanced Unsymmetrical Bis(arylimino)pyridine-cobalt Ethylene Polymerization Catalysts. Chinese Journal of Polymer Science (English Edition), 2022, 40, 266-279. | 2.0 | 5 |
| 537 | Nickel(II) complexes with sterically hindered 5,6,7â€trihydroquinoline derivatives selectively dimerizing ethylene to 1â€butene. Applied Organometallic Chemistry, 0, , . | 1.7 | 5 |
| 538 | Phenoxy-imine/-amide aluminum complexes with pendant or coordinated pyridine moieties: Solvent effects on structural type and catalytic capability for the ROP of cyclic esters. Polymer, 2022, 242, 124602. | 1.8 | 5 |
| 539 | Synthesis and x-ray crystal structure of Fe2Co[\hat{l} $\frac{1}{4}$ 3-SFe(CO)2(\hat{l} -5-C5H4CH3)](CP)9: the \hat{l} $\frac{1}{4}$ 4-S heterometallic cluster as an example of an intermediate in electrophilic addition-substituent elimination. Polyhedron, 1994, 13, 851-853. | 1.0 | 4 |
| 540 | Synthesis and characterisation of dibenzofuran derivatives. Journal of Chemical Research, 2003, 2003, 734-735. | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|-------------|
| 541 | Copolymerization of cyclopentadiene with styrene by methylaluminoxane catalyst. Polymers for Advanced Technologies, 2006, 17, 486-490. | 1.6 | 4 |
| 542 | Synthesis and Characterization of 2,6â€Bis(imino)phenoxy Cobalt Complexes. Chinese Journal of Chemistry, 2002, 20, 1523-1528. | 2.6 | 4 |
| 543 | General regioselective synthesis and crystal structure of racemic 5-substituted 2,2-dimethyl-3-hydroxyimidazolidin-4-ones. Mendeleev Communications, 2010, 20, 106-108. | 0.6 | 4 |
| 544 | Ethylene polymerization with homogeneous and heterogeneous catalysts based on bis(4â€fluorophenyl)methylâ€substituted bis(imino)pyridyliron complexes. Journal of Applied Polymer Science, 2015, 132, . | 1.3 | 4 |
| 545 | Resonance Raman spectroscopy as an in situ probe for monitoring catalytic events in a Ru–porphyrin mediated amination reaction. Analyst, The, 2016, 141, 3050-3058. | 1.7 | 4 |
| 546 | NNpyC- and ONpyC-Pincers as functional ligands for palladium(II) complexes and assemblies. Journal of Organometallic Chemistry, 2017, 851, 254-264. | 0.8 | 4 |
| 547 | Vanadium NMR Chemical Shifts of (Imido)vanadium(V) Dichloride Complexes with Imidazolin-2-iminato and Imidazolidin-2-iminato Ligands: Cooperation with Quantum-Chemical Calculations and Multiple Linear Regression Analyses. Journal of Physical Chemistry A, 2017, 121, 9099-9105. | 1.1 | 4 |
| 548 | Effect of cycloalkyl-fused ring on the catalytic performance of bis(imino)pyridine metal complexes by QSPR modeling. Catalysis Communications, 2019, 132, 105820. | 1.6 | 4 |
| 549 | The benzhydryl-modified 2-imino-1,10-phenanthrolyliron precatalyst in ethylene oligomerization. Journal of Organometallic Chemistry, 2021, 936, 121713. | 0.8 | 4 |
| 550 | Rational design and synthesis of AIE active cationic Ir(III) complexes featuring iminopyridine ligand with dibenzosuberane core. Journal of Organometallic Chemistry, 2021, 939, 121770. | 0.8 | 4 |
| 551 | Investigating Branched Polyethylene Sensors for Applications in Prosthetics. Macromolecular Chemistry and Physics, 2021, 222, 2100206. | 1.1 | 4 |
| 552 | Naphthalenylâ€Substituted α,α′â€Bisiminoâ€2,3 : 5,6â€Bis(pentamethylene)pyridines as Thermally for Iron Ethylene Polymerization Catalysts. European Journal of Inorganic Chemistry, 2021, 2021, 4530-4538. | Robust Su 1.0 | pports 4 |
| 553 | Synthesis and X-ray structure of dichlorobis(8-(diphenylphosphinyl)quinoline)nickel(II). Journal of Chemical Crystallography, 2002, 32, 107-111. | 0.5 | 3 |
| 554 | Functionalised dien ligands of the type (ArNHCH2CH2)2NR [R=Me, (2-C5H4N)CH2] and their complexes with iron and cobalt halides. Polyhedron, 2005, 24, 2017-2026. | 1.0 | 3 |
| 555 | Dinuclear chloroneodymium quinolinylcarboxylates: The molecular structures affected by water and the catalytic behavior toward isoprene polymerization. Inorganica Chimica Acta, 2016, 453, 589-595. | 1.2 | 3 |
| 556 | Ligand and solvent control of selectivity in the C–H activation of a pyridylimine-substituted 1-naphthalene; a combined synthetic and computational study. Dalton Transactions, 2018, 47, 11680-11690. | 1.6 | 3 |
| 557 | Aza-crown compounds synthesised by the self-condensation of 2-amino-benzyl alcohol over a pincer ruthenium catalyst and applied in the transfer hydrogenation of ketones. Dalton Transactions, 2020, 49, 15821-15827. | 1.6 | 3 |
| 558 | Synthesis of protected \hat{l}_{\pm} -amino acids via decarboxylation amination from malonate derivatives. Organic and Biomolecular Chemistry, 2020, 18, 4439-4446. | 1.5 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 559 | Catalytic Performance of Cycloalkyl-Fused Aryliminopyridyl Nickel Complexes toward Ethylene Polymerization by QSPR Modeling. Catalysts, 2021, 11, 920. | 1.6 | 3 |
| 560 | Tridentate P^N^P Chromium Complexes: Synthesis, Character-ization and Their Ethylene Oligomerization and Polymerization. Chinese Journal of Organic Chemistry, 2013, 33, 808. | 0.6 | 3 |
| 561 | Sterically enhanced 2â€iminopyridylpalladium chlorides as recyclable ppmâ€palladium catalyst for Suzuki–Miyaura coupling in aqueous solution. Applied Organometallic Chemistry, 0, , e6474. | 1.7 | 3 |
| 562 | Efficient base-free hydrodehalogenation of organic halides catalyzed by a well-defined diphosphine-ruthenium(II) complex. Molecular Catalysis, 2021, 516, 111953. | 1.0 | 3 |
| 563 | Fluorinated bis(arylimino)â€6,7â€dihydroâ€5 H â€quinolineâ€cobalt polymerization catalysts: Electronic versus steric modulation in the formation of vinylâ€terminated linear PE waxes. Applied Organometallic Chemistry, 0, , e6500. | 1.7 | 3 |
| 564 | Bis(imino)-6,7-dihydro-5H-quinoline-cobalt complexes as highly active catalysts for the formation of vinyl-terminated PE waxes; steps towards inhibiting deactivation pathways through targeted ligand design. RSC Advances, 2021, 11, 39869-39878. | 1.7 | 3 |
| 565 | Kinetic Insights into Cyanosilylation of Aldehydes Catalyzed by a Covalently Bridged Dinuclear (Salen)titanium Complex. Asian Journal of Organic Chemistry, 2022, 11, . | 1.3 | 3 |
| 566 | 4,4′-Dimethoxybenzhydryl substituent augments performance of bis(imino)pyridine cobalt-based catalysts in ethylene polymerization. RSC Advances, 2022, 12, 15741-15750. | 1.7 | 3 |
| 567 | Title is missing!. Transition Metal Chemistry, 1997, 22, 176-179. | 0.7 | 2 |
| 568 | Title is missing!. Transition Metal Chemistry, 2000, 25, 108-111. | 0.7 | 2 |
| 569 | Bis(2,6-(2′,6′-diisoproylanil)diformyl-4-chloro-phenolate) nickel(II). Journal of Chemical Crystallography, 2003, 33, 159-163. | 0.5 | 2 |
| 570 | Synthesis, Characterization and Ethylene Reactivity of 2-Ester-6-iminopyridyl Metal Complexes. Studies in Surface Science and Catalysis, 2006, 161, 141-146. | 1.5 | 2 |
| 571 | Synthesis and properties of alternating copolymers of carbon monoxide with 5-vinyl-2-norbornene. Polymer Science - Series A, 2006, 48, 462-469. | 0.4 | 2 |
| 572 | Synthesis and characterization of tris(η5-cyclopentadienyl-μ-carbonyliron)-μ3-nitrosyl cluster: X-ray structure of [(η5-C5H5)(μ-CO)Fe]3(μ3-NO)·C4H8O. Chinese Journal of Chemistry, 2010, 12, 123-128. | 2.6 | 2 |
| 573 | Synthesis, characterization and fluorescent properties of 5-(aryliminomethyl)quinaldine-8-ol derivatives and their trinuclear zinc complexes. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 128, 790-797. | 2.0 | 2 |
| 574 | Unifying Molecular Weights of Highly Linear Polyethylene Waxes through Unsymmetrical 2,4-Bis(imino)pyridylchromium Chlorides. Molecules, 2020, 25, 5584. | 1.7 | 2 |
| 575 | New family of single-component Ni catalysts for ethylene polymerization to high and ultrahigh molecular weight polyethylene. Science China Chemistry, 2020, 63, 753-754. | 4.2 | 2 |
| 576 | Structural diversity in substituted aminosilylâ€aminopyridinate metal (Zr or Fe) complexes: Synthesis, structures, and ethylene polymerization. Applied Organometallic Chemistry, 2021, 35, e6240. | 1.7 | 2 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 577 | Exploring an aggregation induced emission behaviour of neutral iridium complexes consisting of salicylaldimine ligand with dibenzosuberane core. Journal of Organometallic Chemistry, 2021, 949, 121954. | 0.8 | 2 |
| 578 | Cationic iridium (III) complexes bearing fluorinated Ar-BIAN ligands: Synthesis, structure, electronic, and electrochemical properties. Journal of Organometallic Chemistry, 2021, 951, 122002. | 0.8 | 2 |
| 579 | Syntheses and X-ray structures of new phenoxy imino compounds. Journal of Chemical Crystallography, 2003, 33, 187-193. | 0.5 | 1 |
| 580 | Combined polymerization catalysis of nickel complex and zirconocene for branched polyethylene. Open Chemistry, 2003, 1, 325-338. | 1.0 | 1 |
| 581 | Novel Heterometallic Polymers Induced by Host-Guest Cations: X-ray Structures of [(18-crown-6)KAgWS4]n and [{ (18-crown-6)Ba(DMF)4}(Ag2W2S8)]n. Supramolecular Chemistry, 2003, 15, 127-132. | 1.5 | 1 |
| 582 | Vinyl Polymerization of Norbornene over Supported Nickel Catalyst. Studies in Surface Science and Catalysis, 2006, , 209-212. | 1.5 | 1 |
| 583 | Nitrosyl Complexes. 6. Reactions of Na[Fe(CO)3NO] with Cp*M(CO)3Cl (Cp*= \hat{i} -5 \hat{a} -'CH3C5H4, M = Mo or W): Crystal structures of Cp*M(CO)2NO and Cp*M(\hat{i} -43-NH)(\hat{i} -42-NO)(\hat{i} -42-CO)Fe2(CO)6. Chinese Journal of Chemistry, 2010, 11, 151-158. | 2.6 | 1 |
| 584 | The 60th Birthday of Prof. Minoru Terano. Macromolecular Chemistry and Physics, 2014, 215, 1696-1697. | 1.1 | 1 |
| 585 | Arylimido zirconium and titanium complexes: characteristic structures and application in ethylene polymerization. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2016, 71, 1019-1023. | 0.3 | 1 |
| 586 | Integrating Ringâ€Size Adjustable Cycloalkyl and Benzhydryl Groups as the Steric Protection in Bis(arylimino)trihydroquinolineâ€Cobalt Catalysts for Ethylene Polymerization. European Journal of Inorganic Chemistry, 2021, 2021, 3956. | 1.0 | 1 |
| 587 | Ethylene Polymerization by 2-Methyl-8-(benzimidazol)quinolyliron(II) Pre-Catalyst: a DFT Understanding its Chain Propagation and Transfer. Journal of the Brazilian Chemical Society, 2014, , . | 0.6 | 1 |
| 588 | {Di-ν-bromotetra [N,N′-bis(3,5-dimethylanil)-4-methyl-2,6-bis(imino)phenoxy]-dinickel}bromide. Transition Metal Chemistry, 2002, 27, 844-848. | 0.7 | 0 |
| 589 | Reaction of Zirconacyclopentadienes with Electrophiles such as Benzaldehyde, Methyl Methacrylate and 1-Bromo-2-butyne After Treatment with RLi ChemInform, 2005, 36, no. | 0.1 | 0 |
| 590 | Iron(II) Complexes Ligated with 2-Imino-1,10-Phenanthroline for Ethylene Activation. Studies in Surface Science and Catalysis, 2006, 161, 87-94. | 1.5 | 0 |
| 591 | Solventâ€Free Syntheses of Salicylaldimines Assisted by Microwave Irradiation ChemInform, 2002, 33, 110-110. | 0.1 | 0 |
| 592 | Reaction of 9-trimethylsilylfluorenyllithium with nitriles: Organolithium compounds. Inorganic Chemistry Communication, 2011, 14, 235-237. | 1.8 | 0 |
| 593 | Observation and analysis of abnormal absorption signals in laser flash photolysis measurement. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2013, 105, 569-576. | 2.0 | 0 |
| 594 | Azasilicon-bridged heterocyclic arylamines: syntheses, structures and photophysical properties. New Journal of Chemistry, 2018, 42, 3102-3111. | 1.4 | 0 |

ARTICLE

Crystal structure of (acetonitrile-κN)iodido(2-(naphthalen-1-yl)-6-{1-[(2,4,6-trimethylphenyl)imino]ethyl}pyridine-κ2N,N′)copper(l). 0.2 O Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 1845-1847.