

Athina Anastasaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5561376/publications.pdf>

Version: 2024-02-01

115
papers

7,640
citations

34016

52
h-index

54797

84
g-index

125
all docs

125
docs citations

125
times ranked

3708
citing authors

#	ARTICLE	IF	CITATIONS
1	Concurrent control over sequence and dispersity in multiblock copolymers. <i>Nature Chemistry</i> , 2022, 14, 304-312.	6.6	58
2	Transformer-Induced Metamorphosis of Polymeric Nanoparticle Shape at Room Temperature. <i>Angewandte Chemie - International Edition</i> , 2022, 61, e202113424.	7.2	24
3	Transformer-Induced Metamorphosis of Polymeric Nanoparticle Shape at Room Temperature. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	7
4	A general model for the ideal chain length distributions of polymers made with reversible deactivation. <i>Polymer Chemistry</i> , 2022, 13, 898-913.	1.9	6
5	Reversing RAFT Polymerization: Near-Quantitative Monomer Generation Via a Catalyst-Free Depolymerization Approach. <i>Journal of the American Chemical Society</i> , 2022, 144, 4678-4684.	6.6	91
6	Controlling polymer dispersity using switchable RAFT agents: Unravelling the effect of the organic content and degree of polymerization. <i>European Polymer Journal</i> , 2022, 174, 111326.	2.6	13
7	Photoinduced Iron-Catalyzed ATRP of Renewable Monomers in Low-Toxicity Solvents: A Greener Approach. <i>ACS Macro Letters</i> , 2022, 11, 841-846.	2.3	25
8	Controlling size, shape, and charge of nanoparticles via low-energy miniemulsion and heterogeneous RAFT polymerization. <i>European Polymer Journal</i> , 2022, 176, 111417.	2.6	9
9	Oxygen tolerant, photoinduced controlled radical polymerization approach for the synthesis of <i>giant amphiphiles</i>. <i>Polymer Chemistry</i> , 2021, 12, 2228-2235.	1.9	18
10	Controlling dispersity in aqueous atom transfer radical polymerization: rapid and quantitative synthesis of one-pot block copolymers. <i>Chemical Science</i> , 2021, 12, 14376-14382.	3.7	22
11	Low ppm CuBr-Triggered Atom Transfer Radical Polymerization under Mild Conditions. <i>Macromolecules</i> , 2021, 54, 3075-3083.	2.2	19
12	Understanding dispersity control in photo-atom transfer radical polymerization: Effect of degree of polymerization and kinetic evaluation. <i>Journal of Polymer Science</i> , 2021, 59, 2502.	2.0	11
13	Precise Control of Both Dispersity and Molecular Weight Distribution Shape by Polymer Blending. <i>Angewandte Chemie</i> , 2021, 133, 19532-19537.	1.6	6
14	Precise Control of Both Dispersity and Molecular Weight Distribution Shape by Polymer Blending. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 19383-19388.	7.2	40
15	Shape-Controlled Nanoparticles from a Low-Energy Nanoemulsion. <i>Jacs Au</i> , 2021, 1, 1975-1986.	3.6	16
16	Tailoring polymer dispersity by mixing ATRP initiators. <i>Polymer Chemistry</i> , 2021, 12, 5583-5588.	1.9	22
17	A comparison of RAFT and ATRP methods for controlled radical polymerization. <i>Nature Reviews Chemistry</i> , 2021, 5, 859-869.	13.8	153
18	Tuning Ligand Concentration in Cu(0)-RDRP: A Simple Approach to Control Polymer Dispersity. <i>ACS Polymers Au</i> , 2021, 1, 187-195.	1.7	17

#	ARTICLE	IF	CITATIONS
19	Ubiquitous Nature of Rate Retardation in Reversible Addition–Fragmentation Chain Transfer Polymerization. <i>Journal of the American Chemical Society</i> , 2021, 143, 17769-17777.	6.6	32
20	Elucidating the effect of sequence and degree of polymerization on antimicrobial properties for block copolymers. <i>Polymer Chemistry</i> , 2020, 11, 84-90.	1.9	31
21	Conformationally tuned antibacterial oligomers target the peptidoglycan of Gram-positive bacteria. <i>Journal of Colloid and Interface Science</i> , 2020, 580, 850-862.	5.0	24
22	Tailoring polymer dispersity by mixing chain transfer agents in PET-RAFT polymerization. <i>Polymer Chemistry</i> , 2020, 11, 4968-4972.	1.9	60
23	Architecture Effects in Complex Spherical Assemblies of (AB) _n -Type Block Copolymers. <i>ACS Macro Letters</i> , 2020, 9, 1745-1752.	2.3	34
24	Tailoring Polymer Dispersity by RAFT Polymerization: A Versatile Approach. <i>CheM</i> , 2020, 6, 1340-1352.	5.8	125
25	Investigating Temporal Control in Photoinduced Atom Transfer Radical Polymerization. <i>Macromolecules</i> , 2020, 53, 5280-5288.	2.2	47
26	Tailoring Polymer Dispersity in Photoinduced Iron-Catalyzed ATRP. <i>ACS Macro Letters</i> , 2020, 9, 459-463.	2.3	65
27	Protein-polymer bioconjugates via a versatile oxygen tolerant photoinduced controlled radical polymerization approach. <i>Nature Communications</i> , 2020, 11, 1486.	5.8	82
28	Recent Developments and Future Challenges in Controlled Radical Polymerization: A 2020 Update. <i>CheM</i> , 2020, 6, 1575-1588.	5.8	313
29	Norbornadienes: Robust and Scalable Building Blocks for Cascade “Click”-Coupling of High Molecular Weight Polymers. <i>Journal of the American Chemical Society</i> , 2019, 141, 13619-13624.	6.6	36
30	Sequence-controlled Polymers via Controlled Radical Polymerization. <i>Chimia</i> , 2019, 73, 331-331.	0.3	0
31	Tuning Dispersity by Photoinduced Atom Transfer Radical Polymerisation: Monomodal Distributions with ppm Copper Concentration. <i>Angewandte Chemie</i> , 2019, 131, 13457-13462.	1.6	27
32	Tuning Dispersity by Photoinduced Atom Transfer Radical Polymerisation: Monomodal Distributions with ppm Copper Concentration. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 13323-13328.	7.2	143
33	Photo-induced copper-RDRP in continuous flow without external deoxygenation. <i>Polymer Chemistry</i> , 2019, 10, 4402-4406.	1.9	25
34	Effect of Polymerization Components on Oxygen-Tolerant Photo-ATRP. <i>ACS Macro Letters</i> , 2019, 8, 1546-1551.	2.3	72
35	Tailoring polymer dispersity and shape of molecular weight distributions: methods and applications. <i>Chemical Science</i> , 2019, 10, 8724-8734.	3.7	145
36	Ultra-low volume oxygen tolerant photoinduced Cu-RDRP. <i>Polymer Chemistry</i> , 2019, 10, 963-971.	1.9	60

#	ARTICLE	IF	CITATIONS
37	Stability of the A15 phase in diblock copolymer melts. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 13194-13199.	3.3	130
38	Low-temperature, Rapid Copolymerization of Acrylic Acid and Sodium Acrylate in Water. Journal of Polymer Science Part A, 2019, 57, 1414-1419.	2.5	3
39	What happens in the dark? Assessing the temporal control of photo-mediated controlled radical polymerizations. Journal of Polymer Science Part A, 2019, 57, 268-273.	2.5	81
40	Scalable synthesis of an architectural library of well-defined poly(acrylic acid) derivatives: Role of structure on dispersant performance. Journal of Polymer Science Part A, 2019, 57, 716-725.	2.5	18
41	Overcoming Surfactant-Induced Morphology Instability of Noncrosslinked Diblock Copolymer Nano-Objects Obtained by RAFT Emulsion Polymerization. ACS Macro Letters, 2018, 7, 159-165.	2.3	38
42	Sequence-Controlled Methacrylic Multiblock Copolymers: Expanding the Scope of Sulfur-Free RAFT. Macromolecules, 2018, 51, 336-342.	2.2	57
43	Cu(0)-RDRP of methacrylates in DMSO: importance of the initiator. Polymer Chemistry, 2018, 9, 2382-2388.	1.9	43
44	Evolution and Future Directions of Metal-Free Atom Transfer Radical Polymerization. Macromolecules, 2018, 51, 7421-7434.	2.2	176
45	Macrocyclic Side-Chain Monomers for Photoinduced ATRP: Synthesis and Properties versus Long-Chain Linear Isomers. Macromolecules, 2018, 51, 6901-6910.	2.2	16
46	Copper-Mediated Polymerization without External Deoxygenation or Oxygen Scavengers. Angewandte Chemie, 2018, 130, 9136-9140.	1.6	25
47	Kupfervermittelte radikalische Polymerisation mit reversibler Deaktivierung in wässrigen Medien. Angewandte Chemie, 2018, 130, 10628-10643.	1.6	16
48	Cu(0)-RDRP of styrene: balancing initiator efficiency and dispersity. Polymer Chemistry, 2018, 9, 4395-4403.	1.9	18
49	Copper-Mediated Reversible Deactivation Radical Polymerization in Aqueous Media. Angewandte Chemie - International Edition, 2018, 57, 10468-10482.	7.2	70
50	Efficient Binding, Protection, and Self-Release of dsRNA in Soil by Linear and Star Cationic Polymers. ACS Macro Letters, 2018, 7, 909-915.	2.3	28
51	Copper-Mediated Polymerization without External Deoxygenation or Oxygen Scavengers. Angewandte Chemie - International Edition, 2018, 57, 8998-9002.	7.2	91
52	Tuning of protease resistance in oligopeptides through <i>N</i> -alkylation. Chemical Communications, 2018, 54, 9631-9634.	2.2	13
53	Surfactant-free RAFT emulsion polymerization using a novel biocompatible thermoresponsive polymer. Polymer Chemistry, 2017, 8, 1353-1363.	1.9	62
54	Dual-pathway chain-end modification of RAFT polymers using visible light and metal-free conditions. Chemical Communications, 2017, 53, 1888-1891.	2.2	41

#	ARTICLE	IF	CITATIONS
55	Direct access to functional (Meth)acrylate copolymers through transesterification with lithium alkoxides. <i>Journal of Polymer Science Part A</i> , 2017, 55, 1566-1574.	2.5	23
56	Light-Mediated Atom Transfer Radical Polymerization of Semi-Fluorinated (Meth)acrylates: Facile Access to Functional Materials. <i>Journal of the American Chemical Society</i> , 2017, 139, 5939-5945.	6.6	121
57	Controlled radical polymerization of vinyl ketones using visible light. <i>Polymer Chemistry</i> , 2017, 8, 3351-3356.	1.9	47
58	End group modification of poly(acrylates) obtained via ATRP: a user guide. <i>Polymer Chemistry</i> , 2017, 8, 689-697.	1.9	56
59	A di-tert-butyl acrylate monomer for controlled radical photopolymerization. <i>Journal of Polymer Science Part A</i> , 2017, 55, 801-807.	2.5	7
60	Practical Chain-End Reduction of Polymers Obtained with ATRP. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1700107.	1.1	13
61	Effects of Tailored Dispersity on the Self-Assembly of Dimethylsiloxane-Methyl Methacrylate Block Co-Oligomers. <i>ACS Macro Letters</i> , 2017, 6, 668-673.	2.3	78
62	Methacrylic block copolymers by sulfur free RAFT (SF RAFT) free radical emulsion polymerisation. <i>Polymer Chemistry</i> , 2017, 8, 1084-1094.	1.9	43
63	Universal Conditions for the Controlled Polymerization of Acrylates, Methacrylates, and Styrene via Cu(0)-RDRP. <i>Journal of the American Chemical Society</i> , 2017, 139, 1003-1010.	6.6	93
64	One-Pot Synthesis of ABCDE Multiblock Copolymers with Hydrophobic, Hydrophilic, and Semi-Fluorinated Segments. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 14483-14487.	7.2	105
65	One-Pot Synthesis of ABCDE Multiblock Copolymers with Hydrophobic, Hydrophilic, and Semi-Fluorinated Segments. <i>Angewandte Chemie</i> , 2017, 129, 14675-14679.	1.6	20
66	Rapid Visible Light-Mediated Controlled Aqueous Polymerization with In Situ Monitoring. <i>ACS Macro Letters</i> , 2017, 6, 1109-1113.	2.3	65
67	Desulfurization-bromination: direct chain-end modification of RAFT polymers. <i>Polymer Chemistry</i> , 2017, 8, 7188-7194.	1.9	16
68	Sequence-controlled methacrylic multiblock copolymers via sulfur-free RAFT emulsion polymerization. <i>Nature Chemistry</i> , 2017, 9, 171-178.	6.6	287
69	Methacrylic Zwitterionic, Thermo-responsive, and Hydrophilic (Co)Polymers via Cu(0)-Polymerization: The Importance of Halide Salt Additives. <i>Macromolecular Rapid Communications</i> , 2016, 37, 356-361.	2.0	19
70	Aqueous Copper(II) Photoinduced Polymerization of Acrylates: Low Copper Concentration and the Importance of Sodium Halide Salts. <i>Journal of the American Chemical Society</i> , 2016, 138, 7346-7352.	6.6	95
71	Controlled aqueous polymerization of acrylamides and acrylates and <i>in situ</i> -depolymerization in the presence of dissolved CO ₂ . <i>Chemical Communications</i> , 2016, 52, 6533-6536.	2.2	29
72	Well-Defined PDMAEA Stars via Cu(0)-Mediated Reversible Deactivation Radical Polymerization. <i>Macromolecules</i> , 2016, 49, 8914-8924.	2.2	39

#	ARTICLE	IF	CITATIONS
73	Facile production of nanoaggregates with tuneable morphologies from thermoresponsive P(DEGMA-co-HPMA). <i>Polymer Chemistry</i> , 2016, 7, 430-440.	1.9	74
74	Dual Stimuli-Responsive Comb Polymers from Modular <i>N</i> -Acylated Poly(aminoester)-Based Macromonomers. <i>ACS Macro Letters</i> , 2016, 5, 321-325.	2.3	32
75	Facile access to thermoresponsive filomicelles with tuneable cores. <i>Chemical Communications</i> , 2016, 52, 4497-4500.	2.2	51
76	Polymerisation of 2-acrylamido-2-methylpropane sulfonic acid sodium salt (NaAMPS) and acryloyl phosphatidylcholine (APC) via aqueous Cu(0)-mediated radical polymerisation. <i>Polymer Chemistry</i> , 2016, 7, 2452-2456.	1.9	23
77	Rapid Synthesis of Well-Defined Polyacrylamide by Aqueous Cu(0)-Mediated Reversible-Deactivation Radical Polymerization. <i>Macromolecules</i> , 2016, 49, 483-489.	2.2	67
78	Cu(0)-mediated living radical polymerization: recent highlights and applications; a perspective. <i>Polymer Chemistry</i> , 2016, 7, 1002-1026.	1.9	119
79	Discrete copper(II)-formate complexes as catalytic precursors for photo-induced reversible deactivation polymerization. <i>Polymer Chemistry</i> , 2016, 7, 191-197.	1.9	29
80	Cu(0)-Mediated Living Radical Polymerization: A Versatile Tool for Materials Synthesis. <i>Chemical Reviews</i> , 2016, 116, 835-877.	23.0	373
81	Unprecedented Control over the Acrylate and Acrylamide Polymerization in Aqueous and Organic Media. <i>ACS Symposium Series</i> , 2015, , 29-45.	0.5	3
82	Hydrosilylation as an efficient tool for polymer synthesis and modification with methacrylates. <i>RSC Advances</i> , 2015, 5, 5879-5885.	1.7	18
83	Synthesis of well-defined β -telechelic multiblock copolymers in aqueous medium: in situ generation of β -diols. <i>Polymer Chemistry</i> , 2015, 6, 2226-2233.	1.9	54
84	Photo-induced living radical polymerization of acrylates utilizing a discrete copper(II)-formate complex. <i>Chemical Communications</i> , 2015, 51, 5626-5629.	2.2	70
85	Photoinduced Synthesis of β -Telechelic Sequence-Controlled Multiblock Copolymers. <i>Macromolecules</i> , 2015, 48, 1404-1411.	2.2	97
86	Synthesis of Well-Defined Poly(acrylates) in Ionic Liquids via Copper(II)-Mediated Photoinduced Living Radical Polymerization. <i>Macromolecules</i> , 2015, 48, 5140-5147.	2.2	56
87	The effect of ligand, solvent and Cu(0) source on the efficient polymerization of polyether acrylates and methacrylates in aqueous and organic media. <i>Polymer Chemistry</i> , 2015, 6, 5940-5950.	1.9	26
88	Enlightening the Mechanism of Copper Mediated PhotoRDRP via High-Resolution Mass Spectrometry. <i>Journal of the American Chemical Society</i> , 2015, 137, 6889-6896.	6.6	113
89	Organic Arsenicals As Efficient and Highly Specific Linkers for Protein/Peptide-Polymer Conjugation. <i>Journal of the American Chemical Society</i> , 2015, 137, 4215-4222.	6.6	71
90	Copper(II) gluconate (a non-toxic food supplement/dietary aid) as a precursor catalyst for effective photo-induced living radical polymerisation of acrylates. <i>Polymer Chemistry</i> , 2015, 6, 3581-3585.	1.9	56

#	ARTICLE	IF	CITATIONS
91	Novel comb polymers from alternating N-acylated poly(aminoester)s obtained by spontaneous zwitterionic copolymerisation. <i>Chemical Communications</i> , 2015, 51, 16213-16216.	2.2	25
92	Investigating the Mechanism of Copper(0)-Mediated Living Radical Polymerization in Organic Media. <i>Macromolecules</i> , 2015, 48, 5517-5525.	2.2	50
93	Investigating the Mechanism of Copper(0)-Mediated Living Radical Polymerization in Aqueous Media. <i>Macromolecules</i> , 2015, 48, 6421-6432.	2.2	49
94	Synthesis and reactivity of β , ω -homotelechelic polymers by Cu(0)-mediated living radical polymerization. <i>European Polymer Journal</i> , 2015, 62, 294-303.	2.6	36
95	Sequence-controlled multi-block copolymerization of acrylamides via aqueous SET-LRP at 0 $^{\circ}$ C. <i>Polymer Chemistry</i> , 2015, 6, 406-417.	1.9	137
96	Sequence-Controlled Multi-Block Glycopolymers via Cu(0) Mediated Living Radical Polymerization. <i>ACS Symposium Series</i> , 2014, , 327-348.	0.5	4
97	Copper-mediated living radical polymerization (SET-LRP) of lipophilic monomers from multi-functional initiators: reducing star-coupling at high molecular weights and high monomer conversions. <i>Polymer Chemistry</i> , 2014, 5, 892-898.	1.9	52
98	Self-activation and activation of Cu(0) wire for SET-LRP mediated by fluorinated alcohols. <i>Polymer Chemistry</i> , 2014, 5, 89-95.	1.9	54
99	Multiblock sequence-controlled glycopolymers via Cu(0)-LRP following efficient thiol-halogen, thiol-epoxy and CuAAC reactions. <i>Polymer Chemistry</i> , 2014, 5, 3876-3883.	1.9	101
100	Absolutly copper catalyzed, robust living polymerization of NIPAM: Guinness is good for SET-LRP. <i>Polymer Chemistry</i> , 2014, 5, 57-61.	1.9	80
101	Copper(II)/Tertiary Amine Synergy in Photoinduced Living Radical Polymerization: Accelerated Synthesis of β -Functional and β -Heterofunctional Poly(acrylates). <i>Journal of the American Chemical Society</i> , 2014, 136, 1141-1149.	6.6	336
102	Expanding the Scope of the Photoinduced Living Radical Polymerization of Acrylates in the Presence of CuBr_2 and Me_6Tren . <i>Macromolecules</i> , 2014, 47, 3852-3859.	2.2	100
103	Aqueous Copper-Mediated Living Radical Polymerisation of N-Acryloylmorpholine, SET-LRP in Water. <i>Macromolecular Rapid Communications</i> , 2014, 35, 965-970.	2.0	58
104	Photoinduced sequence-control via one pot living radical polymerization of acrylates. <i>Chemical Science</i> , 2014, 5, 3536-3542.	3.7	151
105	Synthesis and Aggregation of Double Hydrophilic Diblock Glycopolymers via Aqueous SET-LRP. <i>ACS Macro Letters</i> , 2014, 3, 491-495.	2.3	64
106	Poly(acrylates) via SET-LRP in a continuous tubular reactor. <i>Polymer Chemistry</i> , 2013, 4, 4809.	1.9	60
107	SET-LRP of methacrylates in fluorinated alcohols. <i>Polymer Chemistry</i> , 2013, 4, 5563.	1.9	46
108	SET-LRP of hydrophobic and hydrophilic acrylates in tetrafluoropropanol. <i>Polymer Chemistry</i> , 2013, 4, 5555.	1.9	52

#	ARTICLE	IF	CITATIONS
109	Sequence-Controlled Multi-Block Glycopolymers to Inhibit DC-SIGN α Binding. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 4435-4439.	7.2	218
110	The importance of ligand reactions in Cu(0)-mediated living radical polymerisation of acrylates. <i>Polymer Chemistry</i> , 2013, 4, 2672.	1.9	68
111	Aqueous Copper-Mediated Living Polymerization: Exploiting Rapid Disproportionation of CuBr with Me ₆ TREN. <i>Journal of the American Chemical Society</i> , 2013, 135, 7355-7363.	6.6	297
112	Polymerization of long chain [meth]acrylates by Cu(0)-mediated and catalytic chain transfer polymerisation (CCTP): high fidelity end group incorporation and modification. <i>Polymer Chemistry</i> , 2013, 4, 4113.	1.9	45
113	Copper(0)-mediated radical polymerisation in a self-generating biphasic system. <i>Polymer Chemistry</i> , 2013, 4, 106-112.	1.9	75
114	High Molecular Weight Block Copolymers by Sequential Monomer Addition via Cu(0)-Mediated Living Radical Polymerization (SET-LRP): An Optimized Approach. <i>ACS Macro Letters</i> , 2013, 2, 896-900.	2.3	124
115	Statistical copolymers of methyl methacrylate and α -methacryloyloxyethyl ferrocenecarboxylate: Monomer reactivity ratios, thermal and electrochemical properties. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3080-3089.	2.5	17