

# Glenn D Wadley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5562487/publications.pdf>

Version: 2024-02-01

76  
papers

2,919  
citations

159585

30  
h-index

175258

52  
g-index

78  
all docs

78  
docs citations

78  
times ranked

4213  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of miRNAs in human skeletal muscle following acute endurance exercise and short-term endurance training. <i>Journal of Physiology</i> , 2013, 591, 4637-4653.	2.9	207
2	Disruption of skeletal muscle mitochondrial network genes and miRNAs in amyotrophic lateral sclerosis. <i>Neurobiology of Disease</i> , 2013, 49, 107-117.	4.4	194
3	Skeletal muscle mitochondria: A major player in exercise, health and disease. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 1276-1284.	2.4	184
4	Antioxidant Supplementation Reduces Skeletal Muscle Mitochondrial Biogenesis. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1017-1024.	0.4	166
5	Vitamin C and E supplementation prevents some of the cellular adaptations to endurance-training in humans. <i>Free Radical Biology and Medicine</i> , 2015, 89, 852-862.	2.9	122
6	Antioxidant supplements and endurance exercise: Current evidence and mechanistic insights. <i>Redox Biology</i> , 2020, 35, 101471.	9.0	103
7	The relationship between repeated sprint ability and the aerobic and anaerobic energy systems. <i>Journal of Science and Medicine in Sport</i> , 1998, 1, 100-110.	1.3	98
8	Effect of exercise intensity and hypoxia on skeletal muscle AMPK signaling and substrate metabolism in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E694-E702.	3.5	78
9	Muscle redox signalling pathways in exercise. Role of antioxidants. <i>Free Radical Biology and Medicine</i> , 2016, 98, 29-45.	2.9	71
10	Central role of nitric oxide synthase in AICAR and caffeine-induced mitochondrial biogenesis in L6 myocytes. <i>Journal of Applied Physiology</i> , 2010, 108, 589-595.	2.5	68
11	Skeletal muscle nitric oxide signaling and exercise: a focus on glucose metabolism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 303, E301-E307.	3.5	66
12	Ascorbic acid supplementation improves skeletal muscle oxidative stress and insulin sensitivity in people with type 2 diabetes: Findings of a randomized controlled study. <i>Free Radical Biology and Medicine</i> , 2016, 93, 227-238.	2.9	66
13	Effects of Vitamin C Supplementation on Glycemic Control and Cardiovascular Risk Factors in People With Type 2 Diabetes: A GRADE-Assessed Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Diabetes Care</i> , 2021, 44, 618-630.	8.6	66
14	Local Nitric Oxide Synthase Inhibition Reduces Skeletal Muscle Glucose Uptake but Not Capillary Blood Flow During In Situ Muscle Contraction in Rats. <i>Diabetes</i> , 2007, 56, 2885-2892.	0.6	64
15	Modulating exercise-induced hormesis: Does less equal more?. <i>Journal of Applied Physiology</i> , 2015, 119, 172-189.	2.5	62
16	Effect of nitric oxide synthase inhibition on mitochondrial biogenesis in rat skeletal muscle. <i>Journal of Applied Physiology</i> , 2007, 102, 314-320.	2.5	60
17	NOS isoform-specific regulation of basal but not exercise-induced mitochondrial biogenesis in mouse skeletal muscle. <i>Journal of Physiology</i> , 2007, 585, 253-262.	2.9	57
18	Short-Term Intensified Cycle Training Alters Acute and Chronic Responses of PGC1 $\alpha$ and Cytochrome C Oxidase IV to Exercise in Human Skeletal Muscle. <i>PLoS ONE</i> , 2012, 7, e53080.	2.5	56

#	ARTICLE	IF	CITATIONS
19	Ascorbic acid supplementation improves postprandial glycaemic control and blood pressure in individuals with type 2 diabetes: Findings of a randomized cross-over trial. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 674-682.	4.4	55
20	Xanthine oxidase inhibition attenuates skeletal muscle signaling following acute exercise but does not impair mitochondrial adaptations to endurance training. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 304, E853-E862.	3.5	54
21	L-Arginine infusion increases glucose clearance during prolonged exercise in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E60-E66.	3.5	48
22	Short-term exercise training early in life restores deficits in pancreatic $\beta$ -cell mass associated with growth restriction in adult male rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 301, E931-E940.	3.5	48
23	Differential effects of exercise on insulin-signaling gene expression in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2001, 90, 436-440.	2.5	47
24	Uteroplacental insufficiency and reducing litter size alters skeletal muscle mitochondrial biogenesis in a sex-specific manner in the adult rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E861-E869.	3.5	46
25	Skeletal muscle reactive oxygen species: A target of good cop/bad cop for exercise and disease. <i>Redox Report</i> , 2014, 19, 97-106.	4.5	46
26	Slow component of $\dot{V}O_2$ kinetics: the effect of training status, fibre type, UCP3 mRNA and citrate synthase activity. <i>International Journal of Obesity</i> , 2002, 26, 157-164.	3.4	41
27	High-dose antioxidant vitamin C supplementation does not prevent acute exercise-induced increases in markers of skeletal muscle mitochondrial biogenesis in rats. <i>Journal of Applied Physiology</i> , 2010, 108, 1719-1726.	2.5	41
28	N-Acetylcysteine infusion does not affect glucose disposal during prolonged moderate-intensity exercise in humans. <i>Journal of Physiology</i> , 2010, 588, 1623-1634.	2.9	36
29	Effects of breaking up sitting on adolescents' postprandial glucose after consuming meals varying in energy: a cross-over randomised trial. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 280-285.	1.3	35
30	Carbohydrate ingestion does not alter skeletal muscle AMPK signaling during exercise in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E566-E573.	3.5	32
31	Reactive oxygen species in exercise and insulin resistance: Working towards personalized antioxidant treatment. <i>Redox Biology</i> , 2021, 44, 102005.	9.0	30
32	POTENTIAL ROLE OF NITRIC OXIDE IN CONTRACTION-INDUCED GLUCOSE UPTAKE AND MITOCHONDRIAL BIOGENESIS IN SKELETAL MUSCLE. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 1488-1492.	1.9	29
33	Growing healthy muscles to optimise metabolic health into adult life. <i>Journal of Developmental Origins of Health and Disease</i> , 2014, 5, 420-434.	1.4	28
34	Increased insulin-stimulated Akt pSer473 and cytosolic SHP2 protein abundance in human skeletal muscle following acute exercise and short-term training. <i>Journal of Applied Physiology</i> , 2007, 102, 1624-1631.	2.5	24
35	Growth restriction in the rat alters expression of metabolic genes during postnatal cardiac development in a sex-specific manner. <i>Physiological Genomics</i> , 2013, 45, 99-105.	2.3	23
36	Effect of L-Arginine Infusion on Glucose Disposal during Exercise in Humans. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1626-1634.	0.4	22

#	ARTICLE	IF	CITATIONS
37	Skeletal muscle AMPK is not activated during 2h of moderate intensity exercise at ~65% in endurance trained men. <i>Journal of Physiology</i> , 2020, 598, 3859-3870.	2.9	22
38	Differential attenuation of AMPK activation during acute exercise following exercise training or AICAR treatment. <i>Journal of Applied Physiology</i> , 2008, 105, 1422-1427.	2.5	20
39	Exercise early in life in rats born small does not normalize reductions in skeletal muscle PGC-1 $\alpha$ in adulthood. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E1221-E1230.	3.5	20
40	High-dose vitamin C supplementation increases skeletal muscle vitamin C concentration and SVCT2 transporter expression but does not alter redox status in healthy males. <i>Free Radical Biology and Medicine</i> , 2014, 77, 130-138.	2.9	20
41	Sustained cardiac programming by short-term juvenile exercise training in male rats. <i>Journal of Physiology</i> , 2018, 596, 163-180.	2.9	20
42	Measurement of postprandial glucose fluxes in response to acute and chronic endurance exercise in healthy humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 314, E503-E511.	3.5	19
43	Exercise improves metabolic function and alters the microbiome in rats with gestational diabetes. <i>FASEB Journal</i> , 2020, 34, 1728-1744.	0.5	19
44	Extracellular vesicular miRNA expression is not a proxy for skeletal muscle miRNA expression in males and females following acute, moderate intensity exercise. <i>Physiological Reports</i> , 2020, 8, e14520.	1.7	19
45	Exercise as an intervention to improve metabolic outcomes after intrauterine growth restriction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E999-E1012.	3.5	18
46	Maternal obesity in females born small: Pregnancy complications and offspring disease risk. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 8-17.	3.3	18
47	Endurance training in early life results in long-term programming of heart mass in rats. <i>Physiological Reports</i> , 2016, 4, e12720.	1.7	16
48	Effect of Pregnancy for Females Born Small on Later Life Metabolic Disease Risk. <i>PLoS ONE</i> , 2012, 7, e45188.	2.5	15
49	Altering the redox state of skeletal muscle by glutathione depletion increases the exercise-activation of PGC-1 $\alpha$ . <i>Physiological Reports</i> , 2014, 2, e12224.	1.7	13
50	The effect of insulin and exercise on c-Cbl protein abundance and phosphorylation in insulin-resistant skeletal muscle in lean and obese Zucker rats. <i>Diabetologia</i> , 2004, 47, 412-419.	6.3	12
51	Central infusion of leptin does not increase AMPK signaling in skeletal muscle of sheep. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 300, R511-R518.	1.8	12
52	Uteroplacental insufficiency leads to hypertension, but not glucose intolerance or impaired skeletal muscle mitochondrial biogenesis, in 12-month-old rats. <i>Physiological Reports</i> , 2015, 3, e12556.	1.7	12
53	High-glucose mixed-nutrient meal ingestion impairs skeletal muscle microvascular blood flow in healthy young men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 318, E1014-E1021.	3.5	12
54	Effect of mitochondrial-targeted antioxidants on glycaemic control, cardiovascular health, and oxidative stress in humans: A systematic review and meta-analysis of randomized controlled trials. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1047-1060.	4.4	11

#	ARTICLE	IF	CITATIONS
55	Long non-coding RNA Tug1 modulates mitochondrial and myogenic responses to exercise in skeletal muscle. <i>BMC Biology</i> , 2022, 20, .	3.8	11
56	Mitochondrial regulation in skeletal muscle: A role for non-coding RNAs?. <i>Experimental Physiology</i> , 2018, 103, 1132-1144.	2.0	10
57	Noncoding RNAs regulating cardiac muscle mass. <i>Journal of Applied Physiology</i> , 2019, 127, 633-644.	2.5	10
58	Factors Influencing Blood Alkalosis and Other Physiological Responses, Gastrointestinal Symptoms, and Exercise Performance Following Sodium Citrate Supplementation: A Review. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2021, 31, 168-186.	2.1	10
59	Growth restriction in the rat alters expression of cardiac JAK/STAT genes in a sex-specific manner. <i>Journal of Developmental Origins of Health and Disease</i> , 2014, 5, 314-321.	1.4	9
60	Sodium citrate ingestion protocol impacts induced alkalosis, gastrointestinal symptoms, and palatability. <i>Physiological Reports</i> , 2019, 7, e14216.	1.7	9
61	Prior exercise enhances skeletal muscle microvascular blood flow and mitigates microvascular flow impairments induced by a high-glucose mixed meal in healthy young men. <i>Journal of Physiology</i> , 2021, 599, 83-102.	2.9	9
62	Oral and intravenous glucose administration elicit opposing microvascular blood flow responses in skeletal muscle of healthy people: role of incretins. <i>Journal of Physiology</i> , 2022, 600, 1667-1681.	2.9	9
63	Whole-Body Vibration Stimulates Microvascular Blood Flow in Skeletal Muscle. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 375-383.	0.4	8
64	Total testosterone is not associated with lean mass or handgrip strength in pre-menopausal females. <i>Scientific Reports</i> , 2021, 11, 10226.	3.3	8
65	A role for reactive oxygen species in the regulation of skeletal muscle hypertrophy. <i>Acta Physiologica</i> , 2013, 208, 9-10.	3.8	7
66	Impaired postprandial skeletal muscle vascular responses to a mixed meal challenge in normoglycaemic people with a parent with type 2 diabetes. <i>Diabetologia</i> , 2022, 65, 216-225.	6.3	7
67	Modest changes to glycemic regulation are sufficient to maintain glucose fluxes in healthy young men following overfeeding with a habitual macronutrient composition. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E1061-E1070.	3.5	6
68	Skeletal muscle cell-specific differences in type 2 diabetes. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 256.	5.4	6
69	Is vascular insulin resistance an early step in diet-induced whole-body insulin resistance?. <i>Nutrition and Diabetes</i> , 2022, 12, .	3.2	6
70	Growth restriction before and after birth increases kinase signaling pathways in the adult rat heart. <i>Journal of Developmental Origins of Health and Disease</i> , 2010, 1, 376-385.	1.4	5
71	Stage of perinatal development regulates skeletal muscle mitochondrial biogenesis and myogenic regulatory factor genes with little impact of growth restriction or cross-fostering. <i>Journal of Developmental Origins of Health and Disease</i> , 2012, 3, 39-51.	1.4	5
72	Does varying the ingestion period of sodium citrate influence blood alkalosis and gastrointestinal symptoms?. <i>PLoS ONE</i> , 2021, 16, e0251808.	2.5	5

#	ARTICLE	IF	CITATIONS
73	Fetal growth restriction shortens cardiac telomere length, but this is attenuated by exercise in early life. <i>Physiological Genomics</i> , 2018, 50, 956-963.	2.3	4
74	Reply from G. D. Wadley, J. Choate and G. K. McConell. <i>Journal of Physiology</i> , 2008, 586, 915-916.	2.9	2
75	Exercise alters cardiovascular and renal pregnancy adaptations in female rats born small on a high-fat diet. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 320, R404-R416.	1.8	2
76	Impaired postprandial adipose tissue microvascular blood flow responses to a mixed-nutrient meal in first-degree relatives of adults with type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 0, , .	3.5	0