

Adil I Daud

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5562689/adil-i-daud-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

235
papers

28,286
citations

63
h-index

167
g-index

255
ext. papers

33,724
ext. citations

8.1
avg. IF

6.52
L-index

#	Paper	IF	Citations
235	Pembrolizumab versus Ipilimumab in Advanced Melanoma. <i>New England Journal of Medicine</i> , 2015 , 372, 2521-32	59.2	3792
234	Safety and tumor responses with lambrolizumab (anti-PD-1) in melanoma. <i>New England Journal of Medicine</i> , 2013 , 369, 134-44	59.2	2661
233	Combined BRAF and MEK inhibition in melanoma with BRAF V600 mutations. <i>New England Journal of Medicine</i> , 2012 , 367, 1694-703	59.2	2048
232	Anti-programmed-death-receptor-1 treatment with pembrolizumab in ipilimumab-refractory advanced melanoma: a randomised dose-comparison cohort of a phase 1 trial. <i>Lancet, The</i> , 2014 , 384, 1109-17	40	1340
231	Pembrolizumab versus investigator-choice chemotherapy for ipilimumab-refractory melanoma (KEYNOTE-002): a randomised, controlled, phase 2 trial. <i>Lancet Oncology, The</i> , 2015 , 16, 908-18	21.7	1151
230	PD-1 Blockade with Pembrolizumab in Advanced Merkel-Cell Carcinoma. <i>New England Journal of Medicine</i> , 2016 , 374, 2542-52	59.2	828
229	Pembrolizumab versus ipilimumab for advanced melanoma: final overall survival results of a multicentre, randomised, open-label phase 3 study (KEYNOTE-006). <i>Lancet, The</i> , 2017 , 390, 1853-1862	40	703
228	Association of Pembrolizumab With Tumor Response and Survival Among Patients With Advanced Melanoma. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 1600-9	27.4	666
227	Dissecting the tumor myeloid compartment reveals rare activating antigen-presenting cells critical for T cell immunity. <i>Cancer Cell</i> , 2014 , 26, 638-52	24.3	592
226	Phase I trial of interleukin-12 plasmid electroporation in patients with metastatic melanoma. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5896-903	2.2	520
225	Evaluation of Immune-Related Response Criteria and RECIST v1.1 in Patients With Advanced Melanoma Treated With Pembrolizumab. <i>Journal of Clinical Oncology</i> , 2016 , 34, 1510-7	2.2	509
224	Phase I Study of Pembrolizumab (MK-3475; Anti-PD-1 Monoclonal Antibody) in Patients with Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2015 , 21, 4286-93	12.9	469
223	Results of a phase III, randomized, placebo-controlled study of sorafenib in combination with carboplatin and paclitaxel as second-line treatment in patients with unresectable stage III or stage IV melanoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 2823-30	2.2	456
222	Pembrolizumab versus ipilimumab in advanced melanoma (KEYNOTE-006): post-hoc 5-year results from an open-label, multicentre, randomised, controlled, phase 3 study. <i>Lancet Oncology, The</i> , 2019 , 20, 1239-1251	21.7	425
221	A natural killer-dendritic cell axis defines checkpoint therapy-responsive tumor microenvironments. <i>Nature Medicine</i> , 2018 , 24, 1178-1191	50.5	404
220	Programmed Death-Ligand 1 Expression and Response to the Anti-Programmed Death 1 Antibody Pembrolizumab in Melanoma. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4102-4109	2.2	400
219	The gene expression profiles of primary and metastatic melanoma yields a transition point of tumor progression and metastasis. <i>BMC Medical Genomics</i> , 2008 , 1, 13	3.7	367

218	Roles of activated Src and Stat3 signaling in melanoma tumor cell growth. <i>Oncogene</i> , 2002 , 21, 7001-10	9.2	353
217	Successful Anti-PD-1 Cancer Immunotherapy Requires T Cell-Dendritic Cell Crosstalk Involving the Cytokines IFN- γ and IL-12. <i>Immunity</i> , 2018 , 49, 1148-1161.e7	32.3	352
216	Five-year survival outcomes for patients with advanced melanoma treated with pembrolizumab in KEYNOTE-001. <i>Annals of Oncology</i> , 2019 , 30, 582-588	10.3	325
215	Tumor immune profiling predicts response to anti-PD-1 therapy in human melanoma. <i>Journal of Clinical Investigation</i> , 2016 , 126, 3447-52	15.9	325
214	Combined BRAF and MEK Inhibition With Dabrafenib and Trametinib in BRAF V600-Mutant Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4023-31	2.2	315
213	Pembrolizumab Cutaneous Adverse Events and Their Association With Disease Progression. <i>JAMA Dermatology</i> , 2015 , 151, 1206-1212	5.1	305
212	A phase I trial of the novel proteasome inhibitor PS341 in advanced solid tumor malignancies. <i>Clinical Cancer Research</i> , 2002 , 8, 2505-11	12.9	298
211	Overall Survival in Patients With Advanced Melanoma Who Received Nivolumab Versus Investigator's Choice Chemotherapy in CheckMate 037: A Randomized, Controlled, Open-Label Phase III Trial. <i>Journal of Clinical Oncology</i> , 2018 , 36, 383-390	2.2	273
210	Liver Metastasis and Treatment Outcome with Anti-PD-1 Monoclonal Antibody in Patients with Melanoma and NSCLC. <i>Cancer Immunology Research</i> , 2017 , 5, 417-424	12.5	241
209	Durable Complete Response After Discontinuation of Pembrolizumab in Patients With Metastatic Melanoma. <i>Journal of Clinical Oncology</i> , 2018 , 36, 1668-1674	2.2	210
208	Overall Survival and Durable Responses in Patients With BRAF V600-Mutant Metastatic Melanoma Receiving Dabrafenib Combined With Trametinib. <i>Journal of Clinical Oncology</i> , 2016 , 34, 871-8	2.2	206
207	Phase I and pharmacokinetic study of YM155, a small-molecule inhibitor of survivin. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5198-203	2.2	206
206	Clinical outcomes in metastatic uveal melanoma treated with PD-1 and PD-L1 antibodies. <i>Cancer</i> , 2016 , 122, 3344-3353	6.4	199
205	Combination of vemurafenib and cobimetinib in patients with advanced BRAF(V600)-mutated melanoma: a phase 1b study. <i>Lancet Oncology</i> , 2014 , 15, 954-65	21.7	197
204	Unleashing Type-2 Dendritic Cells to Drive Protective Antitumor CD4 T Cell Immunity. <i>Cell</i> , 2019 , 177, 556-571.e16	56.2	195
203	Durable Tumor Regression and Overall Survival in Patients With Advanced Merkel Cell Carcinoma Receiving Pembrolizumab as First-Line Therapy. <i>Journal of Clinical Oncology</i> , 2019 , 37, 693-702	2.2	188
202	Phase I trial of histone deacetylase inhibition by valproic acid followed by the topoisomerase II inhibitor epirubicin in advanced solid tumors: a clinical and translational study. <i>Journal of Clinical Oncology</i> , 2007 , 25, 1979-85	2.2	187
201	Phase II trial of 17-allylamino-17-demethoxygeldanamycin in patients with metastatic melanoma. <i>Clinical Cancer Research</i> , 2008 , 14, 8302-7	12.9	179

200	Valproic acid alters chromatin structure by regulation of chromatin modulation proteins. <i>Cancer Research</i> , 2005 , 65, 3815-22	10.1	175
199	Phenotypic and functional analysis of dendritic cells and clinical outcome in patients with high-risk melanoma treated with adjuvant granulocyte macrophage colony-stimulating factor. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3235-41	2.2	170
198	Combined targeting of MEK and PI3K/mTOR effector pathways is necessary to effectively inhibit NRAS mutant melanoma in vitro and in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 4015-20	11.5	168
197	Sequence-specific potentiation of topoisomerase II inhibitors by the histone deacetylase inhibitor suberoylanilide hydroxamic acid. <i>Journal of Cellular Biochemistry</i> , 2004 , 92, 223-37	4.7	167
196	Combined BRAF (Dabrafenib) and MEK inhibition (Trametinib) in patients with BRAFV600-mutant melanoma experiencing progression with single-agent BRAF inhibitor. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3697-704	2.2	158
195	Baseline Tumor Size Is an Independent Prognostic Factor for Overall Survival in Patients with Melanoma Treated with Pembrolizumab. <i>Clinical Cancer Research</i> , 2018 , 24, 4960-4967	12.9	142
194	Long-Term Outcomes in Patients With BRAF V600-Mutant Metastatic Melanoma Who Received Dabrafenib Combined With Trametinib. <i>Journal of Clinical Oncology</i> , 2018 , 36, 667-673	2.2	138
193	Phase I dose-escalation trial of checkpoint kinase 1 inhibitor MK-8776 as monotherapy and in combination with gemcitabine in patients with advanced solid tumors. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1060-6	2.2	135
192	Phase I trial of vorinostat and doxorubicin in solid tumours: histone deacetylase 2 expression as a predictive marker. <i>British Journal of Cancer</i> , 2009 , 101, 1044-50	8.7	126
191	Spectrum of activity and mechanism of action of VEGF/PDGF inhibitors. <i>Cancer Control</i> , 2007 , 14, 285-94	2.2	122
190	Clinical and biological effects of valproic acid as a histone deacetylase inhibitor on tumor and surrogate tissues: phase I/II trial of valproic acid and epirubicin/FEC. <i>Clinical Cancer Research</i> , 2009 , 15, 2488-96	12.9	120
189	Association of response to programmed death receptor 1 (PD-1) blockade with pembrolizumab (MK-3475) with an interferon-inflammatory immune gene signature.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3001-3001	2.2	115
188	Melanoma, version 2.2013: featured updates to the NCCN guidelines. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013 , 11, 395-407	7.3	112
187	Final analysis of a randomised trial comparing pembrolizumab versus investigator-choice chemotherapy for ipilimumab-refractory advanced melanoma. <i>European Journal of Cancer</i> , 2017 , 86, 37-45	7.5	106
186	Neoadjuvant systemic therapy in melanoma: recommendations of the International Neoadjuvant Melanoma Consortium. <i>Lancet Oncology, The</i> , 2019 , 20, e378-e389	21.7	88
185	Phase I trial of poly-L-glutamate camptothecin (CT-2106) administered weekly in patients with advanced solid malignancies. <i>Clinical Cancer Research</i> , 2007 , 13, 5855-61	12.9	86
184	Efficacy and safety of nilotinib in patients with KIT-mutated metastatic or inoperable melanoma: final results from the global, single-arm, phase II TEAM trial. <i>Annals of Oncology</i> , 2017 , 28, 1380-1387	10.3	85
183	Cutaneous melanoma: prognostic factors. <i>Cancer Control</i> , 2005 , 12, 223-9	2.2	82

182	Evaluation of clinicopathological factors in PD-1 response: derivation and validation of a prediction scale for response to PD-1 monotherapy. <i>British Journal of Cancer</i> , 2017 , 116, 1141-1147	8.7	80
181	Evidence for selective expression of angiotensin II receptors on atretic follicles in the rat ovary: an autoradiographic study. <i>Endocrinology</i> , 1988 , 122, 2727-34	4.8	76
180	An analysis of genetic heterogeneity in untreated cancers. <i>Nature Reviews Cancer</i> , 2019 , 19, 639-650	31.3	71
179	Evaluation of toxicity following electrically mediated interleukin-12 gene delivery in a B16 mouse melanoma model. <i>Clinical Cancer Research</i> , 2006 , 12, 3177-83	12.9	69
178	Potential of a topoisomerase I inhibitor, karenitecin, by the histone deacetylase inhibitor valproic acid in melanoma: translational and phase I/II clinical trial. <i>Clinical Cancer Research</i> , 2009 , 15, 2479-87	12.9	68
177	In vivo synergy between topoisomerase II and histone deacetylase inhibitors: predictive correlates. <i>Molecular Cancer Therapeutics</i> , 2005 , 4, 1993-2000	6.1	66
176	Three-year overall survival for patients with advanced melanoma treated with pembrolizumab in KEYNOTE-001.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9503-9503	2.2	66
175	Quantitative Spatial Profiling of PD-1/PD-L1 Interaction and HLA-DR/IDO-1 Predicts Improved Outcomes of Anti-PD-1 Therapies in Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2018 , 24, 5250-5260	12.9	65
174	Characteristics of pyrexia in BRAFV600E/K metastatic melanoma patients treated with combined dabrafenib and trametinib in a phase I/II clinical trial. <i>Annals of Oncology</i> , 2015 , 26, 415-21	10.3	65
173	Phase I study of bosutinib, a src/abl tyrosine kinase inhibitor, administered to patients with advanced solid tumors. <i>Clinical Cancer Research</i> , 2012 , 18, 1092-100	12.9	61
172	4-year survival and outcomes after cessation of pembrolizumab (pembro) after 2-years in patients (pts) with ipilimumab (ipi)-naive advanced melanoma in KEYNOTE-006.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 9503-9503	2.2	60
171	Antitumour activity of pembrolizumab in advanced mucosal melanoma: a post-hoc analysis of KEYNOTE-001, 002, 006. <i>British Journal of Cancer</i> , 2018 , 119, 670-674	8.7	60
170	Outcomes by line of therapy and programmed death ligand 1 expression in patients with advanced melanoma treated with pembrolizumab or ipilimumab in KEYNOTE-006: A randomised clinical trial. <i>European Journal of Cancer</i> , 2018 , 101, 236-243	7.5	59
169	Comparative profile of cutaneous adverse events: BRAF/MEK inhibitor combination therapy versus BRAF monotherapy in melanoma. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1102-1109.e1	4.5	58
168	Epacadostat plus nivolumab in patients with advanced solid tumors: Preliminary phase I/II results of ECHO-204.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3003-3003	2.2	58
167	Clonal Deletion of Tumor-Specific T Cells by Interferon- γ Confers Therapeutic Resistance to Combination Immune Checkpoint Blockade. <i>Immunity</i> , 2019 , 50, 477-492.e8	32.3	56
166	Synergistic interaction between histone deacetylase and topoisomerase II inhibitors is mediated through topoisomerase IIbeta. <i>Clinical Cancer Research</i> , 2005 , 11, 8467-75	12.9	55
165	Melanoma immunotherapy. <i>Cancer Biology and Therapy</i> , 2014 , 15, 665-74	4.6	54

164	Health-related quality of life in the randomised KEYNOTE-002 study of pembrolizumab versus chemotherapy in patients with ipilimumab-refractory melanoma. <i>European Journal of Cancer</i> , 2016 , 67, 46-54	7.5	54
163	Randomized phase II study evaluating veliparib (ABT-888) with temozolomide in patients with metastatic melanoma. <i>Annals of Oncology</i> , 2015 , 26, 2173-9	10.3	53
162	Melanoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2012 , 10, 366-400	7.3	53
161	Activated stat-3 in melanoma. <i>Cancer Control</i> , 2008 , 15, 196-201	2.2	53
160	Melanoma, version 4.2014. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014 , 12, 621-93	7.3	52
159	Phase II randomised discontinuation trial of cabozantinib in patients with advanced solid tumours. <i>European Journal of Cancer</i> , 2017 , 86, 296-304	7.5	51
158	Management of Treatment-Related Adverse Events with Agents Targeting the MAPK Pathway in Patients with Metastatic Melanoma. <i>Oncologist</i> , 2017 , 22, 823-833	5.7	51
157	The Src signaling pathway: a potential target in melanoma and other malignancies. <i>Expert Opinion on Therapeutic Targets</i> , 2007 , 11, 91-100	6.4	50
156	Phase II trial of karenitecin in patients with malignant melanoma: clinical and translational study. <i>Clinical Cancer Research</i> , 2005 , 11, 3009-16	12.9	50
155	Intratumoral delivery of tavokinogene telseplasmid yields systemic immune responses in metastatic melanoma patients. <i>Annals of Oncology</i> , 2020 , 31, 532-540	10.3	49
154	Regulatory T cell control of systemic immunity and immunotherapy response in liver metastasis. <i>Science Immunology</i> , 2020 , 5,	28	48
153	Clinical efficacy and correlation with tumor PD-L1 expression in patients (pts) with melanoma (MEL) treated with the anti-PD-1 monoclonal antibody MK-3475.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3005-3005	22.5	47
152	Angiotensin II: an intraovarian regulatory peptide. <i>American Journal of the Medical Sciences</i> , 1988 , 295, 406-8	2.2	46
151	A phase I, randomized, open-label study of the multiple-dose pharmacokinetics of vemurafenib in patients with BRAF V600E mutation-positive metastatic melanoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 103-11	3.5	44
150	Partially exhausted tumor-infiltrating lymphocytes predict response to combination immunotherapy. <i>JCI Insight</i> , 2017 , 2,	9.9	44
149	Phase II randomised discontinuation trial of the MET/VEGF receptor inhibitor cabozantinib in metastatic melanoma. <i>British Journal of Cancer</i> , 2017 , 116, 432-440	8.7	43
148	Phase II Trial of IL-12 Plasmid Transfection and PD-1 Blockade in Immunologically Quiescent Melanoma. <i>Clinical Cancer Research</i> , 2020 , 26, 2827-2837	12.9	43
147	Src activation in melanoma and Src inhibitors as therapeutic agents in melanoma. <i>Melanoma Research</i> , 2009 , 19, 167-75	3.3	43

146	PD-1 and PD-L1 antibodies for melanoma. <i>Human Vaccines and Immunotherapeutics</i> , 2014 , 10, 3111-6	4.4	41
145	Exhausted T cell signature predicts immunotherapy response in ER-positive breast cancer. <i>Nature Communications</i> , 2020 , 11, 3584	17.4	41
144	A phase I and pharmacokinetic study of paclitaxel poliglumex and cisplatin in patients with advanced solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 903-10	3.5	40
143	Long-term efficacy of pembrolizumab (pembro; MK-3475) in a pooled analysis of 655 patients (pts) with advanced melanoma (MEL) enrolled in KEYNOTE-001.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9005-9005	2.3	40
142	Long-term outcomes in patients (pts) with ipilimumab (ipi)-naive advanced melanoma in the phase 3 KEYNOTE-006 study who completed pembrolizumab (pembro) treatment.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 9504-9504	2.2	40
141	Characterization of angiotensin I-converting enzyme (ACE)-containing follicles in the rat ovary during the estrous cycle and effects of ACE inhibitor on ovulation. <i>Endocrinology</i> , 1990 , 126, 2927-35	4.8	39
140	Nivolumab plus ipilimumab in the treatment of advanced melanoma. <i>Journal of Hematology and Oncology</i> , 2015 , 8, 123	22.4	38
139	Changes in dendritic cell phenotype after a new high-dose weekly schedule of interleukin-2 therapy for kidney cancer and melanoma. <i>Journal of Immunotherapy</i> , 2010 , 33, 817-27	5	37
138	Cytokines, Chemokines, and Other Biomarkers of Response for Checkpoint Inhibitor Therapy in Skin Cancer. <i>Frontiers in Medicine</i> , 2018 , 5, 351	4.9	37
137	Phase I trial of ALT-801, an interleukin-2/T-cell receptor fusion protein targeting p53 (aa264-272)/HLA-A*0201 complex, in patients with advanced malignancies. <i>Clinical Cancer Research</i> , 2011 , 17, 7765-75	12.9	36
136	Indirect treatment comparison of dabrafenib plus trametinib versus vemurafenib plus cobimetinib in previously untreated metastatic melanoma patients. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 3	22.4	35
135	Melanoma treatment with intratumoral electroporation of tavokinogene telseplasmid (pIL-12, tavokinogene telseplasmid). <i>Immunotherapy</i> , 2017 , 9, 1309-1321	3.8	35
134	Potential approaches for myocardial regeneration. <i>Annals of the New York Academy of Sciences</i> , 1995 , 752, 446-54	6.5	35
133	Intratumoral Delivery of Plasmid IL12 Via Electroporation Leads to Regression of Injected and Noninjected Tumors in Merkel Cell Carcinoma. <i>Clinical Cancer Research</i> , 2020 , 26, 598-607	12.9	34
132	The effects of a high-fat meal on single-dose vemurafenib pharmacokinetics. <i>Journal of Clinical Pharmacology</i> , 2014 , 54, 368-74	2.9	32
131	Efficacy and safety of the anti-PD-1 monoclonal antibody MK-3475 in 411 patients (pts) with melanoma (MEL).. <i>Journal of Clinical Oncology</i> , 2014 , 32, LBA9000-LBA9000	2.2	32
130	Phase I clinical trial of the Src inhibitor dasatinib with dacarbazine in metastatic melanoma. <i>British Journal of Cancer</i> , 2012 , 106, 85-91	8.7	31
129	Increased bioavailability of intravenous versus oral CI-1033, a pan erbB tyrosine kinase inhibitor: results of a phase I pharmacokinetic study. <i>Clinical Cancer Research</i> , 2006 , 12, 4645-51	12.9	31

128	Plasmid IL-12 electroporation in melanoma. <i>Human Vaccines and Immunotherapeutics</i> , 2012 , 8, 1734-8	4.4	29
127	Final results of a phase II multicenter trial of HF10, a replication-competent HSV-1 oncolytic virus, and ipilimumab combination treatment in patients with stage IIIB-IV unresectable or metastatic melanoma.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 9510-9510	2.2	29
126	Epacadostat plus nivolumab for advanced melanoma: Updated phase 2 results of the ECHO-204 study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 9511-9511	2.2	29
125	Treatment of cutaneous melanoma: current approaches and future prospects. <i>Cancer Management and Research</i> , 2010 , 2, 197-211	3.6	29
124	Increased FDG avidity in lymphoid tissue associated with response to combined immune checkpoint blockade 2016 , 4, 58		29
123	Dual MEK/AKT inhibition with trametinib and GSK2141795 does not yield clinical benefit in metastatic NRAS-mutant and wild-type melanoma. <i>Pigment Cell and Melanoma Research</i> , 2018 , 31, 110-114	4.5	28
122	In-field and abscopal response after short-course radiation therapy in patients with metastatic Merkel cell carcinoma progressing on PD-1 checkpoint blockade: a case series 2018 , 6, 43		28
121	Intratumoral Plasmid IL12 Electroporation Therapy in Patients with Advanced Melanoma Induces Systemic and Intratumoral T-cell Responses. <i>Cancer Immunology Research</i> , 2020 , 8, 246-254	12.5	27
120	Cutaneous melanoma: a model to study cancer metastasis. <i>Journal of Surgical Oncology</i> , 2011 , 103, 538-498	4.9	27
119	Regulatory T cells use arginase 2 to enhance their metabolic fitness in tissues. <i>JCI Insight</i> , 2019 , 4,	9.9	27
118	Continuous versus intermittent BRAF and MEK inhibition in patients with BRAF-mutated melanoma: a randomized phase 2 trial. <i>Nature Medicine</i> , 2020 , 26, 1564-1568	50.5	27
117	Association of BRAF V600E/K Mutation Status and Prior BRAF/MEK Inhibition With Pembrolizumab Outcomes in Advanced Melanoma: Pooled Analysis of 3 Clinical Trials. <i>JAMA Oncology</i> , 2020 , 6, 1256-1264	12.4	27
116	Phase 1b/2 trial of ribociclib+binimetinib in metastatic NRAS-mutant melanoma: Safety, efficacy, and recommended phase 2 dose (RP2D).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 9519-9519	2.2	24
115	5-year survival outcomes in patients (pts) with advanced melanoma treated with pembrolizumab (pembro) in KEYNOTE-001.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 9516-9516	2.2	24
114	The combination of axitinib followed by paclitaxel/carboplatin yields extended survival in advanced BRAF wild-type melanoma: results of a clinical/correlative prospective phase II clinical trial. <i>British Journal of Cancer</i> , 2015 , 112, 1326-31	8.7	23
113	Preclinical and clinical activity of the topoisomerase I inhibitor, karenitecin, in melanoma. <i>Expert Opinion on Investigational Drugs</i> , 2011 , 20, 1565-74	5.9	23
112	A phase I trial of panobinostat and epirubicin in solid tumors with a dose expansion in patients with sarcoma. <i>Annals of Oncology</i> , 2016 , 27, 947-52	10.3	23
111	Long-term safety of pembrolizumab monotherapy and relationship with clinical outcome: A landmark analysis in patients with advanced melanoma. <i>European Journal of Cancer</i> , 2021 , 144, 182-191	7.5	23

110	Eighth American Joint Committee on Cancer (AJCC) melanoma classification: Let us reconsider stage III. <i>European Journal of Cancer</i> , 2018 , 91, 168-170	7.5	23
109	The gut microbiota and immune checkpoint inhibitors. <i>Human Vaccines and Immunotherapeutics</i> , 2018 , 14, 2178-2182	4.4	22
108	Extended 5-Year Follow-up Results of a Phase Ib Study (BRIM7) of Vemurafenib and Cobimetinib in -Mutant Melanoma. <i>Clinical Cancer Research</i> , 2020 , 26, 46-53	12.9	21
107	Management of pegylated interferon alpha toxicity in adjuvant therapy of melanoma. <i>Expert Opinion on Biological Therapy</i> , 2012 , 12, 1087-99	5.4	21
106	A randomized controlled comparison of pembrolizumab and chemotherapy in patients with ipilimumab-refractory melanoma. <i>Journal of Translational Medicine</i> , 2015 , 13, O5	8.5	20
105	Pharmacokinetic/pharmacodynamic analysis of adjuvant pegylated interferon α 2b in patients with resected high-risk melanoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 657-66	3.5	20
104	Overall and progression-free survival in metastatic melanoma: analysis of a single-institution database. <i>Cancer Control</i> , 2006 , 13, 211-7	2.2	20
103	Evaluation of immune-related response criteria (irRC) in patients (pts) with advanced melanoma (MEL) treated with the anti-PD-1 monoclonal antibody MK-3475.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3006-3006	2.2	20
102	Emerging biomarkers as predictors to anti-PD1/PD-L1 therapies in advanced melanoma. <i>Immunotherapy</i> , 2016 , 8, 775-84	3.8	19
101	Abstract CT104: Antitumor activity of the anti-PD-1 monoclonal antibody MK-3475 in melanoma(MEL): Correlation of tumor PD-L1 expression with outcome 2014 ,		19
100	Involution of eruptive melanocytic nevi on combination BRAF and MEK inhibitor therapy. <i>JAMA Dermatology</i> , 2014 , 150, 1209-12	5.1	18
99	Tumor fistulization associated with targeted therapy: computed tomographic findings and clinical consequences. <i>Journal of Computer Assisted Tomography</i> , 2011 , 35, 86-90	2.2	18
98	Single-cell analyses identify circulating anti-tumor CD8 T cells and markers for their enrichment. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	18
97	Current and Emerging Perspectives on Immunotherapy for Melanoma. <i>Seminars in Oncology</i> , 2015 , 42 Suppl 3, S3-S11	5.5	17
96	Mouse RAD50 has limited epitopic homology to p53 and is expressed in the adult myocardium. <i>Journal of Biological Chemistry</i> , 1996 , 271, 29255-64	5.4	17
95	Down-regulation of pro-apoptotic genes is an early event in the progression of malignant melanoma. <i>Annals of Surgical Oncology</i> , 2007 , 14, 1416-23	3.1	17
94	Immunotherapy as part of a multidisciplinary approach to melanoma treatment. <i>Frontiers in Bioscience - Landmark</i> , 2006 , 11, 1-14	2.8	17
93	Baseline tumor size as an independent prognostic factor for overall survival in patients with metastatic melanoma treated with the anti-PD-1 monoclonal antibody MK-3475.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3015-3015	2.2	17

92	Efficacy based on tumor PD-L1 expression in KEYNOTE-002, a randomized comparison of pembrolizumab (pembro; MK-3475) versus chemotherapy in patients (pts) with ipilimumab-refractory (IPI-R) advanced melanoma (MEL).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3012-3012	2.2	17
91	The Role of Anti-PD-1/PD-L1 Agents in Melanoma: Progress to Date. <i>Drugs</i> , 2015 , 75, 563-75	12.1	16
90	Phase II trial of sagopilone, a novel epothilone analog in metastatic melanoma. <i>British Journal of Cancer</i> , 2010 , 103, 1548-53	8.7	16
89	Systemic antitumor effect and clinical response in a phase 2 trial of intratumoral electroporation of plasmid interleukin-12 in patients with advanced melanoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 9025-9025	2.3	16
88	Phase 1 trial of CA-170, a novel oral small molecule dual inhibitor of immune checkpoints PD-1 and VISTA, in patients (pts) with advanced solid tumor or lymphomas.. <i>Journal of Clinical Oncology</i> , 2017 , 35, TPS3099-TPS3099	2.2	16
87	Efficacy and Safety of Pembrolizumab in Patients Enrolled in KEYNOTE-030 in the United States: An Expanded Access Program. <i>Journal of Immunotherapy</i> , 2017 , 40, 334-340	5	15
86	Phase 1-2 trial of the BRAF inhibitor dabrafenib (D) plus MEK inhibitor trametinib (T) in BRAF V600 mutant colorectal cancer (CRC): Updated efficacy and biomarker analysis.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3517-3517	2.2	14
85	Preliminary results from phase II study of combination treatment with HF10, a replication-competent HSV-1 oncolytic virus, and ipilimumab in patients with stage IIIb, IIIc, or IV unresectable or metastatic melanoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9543-9543	2.2	14
84	An isolated Merkel cell carcinoma metastasis at a distant cutaneous site presenting as a second primary tumor. <i>Journal of Cutaneous Pathology</i> , 2011 , 38, 801-7	1.7	13
83	Uncommon manifestations of common malignancies: case 3. Malignant melanoma arising from a spinal nerve root. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3194-5	2.2	13
82	Melanocytic Neoplasms, Introduction. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2018 , 37, 87	1.4	13
81	The lincRNA MIRAT binds to IQGAP1 and modulates the MAPK pathway in NRAS mutant melanoma. <i>Scientific Reports</i> , 2018 , 8, 10902	4.9	12
80	A dual pathway inhibition strategy using BKM120 combined with vemurafenib is poorly tolerated in BRAF V600 mutant advanced melanoma. <i>Pigment Cell and Melanoma Research</i> , 2019 , 32, 603-606	4.5	11
79	Beyond BRAF in melanoma. <i>Current Topics in Microbiology and Immunology</i> , 2012 , 355, 99-117	3.3	11
78	State of the science 60th anniversary review: 60 Years of advances in cutaneous melanoma epidemiology, diagnosis, and treatment, as reported in the journal Cancer. <i>Cancer</i> , 2008 , 113, 1728-43	6.4	11
77	Updated overall survival (OS) for BRF113220, a phase 1-2 study of dabrafenib (D) alone versus combined dabrafenib and trametinib (D+T) in pts with BRAF V600 mutation-positive (+) metastatic melanoma (MM).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 9010-9010	2.2	11
76	The State of Melanoma: Emergent Challenges and Opportunities. <i>Clinical Cancer Research</i> , 2021 , 27, 2678-2697	12.9	11
75	Discovering dominant tumor immune archetypes in a pan-cancer census.. <i>Cell</i> , 2021 ,	56.2	10

74	Three-year survival, correlates and salvage therapies in patients receiving first-line pembrolizumab for advanced Merkel cell carcinoma 2021 , 9,		10
73	Randomized comparison of two doses of the anti-PD-1 monoclonal antibody MK-3475 for ipilimumab-refractory (IPI-R) and IPI-naive (IPI-N) melanoma (MEL).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3000-3000	2.2	9
72	Atypical patterns of response in patients (pts) with metastatic melanoma treated with pembrolizumab (MK-3475) in KEYNOTE-001.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3000-3000	2.2	9
71	Association of immune-related thyroid disorders with pembrolizumab (pembro, MK-3475) in patients (pts) with advanced melanoma treated in KEYNOTE-001.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9050-9050	2.2	9
70	Correlation between metastatic site and response to anti-Programmed Death-1 (PD-1) agents in melanoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9549-9549	2.2	9
69	Layilin augments integrin activation to promote antitumor immunity. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	9
68	Prognostic Biomarkers for Melanoma Immunotherapy. <i>Current Oncology Reports</i> , 2020 , 22, 25	6.3	8
67	Combined dabrafenib and trametinib therapy in metastatic melanoma and organ transplantation: Case report and review of the literature. <i>JAAD Case Reports</i> , 2015 , 1, S23-5	1.4	8
66	Future of combination therapy with dabrafenib and trametinib in metastatic melanoma. <i>Expert Opinion on Pharmacotherapy</i> , 2015 , 16, 2257-63	4	8
65	A phase I trial of BKM120 combined with vemurafenib in BRAFV600E/k mutant advanced melanoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 9101-9101	2.2	8
64	Clinical characteristics predictive of response to pembrolizumab in advanced melanoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9031-9031	2.2	8
63	KEYNOTE-006 study of pembrolizumab (pembro) versus ipilimumab (ipi) for advanced melanoma: Efficacy by PD-L1 expression and line of therapy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9513-9513	2.2	8
62	Pembrolizumab for melanoma- safety profile and future trends. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 727-9	4.1	8
61	Negative but not futile: MAGE-A3 immunotherapeutic for melanoma. <i>Lancet Oncology</i> , 2018 , 19, 852-853	21.7	6
60	Patterns of response in patients with advanced melanoma treated with Pembrolizumab (MK-3475) and evaluation of immune-related response criteria (irRC) 2014 , 2,		6
59	Cutting edge in medical management of cutaneous oncology. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2012 , 31, 140-9	1.4	6
58	Five-year overall survival (OS) update from a phase II, open-label trial of dabrafenib (D) and trametinib (T) in patients (pts) with BRAF V600E mutant unresectable or metastatic melanoma (MM).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 9505-9505	2.2	6
57	The Liver-Immunity Nexus and Cancer Immunotherapy. <i>Clinical Cancer Research</i> , 2021 ,	12.9	6

56	Intratumoral and Combination Therapy in Melanoma and Other Skin Cancers. <i>American Journal of Clinical Dermatology</i> , 2019 , 20, 781-796	7.1	5
55	Tumor Immune Profiling-Based Neoadjuvant Immunotherapy for Locally Advanced Melanoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 4122-4130	3.1	5
54	Inhibitors of Cytotoxic T Lymphocyte Antigen 4 and Programmed Death 1/Programmed Death 1 Ligand for Metastatic Melanoma, Dual Versus Monotherapy-Summary of Advances and Future Directions for Studying These Drugs. <i>Cancer Journal (Sudbury, Mass)</i> , 2017 , 23, 3-9	2.2	5
53	Abstract 2857: Metastatic site and response to pembrolizumab (anti-PD1 antibody) in melanoma 2015 ,		5
52	Efficacy and safety of programmed death receptor-1 (PD-1) blockade in metastatic uveal melanoma (UM).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9507-9507	2.2	5
51	PTCH1 Mutation in a Patient With Metastatic Undifferentiated Carcinoma With Clear Cell Change. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 778-783	7.3	5
50	Treatment of Metastatic Melanoma With Leptomeningeal Disease Using Intrathecal Immunotherapy. <i>JCO Oncology Practice</i> , 2020 , 16, 757-759	2.3	5
49	Tissue-specific Tregs in cancer metastasis: opportunities for precision immunotherapy. <i>Cellular and Molecular Immunology</i> , 2021 ,	15.4	5
48	Intratumoral electroporation of plasmid interleukin-12: efficacy and biomarker analyses from a phase 2 study in melanoma (OMS-I100). <i>Journal of Translational Medicine</i> , 2015 , 13, O11	8.5	4
47	Abstract CT134: Intratumoral electroporation of plasmid IL-12 can prime response to anti-PD1/PD-L1 blockade in patients with Stage III/IV-M1a melanoma 2016 ,		4
46	Population pharmacokinetic (popPK) model of pembrolizumab (pembro; MK-3475) in patients (pts) treated in KEYNOTE-001 and KEYNOTE-002.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3058-3058	2.2	4
45	Combinatorial approach to treatment of melanoma. <i>Hematology/Oncology Clinics of North America</i> , 2014 , 28, 601-12	3.1	3
44	Long-term overall survival from a phase I trial using intratumoral plasmid interleukin-12 with electroporation in patients with melanoma. <i>Journal of Translational Medicine</i> , 2015 , 13, O3	8.5	3
43	Model-based analysis of the relationship between pembrolizumab (MK-3475) exposure and efficacy in patients with advanced or metastatic melanoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3068-3068	2.2	3
42	Novel T cell exhaustion marker to predict monotherapy PD-1 compared to combination CTLA-4 and PD-1 response in melanoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9520-9520	2.2	3
41	Relationship between liver metastases and PD-1 blockade in melanoma.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3072-3072	2.2	3
40	A Pan-Cancer Census of Dominant Tumor Immune Archetypes		3
39	Revisiting RECIST: the case of treatment beyond progression. <i>Lancet Oncology, The</i> , 2018 , 19, 157-159	21.7	2

38	Implementation of a High-Dose Interleukin-2 Immunostimulation Biotherapy Program. <i>ICU Director</i> , 2010 , 1, 77-81		2
37	Current immunotherapy of melanoma. <i>Clinical and Applied Immunology Reviews</i> , 2005 , 5, 111-132		2
36	New drugs in gynecologic cancer. <i>Current Treatment Options in Oncology</i> , 2001 , 2, 119-28	5.4	2
35	BKM120 combined with vemurafenib in vemurafenib-refractory BRAF mutant metastatic melanoma: Two cases.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e20010-e20010	2.2	2
34	Metabolic tumor burden for prediction of overall survival following combined BRAF/MEK inhibition in patients with advanced BRAF mutant melanoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 9006-9006	2.2	2
33	Patient-reported outcomes (PROs) in KEYNOTE-002, a randomized study of pembrolizumab vs chemotherapy in patients (pts) with ipilimumab-refractory (IPI-R) metastatic melanoma (MEL).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9040-9040	2.2	2
32	Derivation and validation of a prediction scale for response to PD-1 monotherapy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9514-9514	2.2	2
31	Quantitative spatial profiling of PD-1/PD-L1 interaction and HLA-DR/IDO1 to predict outcomes to anti-PD-1 in metastatic melanoma (MM).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 9517-9517	2.2	2
30	Long-term outcomes in patients with advanced melanoma who had initial stable disease with pembrolizumab in KEYNOTE-001 and KEYNOTE-006. <i>European Journal of Cancer</i> , 2021 , 157, 391-402	7.5	2
29	A Review of Novel Intralesional Therapies for Melanoma, With an Emphasis on a Potential Combination Approach. <i>Oncology</i> , 2016 , 30, 442-3	1.8	2
28	Management of a patient with advanced BRAF-mutant melanoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014 , 12, 315-9; quiz 319	7.3	1
27	Treatment of cutaneous melanoma: current approaches and future prospects. <i>Cancer Management and Research</i> , 2010 , 197	3.6	1
26	Purification and characterization of a novel 35-kDa protein from transformed cardiomyocytes. <i>Cell Biology International</i> , 1999 , 23, 299-306	4.5	1
25	TCR-sequencing in cancer and autoimmunity: barcodes and beyond.. <i>Trends in Immunology</i> , 2022 ,	14.4	1
24	Sexual activity and function in male cancer patients receiving targeted an immune therapies.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e21594-e21594	2.2	1
23	Immune monitoring outcomes of patients with stage III/IV melanoma treated with a combination of pembrolizumab and intratumoral plasmid interleukin 12 (pIL-12).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 78-78	2.2	1
22	New horizons in melanoma treatment: targeting molecular pathways. <i>Ochsner Journal</i> , 2010 , 10, 93-8	1.5	1
21	Deep profiling of tumor immune microenvironment (TME) with fluorescence activated cell sorting (FACS) in advanced melanoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9012-9012	2.2	1

20	Part I: Checkpoint inhibitors in cancer therapy. <i>Immunotherapy</i> , 2016 , 8, 675-6	3.8	1
19	Response to PD-1 Immunotherapy in Metastatic Spiradenocarcinoma.. <i>JCO Precision Oncology</i> , 2021 , 5, 340-343	3.6	1
18	Intratumoral therapies and in-situ vaccination for melanoma.. <i>Human Vaccines and Immunotherapeutics</i> , 2022 , 18, 1890512	4.4	1
17	Layilin Anchors Regulatory T Cells in Skin. <i>Journal of Immunology</i> , 2021 , 207, 1763-1775	5.3	0
16	Amplification of the CXCR3/CXCL9 axis via intratumoral electroporation of plasmid CXCL9 synergizes with plasmid IL-12 therapy to elicit robust anti-tumor immunity.. <i>Molecular Therapy - Oncolytics</i> , 2022 , 25, 174-188	6.4	0
15	ASO Author Reflections: Tumor Immune Profiling-Based Neoadjuvant Immunotherapy for Locally Advanced Melanoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 4131-4132	3.1	
14	Current Immunotherapy of Melanoma 2018 , 567-576		
13	Combinatorial Approach to Treatment of Melanoma 2019 , 687-697		
12	Reply to M.-E. Percival et al and L.B. Saltz. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2515-6	2.2	
11	Vascular endothelial growth factor (VEGF) inhibitors in cancer therapy: an update. <i>Women's Oncology Review</i> , 2006 , 6, 127-136		
10	Melanotic Schwannoma. <i>AJSP Review and Reports</i> , 2017 , 22, 161-163	0	
9	Correlation between local 18F-fluorodeoxyglucose PET/CT and T cell exhaustion for predicting treatment response in patients with advanced melanoma treated with checkpoint inhibitor mono-therapy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 11572-11572	2.2	
8	Patient attitudes toward oncofertility care in male cancer patients receiving targeted and immune therapies.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e21593-e21593	2.2	
7	Combinatorial Approach to Treatment of Melanoma 2018 , 1-11		
6	Melanoma Genomics Techniques and Implications for Therapy. <i>Translational Medicine Series</i> , 2008 , 37-54		
5	Protein Kinase Inhibitors 2011 , 319-330		
4	A clinical and translational phase II trial of sequential axitinib and carboplatin/paclitaxel in advanced melanoma.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 8580-8580	2.2	
3	Phase I study of pazopanib (PAZ) in combination with PCI-24781 (PCI) in patients (pts) with metastatic solid tumors with new tumor proliferation imaging correlates in renal cell carcinoma (RCC) and sarcoma.. <i>Journal of Clinical Oncology</i> , 2013 , 31, TPS2623-TPS2623	2.2	

- 2 Should Sentinel Lymph Node Biopsy Status Guide Adjuvant Radiation Therapy in Patients With Merkel Cell Carcinoma?. *Advances in Radiation Oncology*, **2021**, 6, 100764 33
- 1 Immunotherapy in Melanoma and Merkel Cell Cancer **2022**, 709-718