## Ljuba M Mandic

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5563768/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Opposite clozapine and ziprasidone effects on the reactivity of plasma albumin SH-group are the consequence of their different binding properties dependent on protein fatty acids content. Chemico-Biological Interactions, 2019, 311, 108787.	1.7	2
2	The interplay between copper(II), human serum albumin, fatty acids, and carbonylating agent interferes with Cys 34 thiol reactivity and copper binding. Journal of Biological Inorganic Chemistry, 2019, 24, 61-70.	1.1	6
3	Vitamin D status in mothers with pre-eclampsia and their infants: a case–control study from Serbia, a country without a vitamin D fortification policy. Public Health Nutrition, 2017, 20, 1825-1835.	1.1	15
4	Validity of an FFQ assessing the vitamin D intake of young Serbian women living in a region without food fortification: the method of triads model. Public Health Nutrition, 2016, 19, 437-445.	1.1	21
5	Quantification of total content of non-esterified fatty acids bound to human serum albumin. Journal of Pharmaceutical and Biomedical Analysis, 2016, 129, 43-49.	1.4	4
6	Binding of enterolactone and enterodiol to human serum albumin: increase of cysteine-34 thiol group reactivity. Food and Function, 2016, 7, 1217-1226.	2.1	16
7	HSA carbonylation with methylglyoxal and the binding/release of copper(ii) ions. Metallomics, 2015, 7, 1431-1438.	1.0	8
8	"It happened, what's the problem?" and "A guide through the problem": A model for consideration of ecological issues in chemistry education. Journal of the Serbian Chemical Society, 2015, 80, 1567-1580.	0.4	2
9	How the sialylation level of serum N-acetyl-î²-D-glucosaminidase a form in type 1 diabetes mellitus influences its activity?. Journal of the Serbian Chemical Society, 2014, 79, 1491-1503.	0.4	0
10	The influence of fatty acids on determination of human serum albumin thiol group. Analytical Biochemistry, 2014, 448, 50-57.	1.1	16
11	Structural modifications of 4-aryl-4-oxo-2-aminylbutanamides and their acetyl- and butyrylcholinesterase inhibitory activity. Investigation of AChE–ligand interactions by docking calculations and molecular dynamics simulations. European Journal of Medicinal Chemistry, 2014, 81, 158-175.	2.6	20
12	Fatty acids binding to human serum albumin: Changes of reactivity and glycation level of Cysteine-34 free thiol group with methylglyoxal. Chemico-Biological Interactions, 2014, 224, 42-50.	1.7	30
13	The efficiency of compounds with α-amino-β-mercapto-ethane group in protection of human serum albumin carbonylation and cross-linking with methylglyoxal. Molecular BioSystems, 2014, 10, 2166-2175.	2.9	7
14	Monitoring of the human serum albumin carbonylation level through determination of guanidino group content. Analytical Biochemistry, 2013, 433, 162-167.	1.1	6
15	Improving the reliability of human serum albumin-thiol group determination. Analytical Biochemistry, 2013, 439, 17-22.	1.1	15
16	Chronic isolation stress compromises JNK/c-Jun signaling in rat brain. Journal of Neural Transmission, 2012, 119, 1275-1284.	1.4	10
17	Beer as a Teaching Aid in the Classroom and Laboratory. Journal of Chemical Education, 2012, 89, 605-609.	1.1	18
18	Fish oil supplementation improved liver phospholipids fatty acid composition and parameters of oxidative stress in male wistar rats. Journal of Animal Physiology and Animal Nutrition, 2012, 96, 1020-1029.	1.0	18

Ljuba M Mandic

#	Article	IF	CITATIONS
19	Enzymatic kinetic method for determination of propranolol hydrochloride in pharmaceuticals based on its inhibitory effect on cholinesterase. Hemijska Industrija, 2012, 66, 677-684.	0.3	3
20	Method for monitoring of the protein amino group changes during carbonylation. Clinical Biochemistry, 2011, 44, 994-999.	0.8	19
21	Acute and/or chronic stress models modulate CuZnSOD and MnSOD protein expression in rat liver. Molecular and Cellular Biochemistry, 2010, 338, 167-174.	1.4	10
22	Influence of the microenvironment of thiol groups in low molecular mass thiols and serum albumin on the reaction with methylglyoxal. Chemico-Biological Interactions, 2010, 188, 21-30.	1.7	20
23	4-Aryl-4-oxo-N-phenyl-2-aminylbutyramides as acetyl- and butyrylcholinesterase inhibitors. Preparation, anticholinesterase activity, docking study, and 3D structure–activity relationship based on molecular interaction fields. Bioorganic and Medicinal Chemistry, 2010, 18, 1181-1193.	1.4	24
24	The role of the thiol group in protein modification with methylglyoxal. Journal of the Serbian Chemical Society, 2009, 74, 867-883.	0.4	28
25	N-3 polyunsaturated acids in erythrocyte phospholipids are associated with insulin sensitivity in obese patients on a typical Serbian diet. Archives of Biological Sciences, 2009, 61, 37-43.	0.2	1
26	Serum <i>N</i> â€acetylâ€i²â€ <scp>D</scp> â€glucosaminidase profiles in type 1 diabetes secondary complications: causes of changes and significance of determination. Journal of Clinical Laboratory Analysis, 2008, 22, 307-313.	0.9	0
27	A modification of the kinetic determination of pancuronium bromide based on its inhibitory effect on cholinesterase. Journal of Clinical Laboratory Analysis, 2007, 21, 124-131.	0.9	7
28	Cholinesterase inhibition based determination of pancuronium bromide in biological samples. Analytical and Bioanalytical Chemistry, 2006, 385, 1462-1469.	1.9	7
29	Kinetic spectrophotometric method for gold(III) determination. Analytica Chimica Acta, 2005, 547, 144-149.	2.6	25
30	The possibility of determining N-acetyl-β-d-glucosaminidase isoenzymes under alkaline conditions. Clinical Biochemistry, 2005, 38, 384-389.	0.8	11
31	Influence of pigments and pH of urine on the determination ofN-acetyl-β-D-glucosaminidase activity with 2-methoxy-4-(2′-nitrovinyl)-phenyl-N-acetyl-β-D-glucosaminide. Journal of Clinical Laboratory Analysis, 2005, 19, 260-266.	0.9	1
32	The basic haematological measurements in peripheral blood from workers exposed to mercury vapours. Journal of Medical Biochemistry, 2004, 23, 381-385.	0.1	0
33	Change in the iso-enzyme profiles of urinary N-acetyl-b-D-glucosoaminidase in workers exposed to mercury. Toxicology and Industrial Health, 2002, 18, 207-217.	0.6	2
34	Change in the iso-enzyme profiles of urinary <i>N</i> -acetyl-β-D-glucosoaminidase in workers exposed to mercury. Toxicology and Industrial Health, 2002, 18, 207-214.	0.6	9
35	Simultaneous LC determination of tiazofurin, its acetyl and benzoyl esters and their active metabolite thiazole-4-carboxamide adenine dinucleotide in biological samples. Journal of Pharmaceutical and Biomedical Analysis, 2002, 30, 993-999.	1.4	4
36	Isolation and partial characterization of an acid phosphatase from Artemisia vulgaris pollen extract. Journal of the Serbian Chemical Society, 2002, 67, 567-572.	0.4	6

#	Article	IF	CITATIONS
37	Changes of isoenzymes of serum N-acetyl-β-D-glucosaminidase in relation to different types of diabetes. IUBMB Life, 1998, 45, 545-554.	1.5	2
38	Bilirubin determination in gallstones. Fresenius' Journal of Analytical Chemistry, 1991, 341, 723-726.	1.5	1
39	A spectrophotometric method for simultaneous determination of protein-bound hexoses and fucose with a mixture of I-cysteine and phenol. Analytical Biochemistry, 1990, 188, 222-227.	1.1	23