

Marcus Rattray

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5564188/marcus-rattray-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88
papers

3,460
citations

31
h-index

57
g-index

91
ext. papers

3,656
ext. citations

4.2
avg, IF

4.83
L-index

#	Paper	IF	Citations
88	The case for mobile cancer care units: an NHS team's experience. <i>British Journal of Health Care Management</i> , 2021 , 27, 152-155	0.4	3
87	Patient Perspectives on Factors Affecting Direct Oral Anticoagulant Use for Stroke Prevention in Atrial Fibrillation. <i>Patient Preference and Adherence</i> , 2021 , 15, 953-966	2.4	1
86	An Analysis of Pharmacogenomic-Guided Pathways and Their Effect on Medication Changes and Hospital Admissions: A Systematic Review and Meta-Analysis. <i>Frontiers in Genetics</i> , 2021 , 12, 698148	4.5	2
85	An exploration of the impact of SARS-CoV-2 (COVID-19) restrictions on marginalised groups in the UK. <i>Public Health</i> , 2021 , 197, 6-10	4	2
84	Endoplasmic Reticulum Stress Signalling Induces Casein Kinase 1-Dependent Formation of Cytosolic TDP-43 Inclusions in Motor Neuron-Like Cells. <i>Neurochemical Research</i> , 2020 , 45, 1354-1364	4.6	13
83	Riluzole-Triazole Hybrids as Novel Chemical Probes for Neuroprotection in Amyotrophic Lateral Sclerosis. <i>ACS Medicinal Chemistry Letters</i> , 2018 , 9, 552-556	4.3	9
82	Astrocytic transporters in Alzheimer's disease. <i>Biochemical Journal</i> , 2017 , 474, 333-355	3.8	13
81	Sonic hedgehog signalling mediates astrocyte crosstalk with neurons to confer neuroprotection. <i>Journal of Neurochemistry</i> , 2017 , 142, 429-443	6	27
80	Erratum. <i>Advances in Neurobiology</i> , 2017 , 15, E1	2.1	1
79	Astrocytes Grown in Alvetex () Three Dimensional Scaffolds Retain a Non-reactive Phenotype. <i>Neurochemical Research</i> , 2016 , 41, 1857-67	4.6	15
78	Elucidating the mechanisms of TDP-43 aggregation in a cellular model of motor neuron disease. <i>SpringerPlus</i> , 2015 , 4, L23		
77	Neuronal-glia populations form functional networks in a biocompatible 3D scaffold. <i>Neuroscience Letters</i> , 2015 , 609, 198-202	3.3	19
76	Neuronal influences are necessary to produce mitochondrial co-localization with glutamate transporters in astrocytes. <i>Journal of Neurochemistry</i> , 2014 , 130, 668-77	6	26
75	Immunoablation of cells expressing the NG2 chondroitin sulphate proteoglycan. <i>Journal of Anatomy</i> , 2014 , 224, 216-27	2.9	5
74	SUMO-1 conjugation blocks beta-amyloid-induced astrocyte reactivity. <i>Neuroscience Letters</i> , 2013 , 546, 51-6	3.3	23
73	Potential Neuroprotective Actions of Dietary Flavonoids 2013 , 2617-2640		
72	Dietary levels of pure flavonoids improve spatial memory performance and increase hippocampal brain-derived neurotrophic factor. <i>PLoS ONE</i> , 2013 , 8, e63535	3.7	118

71	Neuroprotective effects of phenolic antioxidant tBHQ associate with inhibition of FoxO3a nuclear translocation and activity. <i>Journal of Neurochemistry</i> , 2012 , 123, 182-91	6	29
70	Riluzole elevates GLT-1 activity and levels in striatal astrocytes. <i>Neurochemistry International</i> , 2012 , 60, 31-8	4.4	78
69	Regulation of NF- κ B activity in astrocytes: effects of flavonoids at dietary-relevant concentrations. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 418, 578-83	3.4	25
68	Riluzole neuroprotection in a Parkinson's disease model involves suppression of reactive astrocytosis but not GLT-1 regulation. <i>BMC Neuroscience</i> , 2012 , 13, 38	3.2	37
67	Blueberry supplementation induces spatial memory improvements and region-specific regulation of hippocampal BDNF mRNA expression in young rats. <i>Psychopharmacology</i> , 2012 , 223, 319-30	4.7	85
66	Tumour necrosis factor alpha induces rapid reduction in AMPA receptor-mediated calcium entry in motor neurones by increasing cell surface expression of the GluR2 subunit: relevance to neurodegeneration. <i>Journal of Neurochemistry</i> , 2010 , 113, 692-703	6	26
65	The four major N- and C-terminal splice variants of the excitatory amino acid transporter GLT-1 form cell surface homomeric and heteromeric assemblies. <i>Molecular Pharmacology</i> , 2009 , 75, 1062-73	4.3	39
64	NG2 cells differentiate into astrocytes in cerebellar slices. <i>Molecular and Cellular Neurosciences</i> , 2009 , 42, 208-18	4.8	27
63	Dietary flavonoid (-)epicatechin stimulates phosphatidylinositol 3-kinase-dependent anti-oxidant response element activity and up-regulates glutathione in cortical astrocytes. <i>Journal of Neurochemistry</i> , 2008 , 106, 2194-204	6	58
62	Neuroprotective effects of hesperetin in mouse primary neurones are independent of CREB activation. <i>Neuroscience Letters</i> , 2008 , 438, 29-33	3.3	47
61	(-)Epicatechin stimulates ERK-dependent cyclic AMP response element activity and up-regulates GluR2 in cortical neurons. <i>Journal of Neurochemistry</i> , 2007 , 101, 1596-606	6	147
60	Chronic hypoxia in the human neuroblastoma SH-SY5Y causes reduced expression of the putative alpha-secretases, ADAM10 and TACE, without altering their mRNA levels. <i>Brain Research</i> , 2006 , 1099, 18-24	3.7	29
59	Serotonin transporter expression is not sufficient to confer cytotoxicity to 3,4-methylenedioxymethamphetamine (MDMA) in vitro. <i>Journal of Psychopharmacology</i> , 2006 , 20, 257-63	4.6	5
58	Embedding VTK and ITK into a visual programming and rapid prototyping platform 2006 ,		11
57	Does excitotoxic cell death of motor neurons in ALS arise from glutamate transporter and glutamate receptor abnormalities?. <i>Experimental Neurology</i> , 2006 , 201, 15-23	5.7	19
56	Rat brain serotonin neurones that express neuronal nitric oxide synthase have increased sensitivity to the substituted amphetamine serotonin toxins 3,4-methylenedioxymethamphetamine and p-chloroamphetamine. <i>Neuroscience</i> , 2005 , 134, 1363-75	3.9	9
55	Induction of aquaporin 1 but not aquaporin 4 messenger RNA in rat primary brain microvessel endothelial cells in culture. <i>Journal of Neurochemistry</i> , 2005 , 93, 825-33	6	99
54	Technology evaluation: colostrinin, ReGen. <i>Current Opinion in Molecular Therapeutics</i> , 2005 , 7, 78-84		5

53	Expression of SOD1 G93A or wild-type SOD1 in primary cultures of astrocytes down-regulates the glutamate transporter GLT-1: lack of involvement of oxidative stress. <i>Journal of Neurochemistry</i> , 2004 , 88, 481-93	6	51
52	The glial glutamate transporter, EAAT2 (Glt-1) accounts for high affinity glutamate uptake into adult rodent nerve endings. <i>Journal of Neurochemistry</i> , 2003 , 84, 522-32	6	88
51	Soya phytoestrogens change cortical and hippocampal expression of BDNF mRNA in male rats. <i>Neuroscience Letters</i> , 2003 , 338, 135-8	3.3	22
50	Transgenic SOD1 G93A mice develop reduced GLT-1 in spinal cord without alterations in cerebrospinal fluid glutamate levels. <i>Journal of Neurochemistry</i> , 2001 , 79, 737-46	6	148
49	Elevated levels of group-III metabotropic glutamate receptors in the inferior colliculus of genetically epilepsy-prone rats following intracollicular administration of L-serine-O-phosphate. <i>Journal of Neurochemistry</i> , 2001 , 78, 13-23	6	17
48	Nicotine regulates 5-HT(1A) receptor gene expression in the cerebral cortex and dorsal hippocampus. <i>European Journal of Neuroscience</i> , 2001 , 13, 1267-71	3.5	48
47	Expression of amyloid precursor protein, tau and presenilin RNAs in rat hippocampus following deafferentation lesions. <i>Brain Research</i> , 2001 , 907, 222-32	3.7	19
46	Is there nicotinic modulation of nerve growth factor? Implications for cholinergic therapies in Alzheimer's disease. <i>Biological Psychiatry</i> , 2001 , 49, 185-93	7.9	25
45	Acute nicotine decreases, and chronic nicotine increases the expression of brain-derived neurotrophic factor mRNA in rat hippocampus. <i>Molecular Brain Research</i> , 2000 , 85, 234-8		126
44	Intraregional variation in expression of serotonin transporter messenger RNA by 5-hydroxytryptamine neurons. <i>Neuroscience</i> , 1999 , 88, 169-83	3.9	31
43	Hippocampal neurotrophin and trk receptor mRNA levels are altered by local administration of nicotine, carbachol and pilocarpine. <i>Molecular Brain Research</i> , 1999 , 67, 124-36		107
42	Nerve growth factor and sensory nerve function 1999 , 167-193		
41	Variation in the expression of the mRNA for protein kinase C isoforms in the rat suprachiasmatic nuclei, caudate putamen and cerebral cortex. <i>Molecular Brain Research</i> , 1998 , 53, 277-84		22
40	Cultured astrocytes express messenger RNA for multiple serotonin receptor subtypes, without functional coupling of 5-HT1 receptor subtypes to adenylyl cyclase. <i>Molecular Brain Research</i> , 1998 , 61, 90-9		84
39	Serotonin transporters in adult rat brain astrocytes revealed by [³ H]5-HT uptake into glial plasmalemmal vesicles. <i>Neurochemistry International</i> , 1998 , 33, 11-22	4.4	67
38	Genes encoding multiple forms of phospholipase A2 are expressed in rat brain. <i>Neuroscience Letters</i> , 1998 , 258, 139-42	3.3	96
37	Reduction of GABA and glutamate transporter messenger RNAs in the severe-seizure genetically epilepsy-prone rat. <i>Neuroscience</i> , 1998 , 85, 1235-51	3.9	56
36	Effects of hypophysectomy and growth hormone administration on the mRNA levels of collagen I, III and insulin-like growth factor-I in rat skeletal muscle. <i>Growth Hormone and IGF Research</i> , 1998 , 8, 431-8		6

35	Rapid increase of NGF, BDNF and NT-3 mRNAs in inflamed bladder. <i>NeuroReport</i> , 1998 , 9, 1455-8	1.7	134
34	Selective up-regulation of protein kinase C epsilon in granule cells after kainic acid-induced seizures in rat. <i>Molecular Brain Research</i> , 1997 , 49, 188-96		26
33	Expression of GABA transporter mRNAs in the developing and adult rat optic nerve. <i>Neuroscience Letters</i> , 1997 , 235, 98-100	3.3	18
32	Nerve growth factor treatment increases brain-derived neurotrophic factor selectively in TrkA-expressing dorsal root ganglion cells and in their central terminations within the spinal cord. <i>Journal of Neuroscience</i> , 1997 , 17, 8476-90	6.6	450
31	Identification of 5-hydroxytryptamine receptors positively coupled to adenylyl cyclase in rat cultured astrocytes. <i>British Journal of Pharmacology</i> , 1997 , 120, 509-15	8.6	62
30	TrkA immunoreactive neurones in the rat spinal cord 1997 , 385, 441-455		43
29	p-Chlorphenylalanine changes serotonin transporter mRNA levels and expression of the gene product. <i>Journal of Neurochemistry</i> , 1996 , 67, 463-72	6	46
28	Circadian variation of EAAC1 glutamate transporter messenger RNA in the rat suprachiasmatic nuclei. <i>Molecular Brain Research</i> , 1996 , 35, 190-6		27
27	Altered expression of group I metabotropic glutamate receptors in the hippocampus of amygdala-kindled rats. <i>Molecular Brain Research</i> , 1996 , 43, 105-16		64
26	Circadian changes of glutamate decarboxylase 65 and 67 mRNA in the rat suprachiasmatic nuclei. <i>NeuroReport</i> , 1996 , 7, 1925-8	1.7	37
25	Analysis of the neuronal promoter of the rat aromatic L-amino acid decarboxylase gene. <i>Journal of Neurochemistry</i> , 1995 , 65, 1944-54	6	10
24	Growth hormone increases IGF-I, collagen I and collagen III gene expression in dwarf rat skeletal muscle. <i>Molecular and Cellular Endocrinology</i> , 1995 , 115, 187-97	4.4	21
23	Distribution of messenger RNAs encoding enkephalin, substance P, somatostatin, galanin, vasoactive intestinal polypeptide, neuropeptide Y, and calcitonin gene-related peptide in the midbrain periaqueductal grey in the rat. <i>Journal of Comparative Neurology</i> , 1994 , 350, 23-40	3.4	87
22	Chronic D-fenfluramine decreases serotonin transporter messenger RNA expression in dorsal raphe nucleus. <i>European Journal of Pharmacology</i> , 1994 , 268, 439-42		26
21	Repeated administration of MDMA down-regulates preprocholecystokinin mRNA expression but not tyrosine hydroxylase mRNA expression in neurones of the rat substantia nigra. <i>Molecular Brain Research</i> , 1994 , 25, 34-40		7
20	Serotonin and NADPH-diaphorase in the dorsal raphe nucleus of the adult rat. <i>Neuroscience Letters</i> , 1994 , 173, 31-6	3.3	57
19	Down-regulation of protein kinase C isoform gene expression in degenerating thalamic neurones—lack of induction in reactive glial cells. <i>Biochemical Society Transactions</i> , 1994 , 22, 291S	5.1	1
18	Differential expression of GABA transporter-1 messenger RNA in subpopulations of GABA neurones. <i>Neuroscience Letters</i> , 1993 , 156, 163-6	3.3	56

17	A combined in situ hybridization and immunofluorescence procedure allowing visualisation of peptide mRNA and serotonin in single sections. <i>Journal of Neuroscience Methods</i> , 1993 , 48, 99-110	3	37
16	Benzodiazepines increase preprocholecystinin messenger RNA levels in rat brain. <i>European Journal of Pharmacology</i> , 1993 , 245, 193-6		19
15	Intraperitoneal insulin is more potent than subcutaneous insulin at restoring hepatic insulin-like growth factor-I mRNA levels in the diabetic rat: a functional role for the portal vascular link. <i>Journal of Molecular Endocrinology</i> , 1992 , 9, 257-63	4.5	29
14	Regulation of glutamate decarboxylase and enkephalin mRNA levels in rat striatum by chronic benzodiazepine treatment. <i>Biochemical Society Transactions</i> , 1992 , 20, 303S	5.1	1
13	Amplification of members of the neurotransmitter transporter superfamily using PCR. <i>Biochemical Society Transactions</i> , 1992 , 20, 304S	5.1	
12	A preliminary analysis of the hybridization kinetics of an oligonucleotide to mRNA in tissue sections. <i>Biochemical Society Transactions</i> , 1992 , 20, 305S	5.1	2
11	Two populations of cells that express preprocholecystinin mRNA in ventral periaqueductal grey. <i>Neuroscience Letters</i> , 1992 , 143, 55-9	3.3	18
10	The neuropeptide cholecystinin (CCK): Anatomy and biochemistry, receptors, pharmacology and physiology. <i>Neurochemistry International</i> , 1990 , 17, 633-634	4.4	
9	Ligand autoradiographic receptor screening: receptor cDNA expression in replicas of transfected COS cells. <i>Molecular Brain Research</i> , 1990 , 7, 249-59		4
8	Caerulein-induced antinociception: interaction with morphine and opioid antagonists in the rat. <i>Neuropeptides</i> , 1989 , 14, 263-8	3.3	3
7	A new method of screening receptor cDNAs: influence of plasmid competition on receptor expression. <i>Biochemical Society Transactions</i> , 1989 , 17, 1068-9	5.1	1
6	The novel CCK antagonist L364,718 abolished caerulein- but potentiates morphine-induced antinociception. <i>European Journal of Pharmacology</i> , 1988 , 152, 163-6	5.3	20
5	Evidence for time dependence of morphine effects on cholecystinin release from rat periaqueductal grey. <i>Biochemical Society Transactions</i> , 1988 , 16, 538-539	5.1	1
4	Morphine action on cholecystinin octapeptide release from rat periaqueductal grey slices: sensitisation by naloxone. <i>Neuropeptides</i> , 1987 , 10, 189-200	3.3	15
3	Neuronal cholecystinin release: morphine and naloxone effects on rat periaqueductal grey. <i>Biochemical Society Transactions</i> , 1986 , 14, 600-600	5.1	2
2	Quantitation of cholecystinin mRNA in the rat brain by slot-blotting and northern analysis: Preliminary studies on the effect of acute morphine. <i>Regulatory Peptides</i> , 1986 , 15, 190		3
1	The metabolism of neuropeptides. Endopeptidase-24.11 in human synaptic membrane preparations hydrolyses substance P. <i>Biochemical Journal</i> , 1985 , 228, 487-92	3.8	60