

Michael Goldfarb

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5564760/michael-goldfarb-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

3,728
citations

31
h-index

58
g-index

116
ext. papers

4,506
ext. citations

3.6
avg, IF

5.7
L-index

#	Paper	IF	Citations
107	Multiclass real-time intent recognition of a powered lower limb prosthesis. <i>IEEE Transactions on Biomedical Engineering</i> , 2010 , 57, 542-51	5	274
106	Corner-Filletted Flexure Hinges. <i>Journal of Mechanical Design, Transactions of the ASME</i> , 2001 , 123, 346-352		223
105	Preliminary Evaluations of a Self-Contained Anthropomorphic Transfemoral Prosthesis. <i>IEEE/ASME Transactions on Mechatronics</i> , 2009 , 14, 667-676	5.5	213
104	Upslope walking with a powered knee and ankle prosthesis: initial results with an amputee subject. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2011 , 19, 71-8	4.8	190
103	A Lumped Parameter Electromechanical Model for Describing the Nonlinear Behavior of Piezoelectric Actuators. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1997 , 119, 478-485	1.6	156
102	Design of a Multifunctional Anthropomorphic Prosthetic Hand With Extrinsic Actuation. <i>IEEE/ASME Transactions on Mechatronics</i> , 2009 , 14, 699-706	5.5	148
101	A Robotic Leg Prosthesis: Design, Control, and Implementation. <i>IEEE Robotics and Automation Magazine</i> , 2014 , 21, 70-81	3.4	134
100	Control of stair ascent and descent with a powered transfemoral prosthesis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2013 , 21, 466-73	4.8	132
99	A preliminary assessment of legged mobility provided by a lower limb exoskeleton for persons with paraplegia. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2014 , 22, 482-90	4.8	126
98	On the Efficiency of Electric Power Generation With Piezoelectric Ceramic. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1999 , 121, 566-571	1.6	100
97	A method for the control of multigrasp myoelectric prosthetic hands. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2012 , 20, 58-67	4.8	91
96	A flexure-based gripper for small-scale manipulation. <i>Robotica</i> , 1999 , 17, 181-187	2.1	89
95	An assistive control approach for a lower-limb exoskeleton to facilitate recovery of walking following stroke. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2015 , 23, 441-9	4.8	87
94	A Control Approach for Actuated Dynamic Walking in Biped Robots. <i>IEEE Transactions on Robotics</i> , 2009 , 25, 1292-1303	6.5	75
93	Design and energetic characterization of a liquid-propellant-powered actuator for self-powered robots. <i>IEEE/ASME Transactions on Mechatronics</i> , 2003 , 8, 254-262	5.5	74
92	Realizing the promise of robotic leg prostheses. <i>Science Translational Medicine</i> , 2013 , 5, 210ps15	17.5	72
91	Preliminary evaluation of a controlled-brake orthosis for FES-aided gait. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2003 , 11, 241-8	4.8	69

90	A Well-Behaved Revolute Flexure Joint for Compliant Mechanism Design. <i>Journal of Mechanical Design, Transactions of the ASME</i> , 1999 , 121, 424-429	3	62
89	Design of a controlled-brake orthosis for FES-aided gait. <i>IEEE Transactions on Rehabilitation Engineering: A Publication of the IEEE Engineering in Medicine and Biology Society</i> , 1996 , 4, 13-24		60
88	Transparency and Stability Robustness in Two-Channel Bilateral Telem Manipulation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2001 , 123, 400-407	1.6	55
87	Nonlinear Model-Based Control of Pulse Width Modulated Pneumatic Servo Systems. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2006 , 128, 663-669	1.6	54
86	A Multigrasp Hand Prosthesis for Providing Precision and Conformal Grasps. <i>IEEE/ASME Transactions on Mechatronics</i> , 2014 , PP, 1-8	5.5	52
85	Simultaneous Force and Stiffness Control of a Pneumatic Actuator. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2007 , 129, 425-434	1.6	48
84	A Gas-Actuated Anthropomorphic Prosthesis for Transhumeral Amputees 2008 , 24, 159-169		46
83	Design and Control of a Powered Knee and Ankle Prosthesis. <i>Proceedings - IEEE International Conference on Robotics and Automation</i> , 2007 ,		35
82	A Phase Variable Approach for IMU-Based Locomotion Activity Recognition. <i>IEEE Transactions on Biomedical Engineering</i> , 2018 , 65, 1330-1338	5	34
81	Design and energetic characterization of a proportional-injector monopropellant-powered actuator. <i>IEEE/ASME Transactions on Mechatronics</i> , 2006 , 11, 196-204	5.5	34
80	Loop shaping for transparency and stability robustness in bilateral telem Manipulation. <i>IEEE Transactions on Automation Science and Engineering</i> , 2004 , 20, 620-624		33
79	The effect of force saturation on the haptic perception of detail. <i>IEEE/ASME Transactions on Mechatronics</i> , 2002 , 7, 280-288	5.5	33
78	A compliant-mechanism-based three degree-of-freedom manipulator for small-scale manipulation. <i>Robotica</i> , 2000 , 18, 95-104	2.1	33
77	. <i>IEEE Transactions on Robotics</i> , 2018 , 34, 183-193	6.5	32
76	IMU-Based Wrist Rotation Control of a Transradial Myoelectric Prosthesis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018 , 26, 419-427	4.8	29
75	Energy Saving in Pneumatic Servo Control Utilizing Interchamber Cross-Flow. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2007 , 129, 303-310	1.6	28
74	Control and Evaluation of a Powered Transfemoral Prosthesis for Stair Ascent. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2017 , 25, 917-924	4.8	27
73	A Stair Ascent and Descent Controller for a Powered Ankle Prosthesis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018 , 26, 993-1002	4.8	27

72	A Unified Controller for Walking on Even and Uneven Terrain With a Powered Ankle Prosthesis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018 , 26, 788-797	4.8	26
71	Design of a Multigrasp Transradial Prosthesis. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2011 , 5,	1.3	26
70	Design of a Myoelectric Transhumeral Prosthesis. <i>IEEE/ASME Transactions on Mechatronics</i> , 2016 , 21, 1868-1879	5.5	26
69	Preliminary evaluation of a walking controller for a powered ankle prosthesis 2013 ,		25
68	Dimensional analysis and selective distortion in scaled bilateral telemanipulation		25
67	Dynamic Constraint-Based Energy-Saving Control of Pneumatic Servo Systems. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2006 , 128, 655-662	1.6	23
66	The effect of virtual surface stiffness on the haptic perception of detail. <i>IEEE/ASME Transactions on Mechatronics</i> , 2004 , 9, 448-454	5.5	22
65	A decade retrospective of medical robotics research from 2010 to 2020. <i>Science Robotics</i> , 2021 , 6, eabi80876	8.8	22
64	Impact of Powered Knee-Ankle Prosthesis on Low Back Muscle Mechanics in Transfemoral Amputees: A Case Series. <i>Frontiers in Neuroscience</i> , 2018 , 12, 134	5.1	21
63	Design, control, and energetic characterization of a solenoid-injected monopropellant-powered actuator. <i>IEEE/ASME Transactions on Mechatronics</i> , 2006 , 11, 477-487	5.5	21
62	Control Design for Relative Stability in a PWM-Controlled Pneumatic System. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2003 , 125, 504-508	1.6	21
61	Design and preliminary assessment of Vanderbilt hand exoskeleton. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2017 , 2017, 1537-1542	1.3	19
60	On the enhanced passivity of pneumatically actuated impedance-type haptic interfaces 2006 , 22, 470-480		19
59	Sliding mode approach to PWM-controlled pneumatic systems 2002 ,		19
58	Behavioral implications of piezoelectric stack actuators for control of micromanipulation		19
57	Design of a Semi-Powered Stance-Control Swing-Assist Transfemoral Prosthesis. <i>IEEE/ASME Transactions on Mechatronics</i> , 2020 , 25, 175-184	5.5	19
56	A Velocity-Field-Based Controller for Assisting Leg Movement During Walking With a Bilateral Hip and Knee Lower Limb Exoskeleton. <i>IEEE Transactions on Robotics</i> , 2019 , 35, 307-316	6.5	19
55	Design, Control, and Preliminary Assessment of a Multifunctional Semipowered Ankle Prosthesis. <i>IEEE/ASME Transactions on Mechatronics</i> , 2019 , 24, 1532-1540	5.5	17

54	Supplemental Stimulation Improves Swing Phase Kinematics During Exoskeleton Assisted Gait of SCI Subjects With Severe Muscle Spasticity. <i>Frontiers in Neuroscience</i> , 2018 , 12, 374	5.1	16
53	A Unified Force Controller for a Proportional-Injector Direct-Injection Monopropellant-Powered Actuator. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2006 , 128, 159-164	1.6	16
52	Design and performance characterization of a hand orthosis prototype to aid activities of daily living in a post-stroke population. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 3877-80	0.9	14
51	Real-time Intent Recognition for a Powered Knee and Ankle Transfemoral Prosthesis 2007 ,		14
50	A Pneumatically Actuated Quadrupedal Walking Robot. <i>IEEE/ASME Transactions on Mechatronics</i> , 2014 , 19, 339-347	5.5	13
49	Design of a PZT-actuated proportional drum brake. <i>IEEE/ASME Transactions on Mechatronics</i> , 1999 , 4, 409-416	5.5	13
48	Synergistic Elbow Control for a Myoelectric Transhumeral Prosthesis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018 , 26, 468-476	4.8	12
47	Design of a multifunctional anthropomorphic prosthetic hand with extrinsic actuation 2009 ,		12
46	A method for simultaneously increasing transparency and stability robustness in bilateral telemanipulation		12
45	Position control of a compliant mechanism based micromanipulator		12
44	Impedance & Admittance-Based Coordination Control Strategies for Robotic Lower Limb Prostheses. <i>Mechanical Engineering</i> , 2014 , 136, S12-S17	0.9	11
43	Design of a Multidisc Electromechanical Brake. <i>IEEE/ASME Transactions on Mechatronics</i> , 2011 , 16, 985-993	9.3	11
42	An implementation of loop-shaping compensation for multidegree-of-freedom macro-microscaled telemanipulation. <i>IEEE Transactions on Control Systems Technology</i> , 2005 , 13, 459-464	4.8	11
41	Optimal Transmission Ratio Selection for Electric Motor Driven Actuators With Known Output Torque and Motion Trajectories. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2017 , 139,	1.6	10
40	Decomposition-Based Control for a Powered Knee and Ankle Transfemoral Prosthesis 2007 ,		10
39	Evaluation of a coordinated control system for a pair of powered transfemoral prostheses 2013 ,		9
38	Loop Shaping for Transparency and Stability Robustness in Time-Delayed Bilateral Telemanipulation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2004 , 126, 650-656	1.6	9
37	Design of a simplified compliant anthropomorphic robot hand 2017 ,		8

36	Similarity and Invariance in Scaled Bilateral Telemanipulation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1999 , 121, 79-87	1.6	8
35	A novel system for introducing precisely-controlled, unanticipated gait perturbations for the study of stumble recovery. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2019 , 16, 69	5.3	7
34	Variable Geometry Stair Ascent and Descent Controller for a Powered Lower Limb Exoskeleton. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2018 , 12,	1.3	7
33	Metabolics of stair ascent with a powered transfemoral prosthesis. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 5307-10	0.9	7
32	Implementation of loop-shaping compensators to increase the transparency bandwidth of a scaled telemanipulation system		7
31	Monopropellant powered actuators for use in autonomous human-scaled robotics		7
30	Force saturation, system bandwidth, information transfer, and surface quality in haptic interfaces		7
29	Enhanced Performance and Stability in Pneumatic Servosystems With Supplemental Mechanical Damping. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2010 , 132,	1.6	6
28	A Semi-Powered Ankle Prosthesis and Unified Controller for Level and Sloped Walking. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021 , 29, 320-329	4.8	6
27	Design and Preliminary Assessment of Lightweight Swing-Assist Knee Prosthesis. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 3198-3201	0.9	6
26	Design of a power-asymmetric actuator for a transtibial prosthesis. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2017 , 2017, 1531-1536	1.3	5
25	Design and Energetic Characterization of a Solenoid Injected Liquid Monopropellant Powered Actuator for Self-Powered Robots		5
24	Effect of a Swing-Assist Knee Prosthesis on Stair Ambulation. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021 , 29, 2046-2054	4.8	5
23	A Single-Joint Implementation of Flow Control: Knee Joint Walking Assistance for Individuals With Mobility Impairment. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020 , 28, 934-942	4.8	4
22	Functional assessment of a Multigrasp Myoelectric prosthesis: An amputee case study 2013 ,		4
21	A controller for dynamic walking in bipedal robots 2009 ,		4
20	Energy saving control for pneumatic servo systems		4
19	Independent Stiffness and Force Control of Pneumatic Actuators for Contact Stability during Robot Manipulation		

18	Swing-Assist for Enhancing Stair Ambulation in a Primarily-Passive Knee Prosthesis 2020 ,		4
17	Preliminary Assessment of a Hand and Arm Exoskeleton for Enabling Bimanual Tasks for Individuals With Hemiparesis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020 , 28, 2214-2223	4.8	4
16	On the design of power gear trains: Insight regarding number of stages and their respective ratios. <i>PLoS ONE</i> , 2018 , 13, e0198048	3.7	4
15	Multivariable Loop-Shaping in Bilateral Telemanipulation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2006 , 128, 482-488	1.6	3
14	A Biologically Inspired Approach to the Coordination of Hexapedal Gait. <i>Proceedings - IEEE International Conference on Robotics and Automation</i> , 2007 ,		3
13	Development of a hot gas actuator for self-powered robots		3
12	Eliminating non-smooth nonlinearities with compliant manipulator design 1998 ,		3
11	Actuated dynamic walking in biped robots: Control approach, robot design and experimental validation 2009 ,		2
10	Design and control of a biomimetic hexapedal walker 2008 ,		2
9	Analysis and design approach to inchworm robotic insects		2
8	Nonlinear averaging applied to the control of pulse width modulated (PWM) pneumatic systems 2004 ,		2
7	Design and Assist-As-Needed Control of a Lightly Powered Prosthetic Knee. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2022 , 1-1	3.1	2
6	Predictive Control for Time-Delayed Switching Control Systems. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2006 , 128, 999-1004	1.6	1
5	Progress Towards the Development of a Highly Functional Anthropomorphic Transhumeral Prosthesis 2007 ,		1
4	The role of pressure sensors in the servo control of pneumatic actuators		1
3	Feasibility Study of a Fall Prevention Cold Gas Thruster 2020 ,		1
2	A Velocity-Based Flow Field Control Approach for Reshaping Movement of Stroke-Impaired Individuals with a Lower-Limb Exoskeleton. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 2797-2800	0.9	0
1	Guest Editorial Introduction to the Focused Section on Anthropomorphism in Mechatronic Systems. <i>IEEE/ASME Transactions on Mechatronics</i> , 2009 , 14, 641-646	5.5	

