

Valdila G Veloso

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5564859/valdilea-g-veloso-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

5,525
citations

18
h-index

65
g-index

65
ext. papers

6,635
ext. citations

6.2
avg, IF

4.83
L-index

#	Paper	IF	Citations
60	Preexposure chemoprophylaxis for HIV prevention in men who have sex with men. <i>New England Journal of Medicine</i> , 2010 , 363, 2587-99	59.2	3436
59	Uptake of pre-exposure prophylaxis, sexual practices, and HIV incidence in men and transgender women who have sex with men: a cohort study. <i>Lancet Infectious Diseases, The</i> , 2014 , 14, 820-9	25.5	776
58	Timing of antiretroviral therapy for HIV-1 infection and tuberculosis. <i>New England Journal of Medicine</i> , 2011 , 365, 1482-91	59.2	429
57	Retention, engagement, and adherence to pre-exposure prophylaxis for men who have sex with men and transgender women in PrEP Brasil: 48 week results of a demonstration study. <i>Lancet HIV,the</i> , 2018 , 5, e136-e145	7.8	87
56	Epidemiology of HIV in Latin America and the Caribbean. <i>Current Opinion in HIV and AIDS</i> , 2014 , 9, 192-8	4.2	85
55	Unveiling of HIV dynamics among transgender women: a respondent-driven sampling study in Rio de Janeiro, Brazil. <i>Lancet HIV,the</i> , 2017 , 4, e169-e176	7.8	67
54	Awareness and Willingness to Use Pre-exposure Prophylaxis (PrEP) Among Men Who Have Sex with Men and Transgender Women in Brazil. <i>AIDS and Behavior</i> , 2017 , 21, 1278-1287	4.3	64
53	Seroprevalence of anti-SARS-CoV-2 among blood donors in Rio de Janeiro, Brazil. <i>Revista De Saude Publica</i> , 2020 , 54, 69	2.4	45
52	Impact of COVID-19 Pandemic on Sexual Minority Populations in Brazil: An Analysis of Social/Racial Disparities in Maintaining Social Distancing and a Description of Sexual Behavior. <i>AIDS and Behavior</i> , 2021 , 25, 73-84	4.3	41
51	The HIV epidemic in Latin America: accomplishments and challenges on treatment and prevention. <i>Current Opinion in HIV and AIDS</i> , 2019 , 14, 366-373	4.2	37
50	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study. <i>JMIR Public Health and Surveillance</i> , 2018 , 4, e11	11.4	33
49	Survival of AIDS patients using two case definitions, Rio de Janeiro, Brazil, 1986-2003. <i>Aids</i> , 2005 , 19 Suppl 4, S22-6	3.5	32
48	Factors Associated With Willingness to Use Pre-Exposure Prophylaxis in Brazil, Mexico, and Peru: Web-Based Survey Among Men Who Have Sex With Men. <i>JMIR Public Health and Surveillance</i> , 2019 , 5, e13771	11.4	32
47	Do men who have sex with men who report alcohol and illicit drug use before/during sex (chemsex) present moderate/high risk for substance use disorders?. <i>Drug and Alcohol Dependence</i> , 2020 , 209, 107948	4.9	28
46	Predictive factors associated with liver fibrosis and steatosis by transient elastography in patients with HIV mono-infection under long-term combined antiretroviral therapy. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25201	5.4	28
45	Factors associated with PrEP awareness according to age and willingness to use HIV prevention technologies: the 2017 online survey among MSM in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 1193-1202	2.2	24
44	How heterogeneous are MSM from Brazilian cities? An analysis of sexual behavior and perceived risk and a description of trends in awareness and willingness to use pre-exposure prophylaxis. <i>BMC Infectious Diseases</i> , 2019 , 19, 1067	4	21

43	Awareness, Willingness, and PrEP Eligibility Among Transgender Women in Rio de Janeiro, Brazil. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 79, 445-452	3.1	20
42	Transcendendo: A Cohort Study of HIV-Infected and Uninfected Transgender Women in Rio de Janeiro, Brazil. <i>Transgender Health</i> , 2019 , 4, 107-117	4	18
41	An Internet-Based HIV Self-Testing Program to Increase HIV Testing Uptake Among Men Who Have Sex With Men in Brazil: Descriptive Cross-Sectional Analysis. <i>Journal of Medical Internet Research</i> , 2019 , 21, e14145	7.6	18
40	Telemedicine as a tool for PrEP delivery during the COVID-19 pandemic in a large HIV prevention service in Rio de Janeiro-Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2020 , 24, 360-364	2.8	17
39	The Prevalence of HIV Among Men Who Have Sex With Men (MSM) and Young MSM in Latin America and the Caribbean: A Systematic Review. <i>AIDS and Behavior</i> , 2021 , 25, 3223-3237	4.3	17
38	Effectiveness of direct-acting agents for hepatitis C and liver stiffness changing after sustained virological response. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 2187-2195	4	15
37	Pregnancy rates and predictors in women with HIV/AIDS in Rio de Janeiro, Southeastern Brazil. <i>Revista De Saude Publica</i> , 2011 , 45, 373-81	2.4	15
36	High acceptability of PrEP teleconsultation and HIV self-testing among PrEP users during the COVID-19 pandemic in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2021 , 25, 101037	2.8	14
35	Health-related quality of life assessment among people living with HIV in Rio de Janeiro, Brazil: a cross-sectional study. <i>Quality of Life Research</i> , 2019 , 28, 1035-1045	3.7	13
34	A call to improve understanding of Undetectable equals Untransmittable (U=U) in Brazil: a web-based survey. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25630	5.4	12
33	Multi-state models for defining degrees of chronicity related to HIV-infected patient therapy adherence. <i>Cadernos De Saude Publica</i> , 2013 , 29, 801-11	3.2	9
32	Effectiveness of generic direct-acting agents for the treatment of hepatitis C: systematic review and meta-analysis. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 188-197K	8.2	9
31	Effects of antiretroviral treatment and nadir CD4 count in progression to cardiovascular events and related comorbidities in a HIV Brazilian cohort: a multi-stage approach. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 551-559	2.2	8
30	High-Risk Sexual Behavior, Binge Drinking and Use of Stimulants are Key Experiences on the Pathway to High Perceived HIV Risk Among Men Who Have Sex with Men in Brazil. <i>AIDS and Behavior</i> , 2021 , 25, 748-757	4.3	6
29	Late initiation of antiretroviral therapy: inequalities by educational level despite universal access to care and treatment. <i>BMC Public Health</i> , 2021 , 21, 389	4.1	6
28	Biomarkers Associated with Death After Initiating Treatment for Tuberculosis and HIV in Patients with Very Low CD Cells. <i>Pathogens and Immunity</i> , 2018 , 3, 46-62	4.9	6
27	High risk and low HIV prevention behaviours in a new generation of young trans women in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 997-1001	2.2	5
26	The Intersection of HIV, Social Vulnerability, and Reproductive Health: Analysis of Women Living with HIV in Rio de Janeiro, Brazil from 1996 to 2016. <i>AIDS and Behavior</i> , 2019 , 23, 1541-1551	4.3	4

25	Pre-exposure prophylaxis use, HIV knowledge, and internalized homonegativity among men who have sex with men in Brazil: A cross-sectional study.. <i>The Lancet Regional Health Americas</i> , 2022 , 6, 100152-100152		4
24	Translation and validation of the Short HIV Stigma scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 322	3	4
23	Severe infection increases cardiovascular risk among HIV-infected individuals. <i>BMC Infectious Diseases</i> , 2019 , 19, 319	4	3
22	Complementary Recruitment Strategies to Reach Men Who Have Sex with Men and Transgender Women: The Experience of a Large Brazilian HIV Prevention Service.. <i>AIDS and Behavior</i> , 2022 , 1	4.3	3
21	High Rates of Sexualized Drug Use or Chemsex among Brazilian Transgender Women and Young Sexual and Gender Minorities.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	3
20	Translation and validation in Brazilian Portuguese of the reactions to homosexuality scale. <i>Psychology, Health and Medicine</i> , 2021 , 26, 20-36	2.1	3
19	Low socioeconomic status is associated with self-reported HIV positive status among young MSM in Brazil and Peru. <i>BMC Infectious Diseases</i> , 2021 , 21, 726	4	3
18	Preferences for pre-exposure prophylaxis (PrEP) among men who have sex with men and transgender women at risk of HIV infection: a multicentre protocol for a discrete choice experiment in Brazil. <i>BMJ Open</i> , 2021 , 11, e049011	3	3
17	High prevalence of anal high-risk HPV infection among transwomen: estimates from a Brazilian RDS study. <i>Journal of the International AIDS Society</i> , 2021 , 24, e25691	5.4	2
16	Cross-cultural adaptation of the Perceived Risk of HIV Scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 117	3	2
15	HIV cure: global overview of bNAb patents and related scientific publications. <i>Expert Opinion on Therapeutic Patents</i> , 2018 , 28, 551-560	6.8	2
14	Are men who have sex with men at higher risk for HIV in Latin America more aware of PrEP?. <i>PLoS ONE</i> , 2021 , 16, e0255557	3.7	2
13	Low PrEP adherence despite high retention among transgender women in Brazil: the PrEPParadas study.. <i>Journal of the International AIDS Society</i> , 2022 , 25, e25896	5.4	2
12	Prevalence of induced abortion and associated factors in a cohort of women living with HIV/AIDS, Rio de Janeiro, Brazil, 1996-2016. <i>Cadernos De Saude Publica</i> , 2020 , 36Suppl 1, e00201318	3.2	1
11	Factors associated with willingness to use Pre-exposure prophylaxis in Brazil, Mexico and Peru: an online survey among men who have sex with men (Preprint)		1
10	A pilot study of microbial signatures of liver disease in those with HIV mono-infection in Rio de Janeiro, Brazil. <i>Aids</i> , 2022 , 36, 49-58	3.5	1
9	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study (Preprint)		1
8	Diagnostic value of serological biomarkers for detection of non-alcoholic fatty liver disease (NAFLD) and/or advanced liver fibrosis in people living with HIV. <i>HIV Medicine</i> , 2021 , 22, 445-456	2.7	1

7	Awareness, knowledge, and attitudes related to HIV pre-exposure prophylaxis and other prevention strategies among physicians from Brazil and Mexico: cross-sectional web-based survey.. <i>BMC Health Services Research</i> , 2022 , 22, 532	2.9	1
6	A Technology-Based Intervention Among Young Men Who Have Sex With Men and Nonbinary People (The Conectad@s Project): Protocol for A Vanguard Mixed Methods Study.. <i>JMIR Research Protocols</i> , 2022 , 11, e34885	2	0
5	Possible risk compensation, attitudes, and beliefs among Brazilian individuals potentially eligible for pre-exposure prophylaxis. <i>International Journal of STD and AIDS</i> , 2021 , 32, 806-815	1.4	0
4	Assessing the underreporting of deaths among people living with HIV in Rio de Janeiro, Brazil, from 2014 to 2019.. <i>Cadernos De Saude Publica</i> , 2022 , 38, e00081821	3.2	
3	Ophthalmological Findings in Patients with SARS-CoV-2 Infection Examined at the National Institute of Infectious Diseases - INI/Fiocruz. <i>Ocular Immunology and Inflammation</i> , 2021 , 1-4	2.8	
2	Development of algorithms to estimate EQ-5D and derive health utilities from WHOQOL-HIV Bref: a mapping study. <i>Quality of Life Research</i> , 2020 , 29, 2497-2508	3.7	
1	Effectiveness of direct-acting agents for chronic hepatitis C treatment in South America: A systematic review and meta-analysis. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1396-1407	3.4	