Frank M Sullivan Frse, Frcp, Frcgp

List of Publications by Year in Descending Order

 $\textbf{Source:} \ https://exaly.com/author-pdf/5565431/frank-m-sullivan-frse-frcp-frcgp-publications-by-year.pdf$

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

254 papers

8,741 citations

43 h-index 88 g-index

285 ext. papers

10,481 ext. citations

5.5 avg, IF

5.98 L-index

#	Paper	IF	Citations
254	Development of an algorithm to classify primary care electronic health records of alcohol consumption: experience using data linkage from UK Biobank and primary care electronic health data sources <i>BMJ Open</i> , 2022 , 12, e054376	3	1
253	Social prescribing and behaviour change: proposal of a new behaviour change technique concerning the RonnectionPstep <i>Health Psychology and Behavioral Medicine</i> , 2022 , 10, 121-123	2.2	1
252	Air pollution and individualsPmental well-being in the adult population in United Kingdom: A spatial-temporal longitudinal study and the moderating effect of ethnicity <i>PLoS ONE</i> , 2022 , 17, e02643	3 3 4	1
251	Increasing uptake to a lung cancer screening programme: building with communities through co-design <i>BMC Public Health</i> , 2022 , 22, 815	4.1	O
250	Assessment of background levels of autoantibodies as a prognostic marker for severe SARS-CoV-2 infection <i>Journal of Circulating Biomarkers</i> , 2022 , 11, 24-27	3.3	
249	Studying trajectories of multimorbidity: a systematic scoping review of longitudinal approaches and evidence. <i>BMJ Open</i> , 2021 , 11, e048485	3	2
248	Bell® Palsy 2021 ,		
247	Trends in diabetes medication use in Australia, Canada, England, and Scotland: a repeated cross-sectional analysis in primary care. <i>British Journal of General Practice</i> , 2021 , 71, e209-e218	1.6	4
246	Methods of connecting primary care patients with community-based physical activity opportunities: A realist scoping review. <i>Health and Social Care in the Community</i> , 2021 , 29, 1169-1199	2.6	3
245	Earlier diagnosis of lung cancer in a randomised trial of an autoantibody blood test followed by imaging. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	22
244	Over-use of thyroid testing in Canadian and UK primary care in frequent attenders: A cross-sectional study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14144	2.9	1
243	Adherence at 2 years with distribution of essential medicines at no charge: The CLEAN Meds randomized clinical trial. <i>PLoS Medicine</i> , 2021 , 18, e1003590	11.6	2
242	Realising the full potential of data-enabled trials in the UK: a call for action. <i>BMJ Open</i> , 2021 , 11, e04390	06	1
241	Presumed consent and sharing medical data: Scottish register allows researchers to approach patients. <i>BMJ, The</i> , 2021 , 374, n1968	5.9	
240	Effects of Antiplatelet Therapy After Stroke Caused by Intracerebral Hemorrhage: Extended Follow-up of the RESTART Randomized Clinical Trial. <i>JAMA Neurology</i> , 2021 , 78, 1179-1186	17.2	6
239	Can we achieve better recruitment by providing better information? Meta-analysis of Btudies within a trialP(SWATs) of optimised participant information sheets. <i>BMC Medicine</i> , 2021 , 19, 218	11.4	2
238	Early experience with an opt-in research register - Scottish Health Research Register (SHARE): a multi-method evaluation of participant recruitment performance <i>BMC Medical Research Methodology</i> , 2021 , 21, 286	4.7	O

(2020-2020)

237	Point-of-care tests for urinary tract infections: protocol for a systematic review and meta-analysis of diagnostic test accuracy. <i>BMJ Open</i> , 2020 , 10, e033424	3	3
236	Drivers of the opioid crisis: An appraisal of financial conflicts of interest in clinical practice guideline panels at the peak of opioid prescribing. <i>PLoS ONE</i> , 2020 , 15, e0227045	3.7	16
235	The effect of air-pollution and weather exposure on mortality and hospital admission and implications for further research: A systematic scoping review. <i>PLoS ONE</i> , 2020 , 15, e0241415	3.7	10
234	Cardiovascular risk factor documentation and management in primary care electronic medical records among people with schizophrenia in Ontario, Canada: retrospective cohort study. <i>BMJ Open</i> , 2020 , 10, e038013	3	
233	Cardiovascular risk factor documentation and management in primary care electronic medical records among people with schizophrenia in Ontario, Canada: retrospective cohort study. <i>BMJ Open</i> , 2020 , 10, e038013	3	0
232	Connecting primary care patients to community-based physical activity: a qualitative study of health professional and patient views. <i>BJGP Open</i> , 2020 , 4,	3.1	4
231	Recording COVID-19 consultations: review of symptoms, risk factors, and proposed SNOMED CT terms. <i>BJGP Open</i> , 2020 , 4,	3.1	2
230	Trial Forge Guidance 2: how to decide if a further Study Within A Trial (SWAT) is needed. <i>Trials</i> , 2020 , 21, 33	2.8	17
229	Clinical Decision Support Systems for Opioid Prescribing for Chronic Non-Cancer Pain in Primary Care: A Scoping Review. <i>Journal of the American Board of Family Medicine</i> , 2020 , 33, 529-540	1.6	3
228	Information and rational decision-making: explanations to patients and citizens about personal risk of COVID-19. <i>BMJ Evidence-Based Medicine</i> , 2020 ,	2.7	5
227	Unconditional and conditional monetary incentives to increase response to mailed questionnaires: A randomized controlled study within a trial (SWAT). <i>Journal of Evaluation in Clinical Practice</i> , 2020 , 26, 893-902	2.5	6
226	Efficient identification of patients eligible for clinical studies using case-based reasoning on Scottish Health Research register (SHARE). <i>BMC Medical Informatics and Decision Making</i> , 2020 , 20, 70	3.6	1
225	Drivers of the opioid crisis: An appraisal of financial conflicts of interest in clinical practice guideline panels at the peak of opioid prescribing 2020 , 15, e0227045		
224	Drivers of the opioid crisis: An appraisal of financial conflicts of interest in clinical practice guideline panels at the peak of opioid prescribing 2020 , 15, e0227045		
223	Drivers of the opioid crisis: An appraisal of financial conflicts of interest in clinical practice guideline panels at the peak of opioid prescribing 2020 , 15, e0227045		
222	Drivers of the opioid crisis: An appraisal of financial conflicts of interest in clinical practice guideline panels at the peak of opioid prescribing 2020 , 15, e0227045		
221	Drivers of the opioid crisis: An appraisal of financial conflicts of interest in clinical practice guideline panels at the peak of opioid prescribing 2020 , 15, e0227045		
220	Drivers of the opioid crisis: An appraisal of financial conflicts of interest in clinical practice guideline panels at the peak of opioid prescribing 2020 , 15, e0227045		

219	The effect of air-pollution and weather exposure on mortality and hospital admission and implications for further research: A systematic scoping review 2020 , 15, e0241415		
218	The effect of air-pollution and weather exposure on mortality and hospital admission and implications for further research: A systematic scoping review 2020 , 15, e0241415		
217	The effect of air-pollution and weather exposure on mortality and hospital admission and implications for further research: A systematic scoping review 2020 , 15, e0241415		
216	The effect of air-pollution and weather exposure on mortality and hospital admission and implications for further research: A systematic scoping review 2020 , 15, e0241415		
215	Trends in end digit preference for blood pressure and associations with cardiovascular outcomes in Canadian and UK primary care: a retrospective observational study. <i>BMJ Open</i> , 2019 , 9, e024970	3	7
214	Effects of antiplatelet therapy after stroke due to intracerebral haemorrhage (RESTART): a randomised, open-label trial. <i>Lancet, The</i> , 2019 , 393, 2613-2623	40	77
213	Effects of antiplatelet therapy on stroke risk by brain imaging features of intracerebral haemorrhage and cerebral small vessel diseases: subgroup analyses of the RESTART randomised, open-label trial. <i>Lancet Neurology, The</i> , 2019 , 18, 643-652	24.1	43
212	Factors associated with recruitment to randomised controlled trials in general practice: protocol for a systematic review. <i>Trials</i> , 2019 , 20, 266	2.8	1
211	Do statins have an effect on depressive symptoms? A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019 , 257, 55-63	6.6	28
210	The "All of Us" Research Program. New England Journal of Medicine, 2019, 381, 1883-1884	59.2	8
209	Antiviral treatment for Bell® palsy (idiopathic facial paralysis). The Cochrane Library, 2019, 9, CD001869	5.2	19
208	The Impact of Treatment Adherence for Patients With Diabetes and Hypertension on Cardiovascular Disease Risk: Protocol for a Retrospective Cohort Study, 2008-2018. <i>JMIR Research Protocols</i> , 2019 , 8, e13571	2	2
207	Participatory governance over research in an academic research network: the case of Diabetes Action Canada. <i>BMJ Open</i> , 2019 , 9, e026828	3	6
206	Primary care providersPviews on a future lung cancer screening program. Family Practice, 2019, 36, 501-	-505	1
205	Podiatry interventions to prevent falls in older people: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2019 , 48, 327-336	3	17
204	Agreement between primary care and hospital diagnosis of schizophrenia and bipolar disorder: A cross-sectional, observational study using record linkage. <i>PLoS ONE</i> , 2019 , 14, e0210214	3.7	8
203	Impact of the Diabetes Canada Guideline Dissemination Strategy on the Prescription of Vascular Protective Medications: A Retrospective Cohort Study, 2010-2015. <i>Diabetes Care</i> , 2019 , 42, 148-156	14.6	7
202	Effects of fluoxetine on functional outcomes after acute stroke (FOCUS): a pragmatic, double-blind, randomised, controlled trial. <i>Lancet, The</i> , 2019 , 393, 265-274	40	145

201	Lung cancer screening: does pulmonary nodule detection affect a range of smoking behaviours?. <i>Journal of Public Health</i> , 2019 , 41, 600-608	3.5	3
200	Effect on Treatment Adherence of Distributing Essential Medicines at No Charge: The CLEAN Meds Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2019 ,	11.5	18
199	Strategies to improve recruitment to randomised trials. <i>The Cochrane Library</i> , 2018 , 2, MR000013	5.2	166
198	Finding and using routine clinical datasets for observational research and quality improvement. <i>British Journal of General Practice</i> , 2018 , 68, 147-148	1.6	2
197	Canadaß future health care system. <i>Cmaj</i> , 2018 , 190, E476	3.5	0
196	Would you like to add a weight after this blood pressure, doctor? Discovery of potentially actionable associations between the provision of multiple screens in primary care. <i>Journal of Evaluation in Clinical Practice</i> , 2018 , 24, 423-430	2.5	4
195	Prevalence and Distribution of Atherosclerosis in a Low- to Intermediate-Risk Population: Assessment with Whole-Body MR Angiography. <i>Radiology</i> , 2018 , 287, 795-804	20.5	5
194	Serum and blood based biomarkers for lung cancer screening: a systematic review. <i>BMC Cancer</i> , 2018 , 18, 181	4.8	43
193	Trial Forge Guidance 1: what is a Study Within A Trial (SWAT)?. Trials, 2018, 19, 139	2.8	94
192	Development and Validation of a Path Length Calculation for Carotid-Femoral Pulse Wave Velocity Measurement: A TASCFORCE, SUMMIT, and Caerphilly Collaborative Venture. <i>Hypertension</i> , 2018 , 71, 937-945	8.5	12
191	Agreement between hospital and primary care on diagnostic labeling for COPD and heart failure in Toronto, Canada: a cross-sectional observational study. <i>Npj Primary Care Respiratory Medicine</i> , 2018 , 28, 9	3.2	4
190	Systemic arteriosclerosis is associated with left ventricular remodeling but not atherosclerosis: a TASCFORCE study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 7	6.9	7
189	Identifying top 10 primary care research priorities from international stakeholders using a modified Delphi method. <i>PLoS ONE</i> , 2018 , 13, e0206096	3.7	10
188	Determinants of motivation to quit in smokers screened for the early detection of lung cancer: a qualitative study. <i>BMC Public Health</i> , 2018 , 18, 1276	4.1	2
187	The effect of optimised patient information materials on recruitment in a lung cancer screening trial: an embedded randomised recruitment trial. <i>Trials</i> , 2018 , 19, 503	2.8	13
186	An instrument to identify computerised primary care research networks, genetic and disease registries prepared to conduct linked research: TRANSFoRm International Research Readiness (TIRRE) survey. <i>BMJ Health and Care Informatics</i> , 2018 , 25, 207-220	2.6	3
185	Bell® Palsy in Children (BellPIC): protocol for a multicentre, placebo-controlled randomized trial. <i>BMC Pediatrics</i> , 2017 , 17, 53	2.6	23
184	Finhinking that somebodyß going to delay [a tonsillectomy] for one to two years is quite horrifying reallyß a qualitative feasibility study for the NAtional Trial of Tonsillectomy IN Adults (NATTINA Part 2). Clinical Otolaryngology, 2017, 42, 578-583	1.8	3

183	Oral and Topical Antibiotics for Clinically Infected Eczema in Children: A Pragmatic Randomized Controlled Trial in Ambulatory Care. <i>Annals of Family Medicine</i> , 2017 , 15, 124-130	2.9	33
182	Reply: The Enigma of Left Ventricular Non-Compaction. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2470-2471	15.1	
181	Protocol for a randomised controlled trial evaluating the effects of providing essential medicines at no charge: the Carefully seLected and Easily Accessible at No Charge Medicines (CLEAN Meds) trial. <i>BMJ Open</i> , 2017 , 7, e015686	3	6
180	The PRECIS-2 tool has good interrater reliability and modest discriminant validity. <i>Journal of Clinical Epidemiology</i> , 2017 , 88, 113-121	5.7	34
179	Detection in blood of autoantibodies to tumour antigens as a case-finding method in lung cancer using the EarlyCDT -Lung Test (ECLS): study protocol for a randomized controlled trial. <i>BMC Cancer</i> , 2017 , 17, 187	4.8	35
178	Cohort profile: the Scottish Research register SHARE. A register of people interested in research participation linked to NHS data sets. <i>BMJ Open</i> , 2017 , 7, e013351	3	28
177	Piloting electronic screening forms in primary care: findings from a mixed methods study to identify patients eligible for low dose CT lung cancer screening. <i>BMC Family Practice</i> , 2017 , 18, 95	2.6	5
176	Podiatry intervention versus usual care to prevent falls in care homes: pilot randomised controlled trial (the PIRFECT study). <i>BMC Geriatrics</i> , 2017 , 17, 143	4.1	17
175	Prevalence of unrecognized myocardial infarction in a low-intermediate risk asymptomatic cohort and its relation to systemic atherosclerosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 657-662	4.1	9
174	Management of Bellß palsy. Australian Prescriber, 2017 , 40, 94-97	1.4	19
174 173	Management of Bell® palsy. <i>Australian Prescriber</i> , 2017 , 40, 94-97 Opt-in method is vital for data sharing. <i>BMJ, The</i> , 2016 , 354, i4293	1.4 5.9	19
			19 7
173	Opt-in method is vital for data sharing. <i>BMJ, The</i> , 2016 , 354, i4293 A primary care Web-based Intervention Modeling Experiment replicated behavior changes seen in	5.9	
173 172	Opt-in method is vital for data sharing. <i>BMJ, The</i> , 2016 , 354, i4293 A primary care Web-based Intervention Modeling Experiment replicated behavior changes seen in earlier paper-based experiment. <i>Journal of Clinical Epidemiology</i> , 2016 , 80, 116-122 Antiviral Agents Added to Corticosteroids for Early Treatment of Adults With Acute Idiopathic	5.9 5.7	7
173 172 171	Opt-in method is vital for data sharing. <i>BMJ, The</i> , 2016 , 354, i4293 A primary care Web-based Intervention Modeling Experiment replicated behavior changes seen in earlier paper-based experiment. <i>Journal of Clinical Epidemiology</i> , 2016 , 80, 116-122 Antiviral Agents Added to Corticosteroids for Early Treatment of Adults With Acute Idiopathic Facial Nerve Paralysis (Bell Palsy). <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 874-5 Left Ventricular Noncompaction: Anatomical Phenotype or Distinct Cardiomyopathy?. <i>Journal of</i>	5·9 5·7 27·4	7
173 172 171 170	Opt-in method is vital for data sharing. <i>BMJ, The</i> , 2016 , 354, i4293 A primary care Web-based Intervention Modeling Experiment replicated behavior changes seen in earlier paper-based experiment. <i>Journal of Clinical Epidemiology</i> , 2016 , 80, 116-122 Antiviral Agents Added to Corticosteroids for Early Treatment of Adults With Acute Idiopathic Facial Nerve Paralysis (Bell Palsy). <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 874-5 Left Ventricular Noncompaction: Anatomical Phenotype or Distinct Cardiomyopathy?. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2157-2165	5·9 5·7 27·4	7
173 172 171 170	Opt-in method is vital for data sharing. <i>BMJ, The,</i> 2016 , 354, i4293 A primary care Web-based Intervention Modeling Experiment replicated behavior changes seen in earlier paper-based experiment. <i>Journal of Clinical Epidemiology,</i> 2016 , 80, 116-122 Antiviral Agents Added to Corticosteroids for Early Treatment of Adults With Acute Idiopathic Facial Nerve Paralysis (Bell Palsy). <i>JAMA - Journal of the American Medical Association,</i> 2016 , 316, 874-5 Left Ventricular Noncompaction: Anatomical Phenotype or Distinct Cardiomyopathy?. <i>Journal of the American College of Cardiology,</i> 2016 , 68, 2157-2165 A young woman with acute one-sided facial paralysis. <i>Cmaj,</i> 2016 , 188, E531-E532	5·9 5·7 27·4 15·1 3·5	7 12 82

(2015-2016)

165	3T MRI investigation of cardiac left ventricular structure and function in a UK population: The tayside screening for the prevention of cardiac events (TASCFORCE) study. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 44, 1186-1196	5.6	8
164	Text mining describes the use of statistical and epidemiological methods in published medical research. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 124-32	5.7	7
163	Stepping Up to the Plate: An Agenda for Research and Policy Action on Electronic Medical Records in Canadian Primary Healthcare. <i>Healthcare Policy</i> , 2016 , 12, 19-32	1.1	3
162	A randomised placebo-controlled trial of oral and topical antibiotics for children with clinically infected eczema in the community: the ChildRen with Eczema, Antibiotic Management (CREAM) study. <i>Health Technology Assessment</i> , 2016 , 20, i-xxiv, 1-84	4.4	17
161	Towards onset prevention of cognition decline in adults with Down syndrome (The TOP-COG study): A pilot randomised controlled trial. <i>Trials</i> , 2016 , 17, 370	2.8	13
160	Defining Disease Phenotypes in Primary Care Electronic Health Records by a Machine Learning Approach: A Case Study in Identifying Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016 , 11, e0154515	3.7	42
159	Increasing aortic stiffness is predictive of advanced liver fibrosis in patients with type 2 diabetes: the Rio-T2DM cohort study. <i>Liver International</i> , 2016 , 36, 977-85	7.9	16
158	Atomic data: James Mackenzie Lecture 2015. British Journal of General Practice, 2016 , 66, e368-70	1.6	O
157	Identifying risk factors for progression to critical care admission and death among individuals with acute pancreatitis: a record linkage analysis of Scottish healthcare databases. <i>BMJ Open</i> , 2016 , 6, e011	4 7 4	21
156	Technical assessment of whole body angiography and cardiac function within a single MRI examination. <i>Clinical Radiology</i> , 2015 , 70, 595-603	2.9	12
155	Multiple physical and mental health comorbidity in adults with intellectual disabilities: population-based cross-sectional analysis. <i>BMC Family Practice</i> , 2015 , 16, 110	2.6	174
154	Why do women not return family history forms when referred to breast cancer genetics services? A mixed-method study. <i>Health Expectations</i> , 2015 , 18, 1735-43	3.7	1
153	The PRECIS-2 tool: designing trials that are fit for purpose. <i>BMJ, The</i> , 2015 , 350, h2147	5.9	765
152	Reflecting on the methodological challenge of recruiting older care home residents to podiatry research. <i>Journal of Foot and Ankle Research</i> , 2015 , 8,	3.2	2
151	The NAtional randomised controlled Trial of Tonsillectomy IN Adults (NATTINA): a clinical and cost-effectiveness study: study protocol for a randomised control trial. <i>Trials</i> , 2015 , 16, 263	2.8	10
150	WITHDRAWN. Antiviral treatment for Bell® palsy (idiopathic facial paralysis). <i>Cochrane Database of Systematic Reviews</i> , 2015 , CD001869		3
149	Antiviral treatment for Bellß palsy (idiopathic facial paralysis). <i>Cochrane Database of Systematic Reviews</i> , 2015 , CD001869		19
148	Antiviral treatment for BellB palsy (idiopathic facial paralysis). <i>The Cochrane Library</i> , 2015 , CD001869	5.2	16

147	Antiviral treatment for Bell® palsy (idiopathic facial paralysis). Sao Paulo Medical Journal, 2015, 133, 383	31.6	3
146	Matching trial design decisions to the needs of those you hope will use the results: the PRECIS-2 tool. <i>Trials</i> , 2015 , 16,	2.8	78
145	A practical application of a novel software solution to aid identification of research participants in primary care - the CREAM study (children with eczema antibiotic management study). <i>Trials</i> , 2015 , 16,	2.8	78
144	Using Electronic Health Records to Support Clinical Trials: A Report on Stakeholder Engagement for EHR4CR. <i>BioMed Research International</i> , 2015 , 2015, 707891	3	6
143	Accuracy of Patient Self-Report of Stroke: A Systematic Review from the UK Biobank Stroke Outcomes Group. <i>PLoS ONE</i> , 2015 , 10, e0137538	3.7	30
142	Prediction of liver disease in patients whose liver function tests have been checked in primary care: model development and validation using population-based observational cohorts. <i>BMJ Open</i> , 2014 , 4, e004837	3	19
141	Toward onset prevention of cognitive decline in adults with Down syndrome (the TOP-COG study): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 202	2.8	12
140	Aspirin use and survival after the diagnosis of breast cancer: a population-based cohort study. <i>British Journal of Cancer</i> , 2014 , 111, 623-7	8.7	76
139	Paper-based and web-based intervention modeling experiments identified the same predictors of general practitionersPantibiotic-prescribing behavior. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 296-304	4 5·7	9
138	Novel approach identifies SNPs in SLC2A10 and KCNK9 with evidence for parent-of-origin effect on body mass index. <i>PLoS Genetics</i> , 2014 , 10, e1004508	6	45
137	The GP as an investigator. British Journal of General Practice, 2014, 64, 409	1.6	
136	Primary care research network progress in Scotland. European Journal of General Practice, 2014, 20, 337	'- 4 .8	13
135	An ethnographic exploration of influences on prescribing in general practice: why is there variation in prescribing practices?. <i>Implementation Science</i> , 2013 , 8, 72	8.4	31
134	Making clinical trials more relevant: improving and validating the PRECIS tool for matching trial design decisions to trial purpose. <i>Trials</i> , 2013 , 14, 115	2.8	37
133	Tmem79/Matt is the matted mouse gene and is a predisposing gene for atopic dermatitis in human subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 1121-9	11.5	108
132	Acceptability and perceived barriers and facilitators to creating a national research register to enable Rdirect to patientPenrolment into research: the Scottish Health Research Register (SHARE). BMC Health Services Research, 2013, 13, 422	2.9	22
131	Impact of clinical trial findings on Bell® palsy management in general practice in the UK 2001-2012: interrupted time series regression analysis. <i>BMJ Open</i> , 2013 , 3,	3	34
130	Methods to improve recruitment to randomised controlled trials: Cochrane systematic review and meta-analysis. <i>BMJ Open</i> , 2013 , 3,	3	326

129	Lessons from Mackenzie that still resonate. British Journal of General Practice, 2013, 63, 158-9	1.6	
128	E-mail invitations to general practitioners were as effective as postal invitations and were more efficient. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 793-7	5.7	14
127	Hospitalised hip fracture risk with rosiglitazone and pioglitazone use compared with other glucose-lowering drugs. <i>Diabetologia</i> , 2012 , 55, 2929-37	10.3	110
126	Factors that promote or inhibit the implementation of e-health systems: an explanatory systematic review. <i>Bulletin of the World Health Organization</i> , 2012 , 90, 357-64	8.2	347
125	Risk of cardiovascular disease and total mortality in adults with type 1 diabetes: Scottish registry linkage study. <i>PLoS Medicine</i> , 2012 , 9, e1001321	11.6	208
124	Commentary: a thesis that still warrants defence and promotion. <i>International Journal of Epidemiology</i> , 2012 , 41, 1518-22	7.8	7
123	Insightful practice: a reliable measure for medical revalidation. BMJ Quality and Safety, 2012, 21, 649-56	5.4	13
122	The utility of liver function tests for mortality prediction within one year in primary care using the algorithm for liver function investigations (ALFI). <i>PLoS ONE</i> , 2012 , 7, e50965	3.7	12
121	Developing a survey instrument to assess the readiness of primary care data, genetic and disease registries to conduct linked research: TRANSFoRm International Research Readiness (TIRRE) survey instrument. <i>Informatics in Primary Care</i> , 2012 , 20, 207-16		4
120	2011 RCGP and Novartis Research Paper of the Year. British Journal of General Practice, 2012, 62, 432-43	33 .6	78
119	Developing and evaluating interventions to reduce inappropriate prescribing by general practitioners of antibiotics for upper respiratory tract infections: a randomised controlled trial to compare paper-based and web-based modelling experiments. <i>Implementation Science</i> , 2011 , 6, 16	8.4	10
118	Evaluating the angina plan in patients admitted to hospital with angina: a randomized controlled trial. <i>Cardiovascular Therapeutics</i> , 2011 , 29, 112-24	3.3	18
117	Tacit and transitionary: an exploration of patientsPand primary care health professionalsPgoals in relation to asthma. <i>Social Science and Medicine</i> , 2011 , 72, 1359-66	5.1	15
116	Using web technology to support population-based diabetes care. <i>Journal of Diabetes Science and Technology</i> , 2011 , 5, 523-34	4.1	13
115	2010 RCGP & Novartis Research Paper of the Year. <i>British Journal of General Practice</i> , 2011 , 61, 467-467	1.6	78
114	Strategies to improve recruitment to randomised controlled trials. <i>The Cochrane Library</i> , 2010 , MR00000	1512	163
113	Commentary on: The research agenda for general practice/family medicine and primary health care in Europe. Part 4. Specific problem solving skills. European Journal of General Practice, 2010, 16, 131-2	2.8	2
112	Strategies to improve recruitment to randomised controlled trials. <i>Cochrane Database of Systematic Reviews</i> , 2010 , MR000013		142

111	Developing a longitudinal database of routinely recorded primary care consultations linked to service use and outcome data. <i>Social Science and Medicine</i> , 2010 , 70, 473-478	5.1	4
110	Desktop software to identify patients eligible for recruitment into a clinical trial: using SARMA to recruit to the ROAD feasibility trial. <i>Journal of Innovation in Health Informatics</i> , 2010 , 18, 51-8		16
109	The Research Paper of the Year Award 2009. British Journal of General Practice, 2010, 60, 623-623	1.6	78
108	Health outcomes following liver function testing in primary care: a retrospective cohort study. <i>Family Practice</i> , 2009 , 26, 251-9	1.9	19
107	Economic evaluation of early administration of prednisolone and/or aciclovir for the treatment of Bellß palsy. <i>Family Practice</i> , 2009 , 26, 137-44	1.9	16
106	Structure investigation of the (100) surface of the orthorhombic Al13Co4 crystal. <i>Physical Review B</i> , 2009 , 80,	3.3	42
105	Antiviral treatment for Bell® palsy (idiopathic facial paralysis). <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD001869		53
104	Prescribe prednisolone alone for Bellß palsy diagnosed within 72 hours of symptom onset. <i>BMJ, The,</i> 2009 , 338, b255	5.9	5
103	Development of a decision support tool for primary care management of patients with abnormal liver function tests without clinically apparent liver disease: a record-linkage population cohort study and decision analysis (ALFIE). <i>Health Technology Assessment</i> , 2009 , 13, iii-iv, ix-xi, 1-134	4.4	39
102	A randomised controlled trial of the use of aciclovir and/or prednisolone for the early treatment of Bellß palsy: the BELLS study. <i>Health Technology Assessment</i> , 2009 , 13, iii-iv, ix-xi 1-130	4.4	52
101	A secure electronic diary and data collection tool 2009,		3
100	Identifying the optimal search strategy for coronary heart disease patients in primary care electronic patient record systems. <i>Journal of Innovation in Health Informatics</i> , 2009 , 17, 215-24		3
99	Treatment for Bellß palsy. Lancet, The, 2008, 372, 1219-20; author reply 1220-1	40	6
98	Perindopril plus indapamide reduced death and major macrovascular and microvascular events in type 2 diabetes. <i>Evidence-Based Medicine</i> , 2008 , 13, 49		
97	Impact on mortality following first acute myocardial infarction of distance between home and hospital: cohort study. <i>Heart</i> , 2008 , 94, 1141-6	5.1	33
96	Family caregivers of older relatives: ways of coping and change in distress. <i>Psychology, Health and Medicine</i> , 2008 , 13, 274-90	2.1	12
95	Identifying barriers to the rapid administration of appropriate antibiotics in community-acquired pneumonia. <i>Journal of Antimicrobial Chemotherapy</i> , 2008 , 61, 442-51	5.1	46
94	The accuracy of symptoms, signs and diagnostic tests in the diagnosis of left ventricular dysfunction in primary care: a diagnostic accuracy systematic review. <i>BMC Family Practice</i> , 2008 , 9, 56	2.6	16

93	Early experience of the use of short message service (SMS) technology in routine clinical care. <i>Journal of Innovation in Health Informatics</i> , 2008 , 16, 203-11		8
92	Recruitment and retention in a multicentre randomised controlled trial in Bellß palsy: a case study. <i>BMC Medical Research Methodology</i> , 2007 , 7, 15	4.7	29
91	Development of a decision support tool to facilitate primary care management of patients with abnormal liver function tests without clinically apparent liver disease [HTA03/38/02]. Abnormal Liver Function Investigations Evaluation (ALFIE). BMC Health Services Research, 2007, 7, 54	2.9	12
90	A critical re-appraisal of different ways of selecting ambulatory patients with suspected heart failure for echocardiography. <i>European Journal of Heart Failure</i> , 2007 , 9, 55-61	12.3	10
89	Primary care research networks in the United Kingdom. <i>BMJ, The</i> , 2007 , 334, 1093-4	5.9	18
88	Reducing door-to-antibiotic time in community-acquired pneumonia: Controlled before-and-after evaluation and cost-effectiveness analysis. <i>Thorax</i> , 2007 , 62, 67-74	7.3	46
87	Diagnosis of left ventricular systolic dysfunction (LVSD): development and validation of a clinical prediction rule in primary care. <i>Family Practice</i> , 2007 , 24, 628-35	1.9	16
86	A lifestyle intervention continued to prevent type 2 diabetes in high risk patients after the programme was stopped. <i>Evidence-Based Medicine</i> , 2007 , 12, 50		1
85	Early treatment with prednisolone or acyclovir in Bell® palsy. <i>New England Journal of Medicine</i> , 2007 , 357, 1598-607	59.2	487
84	How much does pre-trial testing influence complex intervention trials and would more testing make any difference? An email survey. <i>BMC Medical Research Methodology</i> , 2006 , 6, 28	4.7	5
83	Receiver operating characteristics of the prostate specific antigen test in an unselected population. Journal of Medical Screening, 2006, 13, 102-7	1.4	7
82	An extra pair of hands? Evaluation of salaried payment for general practitioners. <i>Primary Health Care Research and Development</i> , 2006 , 7, 165-171	1.6	
81	Generation Scotland: the Scottish Family Health Study; a new resource for researching genes and heritability. <i>BMC Medical Genetics</i> , 2006 , 7, 74	2.1	164
80	Is the involvement of opinion leaders in the implementation of research findings a feasible strategy?. <i>Implementation Science</i> , 2006 , 1, 3	8.4	66
79	Familial breast cancer: management of Rower riskPreferrals. British Journal of Cancer, 2006, 95, 974-8	8.7	7
78	Adherence to antihypertensive medication and association with patient and practice factors. <i>Journal of Human Hypertension</i> , 2006 , 20, 295-7	2.6	51
77	e-Prescribing, efficiency, quality: lessons from the computerization of UK family practice. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2006 , 13, 470-5	8.6	68
76	Analysis of referrals to a multi-disciplinary breast cancer genetics clinic: practical and economic considerations. <i>Familial Cancer</i> , 2006 , 5, 297-303	3	9

75	What is health information?. BMJ, The, 2005, 331, 566-8	5.9	15
74	Why is this patient here today?. <i>BMJ, The</i> , 2005 , 331, 678-80	5.9	2
73	How computers can help to share understanding with patients. <i>BMJ, The</i> , 2005 , 331, 892-4	5.9	15
72	How informatics tools help deal with patientsPproblems. <i>BMJ, The</i> , 2005 , 331, 955-7	5.9	4
71	How computers help make efficient use of consultations. <i>BMJ, The</i> , 2005 , 331, 1010-2	5.9	11
70	Referral or follow-up?. <i>BMJ, The</i> , 2005 , 331, 1072-4	5.9	2
69	Communication and navigation around the healthcare system. <i>BMJ, The</i> , 2005 , 331, 1325-7	5.9	1
68	Statin use in the secondary prevention of coronary heart disease in primary care: cohort study and comparison of inclusion and outcome with patients in randomised trials. <i>BMJ, The</i> , 2005 , 330, 821	5.9	65
67	Keeping up: learning in the workplace. <i>BMJ, The</i> , 2005 , 331, 1129-32	5.9	21
66	How decision support tools help define clinical problems. <i>BMJ, The</i> , 2005 , 331, 831-3	5.9	18
65	The Tayside childrenß sleep questionnaire: a simple tool to evaluate sleep problems in young children. <i>Child: Care, Health and Development</i> , 2005 , 31, 539-44	2.8	38
64	Is a consultation needed?. <i>BMJ, The</i> , 2005 , 331, 625-7	5.9	5
63	eHealth and the future: promise or peril?. BMJ, The, 2005, 331, 1391-3	5.9	55
62	Control, compare and communicate: designing control charts to summarise efficiently data from multiple quality indicators. <i>Quality and Safety in Health Care</i> , 2005 , 14, 450-4		17
61	A study of telephone screening and direct observation of surgical wound infections after discharge from hospital. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005 , 87, 997-9		27
60	Improving services with informatics tools. <i>BMJ, The</i> , 2005 , 331, 1190-2	5.9	3
59	The social and psychological impact of an older relative® hearing difficulties: Factors associated with change. <i>Psychology, Health and Medicine</i> , 2005 , 10, 57-63	2.1	
58	Agreement between community echocardiography and hospital echocardiography in patients suspected of having left ventricular systolic dysfunction. <i>Postgraduate Medical Journal</i> , 2005 , 81, 777-9	2	2

(2003-2005)

57	Efficacy and tolerability of tricyclic antidepressants and SSRIs compared with placebo for treatment of depression in primary care: a meta-analysis. <i>Annals of Family Medicine</i> , 2005 , 3, 449-56	2.9	248
56	Adoption and perception of electronic clinical communications in Scotland. <i>Journal of Innovation in Health Informatics</i> , 2005 , 13, 97-104		9
55	Improving management of hypertension in general practice: a randomised controlled trial of feedback derived from electronic patient data. <i>British Journal of General Practice</i> , 2005 , 55, 94-101	1.6	21
54	What is eHealth (4): a scoping exercise to map the field. <i>Journal of Medical Internet Research</i> , 2005 , 7, e9	7.6	248
53	Presence of bacteriuria caused by trimethoprim resistant bacteria in patients prescribed antibiotics: multilevel model with practice and individual patient data. <i>BMJ, The</i> , 2004 , 328, 1297	5.9	53
52	Electronic Clinical Communications Implementation (ECCI) in Scotland: a mixed-methods programme evaluation. <i>Journal of Evaluation in Clinical Practice</i> , 2004 , 10, 11-20	2.5	14
51	Factors influencing time from presentation to treatment of colorectal and breast cancer in urban and rural areas. <i>British Journal of Cancer</i> , 2004 , 90, 1479-85	8.7	75
50	A retrospective, study of prescribing for erectile dysfunction in a UK population during 1997-2000: demand was neither excessive nor continuing to rise. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 557-62	2.6	3
49	Do the British Guidelines for Asthma Management facilitate concordance?. <i>Health Expectations</i> , 2004 , 7, 74-84	3.7	7
48	The social and psychological impact of an older relativeB hearing difficulties. <i>Psychology, Health and Medicine</i> , 2004 , 9, 3-15	2.1	4
47	Recent developments in Bellß palsy: trial for Bellß palsy is in progress in Scotland. <i>BMJ, The</i> , 2004 , 329, 1103-4; author reply 1104; discussion 1104	5.9	
46	Systematic review of scope and quality of electronic patient record data in primary care. <i>BMJ, The</i> , 2003 , 326, 1070	5.9	193
45	DARTS 2000 online diabetes management system: formative evaluation in clinical practice. <i>Journal of Evaluation in Clinical Practice</i> , 2003 , 9, 391-400	2.5	4
44	Optimal strategies for identifying patients with myocardial infarction in general practice. <i>Family Practice</i> , 2003 , 20, 706-10	1.9	10
43	Critical issues in peripheral arterial disease detection and management: a call to action. <i>Archives of Internal Medicine</i> , 2003 , 163, 884-92		398
42	Four years of TayRen, a primary care research and development network. <i>Primary Health Care Research and Development</i> , 2003 , 4, 279-283	1.6	5
41	Efficacy and tolerability of selective serotonin reuptake inhibitors compared with tricyclic antidepressants in depression treated in primary care: systematic review and meta-analysis. <i>BMJ, The,</i> 2003 , 326, 1014	5.9	182
40	Effect of computerised evidence based guidelines 2003 , 326, 394-394		2

39	Three steps to data quality. Journal of Innovation in Health Informatics, 2003, 11, 95-102		3
38	How could primary care meet the informatics needs of UK Biobank? A Scottish proposal. <i>Journal of Innovation in Health Informatics</i> , 2003 , 11, 129-35		3
37	Regional repositories, reintermediation and the new GMS contract: cardiovascular disease in Tayside. <i>Journal of Innovation in Health Informatics</i> , 2003 , 11, 215-21		2
36	A survey of computer use in Scottish primary care: general practitioners are no longer technophobic but other primary care staff need better computer access. <i>Journal of Innovation in Health Informatics</i> , 2003 , 11, 5-11		3
35	Consultation computer use to improve management of chronic disease in general practice: a before and after study. <i>Journal of Innovation in Health Informatics</i> , 2003 , 11, 61-8		7
34	How will practices cope with information for the new GMS contract? Coronary heart disease data recording in five Scottish practices. <i>Journal of Innovation in Health Informatics</i> , 2003 , 11, 121-7		2
33	A pharmacogenetic study to investigate the role of dietary carcinogens in the etiology of colorectal cancer. <i>Carcinogenesis</i> , 2002 , 23, 1839-49	4.6	209
32	A descriptive feast but an evaluative famine: systematic review of published articles on primary care computing during 1980-97. <i>BMJ: British Medical Journal</i> , 2001 , 322, 279-82		154
31	Contraindications to metformin therapy in patients with Type 2 diabetesa population-based study of adherence to prescribing guidelines. <i>Diabetic Medicine</i> , 2001 , 18, 483-8	3.5	133
3 0	What is health informatics?. Journal of Health Services Research and Policy, 2001, 6, 251-4	2.4	7
29	NHSnet in Scottish primary care: lessons for the future. <i>BMJ: British Medical Journal</i> , 2000 , 321, 878-81		6
28	Audit encourages an evidence-based approach to medical practice. <i>Medical Education</i> , 1999 , 33, 907-14	3.7	12
27	Evidence-based education: development of an instrument to critically appraise reports of educational interventions. <i>Medical Education</i> , 1999 , 33, 890-3	3.7	41
26	Rationing decisions: from diversity to consensus. <i>Health Care Analysis</i> , 1999 , 7, 195-205	2.3	3
25	Principles of epidemiological research on drug effects. <i>Lancet, The</i> , 1999 , 353, 501	40	3
24	Perceptions of Guidelines in Primary and Secondary Care: Implications for Implementation. <i>Journal of Integrated Care</i> , 1999 , 3, 79-83		6
23	Area-wide diabetes care: the Lanarkshire experience with primary health care teams 1994 1997. <i>Diabetic Medicine</i> , 1998 , 15, S54-S57	3.5	6
22	Protocol Development: Attitudes Among GPs and Practice Nurses. <i>Practice Nursing</i> , 1997 , 8, 21-23	0.1	6

21	Audit in general practice: educating medical students. <i>Medical Education</i> , 1997 , 31, 128-31	3.7	6
20	The Assessment of Higher Level Cognitive Objectives in Undergraduate Medical Students Using a Clinical Audit Project 1997 , 390-394		
19	Evidence in consultations: interpreted and individualised. <i>Lancet, The</i> , 1996 , 348, 941-3	40	34
18	Videotaping of general practice consultations. <i>BMJ: British Medical Journal</i> , 1996 , 312, 248		2
17	Intruders in the consultation. Family Practice, 1995, 12, 66-9	1.9	14
16	Videotaping of general practice consultations: effect on patient satisfaction. <i>BMJ: British Medical Journal</i> , 1995 , 311, 236		25
15	Has general practitioner computing made a difference to patient care? A systematic review of published reports. <i>BMJ: British Medical Journal</i> , 1995 , 311, 848-52		122
14	The role of general practitioners in diabetic eye care in Lanarkshire. <i>Diabetic Medicine</i> , 1994 , 11, 583-5	3.5	5
13	Audit: teaching medical students in general practice. <i>Medical Education</i> , 1993 , 27, 495-502	3.7	12
12	The productive use of threat in primary care: behavioural responses to health promotion. <i>Family Practice</i> , 1992 , 9, 476-80	1.9	2
11	Primary medical care in Seychelles. <i>Tropical Doctor</i> , 1992 , 22, 100-4	0.9	2
10	Children seen frequently out of hours in one general practice. <i>BMJ: British Medical Journal</i> , 1991 , 303, 1111-4		18
9	Using insulin U 100 conversion to estimate the prevalence and problems of insulin-treated diabetic patients in the Republic of Seychelles. <i>Diabetologia</i> , 1990 , 33, 184-5	10.3	2
8	The Medical Outcomes Study Instrument (MOSI)use of a new health status measure in Britain. <i>Family Practice</i> , 1990 , 7, 205-18	1.9	37
7	Rheumatology at the general practitioner/hospital interface: a study of prevalence and access to specialist care. <i>Annals of the Rheumatic Diseases</i> , 1990 , 49, 983-5	2.4	2
6	Care of diabetic patients in the Republic of Seychelles. <i>Diabetic Medicine</i> , 1989 , 6, 736-8	3.5	1
5	Whose problem is the diabetic who does not attend a hospital clinic?. <i>Scottish Medical Journal</i> , 1988 , 33, 259-60	1.8	3
4	Assessment of disability caused by rheumatic diseases in general practice. <i>Annals of the Rheumatic Diseases</i> , 1987 , 46, 598-600	2.4	25

2

- 3 Create and maintain an age-sex register. *British Medical Journal*, **1987**, 295, 99-100
- 2 Problem of comprehensive shared diabetes care. British Medical Journal, 1987, 295, 214-5
- Medical patients aged 65 and over admitted to an accident and emergency department **1985**, 291, 486-487