

# Stefano Rigattieri

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/55655/stefano-rigattieri-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77  
papers

3,881  
citations

23  
h-index

62  
g-index

95  
ext. papers

4,514  
ext. citations

4.9  
avg, IF

4.31  
L-index

#	Paper	IF	Citations
77	Primary Percutaneous Coronary Intervention with High-Bolus Dose Tirofiban: The FASTER (Favorite Approach to Safe and Effective Treatment for Early Reperfusion) Multicenter Registry.. <i>Journal of Interventional Cardiology</i> , <b>2022</b> , 2022, 9609970	1.8	
76	Glycoprotein IIb/IIIa Inhibitors May Modulate the Clinical Benefit of Radial Access as Compared to Femoral Access in Primary Percutaneous Coronary Intervention: A Meta-Regression and Meta-Analysis of Randomized Trials. <i>Journal of Interventional Cardiology</i> , <b>2021</b> , 2021, 9917407	1.8	1
75	Impact of optical coherence tomography findings on clinical outcomes in ST-segment elevation myocardial infarction patients: a MATRIX (Minimizing Adverse Hemorrhagic Events by Trans-radial Access Site and angioX) OCT sub-study. <i>International Journal of Cardiovascular Imaging</i> , <b>2021</b> , 37, 1143-1150	2.5	1
74	Italian Society of Interventional Cardiology (GISE) position paper for Cath lab-specific preparedness recommendations for healthcare providers in case of suspected, probable or confirmed cases of COVID-19. <i>Catheterization and Cardiovascular Interventions</i> , <b>2020</b> , 96, 839-843	2.7	25
73	Assessment of residual thrombus burden in patients with ST-segment elevation myocardial infarction undergoing bivalirudin versus unfractionated heparin infusion: The MATRIX (minimizing adverse hemorrhagic events by transradial access site and angioX) OCT study. <i>Catheterization and Cardiovascular Interventions</i> , <b>2020</b> , 96, 1156-1171	2.7	0
72	Timing of Oral P2Y Inhibitor Administration in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 2450-2459	15.1	33
71	OCT Appraisal of Residual Thrombus Burden in Patients With STEMI Undergoing Intraprocedural Versus Post-Stenting Prolonged Bivalirudin Infusion: The MATRIX OCT Study. <i>JACC: Cardiovascular Imaging</i> , <b>2019</b> , 12, 934-936	8.4	2
70	Comparison of intra-procedural vs. post-stenting prolonged bivalirudin infusion for residual thrombus burden in patients with ST-segment elevation myocardial infarction undergoing: the MATRIX (Minimizing Adverse Haemorrhagic Events by TRansradial Access Site and angioX) OCT study. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2019</b> , 20, 1418-1428	4.1	5
69	Extended Protective Shield Under Table to Reduce Operator Radiation Dose in Percutaneous Coronary Procedures. <i>Circulation: Cardiovascular Interventions</i> , <b>2019</b> , 12, e007586	6	5
68	Papaverine use for radial artery sheath entrapment. <i>Anatolian Journal of Cardiology</i> , <b>2019</b> , 22, 44-45	0.8	1
67	Determinants of radiation dose during right transradial access: Insights from the RAD-MATRIX study. <i>American Heart Journal</i> , <b>2018</b> , 196, 113-118	4.9	6
66	Staff radiation dose during percutaneous coronary procedures: Role of adjunctive protective drapes. <i>Cardiovascular Revascularization Medicine</i> , <b>2018</b> , 19, 755-758	1.6	4
65	Transradial versus transfemoral ancillary approach in complex structural, coronary, and peripheral interventions. Results from the multicenter ancillary registry: A study of the Italian Radial Club. <i>Catheterization and Cardiovascular Interventions</i> , <b>2018</b> , 91, 97-102	2.7	14
64	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. <i>Lancet, The</i> , <b>2018</b> , 392, 835-848	4.0	129
63	Safety of FFR-guided revascularisation deferral in Anatomically prognostic disease (FACE: CARDIOGROUP V STUDY): A prospective multicentre study. <i>International Journal of Cardiology</i> , <b>2018</b> , 270, 107-112	3.2	13
62	Operator Pelvic Radiation Exposure During Percutaneous Coronary Procedures. <i>Journal of Invasive Cardiology</i> , <b>2018</b> , 30, 71-74	0.7	2
61	Outcome of coronary lesions with deferred revascularization due to negative fractional flow reserve in subjects with acute coronary syndrome. <i>International Journal of Cardiology</i> , <b>2017</b> , 230, 335-338	2.2	8

60	Current practice of transradial approach for coronary procedures: A survey by the Italian Society of Interventional Cardiology (SICI-GISE) and the Italian Radial Club. <i>Cardiovascular Revascularization Medicine</i> , <b>2017</b> , 18, 154-159	1.6	8
59	Aspirin Desensitization in Patients With Coronary Artery Disease: Results of the Multicenter ADAPTED Registry (Aspirin Desensitization in Patients With Coronary Artery Disease). <i>Circulation: Cardiovascular Interventions</i> , <b>2017</b> , 10,	6	23
58	Radiation dose among different cardiac and vascular invasive procedures: The RODEO study. <i>International Journal of Cardiology</i> , <b>2017</b> , 240, 92-96	3.2	18
57	Determinants of operator radiation exposure during percutaneous coronary procedures. <i>American Heart Journal</i> , <b>2017</b> , 187, 10-18	4.9	15
56	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management: AKI-MATRIX. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 2592-2592	15.1	95
55	Optical coherence tomography compared with fractional flow reserve guided approach in acute coronary syndromes: A propensity matched analysis. <i>International Journal of Cardiology</i> , <b>2017</b> , 244, 54-58 <sup>3,2</sup>	3.2	8
54	Radiation Exposure and Vascular Access in Acute Coronary Syndromes: The RAD-Matrix Trial. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 2530-2537	15.1	41
53	Instantaneous wave-free ratio and fractional flow reserve for the assessment of nonculprit lesions during the index procedure in patients with ST-segment elevation myocardial infarction: The WAVE study. <i>American Heart Journal</i> , <b>2017</b> , 193, 63-69	4.9	21
52	Meta-Analysis of Head-to-Head Comparison of Intracoronary Versus Intravenous Adenosine for the Assessment of Fractional Flow Reserve. <i>American Journal of Cardiology</i> , <b>2017</b> , 120, 563-568	3	6
51	Radiation dose absorbed by operators during transradial percutaneous coronary procedures comparing different protective drapes: the RADIATION study. <i>EuroIntervention</i> , <b>2017</b> , 12, e2253-e2261	3.1	7
50	Bivalirudin or unfractionated heparin in patients with acute coronary syndromes managed invasively with and without ST elevation (MATRIX): randomised controlled trial. <i>BMJ, The</i> , <b>2016</b> , 354, i4935	5.9	36
49	Transfemoral approach with systematic use of FemoSeal closure device compared to transradial approach in primary angioplasty. <i>Catheterization and Cardiovascular Interventions</i> , <b>2016</b> , 87, 849-54	2.7	9
48	Meta-Analysis of Radial Versus Femoral Artery Approach for Coronary Procedures in Patients With Previous Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , <b>2016</b> , 117, 1248-55	3	17
47	Assessing the cardiology community position on transradial intervention and the use of bivalirudin in patients with acute coronary syndrome undergoing invasive management: results of an EAPCI survey. <i>EuroIntervention</i> , <b>2016</b> , 12, 1154-1163	3.1	10
46	Radial artery occlusion and hand strength after percutaneous coronary procedures: Results of the HANGAR study. <i>Catheterization and Cardiovascular Interventions</i> , <b>2016</b> , 87, 868-74	2.7	23
45	Operator radiation exposure during right or left transradial coronary angiography: A phantom study. <i>Cardiovascular Revascularization Medicine</i> , <b>2015</b> , 16, 386-90	1.6	11
44	Radial versus femoral access in patients with acute coronary syndromes undergoing invasive management: a randomised multicentre trial. <i>Lancet, The</i> , <b>2015</b> , 385, 2465-76	4.0	79.0
43	Bivalirudin or Unfractionated Heparin in Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , <b>2015</b> , 373, 997-1009	59.2	263

42	Heparins crossover in percutaneous coronary interventions: a real issue with increasing rate of transradial procedures?. <i>Journal of Cardiovascular Medicine</i> , <b>2015</b> , 16, 507-11	1.9	
41	A new, intriguing hypothesis: does bivalirudin reduce the risk of acute kidney disease?. <i>American Journal of Cardiology</i> , <b>2015</b> , 115, 555-6	3	
40	Patient radiation exposure in right versus left trans-radial approach for coronary procedures. <i>Cardiovascular Revascularization Medicine</i> , <b>2015</b> , 16, 15-9	1.6	4
39	Dual antiplatelet therapy duration after coronary stenting in clinical practice: results of an EAPCI survey. <i>EuroIntervention</i> , <b>2015</b> , 11, 68-74	3.1	40
38	Optical coherence tomography appraisal of residual thrombus burden in patients with ST-segment elevation myocardial infarction undergoing intraprocedural versus post-stenting prolonged bivalirudin infusion. Rationale and design of the MATRIX (Minimizing Adverse Haemorrhagic Events by TRansradial Access Site and angioX) OCT substudy. <i>EuroIntervention</i> , <b>2015</b> , 10, 1311-7	3.1	6
37	Comparison of risk of acute kidney injury after primary percutaneous coronary interventions with the transradial approach versus the transfemoral approach (from the PRIPITENA urban registry). <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 820-5	3	35
36	Design and rationale for the Minimizing Adverse haemorrhagic events by TRansradial access site and systemic Implementation of angioX program. <i>American Heart Journal</i> , <b>2014</b> , 168, 838-45.e6	4.9	38
35	Bivalirudin or heparin in primary angioplasty performed through the transradial approach: results from a multicentre registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2014</b> , 3, 268-74	4.3	6
34	Randomized comparison of operator radiation exposure comparing transradial and transfemoral approach for percutaneous coronary procedures: rationale and design of the minimizing adverse haemorrhagic events by TRansradial access site and systemic implementation of angioX - RADIATION Dose study (RAD-MATRIX). <i>Cardiovascular Revascularization Medicine</i> , <b>2014</b> , 15, 209-13	1.6	17
33	Transradial access and radiation exposure in diagnostic and interventional coronary procedures. <i>Journal of Invasive Cardiology</i> , <b>2014</b> , 26, 469-74	0.7	12
32	Open-label, randomized, placebo-controlled evaluation of intracoronary adenosine or nitroprusside after thrombus aspiration during primary percutaneous coronary intervention for the prevention of microvascular obstruction in acute myocardial infarction: the REOPEN-AMI study (Intracoronary Nitroprusside Versus Adenosine in Acute Myocardial Infarction). <i>JACC: Cardiovascular Interventions</i> , <b>2014</b> , 7, 1012-22	5	74
31	A clinical and angiographic study of the XIENCE V everolimus-eluting coronary stent system in the treatment of patients with multivessel coronary artery disease: the EXECUTIVE trial (EXecutive RCT: evaluating XIENCE V in a multi vessel disease). <i>JACC: Cardiovascular Interventions</i> , <b>2013</b> , 6, 1012-22	5	22
30	Impact of thrombus aspiration during primary percutaneous coronary intervention in cardiogenic shock complicating ST-segment elevation myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , <b>2013</b> , 14, 307-10	1.6	5
29	Primary percutaneous coronary intervention in nonagenarians: six-month outcomes from a single-center registry. <i>Journal of Invasive Cardiology</i> , <b>2013</b> , 25, 242-5	0.7	13
28	Radial versus femoral randomized investigation in ST-segment elevation acute coronary syndrome: the RIFLE-STEACS (Radial Versus Femoral Randomized Investigation in ST-Elevation Acute Coronary Syndrome) study. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 60, 2481-9	15.1	707
27	Impact of vascular approach (transradial vs. transfemoral) on the efficacy of thrombus aspiration in acute myocardial infarction patients. <i>Cardiovascular Revascularization Medicine</i> , <b>2012</b> , 13, 79-83	1.6	5
26	Comparison of two- and three-dimensional quantitative coronary angiography to intravascular ultrasound in the assessment of intermediate left main stenosis. <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 1600-7	3	13
25	Thrombus aspiration during primary angioplasty for cardiogenic shock. <i>International Journal of Cardiology</i> , <b>2010</b> , 140, 111-3	3.2	10

24	Coronary-to-bronchial artery fistula in a patient with multivessel coronary disease treated by percutaneous coronary intervention. <i>Journal of Cardiovascular Medicine</i> , <b>2010</b> , 11, 625-7	1.9	6
23	A clinical and angiographic study of the XIENCE V everolimus-eluting coronary stent system in the treatment of patients with multivessel coronary artery disease. Study design and rationale of the EXECUTIVE trial. <i>Journal of Cardiovascular Medicine</i> , <b>2010</b> , 11, 299-309	1.9	3
22	Angiographic predictors of recurrent stent thrombosis (from the Outcome of PCI for stent-Thrombosis Multicentre STudy [OPTIMIST]). <i>American Journal of Cardiology</i> , <b>2010</b> , 105, 1710-5	3	9
21	Our technique for transradial coronary angiography and interventions. <i>Indian Heart Journal</i> , <b>2010</b> , 62, 258-61	1.6	1
20	Randomized evaluation of intracoronary nitroprusside vs. adenosine after thrombus aspiration during primary percutaneous coronary intervention for the prevention of no-reflow in acute myocardial infarction: the REOPEN-AMI study protocol. <i>Journal of Cardiovascular Medicine</i> , <b>2009</b> , 10, 585-92	1.9	8
19	MicroRNAs and ischemic heart disease: towards a better comprehension of pathogenesis, new diagnostic tools and new therapeutic targets. <i>Recent Patents on Cardiovascular Drug Discovery</i> , <b>2009</b> , 4, 109-18		46
18	Does the effect of microRNAs in vascular neointimal formation depend on cell cycle phase?. <i>Circulation Research</i> , <b>2008</b> , 102, e101; author reply e102	15.7	3
17	Angiographic and clinical outcome of invasively managed patients with thrombosed coronary bare metal or drug-eluting stents: the OPTIMIST study. <i>European Heart Journal</i> , <b>2008</b> , 29, 3011-21	9.5	37
16	Drug-eluting stents in a patient with favism: is the aspirin administration safe?. <i>Journal of Cardiovascular Medicine</i> , <b>2008</b> , 9, 1159-62	1.9	12
15	Management of multivessel coronary disease after ST elevation myocardial infarction treated by primary angioplasty. <i>Journal of Interventional Cardiology</i> , <b>2008</b> , 21, 1-7	1.8	40
14	The Outcome of PCI for stent-Thrombosis Multicentre Study (OPTIMIST): rationale and design of a multicenter registry. <i>American Heart Journal</i> , <b>2007</b> , 153, 377.e1-5	4.9	7
13	Proximal protection in carotid artery stenting: rationale and recent findings. <i>EuroIntervention</i> , <b>2007</b> , 3, 269-74	3.1	1
12	Transradial access in a cath lab with moderate procedural volume: a single operator's experience. <i>Minerva Cardioangiologica</i> , <b>2007</b> , 55, 303-9	1.1	3
11	Transradial unprotected left main coronary artery stenting in an octogenarian with severe angina and Leriche syndrome. <i>The American Journal of Geriatric Cardiology</i> , <b>2006</b> , 15, 235-8		1
10	Very late thrombosis of a drug-eluting stent deployed during primary angioplasty for ST-elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , <b>2006</b> , 7, 771-4	1.9	1
9	A randomized comparison between rotational and standard coronary angiography. <i>Minerva Cardioangiologica</i> , <b>2005</b> , 53, 1-6	1.1	6
8	The buddy wire technique is useful in transradial coronary stenting of complex, calcified lesions: report of three cases. <i>Journal of Invasive Cardiology</i> , <b>2005</b> , 17, 376-7	0.7	4
7	Comparison of transradial and transfemoral approaches for coronary angiography and angioplasty in octogenarians (the OCTOPLUS study). <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 1177-80	3	154

6	Radial versus femoral approach for percutaneous coronary diagnostic and interventional procedures; Systematic overview and meta-analysis of randomized trials. <i>Journal of the American College of Cardiology</i> , <b>2004</b> , 44, 349-56	15.1	754
5	Early vasoreactive profile of skeletonized versus pedicled internal thoracic artery grafts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2003</b> , 125, 638-41	1.5	29
4	Cerebral embolism after retrograde catheterisation of aortic valve in aortic stenosis. <i>Lancet, The</i> , <b>2003</b> , 362, 79; author reply 79-80	40	
3	Combined percutaneous pulmonary valvuloplasty and patent foramen ovale closure in an adult with recurrent transient ischemic attacks. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , <b>2002</b> , 3, 424-6		1
2	Myocardial ischemia-reperfusion damage after pacing-induced tachycardia in patients with cardiac syndrome X. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2000</b> , 279, H2627-33	5.2	49
1	Large, sustained cardiac lipid peroxidation and reduced antioxidant capacity in the coronary circulation after brief episodes of myocardial ischemia. <i>Journal of the American College of Cardiology</i> , <b>2000</b> , 35, 633-9	15.1	45