

# Paula M Kenney

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5566028/paula-m-kenney-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21  
papers

1,363  
citations

16  
h-index

21  
g-index

21  
ext. papers

1,498  
ext. citations

6.7  
avg, IF

4.27  
L-index

#	Paper	IF	Citations
21	Alzheimer's and Parkinson's brain tissues have reduced expression of genes for mtDNA OXPHOS Proteins, mitobiogenesis regulator PGC-1 $\beta$ protein and mtRNA stabilizing protein LRPPRC (LRP130). <i>Mitochondrion</i> , <b>2020</b> , 53, 154-157	4.9	4
20	Alzheimer's Disease Frontal Cortex Mitochondria Show a Loss of Individual Respiratory Proteins but Preservation of Respiratory Supercomplexes. <i>International Journal of Alzheimer's Disease</i> , <b>2019</b> , 2019, 4814783	3.7	7
19	RNA Sequencing Reveals Small and Variable Contributions of Infectious Agents to Transcriptomes of Postmortem Nervous Tissues From Amyotrophic Lateral Sclerosis, Alzheimer's Disease and Parkinson's Disease Subjects, and Increased Expression of Genes From Disease-Activated Microglia. <i>Frontiers in Molecular and Cellular Neuroscience</i> , <b>2019</b> , 13, 285	5.1	20
18	RNA-seq analyses reveal that cervical spinal cords and anterior motor neurons from amyotrophic lateral sclerosis subjects show reduced expression of mitochondrial DNA-encoded respiratory genes, and rhTFAM may correct this respiratory deficiency. <i>Brain Research</i> , <b>2017</b> , 1667, 74-83	3.7	10
17	Micro RNA $\beta$ (mirna $\beta$ ) may help explain expression of multiple genes in Alzheimer's Frontal Cortex. <i>Journal of Systems and Integrative Neuroscience</i> , <b>2017</b> , 3,	2.9	6
16	Differentiation of Human Neural Stem Cells into Motor Neurons Stimulates Mitochondrial Biogenesis and Decreases Glycolytic Flux. <i>Stem Cells and Development</i> , <b>2015</b> , 24, 1984-94	4.4	64
15	Mitochondrial oxidative phosphorylation transcriptome alterations in human amyotrophic lateral sclerosis spinal cord and blood. <i>NeuroMolecular Medicine</i> , <b>2014</b> , 16, 714-26	4.6	23
14	Mitochondrial DNA copy numbers in pyramidal neurons are decreased and mitochondrial biogenesis transcriptome signaling is disrupted in Alzheimer's disease hippocampi. <i>Journal of Alzheimer's Disease</i> , <b>2014</b> , 40, 319-30	4.3	65
13	Impaired complex-I mitochondrial biogenesis in Parkinson disease frontal cortex. <i>Journal of Parkinson's Disease</i> , <b>2012</b> , 2, 67-76	5.3	36
12	ALS spinal neurons show varied and reduced mtDNA gene copy numbers and increased mtDNA gene deletions. <i>Molecular Neurodegeneration</i> , <b>2010</b> , 5, 21	19	29
11	Mitochondrial gene therapy augments mitochondrial physiology in a Parkinson's disease cell model. <i>Human Gene Therapy</i> , <b>2009</b> , 20, 897-907	4.8	79
10	Parkinson's disease brain mitochondria have impaired respirasome assembly, age-related increases in distribution of oxidative damage to mtDNA and no differences in heteroplasmic mtDNA mutation abundance. <i>Molecular Neurodegeneration</i> , <b>2009</b> , 4, 37	19	43
9	Relationships among molecular genetic and respiratory properties of Parkinson's disease cybrid cells show similarities to Parkinson's brain tissues. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2009</b> , 1792, 68-74	6.9	40
8	Cybrid models of Parkinson's disease show variable mitochondrial biogenesis and genotype-respiration relationships. <i>Experimental Neurology</i> , <b>2009</b> , 220, 374-82	5.7	27
7	Chronic, low-dose rotenone reproduces Lewy neurites found in early stages of Parkinson's disease, reduces mitochondrial movement and slowly kills differentiated SH-SY5Y neural cells. <i>Molecular Neurodegeneration</i> , <b>2008</b> , 3, 21	19	77
6	Parkinson's disease brain mitochondrial complex I has oxidatively damaged subunits and is functionally impaired and misassembled. <i>Journal of Neuroscience</i> , <b>2006</b> , 26, 5256-64	6.6	567
5	Parkinson's disease transgenic mitochondrial cybrids generate Lewy inclusion bodies. <i>Journal of Neurochemistry</i> , <b>2004</b> , 88, 800-12	6	107

4	Mitochondrial abnormalities in cybrid cell models of sporadic Alzheimer's disease worsen with passage in culture. <i>Neurobiology of Disease</i> , <b>2004</b> , 15, 29-39	7.5	81
3	Neurotoxic nitric oxide rapidly depolarizes and permeabilizes mitochondria by dynamically opening the mitochondrial transition pore. <i>Molecular and Cellular Neurosciences</i> , <b>2003</b> , 23, 559-73	4.8	29
2	Antibody types and IgG subclasses in paraneoplastic neurological syndromes. <i>Journal of the Neurological Sciences</i> , <b>2001</b> , 184, 131-7	3.2	34
1	Immunofluorescent labelling of K-papovavirus antigens in glycol methacrylate embedded material: a method for studying infected cell populations by fluorescence microscopy and histological staining of adjacent sections. <i>Biotechnic &amp; Histochemistry</i> , <b>1982</b> , 57, 197-205		15