Yibin Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5566714/publications.pdf

Version: 2024-02-01

31	979	18	31
papers	citations	h-index	g-index
32	32	32	1134
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Pd Nanoparticles Anchored on Carbon Nanotubes/Covalent Organic Frameworks for Catalytic Ethanol Electrooxidation. ACS Applied Nano Materials, 2022, 5, 597-604.	5.0	10
2	Near-infrared fluorescent probe based on rhodamine derivative for detection of NADH in live cells. Methods, 2022, 204, 22-28.	3.8	11
3	A two-photon fluorogenic probe based on a coumarin schiff base for formaldehyde detection in living cells. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 274, 121074.	3.9	7
4	Near-infrared fluorescent probe based on cyanine scaffold for sensitive detection of uranyl ions in living cells and water samples. Microchemical Journal, 2022, 180, 107619.	4.5	19
5	A near-infrared fluorescent probe based on a hemicyanine dye with an oxazolidine switch for mitochondrial pH detection. Journal of Materials Chemistry B, 2021, 9, 857-863.	5.8	30
6	Selective detection of peroxynitrite in living cells by a near-infrared diphenyl phosphinate-based dicyanoisophorone probe. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 244, 118890.	3.9	16
7	A ratiometric near-infrared fluorescent probe based on a novel reactive cyanine platform for mitochondrial pH detection. Journal of Materials Chemistry B, 2021, 9, 5150-5161.	5.8	21
8	Ratiometric Near-Infrared Fluorescent Probes Based on Hemicyanine Dyes Bearing Dithioacetal and Formal Residues for pH Detection in Mitochondria. Molecules, 2021, 26, 2088.	3.8	9
9	Ratiometric Detection of Glutathione Based on Disulfide Linkage Rupture between a FRET Coumarin Donor and a Rhodamine Acceptor. ChemBioChem, 2021, 22, 2282-2291.	2.6	15
10	Ratiometric fluorescent probes based on through-bond energy transfer of cyanine donors to near-infrared hemicyanine acceptors for mitochondrial pH detection and monitoring of mitophagy. Journal of Materials Chemistry B, 2020, 8, 1603-1615.	5.8	43
11	Cell Membrane-Specific Fluorescent Probe Featuring Dual and Aggregation-Induced Emissions. ACS Applied Materials & Samp; Interfaces, 2020, 12, 20172-20179.	8.0	38
12	Fluorescent probes with high pKa values based on traditional, near-infrared rhodamine, and hemicyanine fluorophores for sensitive detection of lysosomal pH variations. Methods, 2019, 168, 40-50.	3.8	13
13	Near-Infrared Hybrid Rhodol Dyes with Spiropyran Switches for Sensitive Ratiometric Sensing of pH Changes in Mitochondria and <i>Drosophila melanogaster</i> First-Instar Larvae. ACS Applied Bio Materials, 2019, 2, 4986-4997.	4.6	27
14	Near-infrared fluorescent probes based on TBET and FRET rhodamine acceptors with different p <i>K</i> _a values for sensitive ratiometric visualization of pH changes in live cells. Journal of Materials Chemistry B, 2019, 7, 198-209.	5.8	52
15	A FRETâ€Based Nearâ€Infrared Fluorescent Probe for Ratiometric Detection of Cysteine in Mitochondria. ChemBioChem, 2019, 20, 1986-1994.	2.6	18
16	Near-infrared fluorescent probes with BODIPY donors and rhodamine and merocyanine acceptors for ratiometric determination of lysosomal pH variance. Sensors and Actuators B: Chemical, 2019, 294, 1-13.	7.8	63
17	Ratiometric Near-Infrared Fluorescent Probes Based On Through-Bond Energy Transfer and Ï€-Conjugation Modulation between Tetraphenylethene and Hemicyanine Moieties for Sensitive Detection of pH Changes in Live Cells. Bioconjugate Chemistry, 2018, 29, 1406-1418.	3.6	61
18	A Near-Infrared Fluorescent Probe Based on a FRET Rhodamine Donor Linked to a Cyanine Acceptor for Sensitive Detection of Intracellular pH Alternations. Molecules, 2018, 23, 2679.	3.8	26

#	Article	IF	CITATIONS
19	New Near-Infrared Fluorescent Probes with Single-Photon Anti-Stokes-Shift Fluorescence for Sensitive Determination of pH Variances in Lysosomes with a Double-Checked Capability. ACS Applied Bio Materials, 2018, 1, 549-560.	4.6	35
20	New near-infrared rhodamine dyes with large Stokes shifts for sensitive sensing of intracellular pH changes and fluctuations. Chemical Communications, 2018, 54, 7625-7628.	4.1	62
21	Diverse macroscopic helical motions of microribbons driven by electrons. Chemical Communications, 2017, 53, 2578-2581.	4.1	4
22	Near-infrared fluorescent probe for sensitive detection of Pb(II) ions in living cells. Inorganica Chimica Acta, 2017, 468, 140-145.	2.4	28
23	Morphological Transformation between Nanocoils and Nanoribbons via Defragmentation Structural Rearrangement or Fragmentation-recombination Mechanism. Scientific Reports, 2016, 6, 27335.	3.3	9
24	Spontaneously bundled nanotubes exhibit greatly enhanced emission via inter-nanotube energy transfer. Science China Chemistry, 2016, 59, 1348-1351.	8.2	2
25	Fabrication of Chiralâ€Selective Nanotubular Heterojunctions through Living Supramolecular Polymerization. Angewandte Chemie, 2016, 128, 9691-9695.	2.0	31
26	Fabrication of Chiralâ€Selective Nanotubular Heterojunctions through Living Supramolecular Polymerization. Angewandte Chemie - International Edition, 2016, 55, 9539-9543.	13.8	92
27	Highly Fluorescent Nanotubes with Tunable Diameter and Wall Thickness Selfâ€Assembled from Asymmetric Perylene Diimides. Small, 2016, 12, 4363-4369.	10.0	14
28	Detection of Amines with Fluorescent Nanotubes: Applications in the Assessment of Meat Spoilage. ACS Sensors, 2016, 1, 22-25.	7.8	117
29	Stepwise Formation of Photoconductive Nanotubes through a New Topâ€Down Method. Advanced Materials, 2015, 27, 7746-7751.	21.0	40
30	Nanocoiled Assembly of Asymmetric Perylene Diimides: Formulation of Structural Factors. Journal of Physical Chemistry C, 2015, 119, 6446-6452.	3.1	16
31	Fluorescent and photoconductive nanoribbons as a dual-mode sensor for selective discrimination of alkyl amines versus aromatic amines. Chemical Communications, 2015, 51, 15004-15007.	4.1	50