

Peter A Csurhes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5566821/publications.pdf>

Version: 2024-02-01

39
papers

1,867
citations

304602

22
h-index

302012

39
g-index

40
all docs

40
docs citations

40
times ranked

2888
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association study identifies new multiple sclerosis susceptibility loci on chromosomes 12 and 20. <i>Nature Genetics</i> , 2009, 41, 824-828.	9.4	501
2	VARIATION IN THE VITAMIN D RECEPTOR GENE IS ASSOCIATED WITH MULTIPLE SCLEROSIS IN AN AUSTRALIAN POPULATION. <i>Journal of Neurogenetics</i> , 2005, 19, 25-38.	0.6	114
3	Epstein-Barr virus-specific T cell therapy for progressive multiple sclerosis. <i>JCI Insight</i> , 2018, 3, .	2.3	105
4	Defective T cell control of Epstein-Barr virus infection in multiple sclerosis. <i>Clinical and Translational Immunology</i> , 2017, 6, e126.	1.7	90
5	T cell reactivity to P0, P2, PMP-22, and myelin basic protein in patients with Guillain-Barre syndrome and chronic inflammatory demyelinating polyradiculoneuropathy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 1431-1439.	0.9	76
6	Decreased T cell reactivity to Epstein-Barr virus infected lymphoblastoid cell lines in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 498-505.	0.9	76
7	Increased immunoreactivity to two overlapping peptides of myelin proteolipid protein in multiple sclerosis. <i>Brain</i> , 1997, 120, 1447-1460.	3.7	71
8	Epstein-Barr virus-specific adoptive immunotherapy for progressive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1541-1544.	1.4	67
9	Surges of Increased T Cell Reactivity to an Encephalitogenic Region of Myelin Proteolipid Protein Occur More Often in Patients with Multiple Sclerosis Than in Healthy Subjects. <i>Journal of Immunology</i> , 2000, 165, 5322-5331.	0.4	62
10	Increased circulating T cell reactivity to GM3 and GQ1b gangliosides in primary progressive multiple sclerosis. <i>Journal of Clinical Neuroscience</i> , 2003, 10, 63-66.	0.8	57
11	Deficiency of CD8 ⁺ effector memory T cells is an early and persistent feature of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1825-1832.	1.4	57
12	Circulating brain derived neurotrophic factor (BDNF) and frequency of BDNF positive T cells in peripheral blood in human ischemic stroke: Effect on outcome. <i>Journal of Neuroimmunology</i> , 2015, 286, 42-47.	1.1	47
13	Studies of HLA associations in male and female patients with Guillain-Barré syndrome (GBS) and chronic inflammatory demyelinating polyradiculoneuropathy (CIDP). <i>Journal of Neuroimmunology</i> , 2006, 180, 172-177.	1.1	42
14	Antibody responses to peptides of peripheral nerve myelin proteins P0 and P2 in patients with inflammatory demyelinating neuropathy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 78, 419-422.	0.9	39
15	Correlation of Blood T Cell and Antibody Reactivity to Myelin Proteins with HLA Type and Lesion Localization in Multiple Sclerosis. <i>Journal of Immunology</i> , 2008, 180, 6402-6410.	0.4	39
16	Comparing genotyping algorithms for Illumina's Infinium whole-genome SNP BeadChips. <i>BMC Bioinformatics</i> , 2011, 12, 68.	1.2	38
17	Early pregnancy factor suppresses the infiltration of lymphocytes and macrophages in the spinal cord of rats during experimental autoimmune encephalomyelitis but has no effect on apoptosis. <i>Journal of the Neurological Sciences</i> , 2003, 214, 27-36.	0.3	32
18	Effect of gender on T-cell proliferative responses to myelin proteolipid protein antigens in patients with multiple sclerosis and controls. <i>Journal of Autoimmunity</i> , 2004, 22, 345-352.	3.0	31

#	ARTICLE	IF	CITATIONS
19	CD8 T cell deficiency impairs control of Epstein-Barr virus and worsens with age in multiple sclerosis: Figure 1. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 353-354.	0.9	29
20	Increased circulating T cell reactivity to GM1 ganglioside in patients with Guillain-Barré syndrome. <i>Journal of Clinical Neuroscience</i> , 2005, 12, 409-415.	0.8	27
21	Killer immunoglobulin-like receptor and their HLA ligands in Guillain-Barré Syndrome. <i>Journal of Neuroimmunology</i> , 2014, 267, 92-96.	1.1	24
22	Genetic investigation of methylenetetrahydrofolate reductase (MTHFR) and catechol-O-methyl transferase (COMT) in multiple sclerosis. <i>Brain Research Bulletin</i> , 2006, 69, 327-331.	1.4	23
23	No association between MTHFR A1298C and MTRR A66G polymorphisms, and MS in an Australian cohort. <i>Journal of the Neurological Sciences</i> , 2007, 252, 49-52.	0.3	23
24	Strains of Epstein-Barr virus infecting multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2010, 16, 643-651.	1.4	21
25	Amino acid sequences recognized by T cells: studies on a merozoite surface antigen from the FCQ-27/PNG isolate of <i>Plasmodium falciparum</i> . <i>Immunology Letters</i> , 1990, 25, 155-163.	1.1	19
26	A study of human T-cell lines generated from multiple sclerosis patients and controls by stimulation with peptides of myelin basic protein. <i>Journal of Neuroimmunology</i> , 1996, 70, 65-74.	1.1	18
27	Sustained Clinical Improvement in a Subset of Patients With Progressive Multiple Sclerosis Treated With Epstein-Barr Virus-Specific T Cell Therapy. <i>Frontiers in Neurology</i> , 2021, 12, 652811.	1.1	18
28	Interleukin-6 Gene Promoter-572 C Allele May Play a Role in Rate of Disease Progression in Multiple Sclerosis. <i>International Journal of Molecular Sciences</i> , 2012, 13, 13667-13679.	1.8	17
29	Investigation of an inducible nitric oxide synthase gene (NOS2A) polymorphism in a multiple sclerosis population. <i>Brain Research Bulletin</i> , 2004, 64, 9-13.	1.4	15
30	Decreased CD8+T cell response to Epstein-Barr virus infected B cells in multiple sclerosis is not due to decreased HLA class I expression on B cells or monocytes. <i>BMC Neurology</i> , 2011, 11, 95.	0.8	14
31	An investigation of the C77G and C772T variations within the human protein tyrosine phosphatase receptor type C gene for association with multiple sclerosis in an Australian population. <i>Brain Research</i> , 2009, 1255, 148-152.	1.1	12
32	Investigation of a neuronal nitric oxide synthase gene (NOS1) polymorphism in a multiple sclerosis population. <i>Journal of the Neurological Sciences</i> , 2004, 218, 25-28.	0.3	9
33	Correlations between macrophage/microglial activation marker sTREM-2 and measures of T-cell activation, neuroaxonal damage and disease severity in multiple sclerosis. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2021, 7, 205521732110197.	0.5	9
34	T cells from patients with Guillain-Barré syndrome produce interferon-gamma in response to stimulation with the ganglioside GM1. <i>Journal of Clinical Neuroscience</i> , 2010, 17, 537-538.	0.8	8
35	The frequencies of Killer immunoglobulin-like receptors and their HLA ligands in chronic inflammatory demyelinating polyradiculoneuropathy are similar to those in Guillain Barre syndrome but differ from those of controls, suggesting a role for NK cells in pathogenesis. <i>Journal of Neuroimmunology</i> , 2015, 285, 53-56.	1.1	7
36	Allelic variation investigation of the estrogen receptor within an Australian multiple sclerosis population. <i>Journal of the Neurological Sciences</i> , 2007, 252, 9-12.	0.3	6

#	ARTICLE	IF	CITATIONS
37	CD8+ T cells far predominate over CD4+ T cells in healthy immune response to Epstein-Barr virus infected lymphoblastoid cell lines. <i>Blood</i> , 2012, 120, 5085-5087.	0.6	6
38	Investigation of the [A]8 and C1236T genetic variations within the human toll-like receptor 3 gene for association with multiple sclerosis. <i>Neurological Research</i> , 2010, 32, 438-441.	0.6	4
39	Study of leukemia inhibitory factor polymorphism within an Australian multiple sclerosis population. <i>Journal of the Neurological Sciences</i> , 2009, 280, 62-64.	0.3	0