

Roy M Fleischmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5568624/publications.pdf>

Version: 2024-02-01

183
papers

20,865
citations

24978

57
h-index

9553

142
g-index

183
all docs

183
docs citations

183
times ranked

10229
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A Trial of Etanercept, a Recombinant Tumor Necrosis Factor Receptor:Fc Fusion Protein, in Patients with Rheumatoid Arthritis Receiving Methotrexate. <i>New England Journal of Medicine</i> , 1999, 340, 253-259. | 13.9 | 2,044 |
| 2 | A Comparison of Etanercept and Methotrexate in Patients with Early Rheumatoid Arthritis. <i>New England Journal of Medicine</i> , 2000, 343, 1586-1593. | 13.9 | 1,776 |
| 3 | Treatment of Rheumatoid Arthritis with a Recombinant Human Tumor Necrosis Factor Receptor (p75)â€“Fc Fusion Protein. <i>New England Journal of Medicine</i> , 1997, 337, 141-147. | 13.9 | 1,586 |
| 4 | The efficacy and safety of rituximab in patients with active rheumatoid arthritis despite methotrexate treatment: Results of a phase IIB randomized, double-blind, placebo-controlled, dose-ranging trial. <i>Arthritis and Rheumatism</i> , 2006, 54, 1390-1400. | 6.7 | 951 |
| 5 | Placebo-Controlled Trial of Tofacitinib Monotherapy in Rheumatoid Arthritis. <i>New England Journal of Medicine</i> , 2012, 367, 495-507. | 13.9 | 826 |
| 6 | Tofacitinib or Adalimumab versus Placebo in Rheumatoid Arthritis. <i>New England Journal of Medicine</i> , 2012, 367, 508-519. | 13.9 | 810 |
| 7 | Recombinant human tumor necrosis factor receptor (etanercept) for treating ankylosing spondylitis: A randomized, controlled trial. <i>Arthritis and Rheumatism</i> , 2003, 48, 3230-3236. | 6.7 | 707 |
| 8 | Etanercept versus methotrexate in patients with early rheumatoid arthritis: Two-year radiographic and clinical outcomes. <i>Arthritis and Rheumatism</i> , 2002, 46, 1443-1450. | 6.7 | 664 |
| 9 | Cardiovascular and Cancer Risk with Tofacitinib in Rheumatoid Arthritis. <i>New England Journal of Medicine</i> , 2022, 386, 316-326. | 13.9 | 640 |
| 10 | Tofacitinib versus Methotrexate in Rheumatoid Arthritis. <i>New England Journal of Medicine</i> , 2014, 370, 2377-2386. | 13.9 | 630 |
| 11 | Tofacitinib (CPâ€“690,550) in patients with rheumatoid arthritis receiving methotrexate: Twelveâ€“month data from a twentyâ€“fourâ€“month phase III randomized radiographic study. <i>Arthritis and Rheumatism</i> , 2013, 65, 559-570. | 6.7 | 481 |
| 12 | Golimumab, a human antiâ€“tumor necrosis factor Î± monoclonal antibody, injected subcutaneously every four weeks in methotrexateâ€“naive patients with active rheumatoid arthritis: Twentyâ€“fourâ€“week results of a phase III, multicenter, randomized, doubleâ€“blind, placeboâ€“controlled study of golimumab before methotrexate as firstâ€“line therapy for earlyâ€“onset rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 2272-2283. | 6.7 | 387 |
| 13 | Tofacitinib in Combination With Nonbiologic Disease-Modifying Antirheumatic Drugs in Patients With Active Rheumatoid Arthritis. <i>Annals of Internal Medicine</i> , 2013, 159, 253. | 2.0 | 381 |
| 14 | Tocilizumab inhibits structural joint damage in rheumatoid arthritis patients with inadequate responses to methotrexate: Results from the double-blind treatment phase of a randomized placebo-controlled trial of tocilizumab safety and prevention of structu. <i>Arthritis and Rheumatism</i> , 2011, 63, 609-621. | 6.7 | 369 |
| 15 | Efficacy and safety of tofacitinib monotherapy, tofacitinib with methotrexate, and adalimumab with methotrexate in patients with rheumatoid arthritis (ORAL Strategy): a phase 3b/4, double-blind, head-to-head, randomised controlled trial. <i>Lancet, The</i> , 2017, 390, 457-468. | 6.3 | 360 |
| 16 | Adalimumab, a fully human anti tumor necrosis factor-alpha monoclonal antibody, and concomitant standard antirheumatic therapy for the treatment of rheumatoid arthritis: results of STAR (Safety) Tj ETQq0 0 0 rgBILd Overload 10 Tf 50 | | |
| 17 | Phase Iib doseâ€“ranging study of the oral JAK inhibitor tofacitinib (CPâ€“690,550) or adalimumab monotherapy versus placebo in patients with active rheumatoid arthritis with an inadequate response to diseaseâ€“modifying antirheumatic drugs. <i>Arthritis and Rheumatism</i> , 2012, 64, 617-629. | 6.7 | 339 |
| 18 | Safety and efficacy of upadacitinib in patients with active rheumatoid arthritis refractory to biologic disease-modifying anti-rheumatic drugs (SELECT-BEYOND): a double-blind, randomised controlled phase 3 trial. <i>Lancet, The</i> , 2018, 391, 2513-2524. | 6.3 | 316 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Baricitinib, Methotrexate, or Combination in Patients With Rheumatoid Arthritis and No or Limited Prior Disease—Modifying Antirheumatic Drug Treatment. <i>Arthritis and Rheumatology</i> , 2017, 69, 506-517. | 2.9 | 310 |
| 20 | Upadacitinib Versus Placebo or Adalimumab in Patients With Rheumatoid Arthritis and an Inadequate Response to Methotrexate: Results of a Phase III, Double-Blind, Randomized Controlled Trial. <i>Arthritis and Rheumatology</i> , 2019, 71, 1788-1800. | 2.9 | 284 |
| 21 | Longterm Safety of Patients Receiving Rituximab in Rheumatoid Arthritis Clinical Trials. <i>Journal of Rheumatology</i> , 2010, 37, 558-567. | 1.0 | 265 |
| 22 | Head-to-head comparison of subcutaneous abatacept versus adalimumab for rheumatoid arthritis: two-year efficacy and safety findings from AMPLE trial. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 86-94. | 0.5 | 256 |
| 23 | Adjustment of therapy in rheumatoid arthritis on the basis of achievement of stable low disease activity with adalimumab plus methotrexate or methotrexate alone: the randomised controlled OPTIMA trial. <i>Lancet, The</i> , 2014, 383, 321-332. | 6.3 | 232 |
| 24 | Head-to-head comparison of subcutaneous abatacept versus adalimumab for rheumatoid arthritis: Findings of a phase IIIb, multinational, prospective, randomized study. <i>Arthritis and Rheumatism</i> , 2013, 65, 28-38. | 6.7 | 225 |
| 25 | Sarilumab Plus Methotrexate in Patients With Active Rheumatoid Arthritis and Inadequate Response to Methotrexate: Results of a Phase III Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1424-1437. | 2.9 | 213 |
| 26 | Longterm Safety of Rituximab: Final Report of the Rheumatoid Arthritis Global Clinical Trial Program over 11 Years. <i>Journal of Rheumatology</i> , 2015, 42, 1761-1766. | 1.0 | 194 |
| 27 | Sarilumab, a fully human monoclonal antibody against IL-6 in patients with rheumatoid arthritis and an inadequate response to methotrexate: efficacy and safety results from the randomised SARIL-RA-MOBILITY Part A trial. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1626-1634. | 0.5 | 173 |
| 28 | Pharmacokinetics and Safety of Golimumab, a Fully Human Anti-TNF Monoclonal Antibody, in Subjects With Rheumatoid Arthritis. <i>Journal of Clinical Pharmacology</i> , 2007, 47, 383-396. | 1.0 | 172 |
| 29 | Points to consider for the treatment of immune-mediated inflammatory diseases with Janus kinase inhibitors: a consensus statement. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 71-87. | 0.5 | 158 |
| 30 | Potential Mechanisms Leading to the Abnormal Lipid Profile in Patients With Rheumatoid Arthritis Versus Healthy Volunteers and Reversal by Tofacitinib. <i>Arthritis and Rheumatology</i> , 2015, 67, 616-625. | 2.9 | 157 |
| 31 | Validation of a novel multibiomarker test to assess rheumatoid arthritis disease activity. <i>Arthritis Care and Research</i> , 2012, 64, 1794-1803. | 1.5 | 149 |
| 32 | Sarilumab and Nonbiologic Disease-Modifying Antirheumatic Drugs in Patients With Active Rheumatoid Arthritis and Inadequate Response or Intolerance to Tumor Necrosis Factor Inhibitors. <i>Arthritis and Rheumatology</i> , 2017, 69, 277-290. | 2.9 | 146 |
| 33 | Head-to-head comparison of certolizumab pegol versus adalimumab in rheumatoid arthritis: 2-year efficacy and safety results from the randomised EXCELERATE study. <i>Lancet, The</i> , 2016, 388, 2763-2774. | 6.3 | 144 |
| 34 | A Phase II Trial of Lutikizumab, an Anti-Interleukin-1/2 Dual Variable Domain Immunoglobulin, in Knee Osteoarthritis Patients With Synovitis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1056-1069. | 2.9 | 137 |
| 35 | Impact of baseline anti-cyclic citrullinated peptide-2 antibody concentration on efficacy outcomes following treatment with subcutaneous abatacept or adalimumab: 2-year results from the AMPLE trial. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 709-714. | 0.5 | 134 |
| 36 | Efficacy and safety of olokizumab in patients with rheumatoid arthritis with an inadequate response to TNF inhibitor therapy: outcomes of a randomised Phase IIb study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1607-1615. | 0.5 | 125 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Efficacy and safety of certolizumab pegol in a broad population of patients with active rheumatoid arthritis: results from the REALISTIC phase IIIb study. <i>Rheumatology</i> , 2012, 51, 2204-2214. | 0.9 | 115 |
| 38 | Safety and effectiveness of upadacitinib or adalimumab plus methotrexate in patients with rheumatoid arthritis over 48 weeks with switch to alternate therapy in patients with insufficient response. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1454-1462. | 0.5 | 115 |
| 39 | Phase IIa, placebo-controlled, randomised study of lutikizumab, an anti-interleukin-1 β and anti-interleukin-1 γ dual variable domain immunoglobulin, in patients with erosive hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 413-420. | 0.5 | 115 |
| 40 | Updated consensus statement on biological agents for the treatment of rheumatic diseases, 2012: Table A1. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, ii2-ii34. | 0.5 | 114 |
| 41 | A Randomized, Double-blind, Placebo-controlled, Twelve-week, Dose-ranging Study of Decernotinib, an Oral Selective JAK β Inhibitor, as Monotherapy in Patients With Active Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 334-343. | 2.9 | 98 |
| 42 | How much does Disease Activity Score in 28 joints ESR and CRP calculations underestimate disease activity compared with the Simplified Disease Activity Index?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1132-1137. | 0.5 | 95 |
| 43 | Pharmacodynamic, pharmacokinetic and tolerability evaluation of concomitant administration of lesinurad and febuxostat in gout patients with hyperuricaemia. <i>Rheumatology</i> , 2014, 53, 2167-2174. | 0.9 | 92 |
| 44 | Safety and efficacy of etanercept treatment in elderly subjects with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2006, 33, 234-43. | 1.0 | 91 |
| 45 | Distinguishing rheumatoid arthritis from psoriatic arthritis. <i>RMD Open</i> , 2018, 4, e000656. | 1.8 | 90 |
| 46 | Longterm safety, efficacy, and radiographic outcome with etanercept treatment in patients with early rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005, 32, 1232-42. | 1.0 | 89 |
| 47 | Kinase inhibitors: a new approach to rheumatoid arthritis treatment. <i>Current Opinion in Rheumatology</i> , 2010, 22, 330-335. | 2.0 | 87 |
| 48 | Tocilizumab Inhibits Structural Joint Damage and Improves Physical Function in Patients with Rheumatoid Arthritis and Inadequate Responses to Methotrexate: LITHE Study 2-year Results. <i>Journal of Rheumatology</i> , 2013, 40, 113-126. | 1.0 | 87 |
| 49 | Golimumab 3-year safety update: an analysis of pooled data from the long-term extensions of randomised, double-blind, placebo-controlled trials conducted in patients with rheumatoid arthritis, psoriatic arthritis or ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 538-546. | 0.5 | 75 |
| 50 | DAS28-CRP and DAS28-ESR cut-offs for high disease activity in rheumatoid arthritis are not interchangeable. <i>RMD Open</i> , 2017, 3, e000382. | 1.8 | 71 |
| 51 | Response to etanercept (Enbrel) in elderly patients with rheumatoid arthritis: a retrospective analysis of clinical trial results. <i>Journal of Rheumatology</i> , 2003, 30, 691-6. | 1.0 | 66 |
| 52 | Tofacitinib in Combination With Methotrexate in Patients With Rheumatoid Arthritis: Clinical Efficacy, Radiographic, and Safety Outcomes From a Twenty-four-month, Phase III Study. <i>Arthritis and Rheumatology</i> , 2019, 71, 878-891. | 2.9 | 64 |
| 53 | Novel small-molecular therapeutics for rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2012, 24, 335-341. | 2.0 | 62 |
| 54 | Tofacitinib or adalimumab versus placebo: patient-reported outcomes from a phase 3 study of active rheumatoid arthritis. <i>Rheumatology</i> , 2016, 55, 1031-1041. | 0.9 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Worldwide, 3-Year, Post-Marketing Surveillance Experience with Tofacitinib in Rheumatoid Arthritis. <i>Rheumatology and Therapy</i> , 2018, 5, 283-291. | 1.1 | 62 |
| 56 | Safety of Biologic Therapy in Rheumatoid Arthritis and Other Autoimmune Diseases: Focus on Rituximab. <i>Seminars in Arthritis and Rheumatism</i> , 2009, 38, 265-280. | 1.6 | 61 |
| 57 | Efficacy and safety of tofacitinib following inadequate response to conventional synthetic or biological disease-modifying antirheumatic drugs. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1293-1301. | 0.5 | 61 |
| 58 | Infections in baricitinib clinical trials for patients with active rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1290-1297. | 0.5 | 61 |
| 59 | Safety and efficacy of etanercept beyond 10 years of therapy in North American patients with early and longstanding rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2011, 63, 373-382. | 1.5 | 58 |
| 60 | Considerations with the use of biological therapy in the treatment of rheumatoid arthritis. <i>Expert Opinion on Drug Safety</i> , 2004, 3, 391-403. | 1.0 | 56 |
| 61 | Risk-Benefit Profile of Etanercept in Elderly Patients with Rheumatoid Arthritis, Ankylosing Spondylitis or Psoriatic Arthritis. <i>Drugs and Aging</i> , 2007, 24, 239-254. | 1.3 | 56 |
| 62 | Effects of tofacitinib monotherapy on patient-reported outcomes in a randomized phase 3 study of patients with active rheumatoid arthritis and inadequate responses to DMARDs. <i>Arthritis Research and Therapy</i> , 2015, 17, 307. | 1.6 | 53 |
| 63 | Tofacitinib versus methotrexate in rheumatoid arthritis: patient-reported outcomes from the randomised phase III ORAL Start trial. <i>RMD Open</i> , 2016, 2, e000308. | 1.8 | 50 |
| 64 | Achieving Pain Control in Rheumatoid Arthritis with Baricitinib or Adalimumab Plus Methotrexate: Results from the RA-BEAM Trial. <i>Journal of Clinical Medicine</i> , 2019, 8, 831. | 1.0 | 50 |
| 65 | Long-term safety and efficacy of upadacitinib or adalimumab in patients with rheumatoid arthritis: results through 3 years from the SELECT-COMPARE study. <i>RMD Open</i> , 2022, 8, e002012. | 1.8 | 50 |
| 66 | Nonmedical Switching From Originators to Biosimilars: Does the Nocebo Effect Explain Treatment Failures and Adverse Events in Rheumatology and Gastroenterology?. <i>Rheumatology and Therapy</i> , 2020, 7, 35-64. | 1.1 | 49 |
| 67 | Patient-reported outcomes of baricitinib in patients with rheumatoid arthritis and no or limited prior disease-modifying antirheumatic drug treatment. <i>Arthritis Research and Therapy</i> , 2017, 19, 208. | 1.6 | 48 |
| 68 | Meloxicam. <i>Expert Opinion on Pharmacotherapy</i> , 2002, 3, 1501-1512. | 0.9 | 47 |
| 69 | Does safety make a difference in selecting the right TNF antagonist?. <i>Arthritis Research</i> , 2004, 6, S12. | 2.0 | 47 |
| 70 | A comparative clinical study of PF-06410293, a candidate adalimumab biosimilar, and adalimumab reference product (Humira®) in the treatment of active rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2018, 20, 178. | 1.6 | 44 |
| 71 | Long-term safety of sarilumab in rheumatoid arthritis: an integrated analysis with up to 7 years follow-up. <i>Rheumatology</i> , 2020, 59, 292-302. | 0.9 | 43 |
| 72 | A Decade of JAK Inhibitors: What Have We Learned and What May Be the Future?. <i>Arthritis and Rheumatology</i> , 2021, 73, 2166-2178. | 2.9 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Brief Report: Estimating Disease Activity Using Multi-Biomarker Disease Activity Scores in Rheumatoid Arthritis Patients Treated With Abatacept or Adalimumab. <i>Arthritis and Rheumatology</i> , 2016, 68, 2083-2089. | 2.9 | 42 |
| 74 | Lumiracoxib is effective in the treatment of osteoarthritis of the knee: a prospective randomized 13-week study versus placebo and celecoxib. <i>Clinical Rheumatology</i> , 2006, 25, 42-53. | 1.0 | 40 |
| 75 | Safety and efficacy of baricitinib in elderly patients with rheumatoid arthritis. <i>RMD Open</i> , 2017, 3, e000546. | 1.8 | 39 |
| 76 | Points to consider for the treatment of immune-mediated inflammatory diseases with Janus kinase inhibitors: a systematic literature research. <i>RMD Open</i> , 2020, 6, e001374. | 1.8 | 36 |
| 77 | 4-year results from the RAPID-PsA phase 3 randomised placebo-controlled trial of certolizumab pegol in psoriatic arthritis. <i>RMD Open</i> , 2018, 4, e000582. | 1.8 | 34 |
| 78 | Sarilumab improves patient-reported outcomes in rheumatoid arthritis patients with inadequate response/intolerance to tumour necrosis factor inhibitors. <i>RMD Open</i> , 2017, 3, e000416. | 1.8 | 33 |
| 79 | Safety and maintenance of response for tofacitinib monotherapy and combination therapy in rheumatoid arthritis: an analysis of pooled data from open-label long-term extension studies. <i>RMD Open</i> , 2017, 3, e000491. | 1.8 | 33 |
| 80 | Pharmacodynamic and pharmacokinetic effects and safety of verinurad in combination with allopurinol in adults with gout: a phase IIa, open-label study. <i>RMD Open</i> , 2018, 4, e000584. | 1.8 | 33 |
| 81 | A pooled analysis of the safety of tofacitinib as monotherapy or in combination with background conventional synthetic disease-modifying antirheumatic drugs in a Phase 3 rheumatoid arthritis population. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 48, 406-415. | 1.6 | 32 |
| 82 | Ixekizumab treatment of biologic-naïve patients with active psoriatic arthritis: 3-year results from a phase III clinical trial (SPIRIT-P1). <i>Rheumatology</i> , 2020, 59, 2774-2784. | 0.9 | 31 |
| 83 | Patient-reported outcomes for tofacitinib with and without methotrexate, or adalimumab with methotrexate, in rheumatoid arthritis: a phase IIIB/IV trial. <i>RMD Open</i> , 2019, 5, e001040. | 1.8 | 28 |
| 84 | Safety, Tolerability, and Pharmacodynamics of <i>ABT-122</i> , a Tumor Necrosis Factor and Interleukin-17 Targeted Dual Variable Domain Immunoglobulin, in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2017, 69, 2283-2291. | 2.9 | 27 |
| 85 | Efficacy and safety of tofacitinib in patients with active rheumatoid arthritis: review of key Phase 2 studies. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 1216-1225. | 0.9 | 26 |
| 86 | Systematic review and network meta-analysis of the efficacy and safety of tumour necrosis factor inhibitor-methotrexate combination therapy versus triple therapy in rheumatoid arthritis. <i>RMD Open</i> , 2017, 3, e000371. | 1.8 | 26 |
| 87 | Structural damage progression in patients with early rheumatoid arthritis treated with methotrexate, baricitinib, or baricitinib plus methotrexate based on clinical response in the phase 3 RA-BEGIN study. <i>Clinical Rheumatology</i> , 2018, 37, 2381-2390. | 1.0 | 26 |
| 88 | Efficacy and Safety of Long-Term Baricitinib With and Without Methotrexate for the Treatment of Rheumatoid Arthritis: Experience With Baricitinib Monotherapy Continuation or After Switching From Methotrexate Monotherapy or Baricitinib Plus Methotrexate. <i>Arthritis Care and Research</i> , 2020, 72, 1112-1121. | 1.5 | 25 |
| 89 | Repository Corticotropin Injection for Active Rheumatoid Arthritis Despite Aggressive Treatment: A Randomized Controlled Withdrawal Trial. <i>Rheumatology and Therapy</i> , 2020, 7, 327-344. | 1.1 | 25 |
| 90 | Filgotinib or lanraplenib in moderate to severe cutaneous lupus erythematosus: a phase 2, randomized, double-blind, placebo-controlled study. <i>Rheumatology</i> , 2022, 61, 2413-2423. | 0.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Efficacy of tofacitinib monotherapy in methotrexate-naïve patients with early or established rheumatoid arthritis. <i>RMD Open</i> , 2016, 2, e000262. | 1.8 | 24 |
| 92 | Patient-Reported Outcomes From a Two-Year Head-to-Head Comparison of Subcutaneous Abatacept and Adalimumab for Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2016, 68, 907-913. | 1.5 | 24 |
| 93 | Live Zoster Vaccine in Patients With Rheumatoid Arthritis Treated With Tofacitinib With or Without Methotrexate, or Adalimumab With Methotrexate: A Post Hoc Analysis of Data From a Phase IIIb/IV Randomized Study. <i>Arthritis Care and Research</i> , 2020, 72, 353-359. | 1.5 | 23 |
| 94 | Effects of the oral Janus kinase inhibitor tofacitinib on patient-reported outcomes in patients with active rheumatoid arthritis: results of two Phase 2 randomised controlled trials. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 430-42. | 0.4 | 23 |
| 95 | Testing treat-to-target outcomes with initial methotrexate monotherapy compared with initial tumour necrosis factor inhibitor (adalimumab) plus methotrexate in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 289-292. | 0.5 | 22 |
| 96 | Efficacy and safety of sarilumab in combination with csDMARDs or as monotherapy in subpopulations of patients with moderately to severely active rheumatoid arthritis in three phase III randomized, controlled studies. <i>Arthritis Research and Therapy</i> , 2020, 22, 139. | 1.6 | 21 |
| 97 | Interleukin-6 receptor blockade or TNF± inhibition for reducing glycaemia in patients with RA and diabetes: post hoc analyses of three randomised, controlled trials. <i>Arthritis Research and Therapy</i> , 2020, 22, 206. | 1.6 | 20 |
| 98 | Safety and efficacy of disease-modifying antirheumatic agents in rheumatoid arthritis and juvenile rheumatoid arthritis. <i>Expert Opinion on Drug Safety</i> , 2003, 2, 347-365. | 1.0 | 19 |
| 99 | A review of tofacitinib efficacy in rheumatoid arthritis patients who have had an inadequate response or intolerance to methotrexate. <i>Expert Opinion on Pharmacotherapy</i> , 2017, 18, 1525-1533. | 0.9 | 19 |
| 100 | Effect of Glucocorticoids on the Clinical and Radiographic Efficacy of Tofacitinib in Patients with Rheumatoid Arthritis: A Posthoc Analysis of Data from 6 Phase III Studies. <i>Journal of Rheumatology</i> , 2018, 45, 177-187. | 1.0 | 18 |
| 101 | Developing a New Generation of TNF± Antagonists for the Treatment of Rheumatoid Arthritis. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2003, 3, 310-318. | 3.4 | 18 |
| 102 | Upadacitinib improves patient-reported outcomes vs placebo or adalimumab in patients with rheumatoid arthritis: results from SELECT-COMPARE. <i>Rheumatology</i> , 2021, 60, 5583-5594. | 0.9 | 17 |
| 103 | Long-term retention on treatment with lumiracoxib 100 mg once or twice daily compared with celecoxib 200 mg once daily: A randomised controlled trial in patients with osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 32. | 0.8 | 16 |
| 104 | Twenty-eight-week results from the REALISTIC phase IIIb randomized trial: efficacy, safety and predictability of response to certolizumab pegol in a diverse rheumatoid arthritis population. <i>Arthritis Research and Therapy</i> , 2015, 17, 325. | 1.6 | 16 |
| 105 | Relationship between clinical and patient-reported outcomes in a phase 3 trial of tofacitinib or MTX in MTX-naïve patients with rheumatoid arthritis. <i>RMD Open</i> , 2016, 2, e000232. | 1.8 | 16 |
| 106 | Editorial: The American College of Rheumatology White Paper on Biosimilars: It Isn't All White—There Is Some Gray and Black. <i>Arthritis and Rheumatology</i> , 2018, 70, 323-325. | 2.9 | 16 |
| 107 | Efficacy of Abatacept and Adalimumab in Patients with Early Rheumatoid Arthritis With Multiple Poor Prognostic Factors: Post Hoc Analysis of a Randomized Controlled Clinical Trial (AMPLE). <i>Rheumatology and Therapy</i> , 2019, 6, 559-571. | 1.1 | 15 |
| 108 | Achieving pain control in early rheumatoid arthritis with baricitinib monotherapy or in combination with methotrexate versus methotrexate monotherapy. <i>RMD Open</i> , 2022, 8, e001994. | 1.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Anakinra in the treatment of rheumatic disease. <i>Expert Review of Clinical Immunology</i> , 2006, 2, 331-340. | 1.3 | 14 |
| 110 | Switching between Janus kinase inhibitor upadacitinib and adalimumab following insufficient response: efficacy and safety in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 432-439. | 0.5 | 14 |
| 111 | Don't forget traditional DMARDs. <i>Rheumatology</i> , 2011, 50, 429-430. | 0.9 | 13 |
| 112 | Infliximab efficacy in rheumatoid arthritis after an inadequate response to etanercept or adalimumab: results of a target-driven active switch study. <i>Current Medical Research and Opinion</i> , 2014, 30, 2139-2149. | 0.9 | 13 |
| 113 | Impact of certolizumab pegol on patient-reported outcomes in rheumatoid arthritis and correlation with clinical measures of disease activity. <i>Arthritis Research and Therapy</i> , 2015, 17, 343. | 1.6 | 13 |
| 114 | Tofacitinib in the treatment of active rheumatoid arthritis in adults. <i>Immunotherapy</i> , 2018, 10, 39-56. | 1.0 | 12 |
| 115 | Can we improve the performance and reporting of investigator-initiated clinical trials? Rheumatoid arthritis as an example: Table A1. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1755-1760. | 0.5 | 11 |
| 116 | Long-Term Maintenance of Certolizumab Pegol Safety and Efficacy, in Combination with Methotrexate and as Monotherapy, in Rheumatoid Arthritis Patients. <i>Rheumatology and Therapy</i> , 2017, 4, 57-69. | 1.1 | 11 |
| 117 | Long-term safety and efficacy of sarilumab over 5 years in patients with rheumatoid arthritis refractory to TNF inhibitors. <i>Rheumatology</i> , 2021, 60, 4991-5001. | 0.9 | 11 |
| 118 | Pharmacodynamic and pharmacokinetic effects and safety of verinurad in combination with febuxostat in adults with gout: a phase IIa, open-label study. <i>RMD Open</i> , 2018, 4, e000647. | 1.8 | 11 |
| 119 | Recent issues in JAK inhibitor safety: perspective for the clinician. <i>Expert Review of Clinical Immunology</i> , 2022, 18, 295-307. | 1.3 | 11 |
| 120 | Comparison of the Efficacy of Biologic Therapy for Rheumatoid Arthritis: Can the Clinical Trials Be Accurately Compared?. <i>Rheumatic Disease Clinics of North America</i> , 2006, 32, 21-28. | 0.8 | 10 |
| 121 | Short-term efficacy of etanercept plus methotrexate vs combinations of disease-modifying anti-rheumatic drugs with methotrexate in established rheumatoid arthritis. <i>Rheumatology</i> , 2014, 53, 1984-1993. | 0.9 | 10 |
| 122 | Effect of Discontinuation or Initiation of Methotrexate or Glucocorticoids on Tofacitinib Efficacy in Patients with Rheumatoid Arthritis: A Post Hoc Analysis. <i>Rheumatology and Therapy</i> , 2018, 5, 203-214. | 1.1 | 10 |
| 123 | Randomised study of PF-06410293, an adalimumab (ADL) biosimilar, compared with reference ADL for the treatment of active rheumatoid arthritis: results from weeks 26 to 52, including a treatment switch from reference ADL to PF-06410293. <i>RMD Open</i> , 2021, 7, e001578. | 1.8 | 10 |
| 124 | Long-term efficacy, safety, and immunogenicity of the adalimumab biosimilar, PF-06410293, in patients with rheumatoid arthritis after switching from reference adalimumab (Humira®) or continuing biosimilar therapy: week 52 to 92 data from a randomized, double-blind, phase 3 trial. <i>Arthritis Research and Therapy</i> , 2021, 23, 248. | 1.6 | 9 |
| 125 | Value of the Multibiomarker Disease Activity Score to Predict Remission in RA: What Does the Evidence Show?. <i>Journal of Rheumatology</i> , 2019, 46, 443-446. | 1.0 | 8 |
| 126 | Safety of repository corticotropin injection as an adjunctive therapy for the treatment of rheumatoid arthritis. <i>Expert Opinion on Drug Safety</i> , 2020, 19, 935-944. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Methodological aspects and the interpretation of clinical trial data: lessons from the TEAR trial. <i>Rheumatology</i> , 2013, 52, 409-410. | 0.9 | 7 |
| 128 | Interleukin-6 inhibition for rheumatoid arthritis. <i>Lancet</i> , The, 2017, 389, 1168-1170. | 6.3 | 7 |
| 129 | Primer: establishing a clinical trial unitâ€™ regulations and infrastructure. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 234-239. | 3.2 | 6 |
| 130 | Developing new oral targeted therapies for RA can be challenging. <i>Nature Reviews Rheumatology</i> , 2015, 11, 4-6. | 3.5 | 6 |
| 131 | Disease activity improvements with optimal discriminatory ability between treatment arms: applicability in early and established rheumatoid arthritis clinical trials. <i>Arthritis Research and Therapy</i> , 2019, 21, 231. | 1.6 | 6 |
| 132 | Upadacitinib versus placebo or adalimumab with background methotrexate in patients with rheumatoid arthritis and an inadequate response to methotrexate: a subgroup analysis of a phase III randomized controlled trial in Central and Eastern European patients. <i>Drugs in Context</i> , 2020, 9, 1-15. | 1.0 | 6 |
| 133 | Tofacitinib in combination with methotrexate in patients with rheumatoid arthritis: patient-reported outcomes from the 24-month Phase 3 ORAL Scan study. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 848-857. | 0.4 | 6 |
| 134 | EULAR PsA management recommendations 2019: can the recommendations be improved?. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 700.2-712. | 0.5 | 5 |
| 135 | Radiographic Progression of Structural Joint Damage Over 5 Years of Baricitinib Treatment in Patients With Rheumatoid Arthritis: Results From RA-BEYOND. <i>Journal of Rheumatology</i> , 2022, 49, 133-141. | 1.0 | 5 |
| 136 | Treatment of early rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005, 15, 153-162. | 0.9 | 5 |
| 137 | Efficacy and safety of tofacitinib in US and non-US rheumatoid arthritis patients: pooled analyses of phase II and III. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 32-6. | 0.4 | 5 |
| 138 | Treatment of early rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005, 15, 153-162. | 0.9 | 4 |
| 139 | Primer: establishing a clinical trial unitâ€™ obtaining studies and patients. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 459-463. | 3.2 | 4 |
| 140 | 2019 update of the American College of Rheumatologyâ€™ recommended rheumatoid arthritis disease activity measures: comment on the article by England et al. <i>Arthritis Care and Research</i> , 2020, 72, 736-736. | 1.5 | 4 |
| 141 | Median time to pain improvement and the impact of baseline pain severity on pain response in patients with psoriatic arthritis treated with tofacitinib. <i>RMD Open</i> , 2021, 7, e001609. | 1.8 | 4 |
| 142 | Benefitâ€™Risk Analysis of Upadacitinib Compared with Adalimumab in the Treatment of Patients with Moderate-to-Severe Rheumatoid Arthritis. <i>Rheumatology and Therapy</i> , 2022, 9, 191-206. | 1.1 | 4 |
| 143 | Examining the efficacy of biologic therapy: are there real differences?. <i>Journal of rheumatology Supplement</i> , The, 2002, 65, 27-32. | 2.2 | 4 |
| 144 | Usability Study of PF-06410293, an Adalimumab Biosimilar, by Prefilled Pen: Open-Label, Single-Arm, Sub-Study of a Phase 3 Trial in Patients with Rheumatoid Arthritis. <i>Rheumatology and Therapy</i> , 2022, 9, 839-850. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Post Hoc Analysis of the Correlation Between Patient-Reported Outcomes and Clinical Response to Repository Corticotropin Injection for Persistently Active Rheumatoid Arthritis. <i>Rheumatology and Therapy</i> , 2022, 9, 435-446. | 1.1 | 4 |
| 146 | Safety and efficacy of elsubrutinib or upadacitinib alone or in combination (ABBV-599) in patients with rheumatoid arthritis and inadequate response or intolerance to biological therapies: a multicentre, double-blind, randomised, controlled, phase 2 trial. <i>Lancet Rheumatology</i> , The, 2022, 4, e395-e406. | 2.2 | 4 |
| 147 | Etanercept " review of efficacy and safety after five years of clinical use. <i>Therapy: Open Access in Clinical Medicine</i> , 2004, 1, 11-23. | 0.2 | 3 |
| 148 | The efficacy and safety of golimumab in the treatment of arthritis. <i>Expert Opinion on Biological Therapy</i> , 2010, 10, 1131-1143. | 1.4 | 3 |
| 149 | Reductions in disease activity in the AMPLE trial: clinical response by baseline disease duration. <i>RMD Open</i> , 2016, 2, e000210. | 1.8 | 3 |
| 150 | Reply. <i>Arthritis and Rheumatology</i> , 2017, 69, 867-868. | 2.9 | 3 |
| 151 | THU0193...EFFICACY OF TOFACITINIB MONOTHERAPY, TOFACITINIB WITH METHOTREXATE AND ADALIMUMAB WITH METHOTREXATE IN PATIENTS WITH EARLY (≤ 2 YEARS) VS ESTABLISHED (>2 YEARS) RHEUMATOID ARTHRITIS: A POST HOC ANALYSIS OF DATA FROM ORAL STRATEGY. , 2019, , . | | 3 |
| 152 | Does ACPA-negative RA consist of subgroups related to sustained DMARD-free remission and serological markers at disease presentation? Comment on article by Boeters DM et al.. <i>Arthritis Research and Therapy</i> , 2020, 22, 17. | 1.6 | 3 |
| 153 | Safety and efficacy of etanercept in the elderly. <i>Aging Health</i> , 2006, 2, 189-197. | 0.3 | 3 |
| 154 | Is there a need for new therapies for rheumatoid arthritis?. <i>Journal of rheumatology Supplement</i> , The, 2005, 73, 3-7; discussion 29-30. | 2.2 | 3 |
| 155 | Oral Abstracts 7: RA Clinical * O37. Long-Term Outcomes of Early RA Patients Initiated with Adalimumab Plus Methotrexate Compared with Methotrexate Alone Following a Targeted Treatment Approach. <i>Rheumatology</i> , 2013, 52, i44-i55. | 0.9 | 2 |
| 156 | Differences and similarities in clinical and functional responses among patients receiving tofacitinib monotherapy, tofacitinib plus methotrexate, and adalimumab plus methotrexate: a post hoc analysis of data from ORAL Strategy. <i>Arthritis Research and Therapy</i> , 2021, 23, 220. | 1.6 | 2 |
| 157 | Response to: "Is there a need for new thresholds to define remission and low disease activity by Disease Activity Score 28 calculated with C reactive protein? Real life data from a local registry" by Favalli et al. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e6-e6. | 0.5 | 1 |
| 158 | Living with Psoriatic Arthritis: A Patient's and Physician's Perspective. <i>Rheumatology and Therapy</i> , 2016, 3, 1-4. | 1.1 | 1 |
| 159 | 223 Sustained response in a phase III study of sarilumab plus nonbiologic disease modifying anti-rheumatic drugs in patients with active, moderate-to-severe rheumatoid arthritis and inadequate response or intolerance to tumor necrosis factor inhibitors. <i>Rheumatology</i> , 2018, 57, . | 0.9 | 1 |
| 160 | 074 Summary of indirect comparison to evaluate efficacy of baricitinib with targeted synthetic and biologic disease anti-rheumatic drugs in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, . | 0.9 | 1 |
| 161 | 081 Long-term safety with sarilumab plus conventional synthetic disease-modifying antirheumatic drugs and sarilumab monotherapy in rheumatoid arthritis: an integrated analysis with 9,000 patient-years of follow-up. <i>Rheumatology</i> , 2019, 58, . | 0.9 | 1 |
| 162 | 054 Effect of sarilumab on glycosylated hemoglobin in patients with rheumatoid arthritis and diabetes. <i>Rheumatology</i> , 2019, 58, . | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | THU0075â€¦EARLY VERSUS DELAYED START OF BARICITINIB IN PATIENTS WITH RHEUMATOID ARTHRITIS IN A PHASE 3 TRIAL OF PATIENTS NAÏVE TO METHOTREXATE TREATMENT. , 2019, , . | | 1 |
| 164 | Discrepancy Between Multibiomarker Disease Activity and Clinical Disease Activity Scores in Patients With Persistently Active Rheumatoid Arthritis. Arthritis Care and Research, 2022, 74, 1477-1483. | 1.5 | 1 |
| 165 | Etanercept - review of efficacy and safety after five years of clinical use. Therapy: Open Access in Clinical Medicine, 2004, 1, 11-23. | 0.2 | 1 |
| 166 | Clinical studies can be performed in an ethical manner. Nature Clinical Practice Rheumatology, 2008, 4, E5-E5. | 3.2 | 1 |
| 167 | Post Hoc Analysis of Predictors of Clinical Response to Repository Corticotropin Injection in Persistently Active Rheumatoid Arthritis. Rheumatology and Therapy, 2022, 9, 649-661. | 1.1 | 1 |
| 168 | Is there a direct relationship between serum level of methotrexate and clinical efficacy and tolerability?. Annals of the Rheumatic Diseases, 2014, 73, e54-e54. | 0.5 | 0 |
| 169 | 86.â€¦Head-to-Head Comparison of Subcutaneous Abatacept Versus Adalimumab on Background Methotrexate in Rheumatoid Arthritis: Blinded Two-Year Results from the Ample Study. Rheumatology, 2014, 53, i88-i88. | 0.9 | 0 |
| 170 | Reply to letter to the editor with regards to manuscript AR-15-1750.R1. Arthritis and Rheumatology, 2016, , . | 2.9 | 0 |
| 171 | 217â€¦Improvements in remission and low disease activity are achieved with ongoing sarilumab treatment, in patients with rheumatoid arthritis in two phase III studies. Rheumatology, 2018, 57, . | 0.9 | 0 |
| 172 | 076â€¦Assessment of pain improvement in rheumatoid arthritis patients treated with baricitinib, who were inadequate responders to methotrexate and tumor necrosis factor inhibitors. Rheumatology, 2019, 58, . | 0.9 | 0 |
| 173 | THU0170â€¦A MULTICENTER STUDY ASSESSING THE EFFICACY AND SAFETY OF REPOSITORY CORTICOTROPIN INJECTION IN PATIENTS WITH RHEUMATOID ARTHRITIS: INTERIM DATA FROM THE OPEN-LABEL TREATMENT PERIOD. , 2019, , . | | 0 |
| 174 | Dr. Fleischmann replies. Journal of Rheumatology, 2019, 46, 1642.2-1642. | 1.0 | 0 |
| 175 | A Summary of 2018 and What Lies Ahead for Rheumatology and Therapy in 2019. Rheumatology and Therapy, 2019, 6, 1-3. | 1.1 | 0 |
| 176 | Looking Back on 2019 in Rheumatology and What to Expect from 2020. Rheumatology and Therapy, 2020, 7, 1-3. | 1.1 | 0 |
| 177 | Background Glucocorticoid Therapy Has No Impact on Efficacy and Safety of Abatacept or Adalimumab in Patients with Rheumatoid Arthritis. Journal of Clinical Medicine, 2020, 9, 2017. | 1.0 | 0 |
| 178 | Tofacitinib monotherapy in psoriatic arthritisâ€”what is missing?. Lancet Rheumatology, The, 2021, 3, e3-e5. | 2.2 | 0 |
| 179 | P134â€¦Radiographic progression of structural joint damage over 5 years of baricitinib treatment in patients with RA: results from RA-BEYOND. Rheumatology, 2021, 60, . | 0.9 | 0 |
| 180 | The Results of Well-conducted Negative Clinical Trials Should Be Reported in a Peer-reviewed Journal. Journal of Rheumatology, 2021, 48, jrheum.201622. | 1.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Current Treatment Strategies in Rheumatoid Arthritis After Methotrexate Are Not Enough to Maintain Sustained Remission: There Is No Holy Grail!. <i>Arthritis and Rheumatology</i> , 2021, 73, 1124-1126. | 2.9 | 0 |
| 182 | Biologic disease-modifying anti-rheumatic drugs and kinase inhibitors: differences in efficacy and safety in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2021, 40, 4369-4372. | 1.0 | 0 |
| 183 | Sustainability of response between upadacitinib and adalimumab in patients with rheumatoid arthritis: results through 3 years from the SELECT-COMPARE trial. <i>Rheumatology</i> , 2022, 61, . | 0.9 | 0 |