

# Niels Kroman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5569139/publications.pdf>

Version: 2024-02-01

73  
papers

3,398  
citations

293460

24  
h-index

162838

57  
g-index

76  
all docs

76  
docs citations

76  
times ranked

4432  
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival in Women Diagnosed With Breast Cancer During Pregnancy. <i>Clinical Breast Cancer</i> , 2022, 22, e517-e525.	1.1	5
2	Use of beta-blockers and risk of contralateral breast cancer. <i>International Journal of Cancer</i> , 2022, , .	2.3	1
3	First-in-Human Study of [68Ga]Ga-NODAGA-E[c(RGDyK)] <sub>2</sub> PET for Integrin $\alpha_v\beta_3$ Imaging in Patients with Breast Cancer and Neuroendocrine Neoplasms: Safety, Dosimetry and Tumor Imaging Ability. <i>Diagnostics</i> , 2022, 12, 851.	1.3	2
4	First-in-Humans PET Imaging of Tissue Factor in Patients with Primary and Metastatic Cancers Using <sup>18</sup> F-labeled Active-Site Inhibited Factor VII ( <sup>18</sup> F-ASIS): Potential as Companion Diagnostic. <i>Journal of Nuclear Medicine</i> , 2022, 63, 1871-1879.	2.8	3
5	Clinical implications of intrinsic molecular subtypes of breast cancer for sentinel node status. <i>Scientific Reports</i> , 2021, 11, 2259.	1.6	13
6	Road and railway noise and risk for breast cancer: A nationwide study covering Denmark. <i>Environmental Research</i> , 2021, 195, 110739.	3.7	17
7	Prediction of Pathologic Complete Response in Breast Cancer Patients Comparing Magnetic Resonance Imaging with Ultrasound in Neoadjuvant Setting. <i>Annals of Surgical Oncology</i> , 2021, 28, 7421-7429.	0.7	7
8	ASO Author Reflections: The Role of Imaging Modalities in Omitting Surgery in Breast Cancer Patients Receiving Neoadjuvant Chemotherapy. <i>Annals of Surgical Oncology</i> , 2021, 28, 7430-7431.	0.7	0
9	ASO Visual Abstract: Prediction of Pathologic Complete Response in Breast Cancer Patients Comparing Magnetic Resonance Imaging with Ultrasound in the Neoadjuvant Setting. <i>Annals of Surgical Oncology</i> , 2021, 28, 447-447.	0.7	1
10	Effect of progressive resistance training on persistent pain after axillary dissection in breast cancer: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2020, 179, 173-183.	1.1	20
11	25-Hydroxyvitamin D at time of breast cancer diagnosis and breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2020, 179, 699-708.	1.1	19
12	The role of H1 antihistamines in contralateral breast cancer: a Danish nationwide cohort study. <i>British Journal of Cancer</i> , 2020, 122, 1102-1108.	2.9	7
13	Synchronous bilateral breast cancer: a nationwide study on histopathology and etiology. <i>Breast Cancer Research and Treatment</i> , 2020, 182, 229-238.	1.1	7
14	Delayed two-stage breast reconstruction: The impact of radiotherapy. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2019, 72, 1763-1768.	0.5	10
15	Effect of progressive resistance training on health-related quality of life in the first year after breast cancer surgery – results from a randomized controlled trial. <i>Acta Oncologica</i> , 2019, 58, 665-672.	0.8	19
16	Pregnancy after cancer: is it possible and safe for the mother and the child?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 678-678.	1.3	1
17	Sentinel and non-sentinel lymph node metastases in patients with microinvasive breast cancer: a nationwide study. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 713-719.	1.1	8
18	Breast cancer mortality in synchronous bilateral breast cancer patients. <i>British Journal of Cancer</i> , 2019, 120, 761-767.	2.9	19

#	ARTICLE	IF	CITATIONS
19	Progressive resistance training to prevent arm lymphedema in the first year after breast cancer surgery: Results of a randomized controlled trial. <i>Cancer</i> , 2019, 125, 1683-1692.	2.0	37
20	Nonaspirin NSAIDs and contralateral breast cancer risk. <i>International Journal of Cancer</i> , 2019, 144, 1243-1250.	2.3	6
21	Pre-diagnostic changes in body mass index and mortality among breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2018, 170, 605-612.	1.1	0
22	Long-term Safety of Pregnancy Following Breast Cancer According to Estrogen Receptor Status. <i>Journal of the National Cancer Institute</i> , 2018, 110, 426-429.	3.0	143
23	Molecular subtyping of breast cancer improves identification of both high and low risk patients. <i>Acta Oncol</i> , 2018, 57, 58-66.	0.8	12
24	Axillary lymph node dissection in breast cancer patients after sentinel node biopsy. <i>Acta Oncol</i> , 2018, 57, 166-169.	0.8	6
25	Breast conserving surgery versus mastectomy: overall and relative survival—a population based study by the Danish Breast Cancer Cooperative Group (DBCG). <i>Acta Oncol</i> , 2018, 57, 19-25.	0.8	79
26	The accuracy of preoperative staging of the axilla in primary breast cancer: a national register based study on behalf of Danish Breast Cancer Group (DBCG). <i>Acta Oncol</i> , 2018, 57, 162-166.	0.8	0
27	Forty years of landmark trials undertaken by the Danish Breast Cancer Cooperative Group (DBCG) nationwide or in international collaboration. <i>Acta Oncol</i> , 2018, 57, 3-12.	0.8	14
28	The clinical database and implementation of treatment guidelines by the Danish Breast Cancer Cooperative Group in 2007–2016. <i>Acta Oncol</i> , 2018, 57, 13-18.	0.8	44
29	Low-dose aspirin use and risk of contralateral breast cancer: a Danish nationwide cohort study. <i>Preventive Medicine</i> , 2018, 116, 186-193.	1.6	10
30	Risk factors of sentinel and non-sentinel lymph node metastases in patients with ductal carcinoma in situ of the breast: A nationwide study. <i>Breast</i> , 2018, 42, 128-132.	0.9	14
31	The Influence of Menopausal Hormone Therapy and Potential Lifestyle Interactions in Female Cancer Development—a Population-Based Prospective Study. <i>Hormones and Cancer</i> , 2018, 9, 254-264.	4.9	10
32	Impact of schizophrenia and related disorders on mortality from breast cancer: A population-based cohort study in Denmark, 1995–2011. <i>Breast</i> , 2018, 40, 170-176.	0.9	21
33	Satisfaction with sex life in sexually active heterosexual couples dealing with breast cancer: a nationwide longitudinal study. <i>Acta Oncol</i> , 2017, 56, 212-219.	0.8	17
34	Progressive strength training to prevent LYmphoedema in the first year after breast CANcer—the LYCA feasibility study. <i>Acta Oncol</i> , 2017, 56, 360-366.	0.8	21
35	Oncoplastic breast surgery does not delay the onset of adjuvant chemotherapy: a population-based study. <i>Acta Oncol</i> , 2017, 56, 719-723.	0.8	16
36	Pain, sensory disturbances and psychological distress are common sequelae after treatment of ductal carcinoma in situ: a cross-sectional study. <i>Acta Oncol</i> , 2017, 56, 724-729.	0.8	19

#	ARTICLE	IF	CITATIONS
37	Overdiagnosis in breast cancer screening: The impact of study design and calculations. <i>European Journal of Cancer</i> , 2017, 80, 26-29.	1.3	7
38	Pain, Sensory Disturbances, and Psychological Distress among Danish Women Treated for Ductal Carcinoma In Situ: An Exploratory Study. <i>Pain Management Nursing</i> , 2017, 18, 309-317.	0.4	7
39	Radioactive Seed Localization or Wire-guided Localization of Nonpalpable Invasive and In Situ Breast Cancer. <i>Annals of Surgery</i> , 2017, 266, 29-35.	2.1	68
40	Reoperation Rates in Ductal Carcinoma In Situ vs Invasive Breast Cancer After Wire-Guided Breast-Conserving Surgery. <i>JAMA Surgery</i> , 2017, 152, 378.	2.2	79
41	The use of sentinel lymph node biopsy in the treatment of breast ductal carcinoma in situ: A Danish population-based study. <i>European Journal of Cancer</i> , 2017, 87, 1-9.	1.3	13
42	The effects of individually tailored nurse navigation for patients with newly diagnosed breast cancer: a randomized pilot study. <i>Acta Oncologica</i> , 2017, 56, 1682-1689.	0.8	40
43	Safety, Dosimetry, and Tumor Detection Ability of <sup>68</sup> Ga-NOTA-AE105: First-in-Human Study of a Novel Radioligand for uPAR PET Imaging. <i>Journal of Nuclear Medicine</i> , 2017, 58, 379-386.	2.8	58
44	Outcome of breast cancer screening in Denmark. <i>BMC Cancer</i> , 2017, 17, 897.	1.1	16
45	Survival After Early-Stage Breast Cancer of Women Previously Treated for Depression: A Nationwide Danish Cohort Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 334-342.	0.8	44
46	Tailored nurse navigation for women treated for breast cancer: Design and rationale for a pilot randomized controlled trial. <i>Acta Oncologica</i> , 2016, 55, 1239-1243.	0.8	4
47	Risk of Local Recurrence of Benign and Borderline Phyllodes Tumors: A Danish Population-Based Retrospective Study. <i>Annals of Surgical Oncology</i> , 2016, 23, 1543-1548.	0.7	52
48	Depressive symptom trajectories in women affected by breast cancer and their male partners: a nationwide prospective cohort study. <i>Journal of Cancer Survivorship</i> , 2016, 10, 915-926.	1.5	24
49	First-in-human uPAR PET: Imaging of Cancer Aggressiveness. <i>Theranostics</i> , 2015, 5, 1303-1316.	4.6	92
50	Pregnancy following breast cancer using assisted reproduction and its effect on long-term outcome. <i>European Journal of Cancer</i> , 2015, 51, 1490-1496.	1.3	64
51	Participation in questionnaire studies among couples affected by breast cancer. <i>Supportive Care in Cancer</i> , 2015, 23, 1907-1916.	1.0	11
52	Prognostic significance of axillary dissection in breast cancer patients with micrometastases or isolated tumor cells in sentinel nodes: a nationwide study. <i>Breast Cancer Research and Treatment</i> , 2015, 153, 599-606.	1.1	16
53	FABP7 and HMGS2 Are Novel Protein Markers for Apocrine Differentiation Categorizing Apocrine Carcinoma of the Breast. <i>PLoS ONE</i> , 2014, 9, e112024.	1.1	23
54	Development in self-reported arm-lymphedema in Danish women treated for early-stage breast cancer in 2005 and 2006 – A nationwide follow-up study. <i>Breast</i> , 2014, 23, 445-452.	0.9	24

#	ARTICLE	IF	CITATIONS
55	Lifestyle influences on the association between pre-diagnostic hormone replacement therapy and breast cancer prognosisâ€”Results from The Danish â€”Diet, Cancer and Healthâ€”™ prospective cohort. <i>Maturitas</i> , 2014, 79, 442-448.	1.0	11
56	Quantifying the number of lymph nodes identified in one-stage versus two-stage axillary dissection in breast cancer. <i>Breast</i> , 2013, 22, 44-46.	0.9	17
57	Persistent pain and sensory disturbances after treatment for breast cancer: six year nationwide follow-up study. <i>BMJ</i> , The, 2013, 346, f1865-f1865.	3.0	178
58	Prognostic Impact of Pregnancy After Breast Cancer According to Estrogen Receptor Status: A Multicenter Retrospective Study. <i>Journal of Clinical Oncology</i> , 2013, 31, 73-79.	0.8	215
59	Psychological distress among women with newly diagnosed breast cancer. <i>European Journal of Oncology Nursing</i> , 2012, 16, 439-443.	0.9	89
60	Persistent pain, sensory disturbances and functional impairment after adjuvant chemotherapy for breast cancer. <i>Scandinavian Journal of Pain</i> , 2012, 3, 189-189.	0.5	0
61	Accuracy of the Danish version of the â€”distress thermometerâ€”™. <i>Psycho-Oncology</i> , 2012, 21, 436-443.	1.0	58
62	Iatrogenic displacement of tumor cells to the sentinel node after surgical excision in primary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 223-229.	1.1	23
63	Safety of pregnancy following breast cancer diagnosis: A meta-analysis of 14 studies. <i>European Journal of Cancer</i> , 2011, 47, 74-83.	1.3	227
64	Mortality Rates Among Early-Stage Hormone Receptor-Positive Breast Cancer Patients: A Population-Based Cohort Study in Denmark. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1363-1372.	3.0	52
65	Self-reported arm-lymphedema and functional impairment after breast cancer treatment â€” A nationwide study of prevalence and associated factors. <i>Breast</i> , 2010, 19, 506-515.	0.9	185
66	Prevalence of and Factors Associated With Persistent Pain Following Breast Cancer Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 1985.	3.8	691
67	Accelerated partial breast irradiation as part of breast conserving therapy of early breast carcinoma: A systematic review. <i>Radiotherapy and Oncology</i> , 2009, 90, 1-13.	0.3	181
68	Pregnancy after treatment of breast cancer â€” A population-based study on behalf of Danish Breast Cancer Cooperative Group. <i>Acta OncolÃ³gica</i> , 2008, 47, 545-549.	0.8	117
69	Timing of breast cancer surgery in relation to the menstrual cycle â€” The rise and fall of a hypothesis. <i>Acta OncolÃ³gica</i> , 2008, 47, 576-579.	0.8	13
70	Breast cancer in situ. From pre-malignant lesion of uncertain significance to well-defined non-invasive malignant lesion. The Danish Breast Cancer Cooperative Group Register 1977â€”2007 revisited. <i>Acta OncolÃ³gica</i> , 2008, 47, 765-771.	0.8	8
71	The epidemiology of breast cancer. <i>European Clinics in Obstetrics and Gynaecology</i> , 2005, 1, 24-28.	0.4	5
72	Prognostic influence of pregnancy before, around, and after diagnosis of breast cancer. <i>Breast</i> , 2003, 12, 516-521.	0.9	58

#	ARTICLE	IF	CITATIONS
73	Early life body size, pubertal timing, and risks of benign breast disease in a large cohort of Danish female adolescents and women. <i>European Journal of Pediatrics</i> , 0, , .	1.3	0