

# Lars KÃber

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5570976/publications.pdf>

Version: 2024-02-01

614  
papers

32,861  
citations

7672

79  
h-index

7234

158  
g-index

619  
all docs

619  
docs citations

619  
times ranked

31190  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ticagrelor and the risk of <i>Staphylococcus aureus</i> bacteraemia and other infections. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 13-19.	1.4	10
2	Cause-specific death and risk factors of 1-year mortality after implantable cardioverter-defibrillator implantation: a nationwide study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 8, 39-49.	1.8	3
3	Severity of congenital long QT syndrome disease manifestation and risk of depression, anxiety, and mortality: a nationwide study. <i>Europace</i> , 2022, 24, 620-629.	0.7	7
4	The association between cardiovascular disease admission rates and the coronavirus disease 2019 lockdown and reopening of a nation: a Danish nationwide cohort study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 8, 14-22.	1.8	9
5	Cardiovascular outcomes with GLP-1 receptor agonists vs. SGLT-2 inhibitors in patients with type 2 diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 549-556.	1.4	14
6	Reintervention rates following bioprosthetic surgical aortic valve replacement—a Danish Nationwide Cohort Study. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 61, 614-622.	0.6	2
7	Temporal trends in utilization of transcatheter aortic valve replacement and patient characteristics: A nationwide study. <i>American Heart Journal</i> , 2022, 243, 140-146.	1.2	12
8	Fascicular heart blocks and risk of adverse cardiovascular outcomes: Results from a large primary care population. <i>Heart Rhythm</i> , 2022, 19, 252-259.	0.3	8
9	Importance of diagnostic setting in determining mortality in patients with new-onset heart failure: temporal trends in Denmark from 1997 to 2017. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 8, 750-760.	1.8	7
10	Severity of anaemia and association with all-cause mortality in patients with medically managed left-sided endocarditis. <i>Heart</i> , 2022, 108, 882-888.	1.2	4
11	Effect of Empagliflozin on Blood Volume Redistribution in Patients With Chronic Heart Failure and Reduced Ejection Fraction: An Analysis From the Empire HF Randomized Clinical Trial. <i>Circulation: Heart Failure</i> , 2022, 15, .	1.6	17
12	Cardiac rehabilitation for patients with heart failure: association with readmission and mortality risk. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 8, 830-839.	1.8	14
13	Impact of Sacubitril/Valsartan Versus Ramipril on Total Heart Failure Events in the PARADISE-MI Trial. <i>Circulation</i> , 2022, 145, 87-89.	1.6	28
14	Dapagliflozin and new-onset type 2 diabetes in patients with chronic kidney disease or heart failure: pooled analysis of the DAPA-CKD and DAPA-HF trials. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 24-34.	5.5	40
15	Dapagliflozin and atrial fibrillation in heart failure with reduced ejection fraction: insights from <sc>DAPA-HF</sc>. <i>European Journal of Heart Failure</i> , 2022, 24, 513-525.	2.9	33
16	Glycated haemoglobin levels among 3295 hospitalized <sc>COVID-19</sc> patients, with and without diabetes, and risk of severe infection, admission to an intensive care unit and all-cause mortality. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 499-510.	2.2	12
17	Efficacy of Dapagliflozin in Black Versus White Patients With Heart Failure and Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2022, 10, 52-64.	1.9	10
18	Long-term Risk of Heart Failure and Other Adverse Cardiovascular Outcomes in Granulomatosis With Polyangiitis: A Nationwide Cohort Study. <i>Journal of Rheumatology</i> , 2022, 49, 291-298.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Elevated lipoprotein(a) in mitral and aortic valve calcification and disease: The Copenhagen General Population Study. <i>Atherosclerosis</i> , 2022, 349, 166-174.	0.4	21
20	Impairment of gut microbial biotin metabolism and host biotin status in severe obesity: effect of biotin and prebiotic supplementation on improved metabolism. <i>Gut</i> , 2022, 71, 2463-2480.	6.1	53
21	Diabetes and pre-diabetes in patients with heart failure and preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2022, 24, 497-509.	2.9	30
22	The burden of cardiovascular outcomes in heart failure patients with new-onset, prevalent, and without type 2 diabetes. <i>Clinical Research in Cardiology</i> , 2022, 111, 460-468.	1.5	0
23	Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: a nationwide study in Denmark from 2003 to 2017. <i>European Journal of Heart Failure</i> , 2022, 24, 539-547.	2.9	15
24	Gender- and Age-Specific Rates of Heart Failure and other Adverse Cardiovascular Outcomes in Systemic Sclerosis. <i>Rheumatology</i> , 2022, , .	0.9	1
25	Accuracy, analysis time, and reproducibility of dedicated 4D echocardiographic left atrial volume quantification software. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 1277-1288.	0.7	2
26	Dapagliflozin reduces uric acid concentration, an independent predictor of adverse outcomes in DAPA-HF. <i>European Journal of Heart Failure</i> , 2022, 24, 1066-1076.	2.9	28
27	Effect of Dapagliflozin, Compared With Placebo, According to Baseline Risk in DAPA-HF. <i>JACC: Heart Failure</i> , 2022, 10, 104-118.	1.9	5
28	Effect of implantable cardioverter-defibrillators in patients with non-schaemic systolic heart failure and concurrent coronary atherosclerosis. <i>ESC Heart Failure</i> , 2022, 9, 1287-1293.	1.4	1
29	The impact of partial-oral endocarditis treatment on anxiety and depression in the POET trial. <i>Journal of Psychosomatic Research</i> , 2022, 154, 110718.	1.2	3
30	Impact of socioeconomic position on initiation of SGLT-2 inhibitors or GLP-1 receptor agonists in patients with type 2 diabetes – a Danish nationwide observational study. <i>Lancet Regional Health - Europe</i> , The, 2022, 14, 100308.	3.0	17
31	Long-Term Follow-Up of DANISH (The Danish Study to Assess the Efficacy of ICDs in Patients With) Tj ETQq1 1 0.784314 rgBT /Overl	1.6	28
32	Five-Year Outcomes of the Partial Oral Treatment of Endocarditis (POET) Trial. <i>New England Journal of Medicine</i> , 2022, 386, 601-602.	13.9	24
33	Flu Vaccine and Mortality in Hypertension: A Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2022, , e021715.	1.6	4
34	Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e022638.	1.6	16
35	Long-term Risk of Death and Hospitalization in Patients With Heart Failure and Takotsubo Syndrome: Insights From a Nationwide Cohort. <i>Journal of Cardiac Failure</i> , 2022, 28, 1534-1544.	0.7	14
36	Comparison of Effect of Ischemic Postconditioning on Cardiovascular Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention With Versus Without Thrombectomy. <i>American Journal of Cardiology</i> , 2022, 166, 18-24.	0.7	6

#	ARTICLE	IF	CITATIONS
37	A systematic review and meta-analysis of beta-blockers and renin-angiotensin system inhibitors for preventing left ventricular dysfunction due to anthracyclines or trastuzumab in patients with breast cancer. <i>European Heart Journal</i> , 2022, 43, 2562-2569.	1.0	39
38	Return to work after acute myocardial infarction with cardiogenic shock: a Danish nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 397-406.	0.4	2
39	Blood Pressure Drops During Hospitalization for Acute Heart Failure Treated With Serelaxin: A Patient-Level Analysis of 4 Randomized Controlled Trials. <i>Circulation: Heart Failure</i> , 2022, 15, CIRCHEARTFAILURE121009199.	1.6	3
40	The effect of empagliflozin on growth differentiation factor 15 in patients with heart failure: a randomized controlled trial (Empire HF Biomarker). <i>Cardiovascular Diabetology</i> , 2022, 21, 34.	2.7	10
41	Microbiome and metabolome features of the cardiometabolic disease spectrum. <i>Nature Medicine</i> , 2022, 28, 303-314.	15.2	102
42	Association between early detected heart failure stages and future cardiovascular and non-cardiovascular events in the elderly (Copenhagen Heart Failure Risk Study). <i>BMC Geriatrics</i> , 2022, 22, 230.	1.1	1
43	Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e024402.	1.6	1
44	NT-proBNP and ICD in Nonischemic Systolic Heart Failure. <i>JACC: Heart Failure</i> , 2022, 10, 161-171.	1.9	4
45	Periodic Repolarization Dynamics Identifies ICD Responders in Nonischemic Cardiomyopathy: A DANISH Substudy. <i>Circulation</i> , 2022, 145, 754-764.	1.6	5
46	Eligibility for pharmacological therapies in heart failure with reduced ejection fraction: implications of the new Chronic Kidney Disease Epidemiology Collaboration creatinine equation for estimating glomerular filtration rate. <i>European Journal of Heart Failure</i> , 2022, 24, 861-866.	2.9	7
47	Temporal trends of mortality in patients with infective endocarditis: a nationwide study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 9, 24-33.	1.8	12
48	Long-Term Mortality in Different Age Groups of Patients with Infective Endocarditis Who Undergo Aortic Root Replacement: A Nationwide Study. <i>Heart Surgery Forum</i> , 2022, 25, E213-E221.	0.2	0
49	Relationship of Dapagliflozin With Serum Sodium. <i>JACC: Heart Failure</i> , 2022, 10, 306-318.	1.9	10
50	Bleeding Episodes in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome Undergoing Very Early Versus Standard Care Invasive Examination (from the Very Early vs Deferred Invasive) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22 170, 10-16.	0.7	1
51	Hearing loss in fabry disease: A 16-year follow-up study of the Danish nationwide cohort. <i>Molecular Genetics and Metabolism Reports</i> , 2022, 31, 100841.	0.4	4
52	Left Atrial Remodeling and Cerebrovascular Disease Assessed by Magnetic Resonance Imaging in Continuously Monitored Patients. <i>Cerebrovascular Diseases</i> , 2022, 51, 403-412.	0.8	0
53	Accelerated and personalized therapy for heart failure with reduced ejection fraction. <i>European Heart Journal</i> , 2022, 43, 2573-2587.	1.0	41
54	Prognostic implications of serial high-sensitivity cardiac troponin testing among patients with COVID-19: A Danish nationwide registry-based cohort study. <i>American Heart Journal Plus</i> , 2022, 14, 100131.	0.3	3

#	ARTICLE	IF	CITATIONS
55	Self-assessed health status and associated mortality in endocarditis: secondary findings from the POET trial. <i>Quality of Life Research</i> , 2022, , 1.	1.5	0
56	β-blocker adherence among patients with congenital long QT syndrome: a nationwide study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 9, 76-84.	1.8	3
57	Initial Decline (Dip) in Estimated Glomerular Filtration Rate After Initiation of Dapagliflozin in Patients With Heart Failure and Reduced Ejection Fraction: Insights From DAPA-HF. <i>Circulation</i> , 2022, 146, 438-449.	1.6	53
58	Food purchases in households with and without diabetes based on consumer purchase data. <i>Primary Care Diabetes</i> , 2022, 16, 574-580.	0.9	5
59	Feasibility of randomizing Danish citizens aged 65–79 years to high-dose quadrivalent influenza vaccine vs. standard-dose quadrivalent influenza vaccine in a pragmatic registry-based setting: rationale and design of the DANFLU-1 Trial. <i>Pilot and Feasibility Studies</i> , 2022, 8, 87.	0.5	8
60	Clinical outcomes of no stenting in patients with ST-segment elevation myocardial infarction undergoing deferred primary percutaneous coronary intervention. <i>EuroIntervention</i> , 2022, 18, 482-491.	1.4	10
61	Efficacy and Safety of Dapagliflozin According to Frailty in Heart Failure With Reduced Ejection Fraction. <i>Annals of Internal Medicine</i> , 2022, 175, 820-830.	2.0	56
62	Sodium–Glucose Cotransporter 2 Inhibitors in Heart Failure with Reduced Ejection Fraction: Current Evidence and Future Perspectives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, , .	1.2	1
63	The Effect of Empagliflozin on Contractile Reserve in Heart Failure: Prespecified Sub-Study of a Randomized, Double-Blind, and Placebo-Controlled Trial. <i>American Heart Journal</i> , 2022, 250, 57-57.	1.2	1
64	ECG and CT for the detection of left atrial enlargement in hypertensive individuals—a population-based study. <i>Hypertension Research</i> , 2022, , .	1.5	0
65	Five-Year Outcomes After Coronary Computed Tomography Angiography (From 110,599 Patients in a Tj ETQq1 1 0,784314 ggBT /Over	0.7	0
66	Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. <i>PLoS ONE</i> , 2022, 17, e0269475.	1.1	2
67	Incidence rates of dilated cardiomyopathy in adult first-degree relatives versus matched controls. <i>IJC Heart and Vasculature</i> , 2022, 41, 101065.	0.6	5
68	Polygenic risk score for ACE-inhibitor-associated cough based on the discovery of new genetic loci. <i>European Heart Journal</i> , 2022, 43, 4707-4718.	1.0	5
69	Classification of Left and Right Coronary Arteries in Coronary Angiographies Using Deep Learning. <i>Electronics (Switzerland)</i> , 2022, 11, 2087.	1.8	2
70	Long-term effects of cardiac rehabilitation after heart valve surgery - results from the randomised CopenHeart<sub>VR</sub> trial. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 247-255.	0.4	3
71	Dabigatran and the Risk of <i>Staphylococcus aureus</i> Bacteremia: A Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, 73, 480-486.	2.9	9
72	Early glycaemic changes after initiation of oral antidiabetic medication and risk of major adverse cardiovascular events: results from a large primary care population of patients with type 2 diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 486-495.	1.4	3

#	ARTICLE	IF	CITATIONS
73	Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19)â€”A Danish Nationwide, Register-based Study. <i>Clinical Infectious Diseases</i> , 2021, 73, e4025-e4030.	2.9	90
74	Pulmonary Arterial Enlargement in Well-Treated Persons With Human Immunodeficiency Virus. <i>Journal of Infectious Diseases</i> , 2021, 223, 94-100.	1.9	1
75	Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levelsâ€”a Danish registry-based study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2021, 7, 181-188.	1.8	3
76	Left ventricular myocardial crypts: morphological patterns and prognostic implications. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 75-81.	0.5	8
77	Atrial fibrillation is a marker of increased mortality risk in nonischemic heart failureâ€”Results from the DANISH trial. <i>American Heart Journal</i> , 2021, 232, 61-70.	1.2	2
78	The benefit of complete revascularization after primary PCI for STEMI is attenuated by increasing age: Results from the DANAMIâ€”PRIMULTI randomized study. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E467-E474.	0.7	11
79	Outcome of Dialysis-Requiring Acute Kidney Injury in Patients With Infective Endocarditis: A Nationwide Study. <i>Clinical Infectious Diseases</i> , 2021, 72, e232-e239.	2.9	4
80	The DANish randomized, double-blind, placebo controlled trial in patients with chronic HEART failure (DANHEART): A 2 Ã— 2 factorial trial of hydralazine-isosorbide dinitrate in patients with chronic heart failure (H-HeFT) and metformin in patients with chronic heart failure and diabetes or prediabetes (Met-HeFT). <i>American Heart Journal</i> , 2021, 231, 137-146.	1.2	21
81	Efficacy of Dapagliflozin on Renal Function and Outcomes in Patients With Heart Failure With Reduced Ejection Fraction. <i>Circulation</i> , 2021, 143, 298-309.	1.6	193
82	Prevalence and prognostic association of ventricular arrhythmia in non-ischaemic heart failure patients: results from the DANISH trial. <i>Europace</i> , 2021, 23, 587-595.	0.7	10
83	Reply to: Letter to the editor: Breaking the trend in cardiogenic shockâ€”From door-to-balloon to door-to-support. <i>American Heart Journal</i> , 2021, 231, 161.	1.2	0
84	Risk of arrhythmias after myocardial infarction in patients with left ventricular systolic dysfunction according to mode of revascularization: a Cardiac Arrhythmias and Risk Stratification after Myocardial infArction (CARISMA) substudy. <i>Europace</i> , 2021, 23, 616-623.	0.7	5
85	Incidence of acute coronary syndrome during national lock-down: Insights from nationwide data during the Coronavirus disease 2019 (COVID-19) pandemic. <i>American Heart Journal</i> , 2021, 232, 146-153.	1.2	13
86	Developing and validating models to predict sudden death and pump failure death in patients with heart failure and preserved ejection fraction. <i>Clinical Research in Cardiology</i> , 2021, 110, 1234-1248.	1.5	8
87	The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. <i>European Heart Journal</i> , 2021, 42, 1621-1631.	1.0	102
88	Temporal changes in the incidence of infective endocarditis in Denmark 1997â€”2017: A nationwide study. <i>International Journal of Cardiology</i> , 2021, 326, 145-152.	0.8	35
89	Comment onâ€”Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose: reply. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 75-75.	1.4	0
90	Vitamin K antagonists vs. direct oral anticoagulants after transcatheter aortic valve implantation in atrial fibrillation. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 11-19.	1.4	51

#	ARTICLE	IF	CITATIONS
91	Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 20-30.	1.4	4
92	Effects of dapagliflozin in heart failure with reduced ejection fraction and chronic obstructive pulmonary disease: an analysis of <sc>DAPAâ€HF</sc>. <i>European Journal of Heart Failure</i> , 2021, 23, 632-643.	2.9	24
93	Risk of major cardiovascular events according to educational level before and after the initial COVID-19 public lockdown: a nationwide study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 829-835.	2.0	6
94	Effects of empagliflozin on estimated extracellular volume, estimated plasma volume, and measured glomerular filtration rate in patients with heart failure (Empire HF Renal): a prespecified substudy of a double-blind, randomised, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 106-116.	5.5	80
95	All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2021, 42, 1516-1523.	1.0	50
96	Consequences of coronavirus disease-2019 (COVID-19) lockdown on infection-related hospitalizations among the pediatric population in Denmark. <i>European Journal of Pediatrics</i> , 2021, 180, 1955-1963.	1.3	18
97	Comparison of the three-level and the five-level versions of the EQ-5D. <i>European Journal of Health Economics</i> , 2021, 22, 621-628.	1.4	13
98	Serum potassium and outcomes in heart failure with preserved ejection fraction: a postâ€hoc analysis of the <sc>PARAGONâ€HF</sc> trial. <i>European Journal of Heart Failure</i> , 2021, 23, 776-784.	2.9	12
99	Effect of dapagliflozin on anaemia in <sc>DAPAâ€HF</sc>. <i>European Journal of Heart Failure</i> , 2021, 23, 617-628.	2.9	57
100	Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. <i>Thrombosis Research</i> , 2021, 199, 97-100.	0.8	6
101	Cardiac and Noncardiac Disease Burden and Treatment Effect of Sacubitril/Valsartan. <i>Circulation: Heart Failure</i> , 2021, 14, e008052.	1.6	13
102	Efficacy and safety of dapagliflozin according to aetiology in heart failure with reduced ejection fraction: insights from the <sc>DAPAâ€HF</sc> trial. <i>European Journal of Heart Failure</i> , 2021, 23, 601-613.	2.9	33
103	Early ICD implantation in cardiac arrest survivors with acute coronary syndrome â€“ predictors of implantation, ICD-therapy and long-term survival. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 205-212.	0.4	4
104	Maternal weight change from prepregnancy to 18 months postpartum and subsequent risk of hypertension and cardiovascular disease in Danish women: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003486.	3.9	22
105	The Danish comorbidity in liver transplant recipients study (DACOLT): a non-interventional prospective observational cohort study. <i>BMC Gastroenterology</i> , 2021, 21, 145.	0.8	2
106	Prospective ARNI vs. ACE inhibitor trial to Determine Superiority in reducing heart failure Events after Myocardial Infarction (PARADISEâ€MI): design and baseline characteristics. <i>European Journal of Heart Failure</i> , 2021, 23, 1040-1048.	2.9	70
107	Long-Term Cardiovascular Outcomes in Systemic Lupus Erythematosus. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1717-1727.	1.2	44
108	Household Exposure to Severe Acute Respiratory Syndrome Coronavirus 2 and Association With Coronavirus Disease 2019 Severity: A Danish Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, . .	2.9	4

#	ARTICLE	IF	CITATIONS
109	The association of prior carpal tunnel syndrome surgery with adverse cardiovascular outcomes and long-term mortality after aortic valve replacement. <i>IJC Heart and Vasculature</i> , 2021, 33, 100741.	0.6	0
110	Impact of age on reperfusion success and long-term prognosis in ST-segment elevation myocardial infarction – A cardiac magnetic resonance imaging study. <i>IJC Heart and Vasculature</i> , 2021, 33, 100731.	0.6	4
111	Sex-Specific Prevalence, Incidence, and Mortality Associated With Atrial Fibrillation in Heart Failure. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 1366-1375.	1.3	10
112	Global Differences in Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2021, 14, e007901.	1.6	25
113	Dapagliflozin in HFrEF Patients Treated With Mineralocorticoid Receptor Antagonists. <i>JACC: Heart Failure</i> , 2021, 9, 254-264.	1.9	75
114	Severe mental illness is associated with increased mortality and severe course of COVID-19. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 82-91.	2.2	46
115	Impact of myocardial infarction symptom presentation on emergency response and survival. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, , .	0.4	4
116	Time to Thrombolysis and Long-Term Outcomes in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2021, 52, 1724-1732.	1.0	23
117	Dapagliflozin and Recurrent Heart Failure Hospitalizations in Heart Failure With Reduced Ejection Fraction: An Analysis of DAPA-HF. <i>Circulation</i> , 2021, 143, 1962-1972.	1.6	35
118	Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 162, 135-142.	1.3	16
119	Ischemia From Nonculprit Stenoses Is Not Associated With Reduced Culprit Infarct Size in Patients with ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012290.	1.3	2
120	Time to Clinical Benefit of Dapagliflozin and Significance of Prior Heart Failure Hospitalization in Patients With Heart Failure With Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 499.	3.0	120
121	Insulin resistance genetic risk score and burden of coronary artery disease in patients referred for coronary angiography. <i>PLoS ONE</i> , 2021, 16, e0252855.	1.1	1
122	Efficacy and Safety of Dapagliflozin in Men and Women With Heart Failure With Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 678.	3.0	26
123	Metabolic Effects of Empagliflozin in Heart Failure: A Randomized, Double-Blind, and Placebo-Controlled Trial (Empire HF Metabolic). <i>Circulation</i> , 2021, 143, 2208-2210.	1.6	8
124	Heart failure associated with imported malaria: a nationwide Danish cohort study. <i>ESC Heart Failure</i> , 2021, 8, 3521-3529.	1.4	9
125	Extrapolating Long-term Event-Free and Overall Survival With Dapagliflozin in Patients With Heart Failure and Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 1298-1305.	3.0	12
126	Risk of Physical Injury for Dispatched Citizen Responders to Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2021, 10, e021626.	1.6	3



#	ARTICLE	IF	CITATIONS
127	HIV infection is associated with thoracic and abdominal aortic aneurysms: a prospective matched cohort study. <i>European Heart Journal</i> , 2021, 42, 2924-2931.	1.0	17
128	Oral fluoroquinolones and risk of aortic or mitral regurgitation: a nationwide nested case-control study. <i>European Heart Journal</i> , 2021, 42, 2899-2908.	1.0	7
129	Initiation of and persistence with P2Y12 inhibitors in patients with myocardial infarction according to revascularization strategy: a nationwide study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 774-786.	0.4	2
130	Associations of Empagliflozin With Left Ventricular Volumes, Mass, and Function in Patients With Heart Failure and Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 836.	3.0	95
131	Efficacy of dapagliflozin in heart failure with reduced ejection fraction according to body mass index. <i>European Journal of Heart Failure</i> , 2021, 23, 1662-1672.	2.9	36
132	Natriuretic peptide plasma concentrations and risk of cardiovascular versus non-cardiovascular events in heart failure with reduced ejection fraction: Insights from the PARADIGM-HF and ATMOSPHERE trials. <i>American Heart Journal</i> , 2021, 237, 45-53.	1.2	3
133	Implantable loop recorder detection of atrial fibrillation to prevent stroke (The LOOP Study): a randomised controlled trial. <i>Lancet</i> , 2021, 398, 1507-1516.	6.3	251
134	Long-term prognostic outcomes and implication of oral anticoagulants in patients with new-onset atrial fibrillation following st-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2021, 238, 89-99.	1.2	12
135	Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021, 16, e0255364.	1.1	3
136	Risk of coronavirus disease 2019 (Covid-19) contraction and severe infection in home- or healthcare professionals. <i>Journal of Infection</i> , 2021, 83, e12-e14.	1.7	4
137	Prediction of first cardiovascular disease event in 2.9 million individuals using Danish administrative healthcare data: a nationwide, registry-based derivation and validation study. <i>European Heart Journal Open</i> , 2021, 1, .	0.9	9
138	Effect of dapagliflozin on ventricular arrhythmias, resuscitated cardiac arrest, or sudden death in DAPA-HF. <i>European Heart Journal</i> , 2021, 42, 3727-3738.	1.0	125
139	Nursing Home Admission and Initiation of Domiciliary Care After Ischemic Stroke – The Importance of Time to Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105916.	0.7	3
140	Two Decades of Cardiac Amyloidosis. <i>JACC: CardioOncology</i> , 2021, 3, 522-533.	1.7	20
141	Socioeconomic Disparities in Referral for Invasive Hemodynamic Evaluation for Advanced Heart Failure: A Nationwide Cohort Study. <i>Circulation: Heart Failure</i> , 2021, 14, e008662.	1.6	10
142	Day-to-day measurement of physical activity and risk of atrial fibrillation. <i>European Heart Journal</i> , 2021, 42, 3979-3988.	1.0	16
143	The genomics of heart failure: design and rationale of the HERMES consortium. <i>ESC Heart Failure</i> , 2021, 8, 5531-5541.	1.4	11
144	Long-Term Mortality Associated With Use of Carvedilol Versus Metoprolol in Heart Failure Patients With and Without Type 2 Diabetes: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e021310.	1.6	2

#	ARTICLE	IF	CITATIONS
145	Optimization of image sampling rate to lower the radiation dose of dynamic myocardial CT perfusion. <i>Journal of Cardiovascular Computed Tomography</i> , 2021, 15, 457-460.	0.7	2
146	Incidence of ischaemic stroke and mortality in patients with acute coronary syndrome and first-time detected atrial fibrillation: a nationwide study. <i>European Heart Journal</i> , 2021, 42, 4553-4561.	1.0	24
147	Importance of Risk Assessment in Timing of Invasive Coronary Evaluation and Treatment of Patients With Non-ST-Segment Elevation Acute Coronary Syndrome: Insights From the VERDICT Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e022333.	1.6	9
148	Systolic Blood Pressure and Outcome in Patients Admitted With Acute Heart Failure: An Analysis of Individual Patient Data From 4 Randomized Clinical Trials. <i>Journal of the American Heart Association</i> , 2021, 10, e022288.	1.6	8
149	Workforce Attachment after Ischemic Stroke – The Importance of Time to Thrombolytic Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 106031.	0.7	2
150	Nationwide cardiovascular disease admission rates during a second COVID-19 lockdown. <i>American Heart Journal</i> , 2021, 241, 35-37.	1.2	12
151	Clopidogrel, prasugrel, and ticagrelor for all-comers with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2021, 342, 15-22.	0.8	5
152	Atrial fibrillation burden and cognitive decline in elderly patients undergoing continuous monitoring. <i>American Heart Journal</i> , 2021, 242, 15-23.	1.2	7
153	Left ventricular trabeculation and major adverse cardiovascular events: the Copenhagen General Population Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 67-74.	0.5	20
154	Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2021, 7, 172-180.	1.8	43
155	Severe outcomes of COVID-19 among patients with COPD and asthma. <i>ERJ Open Research</i> , 2021, 7, 00594-2020.	1.1	13
156	Dapagliflozin and the Incidence of Type 2 Diabetes in Patients With Heart Failure and Reduced Ejection Fraction: An Exploratory Analysis From DAPA-HF. <i>Diabetes Care</i> , 2021, 44, 586-594.	4.3	50
157	De novo electrocardiographic abnormalities in persons living with HIV. <i>Scientific Reports</i> , 2021, 11, 20750.	1.6	4
158	Mortality and ventricular arrhythmia after acute myocarditis: a nationwide registry-based follow-up study. <i>Open Heart</i> , 2021, 8, e001806.	0.9	13
159	Rate of Heart Failure Following Atrial Fibrillation According to Presence of Family History of Dilated Cardiomyopathy or Heart Failure: A Nationwide Study. <i>Journal of the American Heart Association</i> , 2021, 10, e021286.	1.6	4
160	Lifetime Risk of Heart Failure and Trends in Incidence Rates Among Individuals With Type 2 Diabetes Between 1995 and 2018. <i>Journal of the American Heart Association</i> , 2021, 10, e021230.	1.6	2
161	Incidence of Infective Endocarditis Among Patients With Tetralogy of Fallot. <i>Journal of the American Heart Association</i> , 2021, 10, e022445.	1.6	8
162	Efficacy of a glucagon-like peptide-1 agonist and restrictive versus liberal oxygen supply in patients undergoing coronary artery bypass grafting or aortic valve replacement: study protocol for a 2-by-2 factorial designed, randomised clinical trial. <i>BMJ Open</i> , 2021, 11, e052340.	0.8	0

#	ARTICLE	IF	CITATIONS
163	Increased 5-year risk of stroke, atrial fibrillation, acute coronary syndrome, and heart failure in out-of-hospital cardiac arrest survivors compared with population controls: A nationwide registry-based study. <i>Resuscitation</i> , 2021, 169, 53-59.	1.3	5
164	Five-year risk of heart failure and death following myocardial infarction with cardiogenic shock: a nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 40-49.	0.4	5
165	Angiotensin Receptor–Nephrilysin Inhibition in Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2021, 385, 1845-1855.	13.9	130
166	Efficacy and Safety of Dapagliflozin in Heart Failure With Reduced Ejection Fraction According to N-Terminal Pro-B-Type Natriuretic Peptide: Insights From the DAPA-HF Trial. <i>Circulation: Heart Failure</i> , 2021, 14, CIRCHEARTFAILURE121008837.	1.6	21
167	Protective potential of high-intensity interval training on cardiac structure and function after COVID-19: protocol and statistical analysis plan for an investigator-blinded randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e048281.	0.8	2
168	Contacts With the Health Care System Before Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2021, 10, e021827.	1.6	6
169	Combinatorial, additive and dose-dependent drug–microbiome associations. <i>Nature</i> , 2021, 600, 500-505.	13.7	102
170	SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study. <i>BMJ</i> , The, 2021, 375, e068665.	3.0	179
171	Abstract 10575: The Effect of Empagliflozin on the Biomarker Growth Differentiation Factor 15 in Patients with Heart Failure and Reduced Ejection Fraction: A Post-Hoc Study of a Randomized, Double-Blind, and Placebo-Controlled Trial. <i>Circulation</i> , 2021, 144, .	1.6	0
172	Risk for Myocardial Infarction Following 5-Fluorouracil Treatment in Patients With Gastrointestinal Cancer. <i>JACC: CardioOncology</i> , 2021, 3, 725-733.	1.7	6
173	Association between four-dimensional echocardiographic left atrial measures and left atrial fibrosis assessed by left atrial late gadolinium enhancement. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, , .	0.5	5
174	Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 622.	0.7	1
175	Abstract 12895: Superior Effectiveness and Safety of Ticagrelor in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: A Nationwide Registry-Based Study. <i>Circulation</i> , 2021, 144, .	1.6	0
176	Rubidium-82 positron emission tomography for detection of acute doxorubicin-induced cardiac effects in lymphoma patients. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1698-1707.	1.4	15
177	123I-MIBG for detection of subacute doxorubicin-induced cardiotoxicity in patients with malignant lymphoma. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 931-939.	1.4	5
178	Time in therapeutic range and risk of thromboembolism and bleeding in patients with a mechanical heart valve prosthesis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 159, 74-83.e4.	0.4	16
179	Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. <i>Global Heart</i> , 2020, 14, 41.	0.9	9
180	Cancer is not associated with higher short or long-term mortality after successful resuscitation from out-of-hospital cardiac arrest when adjusting for prognostic factors. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S184-S192.	0.4	7

#	ARTICLE	IF	CITATIONS
181	Sub-acute cardiac magnetic resonance to predict irreversible reduction in left ventricular ejection fraction after ST-segment elevation myocardial infarction: A DANAMI-3 sub-study. <i>International Journal of Cardiology</i> , 2020, 301, 215-219.	0.8	3
182	Catheter ablation for atrial fibrillation is associated with lower incidence of heart failure and death. <i>Europace</i> , 2020, 22, 74-83.	0.7	13
183	Interaction of ischaemic postconditioning and thrombectomy in patients with ST-elevation myocardial infarction. <i>Heart</i> , 2020, 106, 24-32.	1.2	11
184	Increased risk of sudden death in untreated primary carnitine deficiency. <i>Journal of Inherited Metabolic Disease</i> , 2020, 43, 290-296.	1.7	21
185	Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 14-21.	1.4	4
186	Risk of atrial fibrillation after pacemaker implantation: A nationwide Danish registry-based follow-up study. <i>Journal of Electrocardiology</i> , 2020, 63, 153-158.	0.4	3
187	Early and late risk of ischemic stroke after TAVR as compared to a nationwide background population. <i>Clinical Research in Cardiology</i> , 2020, 109, 791-801.	1.5	13
188	Long-Term Prognostic Value of Less-Stringent Electrocardiographic Q Waves and Fourth Universal Definition of Myocardial Infarction Q Waves. <i>American Journal of Medicine</i> , 2020, 133, 582-589.e7.	0.6	2
189	Incidence and predictors of atrial fibrillation episodes as detected by implantable loop recorder in patients at risk: From the LOOP study. <i>American Heart Journal</i> , 2020, 219, 117-127.	1.2	33
190	Genome-wide association and Mendelian randomisation analysis provide insights into the pathogenesis of heart failure. <i>Nature Communications</i> , 2020, 11, 163.	5.8	466
191	Myocardial fibrosis and the effect of primary prophylactic defibrillator implantation in patients with non-ischemic systolic heart failure—DANISH-MRI. <i>American Heart Journal</i> , 2020, 221, 165-176.	1.2	35
192	Early Q-wave morphology in prediction of reperfusion success in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention – A cardiac magnetic resonance imaging study. <i>Journal of Electrocardiology</i> , 2020, 58, 135-142.	0.4	3
193	Efficacy and Safety of Dapagliflozin in Heart Failure With Reduced Ejection Fraction According to Age. <i>Circulation</i> , 2020, 141, 100-111.	1.6	145
194	Effects of Dapagliflozin on Symptoms, Function, and Quality of Life in Patients With Heart Failure and Reduced Ejection Fraction. <i>Circulation</i> , 2020, 141, 90-99.	1.6	244
195	Sacubitril/Valsartan Across the Spectrum of Ejection Fraction in Heart Failure. <i>Circulation</i> , 2020, 141, 352-361.	1.6	335
196	One-year outcomes in atrial fibrillation presenting during infections: a nationwide registry-based study. <i>European Heart Journal</i> , 2020, 41, 1112-1119.	1.0	27
197	Sudden death in heart failure: do we understand what we observe?. <i>European Heart Journal</i> , 2020, 41, 1985-1987.	1.0	3
198	Risk of gastrointestinal bleeding associated with oral anticoagulation and non-steroidal anti-inflammatory drugs in patients with atrial fibrillation: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 292-300.	1.4	20

#	ARTICLE	IF	CITATIONS
199	Serum Lactate and A Relative Change in Lactate as Predictors of Mortality in Patients With Cardiogenic Shock – Results from the Cardshock Study. <i>Shock</i> , 2020, 53, 43-49.	1.0	15
200	Risk of diabetes among related and unrelated family members. <i>Diabetes Research and Clinical Practice</i> , 2020, 160, 107997.	1.1	8
201	Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. <i>Circulation</i> , 2020, 142, 2080-2082.	1.6	168
202	National all-cause mortality during the COVID-19 pandemic: a Danish registry-based study. <i>European Journal of Epidemiology</i> , 2020, 35, 1007-1019.	2.5	19
203	Association Between Prescribed Ibuprofen and Severe COVID-19 Infection: A Nationwide Register-Based Cohort Study. <i>Clinical and Translational Science</i> , 2020, 13, 1103-1107.	1.5	27
204	Differences in mortality in patients undergoing surgery for infective endocarditis according to age and valvular surgery. <i>BMC Infectious Diseases</i> , 2020, 20, 705.	1.3	17
205	Blood pressure and mortality in patients with type 2 diabetes and a recent coronary event in the ELIXA trial. <i>Cardiovascular Diabetology</i> , 2020, 19, 175.	2.7	1
206	Influenza Vaccination Is Associated With Reduced Cardiovascular Mortality in Adults With Diabetes: A Nationwide Cohort Study. <i>Diabetes Care</i> , 2020, 43, 2226-2233.	4.3	36
207	One-Year Mortality After Intensification of Outpatient Diuretic Therapy. <i>Journal of the American Heart Association</i> , 2020, 9, e016010.	1.6	25
208	Dapagliflozin and Diuretic Use in Patients With Heart Failure and Reduced Ejection Fraction in DAPA-HF. <i>Circulation</i> , 2020, 142, 1040-1054.	1.6	128
209	Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial. <i>American Heart Journal</i> , 2020, 228, 47-56.	1.2	61
210	C-reactive protein after coronary artery bypass graft surgery and its relationship with postoperative atrial fibrillation. <i>Europace</i> , 2020, 22, 1182-1188.	0.7	16
211	Risk Factors for Morbidity and Mortality Following Hospitalization for Pericarditis. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2623-2631.	1.2	11
212	Effect of Empagliflozin on Hemodynamics in Patients With Heart Failure and Reduced Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2740-2751.	1.2	57
213	Imidazole propionate is increased in diabetes and associated with dietary patterns and altered microbial ecology. <i>Nature Communications</i> , 2020, 11, 5881.	5.8	122
214	Incidence of infective endocarditis during the coronavirus disease 2019 pandemic: A nationwide study. <i>IJC Heart and Vasculature</i> , 2020, 31, 100675.	0.6	9
215	Degree of ST-segment elevation in patients with STEMI reflects the acute ischemic burden and the salvage potential. <i>Journal of Electrocardiology</i> , 2020, 63, 28-34.	0.4	2
216	Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2020, 76, 767-777.	1.2	61

#	ARTICLE	IF	CITATIONS
217	Genetic variability in the absorption of dietary sterols affects the risk of coronary artery disease. <i>European Heart Journal</i> , 2020, 41, 2618-2628.	1.0	61
218	Prevalence and incidence of intra-ventricular conduction delays and outcomes in patients with heart failure and reduced ejection fraction: insights from PARADIGM-HF and ATMOSPHERE. <i>European Journal of Heart Failure</i> , 2020, 22, 2370-2379.	2.9	14
219	Identification of Patients with New-Onset Heart Failure and Reduced Ejection Fraction in Danish Administrative Registers. <i>Clinical Epidemiology</i> , 2020, Volume 12, 589-594.	1.5	17
220	Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark. <i>Circulation</i> , 2020, 142, 1227-1229.	1.6	24
221	Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction-related cardiogenic shock from 2005 to 2017: A nationwide cohort study. <i>American Heart Journal</i> , 2020, 229, 127-137.	1.2	24
222	Effect of Dapagliflozin in DAPA-HF According to Background Glucose-Lowering Therapy. <i>Diabetes Care</i> , 2020, 43, 2878-2881.	4.3	20
223	Time trends in incidence, comorbidity, and mortality of ischemic stroke in Denmark (1996-2016). <i>Neurology</i> , 2020, 95, e2343-e2353.	1.5	20
224	Serum uric acid, influence of sacubitril-valsartan, and cardiovascular outcomes in heart failure with preserved ejection fraction: PARAGON-HF. <i>European Journal of Heart Failure</i> , 2020, 22, 2093-2101.	2.9	33
225	Usefulness of High Sensitivity Troponin T to Predict Long-Term Left Ventricular Dysfunction After ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2020, 134, 8-13.	0.7	9
226	Effect of dapagliflozin according to baseline systolic blood pressure in the Dapagliflozin and Prevention of Adverse Outcomes in Heart Failure trial (DAPA-HF). <i>European Heart Journal</i> , 2020, 41, 3402-3418.	1.0	90
227	Association between biomarkers and COVID-19 severity and mortality: a nationwide Danish cohort study. <i>BMJ Open</i> , 2020, 10, e041295.	0.8	47
228	Patient Characteristics, Clinical Outcomes, and Effect of Dapagliflozin in Relation to Duration of Heart Failure. <i>Circulation: Heart Failure</i> , 2020, 13, e007879.	1.6	14
229	Self-reported health status and the associated risk of mortality in heart failure: The DANISH trial. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110220.	1.2	6
230	Prognostic Value of Late Gadolinium Enhancement for the Prediction of Cardiovascular Outcomes in Dilated Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010105.	1.3	60
231	Incidence of Ischemic Stroke in Individuals With and Without Aortic Valve Stenosis. <i>Stroke</i> , 2020, 51, 1364-1371.	1.0	16
232	Prevalence and Risk Factors of Moderate-to-Severe Hepatic Steatosis in Human Immunodeficiency Virus Infection: The Copenhagen Co-morbidity Liver Study. <i>Journal of Infectious Diseases</i> , 2020, 222, 1353-1362.	1.9	17
233	Sibling history is associated with heart failure after a first myocardial infarction. <i>Open Heart</i> , 2020, 7, e001143.	0.9	1
234	Clinical outcome following late reperfusion with percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, . .	0.4	5

#	ARTICLE	IF	CITATIONS
235	Endogenous Testosterone Levels Are Associated with Risk of Type 2 Diabetes in Women without Established Comorbidity. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa050.	0.1	12
236	Statin therapy is associated with lower prevalence of gut microbiota dysbiosis. <i>Nature</i> , 2020, 581, 310-315.	13.7	283
237	Infarct size following loading with Ticagrelor/Prasugrel versus Clopidogrel in ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2020, 314, 7-12.	0.8	16
238	Myocardial Infarction in Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2020, 8, 618-626.	1.9	17
239	Efficacy and safety of sodium-glucose cotransporter 2 inhibition according to left ventricular ejection fraction in DAPA-HF. <i>European Journal of Heart Failure</i> , 2020, 22, 1247-1258.	2.9	29
240	Left Atrial Late Gadolinium Enhancement is Associated With Incident Atrial Fibrillation as Detected by Continuous Monitoring With Implantable Loop Recorders. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 1690-1700.	2.3	22
241	Type 2 Diabetes Mellitus and Impact of Heart Failure on Prognosis Compared to Other Cardiovascular Diseases. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020, 13, e006260.	0.9	28
242	Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 168.	3.8	331
243	Recurrent infective endocarditis versus first-time infective endocarditis after heart valve surgery. <i>Clinical Research in Cardiology</i> , 2020, 109, 1342-1351.	1.5	9
244	Effects of dapagliflozin in DAPA-HF according to background heart failure therapy. <i>European Heart Journal</i> , 2020, 41, 2379-2392.	1.0	151
245	Effects of Sacubitril/Valsartan on N-Terminal Pro-B-Type Natriuretic Peptide in Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2020, 8, 372-381.	1.9	53
246	Prognostic impact of angiographic findings, procedural success, and timing of percutaneous coronary intervention in cardiogenic shock. <i>ESC Heart Failure</i> , 2020, 7, 768-773.	1.4	4
247	Comprehensive Evaluation of Rhythm Monitoring Strategies in Screening for Atrial Fibrillation. <i>Circulation</i> , 2020, 141, 1510-1522.	1.6	88
248	Left atrial volume and function assessed by cardiac magnetic resonance imaging are markers of subclinical atrial fibrillation as detected by continuous monitoring. <i>Europace</i> , 2020, 22, 724-731.	0.7	37
249	Diagnostic utility of MR-proANP and NT-proBNP in elderly outpatients with a high risk of heart failure: the Copenhagen heart failure risk study. <i>Biomarkers</i> , 2020, 25, 248-259.	0.9	2
250	Smartphone Activation of Citizen Responders to Facilitate Defibrillation in Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2020, 76, 43-53.	1.2	110
251	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020, 19, 107.	2.7	18
252	New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. <i>European Heart Journal</i> , 2020, 41, 3072-3079.	1.0	93

#	ARTICLE	IF	CITATIONS
253	Age-specific trends in incidence and survival of out-of-hospital cardiac arrest from presumed cardiac cause in Denmark 2002â€“2014. <i>Resuscitation</i> , 2020, 152, 77-85.	1.3	9
254	Seasonality of ventricular fibrillation at first myocardial infarction and association with viral exposure. <i>PLoS ONE</i> , 2020, 15, e0226936.	1.1	4
255	Prevalence of and Risk Factors for Low Bone Mineral Density Assessed by Quantitative Computed Tomography in People Living With HIV and Uninfected Controls. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 83, 165-172.	0.9	11
256	Comparison of BNP and NT-proBNP in Patients With Heart Failure and Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2020, 13, e006541.	1.6	96
257	Potassium Disturbances and Risk of Ventricular Fibrillation Among Patients With STâ€“Segmentâ€“Elevation Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2020, 9, e014160.	1.6	13
258	Cardiovascular complications in patients with total cavopulmonary connection: A nationwide cohort study. <i>International Journal of Cardiology</i> , 2020, 305, 120-126.	0.8	5
259	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , 2020, 305, 92-98.	0.8	7
260	Favorable five-year outcomes for heart failure diagnosed in younger patients without severe comorbidity. <i>International Journal of Cardiology</i> , 2020, 305, 106-112.	0.8	6
261	Prognostic Models Derived in PARADIGM-HF and Validated in ATMOSPHERE and the Swedish Heart Failure Registry to Predict Mortality and Morbidity in Chronic Heart Failure. <i>JAMA Cardiology</i> , 2020, 5, 432.	3.0	59
262	Electrocardiogram to predict reperfusion success in late presenters with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>Journal of Electrocardiology</i> , 2020, 59, 74-80.	0.4	0
263	Immediate vs Delayed Stenting in ST-Elevation Myocardial Infarction: Rationale and Design of the International PRIMACY Bayesian Randomized Controlled Trial. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1805-1814.	0.8	10
264	Pericardial Adipose Tissue Volume Is Independently Associated With Human Immunodeficiency Virus Status and Prior Use of Stavudine, Didanosine, or Indinavir. <i>Journal of Infectious Diseases</i> , 2020, 222, 54-61.	1.9	9
265	The prevalence and importance of frailty in heart failure with reduced ejection fractionâ€“An analysis of <sc>PARADIGMâ€“HF</sc> and <sc>ATMOSPHERE</sc>. <i>European Journal of Heart Failure</i> , 2020, 22, 2123-2133.	2.9	85
266	Readmission and death in patients admitted with newâ€“onset versus worsening of chronic heart failure: insights from a nationwide cohort. <i>European Journal of Heart Failure</i> , 2020, 22, 1777-1785.	2.9	53
267	Elevated miR-9 in Cerebrospinal Fluid Is Associated with Poor Functional Outcome After Subarachnoid Hemorrhage. <i>Translational Stroke Research</i> , 2020, 11, 1243-1252.	2.3	14
268	Soluble urokinase receptor as a predictor of non-cardiac mortality in patients with percutaneous coronary intervention treated ST-segment elevation myocardial infarction. <i>Clinical Biochemistry</i> , 2020, 80, 8-13.	0.8	1
269	Association between statin use and outcomes in patients with coronavirus disease 2019 (COVID-19): a nationwide cohort study. <i>BMJ Open</i> , 2020, 10, e044421.	0.8	54
270	Cardiovascular prognostic value of echocardiography and N terminal pro B-type natriuretic peptide in type 1 diabetes: the Thousand & 1 Study. <i>European Journal of Endocrinology</i> , 2020, 182, 481-488.	1.9	10



#	ARTICLE	IF	CITATIONS
271	Early Stages of Obesity-related Heart Failure Are Associated with Natriuretic Peptide Deficiency and an Overall Lack of Neurohormonal Activation: The Copenhagen Heart Failure Risk Study. <i>Global Heart</i> , 2020, 15, 25.	0.9	3
272	Title is missing!. , 2020, 15, e0226936.		0
273	Title is missing!. , 2020, 15, e0226936.		0
274	A simple clinical assessment is superior to systematic triage in prediction of mortality in the emergency department. <i>Emergency Medicine Journal</i> , 2019, 36, emermed-2016-206382.	0.4	25
275	Importance of elevated heart rate in the very early phase of ST-segment elevation myocardial infarction: Results from the DANAMI-3 trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 318-328.	0.4	12
276	Assessment of the myocardial area at risk: comparing T2-weighted cardiovascular magnetic resonance imaging with contrast-enhanced cine (CE-SSFP) imaging—a DANAMI3 substudy. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 361-366.	0.5	10
277	Partial Oral versus Intravenous Antibiotic Treatment of Endocarditis. <i>New England Journal of Medicine</i> , 2019, 380, 415-424.	13.9	502
278	Myocardial perfusion during atrial fibrillation in patients with non-ischaemic systolic heart failure: a cross-sectional study using Rubidium-82 positron emission tomography/computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 233-240.	0.5	6
279	Cardiovascular, mortality, and kidney outcomes with GLP-1 receptor agonists in patients with type 2 diabetes: a systematic review and meta-analysis of cardiovascular outcome trials. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 776-785.	5.5	961
280	Direct oral anticoagulant— versus vitamin K antagonist—related gastrointestinal bleeding: Insights from a nationwide cohort. <i>American Heart Journal</i> , 2019, 216, 117-124.	1.2	10
281	Effects of Serelaxin in Patients with Acute Heart Failure. <i>New England Journal of Medicine</i> , 2019, 381, 716-726.	13.9	174
282	Association between Type D personality and outcomes in patients with non-ischemic heart failure. <i>Quality of Life Research</i> , 2019, 28, 2901-2908.	1.5	10
283	The Dapagliflozin And Prevention of Adverse—outcomes in Heart Failure (DAPA—HF) trial: baseline characteristics. <i>European Journal of Heart Failure</i> , 2019, 21, 1402-1411.	2.9	159
284	Risk Models for Prediction of Implantable Cardioverter-Defibrillator Benefit. <i>JACC: Heart Failure</i> , 2019, 7, 717-724.	1.9	29
285	Age-Related Characteristics and Outcomes of Patients With Heart—Failure With Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2019, 74, 601-612.	1.2	97
286	The economic burden of heart failure in Denmark from 1998 to 2016. <i>European Journal of Heart Failure</i> , 2019, 21, 1526-1531.	2.9	17
287	Insulin treatment and clinical outcomes in patients with diabetes and heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2019, 21, 974-984.	2.9	52
288	Association of Carpal Tunnel Syndrome With Amyloidosis, Heart—Failure, and Adverse Cardiovascular Outcomes. <i>Journal of the American College of Cardiology</i> , 2019, 74, 15-23.	1.2	77

#	ARTICLE	IF	CITATIONS
289	Associations between common ECG abnormalities and out-of-hospital cardiac arrest. <i>Open Heart</i> , 2019, 6, e000905.	0.9	8
290	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Left-Sided Heart Valve Surgery. <i>JAMA Cardiology</i> , 2019, 4, 1139.	3.0	27
291	Burden and causes for hospitalizations following coronary artery bypass grafting: a nationwide cohort study. <i>European Journal of Cardio-thoracic Surgery</i> , 2019, 55, 893-902.	0.6	8
292	Diagnostic Potential of Intracardiac Echocardiography in Patients with Suspected Prosthetic Valve Endocarditis. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 1558-1564.e3.	1.2	15
293	Incidence of heart failure after pacemaker implantation: a nationwide Danish Registry-based follow-up study. <i>European Heart Journal</i> , 2019, 40, 3641-3648.	1.0	48
294	A More COMPLETE Picture of Revascularization in STEMI. <i>New England Journal of Medicine</i> , 2019, 381, 1472-1474.	13.9	13
295	Duration of Heart Failure and Effect of Defibrillator Implantation in Patients With Nonischemic Systolic Heart Failure. <i>Circulation: Heart Failure</i> , 2019, 12, e006022.	1.6	2
296	Dapagliflozin in Patients with Heart Failure and Reduced Ejection Fraction. <i>New England Journal of Medicine</i> , 2019, 381, 1995-2008.	13.9	4,108
297	Prognostic role of genetic polymorphisms of the interleukin-6 signaling pathway in patients with severe heart failure. <i>Pharmacogenomics Journal</i> , 2019, 19, 428-437.	0.9	7
298	Comparison of Survival After Aortic Valve Replacement With Mitroflow or Perimount Prostheses. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2019, 31, 350-358.	0.4	7
299	Outcomes associated with dual antiplatelet therapy after myocardial infarction in patients with aortic stenosis. <i>International Journal of Cardiology</i> , 2019, 281, 140-145.	0.8	2
300	Polygenic predisposition to breast cancer and the risk of coronary artery disease. <i>International Journal of Cardiology</i> , 2019, 291, 145-151.	0.8	2
301	Clinical implications of electrocardiographic bundle branch block in primary care. <i>Heart</i> , 2019, 105, heartjnl-2018-314295.	1.2	15
302	Unreported exclusion and sampling bias in interpretation of randomized controlled trials in patients with STEMI. <i>International Journal of Cardiology</i> , 2019, 289, 1-5.	0.8	5
303	Prevalence of infective endocarditis in patients with positive blood cultures: a Danish nationwide study. <i>European Heart Journal</i> , 2019, 40, 3237-3244.	1.0	40
304	Early Discharge from the Emergency Department Based on Soluble Urokinase Plasminogen Activator Receptor (suPAR) Levels: A TRIAGE III Substudy. <i>Disease Markers</i> , 2019, 2019, 1-8.	0.6	19
305	Impact of Multiple Myocardial Scars Detected by CMR in Patients Following STEMI. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 2168-2178.	2.3	15
306	The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure. <i>Europace</i> , 2019, 21, 1203-1210.	0.7	9

#	ARTICLE	IF	CITATIONS
307	Prevalence of early stages of heart failure in an elderly risk population: the Copenhagen Heart Failure Risk Study. <i>Open Heart</i> , 2019, 6, e000840.	0.9	11
308	Complete Revascularization Versus Culprit Lesion Only in Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Disease. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 721-730.	1.1	15
309	Impaired myocardial perfusion is associated with increasing end-systolic- and end-diastolic volumes in patients with non-ischemic systolic heart failure: a cross-sectional study using Rubidium-82 PET/CT. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 68.	0.7	2
310	A trial to evaluate the effect of the sodium-glucose co-transporter 2 inhibitor dapagliflozin on morbidity and mortality in patients with heart failure and reduced left ventricular ejection fraction (DAPA-HF). <i>European Journal of Heart Failure</i> , 2019, 21, 665-675.	2.9	264
311	Mortality associated with cardiovascular drugs in patients with chronic obstructive pulmonary disease and right-sided heart failure – A danish nationwide registry-based study. <i>European Journal of Internal Medicine</i> , 2019, 63, 56-61.	1.0	20
312	Prevalence of heart failure and other risk factors among first-degree relatives of women with peripartum cardiomyopathy. <i>Heart</i> , 2019, 105, 1057-1062.	1.2	10
313	Association of genetic variants previously implicated in coronary artery disease with age at onset of coronary artery disease requiring revascularizations. <i>PLoS ONE</i> , 2019, 14, e0211690.	1.1	5
314	Congenital myopathies are mainly associated with a mild cardiac phenotype. <i>Journal of Neurology</i> , 2019, 266, 1367-1375.	1.8	10
315	N-Terminal Pro-B-Type Natriuretic Peptide Levels for Risk Prediction in Patients With Heart Failure and Preserved Ejection Fraction According to Atrial Fibrillation Status. <i>Circulation: Heart Failure</i> , 2019, 12, e005766.	1.6	21
316	Availability of suPAR in emergency departments may improve risk stratification: a secondary analysis of the TRIAGE III trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 43.	1.1	15
317	Long-Term Risk of Infective Endocarditis After Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1646-1655.	1.2	86
318	The impact of implantable cardioverter-defibrillator implantation on health-related quality of life in the DANISH trial. <i>Europace</i> , 2019, 21, 900-908.	0.7	10
319	Income Inequality and Outcomes in Heart Failure. <i>JACC: Heart Failure</i> , 2019, 7, 336-346.	1.9	63
320	Efficacy of an implantable cardioverter-defibrillator in patients with diabetes and heart failure and reduced ejection fraction. <i>Clinical Research in Cardiology</i> , 2019, 108, 868-877.	1.5	11
321	Cardiac ventricular sizes are reduced in patients with long-term, normoalbuminuric type 1 diabetes compared to the non-diabetic background population. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 289-296.	0.9	5
322	Comparative thromboembolic risk in atrial fibrillation with and without a secondary precipitant – Danish nationwide cohort study. <i>BMJ Open</i> , 2019, 9, e028468.	0.8	11
323	Echocardiographic subtypes of heart failure in consecutive hospitalised patients with dyspnoea. <i>Open Heart</i> , 2019, 6, e000928.	0.9	4
324	Natural History of Subclinical Atrial Fibrillation Detected by Implanted Loop Recorders. <i>Journal of the American College of Cardiology</i> , 2019, 74, 2771-2781.	1.2	72

#	ARTICLE	IF	CITATIONS
325	Prevalence and risk factors of prolonged QT interval and electrocardiographic abnormalities in persons living with HIV. <i>Aids</i> , 2019, 33, 2205-2210.	1.0	14
326	Prior exposure to thymidine analogs and didanosine is associated with long-lasting alterations in adipose tissue distribution and cardiovascular risk factors. <i>Aids</i> , 2019, 33, 675-683.	1.0	34
327	Sex-Related Differences in Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2019, 12, e006539.	1.6	78
328	Significant hearing loss in Fabry disease: Study of the Danish nationwide cohort prior to treatment. <i>PLoS ONE</i> , 2019, 14, e0225071.	1.1	9
329	Fractional flow reserve-guided percutaneous coronary intervention vs. medical therapy for patients with stable coronary lesions: meta-analysis of individual patient data. <i>European Heart Journal</i> , 2019, 40, 180-186.	1.0	159
330	Soluble Urokinase Plasminogen Activator Receptor (suPAR) as an Added Predictor to Existing Preoperative Risk Assessments. <i>World Journal of Surgery</i> , 2019, 43, 780-790.	0.8	6
331	Safety and Tolerability of the Chymase Inhibitor Fulacimstat in Patients With Left Ventricular Dysfunction After Myocardial Infarction—Results of the CHIARA MIA 1 Trial. <i>Clinical Pharmacology in Drug Development</i> , 2019, 8, 942-951.	0.8	17
332	Differential Impact of Heart Failure With Reduced Ejection Fraction on Men and Women. <i>Journal of the American College of Cardiology</i> , 2019, 73, 29-40.	1.2	168
333	Incidence of infective endocarditis in patients considered at moderate risk. <i>European Heart Journal</i> , 2019, 40, 1355-1361.	1.0	29
334	Visit-to-Visit Variability of Hemoglobin A1c in People Without Diabetes and Risk of Major Adverse Cardiovascular Events and All-Cause Mortality. <i>Diabetes Care</i> , 2019, 42, 134-141.	4.3	36
335	Beta-blocker Treatment After acute Myocardial Infarction in revascularized patients without reduced left ventricular ejection fraction (BETAMI): Rationale and design of a prospective, randomized, open, blinded end point study. <i>American Heart Journal</i> , 2019, 208, 37-46.	1.2	20
336	Generalised arterial calcification in normoalbuminuric patients with type 1 diabetes with and without cardiovascular autonomic neuropathy. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 98-102.	0.9	13
337	Influenza Vaccine in Heart Failure. <i>Circulation</i> , 2019, 139, 575-586.	1.6	114
338	The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. <i>Europace</i> , 2019, 21, 572-580.	0.7	9
339	Heart failure with reduced ejection fraction: comparison of patient characteristics and clinical outcomes within Asia and between Asia, Europe and the Americas. <i>European Journal of Heart Failure</i> , 2019, 21, 577-587.	2.9	38
340	The prognostic value of troponin T and N-terminal pro-B-type natriuretic peptide, alone and in combination, in heart failure patients with and without diabetes. <i>European Journal of Heart Failure</i> , 2019, 21, 40-49.	2.9	54
341	Left ventricular remodelling and cardiac chamber sizes in long-term, normoalbuminuric type 1 diabetes patients with and without cardiovascular autonomic neuropathy. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 171-177.	1.2	3
342	Abstract 149: Elevated mir-9 in Cerebrospinal Fluid is Associated With Poor Functional Outcome After Subarachnoid Hemorrhage. <i>Stroke</i> , 2019, 50, .	1.0	0

#	ARTICLE	IF	CITATIONS
343	Does macrolide use confer risk of out-of-hospital cardiac arrest compared with penicillin V? A Danish national case-crossover and caseâ€“timeâ€“control study. <i>BMJ Open</i> , 2018, 8, e019997.	0.8	1
344	Treatment with insulin is associated with worse outcome in patients with chronic heart failure and diabetes. <i>European Journal of Heart Failure</i> , 2018, 20, 888-895.	2.9	93
345	Prevalence, Temporal Evolution, and Impact on Survival of Ventricular Conduction Blocks in Patients With Acute Coronary Syndrome and Cardiogenic Shock. <i>American Journal of Cardiology</i> , 2018, 122, 199-205.	0.7	5
346	Association of Timing of Aortic Valve Replacement Surgery After Stroke With Risk of Recurrent Stroke and Mortality. <i>JAMA Cardiology</i> , 2018, 3, 506.	3.0	13
347	Possible early detection of coronary artery calcium progression in type 1 diabetes: A case-control study of normoalbuminuric type 1 diabetes patients and matched controls. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 18-25.	1.1	5
348	Importance of comorbidities in comatose survivors of shockable and non-shockable out-of-hospital cardiac arrest treated with target temperature management. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 133-140.	0.4	3
349	Risk of Incident Heart Failure in Patients With Diabetes and Asymptomatic Left Ventricular Systolic Dysfunction. <i>Diabetes Care</i> , 2018, 41, 1285-1291.	4.3	38
350	Long-term causes of death in patients with infective endocarditis who undergo medical therapy only or surgical treatment: a nationwide population-based study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 860-866.	0.6	34
351	Low-Dose Aspirin in Heart Failure Notâ€“Complicatedâ€“by Atrial Fibrillation. <i>JACC: Heart Failure</i> , 2018, 6, 156-167.	1.9	11
352	Survival after out-of-hospital cardiac arrest in nursing homes â€“ A nationwide study. <i>Resuscitation</i> , 2018, 125, 90-98.	1.3	36
353	Effect of sacubitril/valsartan on recurrent events in the Prospective comparison of ARNI with ACEI to Determine Impact on Global Mortality and morbidity in Heart Failure trial (PARADIGMâ€“HF). <i>European Journal of Heart Failure</i> , 2018, 20, 760-768.	2.9	62
354	Impact of transducer frequency setting on speckle tracking measures. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 457-463.	0.7	4
355	Relation of Bleeding Events to Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated by Percutaneous Coronary Intervention (a DANAMI-3 Substudy). <i>American Journal of Cardiology</i> , 2018, 121, 781-788.	0.7	2
356	YKL-40 in patients with end-stage renal disease receiving haemodialysis. <i>Biomarkers</i> , 2018, 23, 357-363.	0.9	14
357	Myocardial perfusion in patients with non-ischaemic systolic heart failure and type 2 diabetes: a cross-sectional study using Rubidium-82 PET/CT. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 993-1001.	0.7	1
358	Characteristics and prognosis of heart failure with improved compared with persistently reduced ejection fraction: A systematic review and meta-analyses. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 366-376.	0.8	38
359	Incidence of infective endocarditis among patients considered at high risk. <i>European Heart Journal</i> , 2018, 39, 623-629.	1.0	89
360	Liver fat content, non-alcoholic fatty liver disease, and ischaemic heart disease: Mendelian randomization and meta-analysis of 279â€“%013 individuals. <i>European Heart Journal</i> , 2018, 39, 385-393.	1.0	152

#	ARTICLE	IF	CITATIONS
361	The year in cardiology 2017: heart failure. <i>European Heart Journal</i> , 2018, 39, 832-839.	1.0	5
362	Microvascular complications in diabetes patients with heart failure and reduced ejection fraction—insights from the Beta-blocker Evaluation of Survival Trial. <i>European Journal of Heart Failure</i> , 2018, 20, 1549-1556.	2.9	17
363	The Reply. <i>American Journal of Medicine</i> , 2018, 131, e169.	0.6	0
364	Danegaptide for primary percutaneous coronary intervention in acute myocardial infarction patients: a phase 2 randomised clinical trial. <i>Heart</i> , 2018, 104, 1593-1599.	1.2	20
365	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery and Patients With Nonvalvular Atrial Fibrillation. <i>JAMA Cardiology</i> , 2018, 3, 417.	3.0	73
366	Short- and long-term cause of death in patients undergoing isolated coronary artery bypass grafting: A nationwide cohort study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 54-60.e4.	0.4	12
367	Association of Genetic Variation in Coronary Artery Disease-Related Loci With the Risk of Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>Circulation</i> , 2018, 137, 1290-1292.	1.6	5
368	Altered mental status predicts mortality in cardiogenic shock — results from the CardShock study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 38-44.	0.4	26
369	Women have a worse prognosis and undergo fewer coronary angiographies after out-of-hospital cardiac arrest than men. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 414-422.	0.4	33
370	Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. <i>Europace</i> , 2018, 20, e78-e86.	0.7	22
371	Prognostic implications of left ventricular asymmetry in patients with asymptomatic aortic valve stenosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 168-175.	0.5	5
372	Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. <i>International Journal of Cardiology</i> , 2018, 251, 15-21.	0.8	20
373	Right ventricular function assessed by 2D strain analysis predicts ventricular arrhythmias and sudden cardiac death in patients after acute myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 800-807.	0.5	25
374	Prognostic Impact of Mild Hypokalemia in Terms of Death and Stroke in the General Population—A Prospective Population Study. <i>American Journal of Medicine</i> , 2018, 131, 318.e9-318.e19.	0.6	13
375	Aliskiren alone or in combination with enalapril vs. enalapril among patients with chronic heart failure with and without diabetes: a subgroup analysis from the <scp>ATMOSPHERE</scp> trial. <i>European Journal of Heart Failure</i> , 2018, 20, 136-147.	2.9	18
376	Return to the workforce following infective endocarditis—A nationwide cohort study. <i>American Heart Journal</i> , 2018, 195, 130-138.	1.2	15
377	Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 41-48.	1.9	3
378	The Glucagon-Like Peptide-1 Analog Exenatide Increases Blood Glucose Clearance, Lactate Clearance, and Heart Rate in Comatose Patients After Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2018, 46, e118-e125.	0.4	7

#	ARTICLE	IF	CITATIONS
379	Sacubitril/valsartan reduces serum uric acid concentration, an independent predictor of adverse outcomes in PARADIGM-HF. <i>European Journal of Heart Failure</i> , 2018, 20, 514-522.	2.9	35
380	Contribution of cardiac and extra-cardiac disease burden to risk of cardiovascular outcomes varies by ejection fraction in heart failure. <i>European Journal of Heart Failure</i> , 2018, 20, 504-510.	2.9	52
381	Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. <i>European Journal of Heart Failure</i> , 2018, 20, 240-247.	2.9	16
382	Brief Report: Prevalence of Peripheral Artery Disease Is Higher in Persons Living With HIV Compared With Uninfected Controls. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 381-385.	0.9	21
383	Hypertension genetic risk score is associated with burden of coronary heart disease among patients referred for coronary angiography. <i>PLoS ONE</i> , 2018, 13, e0208645.	1.1	14
384	Albiglutide and cardiovascular outcomes in patients with type 2 diabetes and cardiovascular disease (Harmony Outcomes): a double-blind, randomised placebo-controlled trial. <i>Lancet</i> , 2018, 392, 1519-1529.	6.3	1,179
385	Refractory out-of-hospital cardiac arrest with ongoing cardiopulmonary resuscitation at hospital arrival – survival and neurological outcome without extracorporeal cardiopulmonary resuscitation. <i>Critical Care</i> , 2018, 22, 242.	2.5	29
386	Risk of Thromboembolism Associated With Atrial Fibrillation Following Noncardiac Surgery. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2027-2036.	1.2	80
387	Use of renal replacement therapy after out-of-hospital cardiac arrest in Denmark 2005–2013. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 238-243.	0.4	8
388	Benefit From Reperfusion With Primary Percutaneous Coronary Intervention Beyond 12 Hours of Symptom Duration in Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e006842.	1.4	29
389	Use of the prognostic biomarker suPAR in the emergency department improves risk stratification but has no effect on mortality: a cluster-randomized clinical trial (TRIAGE III). <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 69.	1.1	25
390	Response by Elming et al to Letter Regarding Article, “Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure”. <i>Circulation</i> , 2018, 137, 2190-2190.	1.6	0
391	Prestroke and Poststroke Antithrombotic Therapy in Patients With Atrial Fibrillation. <i>JAMA Network Open</i> , 2018, 1, e180171.	2.8	25
392	MR-proADM as a Prognostic Marker in Patients With ST-Segment Elevation Myocardial Infarction – DANAMI-3 (a Danish Study of Optimal Acute Treatment of Patients With STEMI) Substudy. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	15
393	Association between socioeconomic factors and ICD implantation in a publicly financed health care system: a Danish nationwide study. <i>Europace</i> , 2018, 20, 1129-1137.	0.7	10
394	Risk Prediction of Atrial Fibrillation Based on Electrocardiographic Interatrial Block. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	32
395	Can copeptin and troponin T ratio predict final infarct size and myocardial salvage index in patients with ST-elevation myocardial infarction: A sub-study of the DANAMI-3 trial. <i>Clinical Biochemistry</i> , 2018, 59, 37-42.	0.8	4
396	Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 917-930.	1.5	10

#	ARTICLE	IF	CITATIONS
397	Bleeding Events After ST-segment Elevation Myocardial Infarction in Patients Randomized to an All-comer Clinical Trial Compared With Unselected Patients. <i>American Journal of Cardiology</i> , 2018, 122, 1287-1296.	0.7	7
398	Baseline Characteristics of Patients With Heart Failure and Preserved Ejection Fraction in the PARAGON-HF Trial. <i>Circulation: Heart Failure</i> , 2018, 11, e004962.	1.6	117
399	Atherosclerosis and renal disease involvement in patients with systemic lupus erythematosus: a cross-sectional cohort study. <i>Rheumatology</i> , 2018, 57, 1964-1971.	0.9	11
400	Comparative thromboembolic risk in atrial fibrillation patients with and without a concurrent infection. <i>American Heart Journal</i> , 2018, 204, 43-51.	1.2	4
401	Prognostic role of serum sodium levels across different serum potassium levels in heart failure patients: A Danish register-based cohort study. <i>International Journal of Cardiology</i> , 2018, 272, 244-249.	0.8	12
402	Comparison between patients included in randomized controlled trials of ischemic heart disease and real-world data. A nationwide study. <i>American Heart Journal</i> , 2018, 204, 128-138.	1.2	7
403	Osborn waves following out-of-hospital cardiac arrest—Effect of level of temperature management and risk of arrhythmia and death. <i>Resuscitation</i> , 2018, 128, 119-125.	1.3	6
404	Temporal trends in survival of patients with and without diabetes following out-of-hospital cardiac arrest: a nationwide danish study. , 2018, , .		0
405	Reduced risk of heart failure with intensified multifactorial intervention in individuals with type 2 diabetes and microalbuminuria: 21 years of follow-up in the randomised Steno-2 study. <i>Diabetologia</i> , 2018, 61, 1724-1733.	2.9	66
406	Coronary CT angiography in clinical triage of patients at high risk of coronary artery disease. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 28-34.	0.4	14
407	Adrenomedullin: a marker of impaired hemodynamics, organ dysfunction, and poor prognosis in cardiogenic shock. <i>Annals of Intensive Care</i> , 2017, 7, 6.	2.2	58
408	Left Ventricular Hypertrophy Is Associated With Increased Infarct Size and Decreased Myocardial Salvage in Patients With ST-segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	39
409	Incidence and survival outcome according to heart rhythm during resuscitation attempt in out-of-hospital cardiac arrest patients with presumed cardiac etiology. <i>Resuscitation</i> , 2017, 114, 157-163.	1.3	71
410	Association Between Early Q Waves and Reperfusion Success in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	10
411	Implantable cardioverter defibrillator and survival after out-of-hospital cardiac arrest due to acute myocardial infarction in Denmark in the years 2001–2012, a nationwide study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 144-154.	0.4	12
412	Effect of Ischemic Postconditioning During Primary Percutaneous Coronary Intervention for Patients With ST-Segment Elevation Myocardial Infarction. <i>JAMA Cardiology</i> , 2017, 2, 490.	3.0	105
413	Age-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012. <i>Circulation</i> , 2017, 135, 1214-1223.	1.6	188
414	Electrocardiographic PR Interval Duration and Cardiovascular Risk: Results From the Copenhagen ECG Study. <i>Canadian Journal of Cardiology</i> , 2017, 33, 674-681.	0.8	29



#	ARTICLE	IF	CITATIONS
415	Fractional Flow Reserve—Guided Complete Revascularization Improves the Prognosis in Patients With ST-Segment—Elevation Myocardial Infarction and Severe Nonculprit Disease. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	39
416	Bystander Efforts and 1-Year Outcomes in Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2017, 376, 1737-1747.	13.9	265
417	Cardiopulmonary Resuscitation Training in Schools Following 8 Years of Mandating Legislation in Denmark: A Nationwide Survey. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	46
418	Prehospital electrocardiographic acuteness score of ischemia is inversely associated with neurohormonal activation in STEMI patients with severe ischemia. <i>Journal of Electrocardiology</i> , 2017, 50, 90-96.	0.4	5
419	Antithrombotic therapy after bioprosthetic aortic valve implantation: Warfarin versus aspirin, a randomized controlled trial. <i>Thrombosis Research</i> , 2017, 150, 104-110.	0.8	33
420	Electrocardiographic Preexcitation and Risk of Cardiovascular Morbidity and Mortality. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	2.1	20
421	Myocardial Damage in Patients With Deferred Stenting After STEMI. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2794-2804.	1.2	37
422	Complications after implantation of a new-generation insertable cardiac monitor: Results from the LOOP study. <i>International Journal of Cardiology</i> , 2017, 241, 229-234.	0.8	28
423	Echocardiographic and clinical findings in patients with Fabry disease during long-term enzyme replacement therapy: a nationwide Danish cohort study. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 207-216.	0.4	14
424	Pregnancy-associated plasma protein-A (PAPP-A) and the proform of the eosinophil major basic protein (ProMBP) are associated with increased risk of death in heart failure patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 352-357.	0.6	5
425	Role of B-type Natriuretic Peptide and N-terminal Prohormone BNP as Predictors of Cardiovascular Morbidity and Mortality in Patients With a Recent Coronary Event and Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	75
426	Defibrillators work: now it is time to find out who needs them. <i>European Heart Journal</i> , 2017, 38, 1747-1748.	1.0	3
427	Association between bystander cardiopulmonary resuscitation and redeemed prescriptions for antidepressants and anxiolytics in out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , 2017, 115, 32-38.	1.3	5
428	Infective endocarditis and risk of death after cardiac implantable electronic device implantation: a nationwide cohort study. <i>Europace</i> , 2017, 19, 1007-1014.	0.7	30
429	Atrial fibrillation detected by continuous electrocardiographic monitoring using implantable loop recorder to prevent stroke in individuals at risk (the LOOP study): Rationale and design of a large randomized controlled trial. <i>American Heart Journal</i> , 2017, 187, 122-132.	1.2	56
430	Bystander Defibrillation for Out-of-Hospital Cardiac Arrest in Public vs Residential Locations. <i>JAMA Cardiology</i> , 2017, 2, 507.	3.0	117
431	The effects of sacubitril/valsartan on coronary outcomes in PARADIGM-HF. <i>American Heart Journal</i> , 2017, 188, 35-41.	1.2	32
432	Complete Revascularization in ST-Elevation Myocardial Infarction?. <i>New England Journal of Medicine</i> , 2017, 376, 1282-1284.	13.9	4

#	ARTICLE	IF	CITATIONS
433	Dietary Assessment in the MetaCardis Study: Development and Relative Validity of an Online Food Frequency Questionnaire. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017, 117, 878-888.	0.4	32
434	ICD Implantation in Patients with Nonischemic Heart Failure. <i>New England Journal of Medicine</i> , 2017, 376, 89-92.	13.9	7
435	Clinical and Echocardiographic Characteristics and Cardiovascular Outcomes According to Diabetes Status in Patients With Heart Failure and Preserved Ejection Fraction. <i>Circulation</i> , 2017, 135, 724-735.	1.6	153
436	The first-in-man randomized trial of a beta3 adrenoceptor agonist in chronic heart failure: the <scp>BEAT&lt;/scp> trial. <i>European Journal of Heart Failure</i> , 2017, 19, 566-575.	2.9	53
437	Prevalence of Prediabetes and Undiagnosed Diabetes in Patients with HFpEF and HFrEF and Associated Clinical Outcomes. <i>Cardiovascular Drugs and Therapy</i> , 2017, 31, 545-549.	1.3	55
438	Six-minute walking test and long term prognosis in patients with asymptomatic aortic valve stenosis. <i>International Journal of Cardiology</i> , 2017, 249, 334-339.	0.8	6
439	Prognostic Value of N-Terminal Pro-B-Type Natriuretic Peptide Levels in Heart Failure Patients With and Without Atrial Fibrillation. <i>Circulation: Heart Failure</i> , 2017, 10, .	1.6	53
440	Increases in Natriuretic Peptides Precede Heart Failure Hospitalization in Patients With a Recent Coronary Event and Type 2 Diabetes Mellitus. <i>Circulation</i> , 2017, 136, 1560-1562.	1.6	15
441	Response by Christiansen et al to Letters Regarding Article, "Age-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012". <i>Circulation</i> , 2017, 136, 886-887.	1.6	0
442	The prognostic significance of lung function in stable heart failure outpatients. <i>Clinical Cardiology</i> , 2017, 40, 1145-1151.	0.7	18
443	Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure. <i>Circulation</i> , 2017, 136, 1772-1780.	1.6	134
444	Frequency and Prognostic Significance of Abnormal Liver Function Tests in Patients With Cardiogenic Shock. <i>American Journal of Cardiology</i> , 2017, 120, 1090-1097.	0.7	17
445	Re-Examination of the BEST Trial Using Composite Outcomes, Including Emergency Department Visits. <i>JACC: Heart Failure</i> , 2017, 5, 591-599.	1.9	12
446	Temporal changes in infective endocarditis guidelines during the last 12 years: High-level evidence needed. <i>American Heart Journal</i> , 2017, 193, 70-75.	1.2	14
447	Associations of serum potassium levels with mortality in chronic heart failure patients. <i>European Heart Journal</i> , 2017, 38, 2890-2896.	1.0	136
448	Contemporary Characteristics and Outcomes in Chagasic Heart Failure Compared With Other Nonischemic and Ischemic Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2017, 10, .	1.6	53
449	Type of Atrial Fibrillation and Outcomes in Patients With Heart Failure and Reduced Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2017, 70, 2490-2500.	1.2	114
450	Normal values of regional left ventricular myocardial thickness, mass and distribution-assessed by 320-detector computed tomography angiography in the Copenhagen General Population Study. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 421-429.	0.7	11

#	ARTICLE	IF	CITATIONS
451	Declining Risk of Sudden Death in Heart Failure. <i>New England Journal of Medicine</i> , 2017, 377, 41-51.	13.9	355
452	Beta-Blockers for Exams Identify Students at High Risk of Psychiatric Morbidity. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017, 27, 266-273.	0.7	15
453	Coronary risk stratification of patients undergoing surgery for valvular heart disease. <i>International Journal of Cardiology</i> , 2017, 227, 37-42.	0.8	6
454	The association of admission blood glucose level with the clinical picture and prognosis in cardiogenic shock – Results from the CardShock Study. <i>International Journal of Cardiology</i> , 2017, 226, 48-52.	0.8	38
455	Dementia-related adverse events in <scp>PARADIGM-HF</scp> and other trials in heart failure with reduced ejection fraction. <i>European Journal of Heart Failure</i> , 2017, 19, 129-137.	2.9	95
456	Early Gadolinium Enhancement for Determination of Area at Risk. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 130-139.	2.3	17
457	Routine blood tests are associated with short term mortality and can improve emergency department triage: a cohort study of >12,000 patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 115.	1.1	22
458	Mortality and risk of cardiac complications among immediate survivors of accidental electric shock: a Danish nationwide cohort study. <i>BMJ Open</i> , 2017, 7, e015967.	0.8	17
459	Introduction of a prognostic biomarker to strengthen risk stratification of acutely admitted patients: rationale and design of the TRIAGE III cluster randomized interventional trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 100.	1.1	8
460	GLP-1 analogues for neuroprotection after out-of-hospital cardiac arrest: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 304.	0.7	10
461	Current real-life use of vasopressors and inotropes in cardiogenic shock - adrenaline use is associated with excess organ injury and mortality. <i>Critical Care</i> , 2016, 20, 208.	2.5	145
462	Trials and the “real world” – How different are they?. <i>European Journal of Heart Failure</i> , 2016, 18, 411-413.	2.9	2
463	Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	10
464	Cardiac rehabilitation increases physical capacity but not mental health after heart valve surgery: a randomised clinical trial. <i>Heart</i> , 2016, 102, 1995-2003.	1.2	36
465	Copenhagen comorbidity in HIV infection (COCOMO) study: a study protocol for a longitudinal, non-interventional assessment of non-AIDS comorbidity in HIV infection in Denmark. <i>BMC Infectious Diseases</i> , 2016, 16, 713.	1.3	61
466	Nocturnal antihypertensive treatment in patients with type 1 diabetes with autonomic neuropathy and non-dipping: a randomised, placebo-controlled, double-blind cross-over trial. <i>BMJ Open</i> , 2016, 6, e012307.	0.8	17
467	Identifying Drug-Drug Interactions by Data Mining. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 621-628.	0.9	29
468	Major femoral vascular access complications after coronary diagnostic and interventional procedures: A Danish register study. <i>International Journal of Cardiology</i> , 2016, 202, 604-608.	0.8	50

#	ARTICLE	IF	CITATIONS
469	Prolonged cardiopulmonary resuscitation and outcomes after out-of-hospital cardiac arrest. Resuscitation, 2016, 105, 45-51.	1.3	30
470	Short-term mortality risk of serum potassium levels in hypertension: a retrospective analysis of nationwide registry data. European Heart Journal, 2016, 38, ehw129.	1.0	97
471	Ambulatory cardiac arrhythmias in relation to mild hypokalaemia and prognosis in community dwelling middle-aged and elderly subjects. Europace, 2016, 18, 585-591.	0.7	10
472	Echocardiographic quantification of systolic function during atrial fibrillation: probing the "ten heart cycles" rule. Future Cardiology, 2016, 12, 159-165.	0.5	6
473	Deferred versus conventional stent implantation in patients with ST-segment elevation myocardial infarction (DANAMI 3-DEFER): an open-label, randomised controlled trial. Lancet, The, 2016, 387, 2199-2206.	6.3	160
474	Deferred stenting in acute ST elevation myocardial infarction – Authors' reply. Lancet, The, 2016, 388, 1371-1372.	6.3	1
475	Association Between Heart Rate at Rest and Incident Atrial Fibrillation (from the Copenhagen) Tj ETQq1 1 0.784314 rBT /Overlock 10 T 0.7 21	0.7	21
476	Early changes in left atrial volume after acute myocardial infarction. Relation to invasive hemodynamics at rest and during exercise. International Journal of Cardiology, 2016, 223, 717-722.	0.8	10
477	The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. American Heart Journal, 2016, 181, 35-42.	1.2	35
478	Incidence of cancer in patients with chronic heart failure: a long-term follow-up study. European Journal of Heart Failure, 2016, 18, 260-266.	2.9	158
479	Chronic obstructive pulmonary disease in patients with end-stage kidney disease on hemodialysis. Hemodialysis International, 2016, 20, 68-77.	0.4	20
480	Defibrillator Implantation in Patients with Nonischemic Systolic Heart Failure. New England Journal of Medicine, 2016, 375, 1221-1230.	13.9	1,350
481	Rationale, design, and baseline characteristics of the DANish randomized, controlled, multicenter study to assess the efficacy of Implantable cardioverter defibrillators in patients with non-ischemic Systolic Heart failure on mortality (DANISH). American Heart Journal, 2016, 179, 136-141.	1.2	29
482	Return to the Workforce After First Hospitalization for Heart Failure. Circulation, 2016, 134, 999-1009.	1.6	50
483	Association of Bystander Cardiopulmonary Resuscitation and Survival According to Ambulance Response Times After Out-of-Hospital Cardiac Arrest. Circulation, 2016, 134, 2095-2104.	1.6	122
484	Varying effects of recommended treatments for heart failure with reduced ejection fraction: meta-analysis of randomized controlled trials in the ESC and ACCF/AHA guidelines. ESC Heart Failure, 2016, 3, 235-244.	1.4	17
485	Neuroprotective Effects of the Glucagon-Like Peptide-1 Analog Exenatide After Out-of-Hospital Cardiac Arrest. Circulation, 2016, 134, 2115-2124.	1.6	42
486	Use of digoxin and risk of death or readmission for heart failure and sinus rhythm: A nationwide propensity score matched study. International Journal of Cardiology, 2016, 221, 944-950.	0.8	12

#	ARTICLE	IF	CITATIONS
487	Influence of age on perioperative major adverse cardiovascular events and mortality risks in elective non-cardiac surgery. <i>European Journal of Internal Medicine</i> , 2016, 35, 55-59.	1.0	25
488	Flow measurement at the aortic root - impact of location of through-plane phase contrast velocity mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 55.	1.6	26
489	Ventricular ectopic burden in comatose survivors of out-of-hospital cardiac arrest treated with targeted temperature management at 33°C and 36°C. <i>Resuscitation</i> , 2016, 102, 98-104.	1.3	6
490	Temporal trends in survival after out-of-hospital cardiac arrest in patients with and without underlying chronic obstructive pulmonary disease. <i>Resuscitation</i> , 2016, 104, 76-82.	1.3	9
491	Effect of single and dual renin-angiotensin blockade on stroke in patients with and without diabetes in VALIANT. <i>European Stroke Journal</i> , 2016, 1, 93-100.	2.7	1
492	Longevity and admission to nursing home according to age after isolated coronary artery bypass surgery: a nationwide cohort study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 22, 792-798.	0.5	6
493	Familial clustering and subsequent incidence of atrial fibrillation among first-degree relatives in Denmark. <i>Europace</i> , 2016, 18, 658-664.	0.7	14
494	Age-dependent trends in postoperative mortality and preoperative comorbidity in isolated coronary artery bypass surgery: a nationwide study. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 391-397.	0.6	32
495	Pre-hospital electrocardiographic severity and acuteness scores predict left ventricular function in patients with ST elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2016, 49, 284-291.	0.4	6
496	Normal-Weight Central Obesity and Mortality Risk in Older Adults With Coronary Artery Disease. <i>Mayo Clinic Proceedings</i> , 2016, 91, 343-351.	1.4	65
497	Atrial fibrillation and risk of stroke: a nationwide cohort study. <i>Europace</i> , 2016, 18, 1689-1697.	0.7	45
498	Short and long-term survival after primary percutaneous coronary intervention in young patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 203, 697-701.	0.8	24
499	Better results from prevention than from additional treatment. <i>Nature Reviews Cardiology</i> , 2016, 13, 75-77.	6.1	2
500	Electrocardiographic Tpeak-Tend interval and risk of cardiovascular morbidity and mortality: Results from the Copenhagen ECG study. <i>Heart Rhythm</i> , 2016, 13, 915-924.	0.3	34
501	Risk of death and stroke associated with anticoagulation therapy after mitral valve repair. <i>Heart</i> , 2016, 102, 687-693.	1.2	7
502	Editor's Choice-Is the pre-hospital ECG after out-of-hospital cardiac arrest accurate for the diagnosis of ST-elevation myocardial infarction?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 317-326.	0.4	24
503	Prognostic value of multi-detector computed tomography in asymptomatic aortic valve stenosis. <i>International Journal of Cardiology</i> , 2016, 203, 331-337.	0.8	2
504	Regional cardiac dysfunction and outcome in patients with left ventricular dysfunction, heart failure, or both after myocardial infarction. <i>European Heart Journal</i> , 2016, 37, 466-472.	1.0	40

#	ARTICLE	IF	CITATIONS
505	The importance of $\beta$ -agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 551-559.	0.4	2
506	The Aliskiren Trial to Minimize $\beta$ -OutcomeS in Patients with $\beta$ -Heart failure trial ( $\beta$ -ATMOSPHERE): revised statistical analysis plan and baseline characteristics. <i>European Journal of Heart Failure</i> , 2015, 17, 1075-1083.	2.9	18
507	The formation and design of the TRIAGE study - baseline data on 6005 consecutive patients admitted to hospital from the emergency department. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 106.	1.1	21
508	Thromboembolic risk stratification of patients hospitalized with heart failure in sinus rhythm: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2015, 17, 828-836.	2.9	34
509	Optimal Cardiac Resynchronization Therapy Pacing Rate in Non-Ischemic Heart Failure Patients: A Randomized Crossover Pilot Trial. <i>PLoS ONE</i> , 2015, 10, e0138124.	1.1	2
510	Differing prognostic value of pulse pressure in patients with heart failure with reduced or preserved ejection fraction: results from the MAGGIC individual patient meta-analysis. <i>European Heart Journal</i> , 2015, 36, 1106-1114.	1.0	53
511	Return to Work in Out-of-Hospital Cardiac Arrest Survivors. <i>Circulation</i> , 2015, 131, 1682-1690.	1.6	130
512	Prognostic value of reduced discrimination and oedema on cerebral computed tomography in a daily clinical cohort of out-of-hospital cardiac arrest patients. <i>Resuscitation</i> , 2015, 92, 141-147.	1.3	23
513	Iron deficiency: Prevalence and relation to cardiovascular biomarkers in heart failure outpatients. <i>International Journal of Cardiology</i> , 2015, 195, 143-148.	0.8	20
514	Incidence and outcome of first myocardial infarction according to gender and age in Denmark over a 35-year period (1978-2012). <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2015, 1, 72-78.	1.8	27
515	Short-term mortality risk of serum potassium levels in acute heart failure following myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015, 1, 245-251.	1.4	73
516	Association of Selected Antipsychotic Agents With Major Adverse Cardiovascular Events and Noncardiovascular Mortality in Elderly Persons. <i>Journal of the American Heart Association</i> , 2015, 4, e001666.	1.6	35
517	Long-Term Clinical Impact of Coronary Angiography in Patients With Recent Acute-Onset Chest Pain. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1404-1413.	2.3	65
518	Out-of-hospital cardiac arrests in children and adolescents: Incidences, outcomes, and household socioeconomic status. <i>Resuscitation</i> , 2015, 88, 12-19.	1.3	68
519	Sinus bradycardia during hypothermia in comatose survivors of out-of-hospital cardiac arrest - A new early marker of favorable outcome?. <i>Resuscitation</i> , 2015, 89, 36-42.	1.3	63
520	Myocardial perfusion at rest in patients with Diabetes Mellitus Type 1 compared with healthy controls assessed with Multi Detector Computed Tomography. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 15-22.	1.1	7
521	Non-vitamin K antagonist oral anticoagulation agents in anticoagulant naive atrial fibrillation patients: Danish nationwide descriptive data 2011-2013. <i>Europace</i> , 2015, 17, 187-193.	0.7	152
522	Exercise-based cardiac rehabilitation in patients with heart failure: a meta-analysis of randomised controlled trials between 1999 and 2013. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1504-1512.	0.8	70

#	ARTICLE	IF	CITATIONS
523	Progression of cardiac involvement in patients with limb-girdle type 2 and Becker muscular dystrophies: A 9-year follow-up study. <i>International Journal of Cardiology</i> , 2015, 182, 403-411.	0.8	36
524	Update to the study protocol, including statistical analysis plan for a randomized clinical trial comparing comprehensive cardiac rehabilitation after heart valve surgery with control: the CopenHeartVR trial. <i>Trials</i> , 2015, 16, 38.	0.7	3
525	Association of NSAID Use With Risk of Bleeding and Cardiovascular Events in Patients Receiving Antithrombotic Therapy After Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 805.	3.8	115
526	Age-Specific Performance of the Revised Cardiac Risk Index for Predicting Cardiovascular Risk in Elective Noncardiac Surgery. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 103-108.	0.9	44
527	Mechanisms for overestimating acute myocardial infarct size with gadolinium-enhanced cardiovascular magnetic resonance imaging in humans: a quantitative and kinetic study. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 17, jev123.	0.5	30
528	The Transmural Extent and Severity of Myocardial Hypoperfusion Predicts Long-Term Outcome in NSTEMI. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 684-694.	2.3	16
529	Complete revascularisation versus treatment of the culprit lesion only in patients with ST-segment elevation myocardial infarction and multivessel disease (DANAMI-3-PRIMULTI): an open-label, randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 665-671.	6.3	748
530	NSAIDs are associated with increased risk of atrial fibrillation in patients with prior myocardial infarction: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015, 1, 107-114.	1.4	16
531	Factors Associated With Successful Resuscitation After Out-of-Hospital Cardiac Arrest and Temporal Trends in Survival and Comorbidity. <i>Annals of Emergency Medicine</i> , 2015, 65, 523-531.e2.	0.3	71
532	P-wave duration and the risk of atrial fibrillation: Results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2015, 12, 1887-1895.	0.3	152
533	Survival After Out-of-Hospital Cardiac Arrest in Relation to Age and Early Identification of Patients With Minimal Chance of Long-Term Survival. <i>Circulation</i> , 2015, 131, 1536-1545.	1.6	84
534	Peripheral artery disease is a coronary heart disease risk equivalent among both men and women: results from a nationwide study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 317-325.	0.8	94
535	The Third DANish Study of Optimal Acute Treatment of Patients with ST-segment Elevation Myocardial Infarction: Ischemic postconditioning or deferred stent implantation versus conventional primary angioplasty and complete revascularization versus treatment of culprit lesion only. <i>American Heart Journal</i> . 2015. 169. 613-621.	1.2	61
536	Prognostic Implications of Level-of-Care at Tertiary Heart Centers Compared With Other Hospitals After Resuscitation From Out-of-Hospital Cardiac Arrest. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 268-276.	0.9	54
537	β-Blocker-Associated Risks in Patients With Uncomplicated Hypertension Undergoing Noncardiac Surgery. <i>JAMA Internal Medicine</i> , 2015, 175, 1923.	2.6	37
538	Resuscitation and post resuscitation care of the very old after out-of-hospital cardiac arrest is worthwhile. <i>International Journal of Cardiology</i> , 2015, 201, 616-623.	0.8	39
539	Impact of proton pump inhibitor treatment on gastrointestinal bleeding associated with non-steroidal anti-inflammatory drug use among post-myocardial infarction patients taking antithrombotics: nationwide study. <i>BMJ, The</i> , 2015, 351, h5096.	3.0	22
540	Echocardiographic evaluation of pre-diagnostic development in young relatives genetically predisposed to hypertrophic cardiomyopathy. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1511-1518.	0.7	6

#	ARTICLE	IF	CITATIONS
541	Factors Associated With and Outcomes After Ventricular Fibrillation Before and During Primary Angioplasty in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015, 116, 678-685.	0.7	30
542	Relative Importance of History of Heart Failure Hospitalization and N-Terminal Pro-B-Type Natriuretic Peptide Level as Predictors of Outcomes in Patients With Heart Failure and Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2015, 3, 478-486.	1.9	21
543	Predictors and Progression of Aortic Stenosis in Patients With Preserved Left Ventricular Ejection Fraction. <i>American Journal of Cardiology</i> , 2015, 115, 86-92.	0.7	20
544	Thromboembolic risk in 16 274 atrial fibrillation patients undergoing direct current cardioversion with and without oral anticoagulant therapy. <i>Europace</i> , 2015, 17, 18-23.	0.7	102
545	International Geographic Variation in Event Rates in Trials of Heart Failure With Preserved and Reduced Ejection Fraction. <i>Circulation</i> , 2015, 131, 43-53.	1.6	75
546	Resting heart rate and risk of adverse cardiovascular outcomes in asymptomatic aortic stenosis: The SEAS study. <i>International Journal of Cardiology</i> , 2015, 180, 122-128.	0.8	11
547	Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality—A retrospective nationwide study. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 104-112.	1.1	15
548	Oral anticoagulation therapy after radiofrequency ablation of atrial fibrillation and the risk of thromboembolism and serious bleeding: long-term follow-up in nationwide cohort of Denmark. <i>European Heart Journal</i> , 2015, 36, 307-315.	1.0	98
549	The impact of distal embolization and distal protection on long-term outcome in patients with ST elevation myocardial infarction randomized to primary percutaneous coronary intervention—results from a randomized study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 180-188.	0.4	17
550	Pharmacogenetic Risk Stratification in Angiotensin-Converting Enzyme Inhibitor-Treated Patients with Congestive Heart Failure: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0144195.	1.1	9
551	Abstract 18150: Ventricular Arrhythmia During Post Cardiac Arrest Care: Prognostic Importance and Influence of Pre-hospital Defibrillation - A TTM Substudy. <i>Circulation</i> , 2015, 132, .	1.6	0
552	Targeted Temperature Management at 33°C Versus 36°C and Impact on Systemic Vascular Resistance and Myocardial Function After Out-of-Hospital Cardiac Arrest. <i>Circulation: Cardiovascular Interventions</i> , 2014, 7, 663-672.	1.4	83
553	Cardiovascular Disease in Survivors of Adolescent and Young Adult Cancer: A Danish Cohort Study, 1943–2009. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju110.	3.0	84
554	Temporal Trends in Coverage of Historical Cardiac Arrests Using a Volunteer-Based Network of Automated External Defibrillators Accessible to Laypersons and Emergency Dispatch Centers. <i>Circulation</i> , 2014, 130, 1859-1867.	1.6	85
555	Effect of extended follow-up in a specialized heart failure clinic on adherence to guideline recommended therapy: NorthStar Adherence Study. <i>European Journal of Heart Failure</i> , 2014, 16, 1249-1255.	2.9	21
556	Risk prediction of cardiovascular death based on the QTc interval: evaluating age and gender differences in a large primary care population. <i>European Heart Journal</i> , 2014, 35, 1335-1344.	1.0	98
557	Nocturnal antihypertensive treatment in patients with type 1 diabetes with autonomic neuropathy and non-dipping of blood pressure during night time: protocol for a randomised, placebo-controlled, double-blind, two-way crossover study. <i>BMJ Open</i> , 2014, 4, e006142.	0.8	3
558	Myocardial infarction is a frequent cause of exercise-related resuscitated out-of-hospital cardiac arrest in a general non-athletic population. <i>Resuscitation</i> , 2014, 85, 1612-1618.	1.3	9



#	ARTICLE	IF	CITATIONS
559	Nationwide trends in development of heart failure and mortality after first-time myocardial infarction 1997–2010: A Danish cohort study. <i>European Journal of Internal Medicine</i> , 2014, 25, 731-738.	1.0	33
560	Comparison of the clinical outcome of different beta-blockers in heart failure patients: a retrospective nationwide cohort study. <i>European Journal of Heart Failure</i> , 2014, 16, 678-684.	2.9	25
561	Relationships Between Biomarkers and Left Ventricular Filling Pressures at Rest and During Exercise in Patients After Myocardial Infarction. <i>Journal of Cardiac Failure</i> , 2014, 20, 959-967.	0.7	12
562	Distinction of salvaged and infarcted myocardium within the ischaemic area-at-risk with T2 mapping. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1048-1053.	0.5	35
563	Four-Group Classification of Left Ventricular Hypertrophy Based on Ventricular Concentricity and Dilatation Identifies a Low-Risk Subset of Eccentric Hypertrophy in Hypertensive Patients. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 422-429.	1.3	87
564	Availability of a baseline Electrocardiogram changes the application of the Sclarovsky-Birnbaum Myocardial Ischemia Grade. <i>Journal of Electrocardiology</i> , 2014, 47, 571-576.	0.4	4
565	Hemodynamics and vasopressor support in therapeutic hypothermia after cardiac arrest: Prognostic implications. <i>Resuscitation</i> , 2014, 85, 664-670.	1.3	32
566	Resuscitation of patients suffering from sudden cardiac arrests in nursing homes is not futile. <i>Resuscitation</i> , 2014, 85, 369-375.	1.3	37
567	Incidence and Influence of Hospitalization for Recurrent Syncope and Its Effect on Short- and Long-Term All-Cause and Cardiovascular Mortality. <i>American Journal of Cardiology</i> , 2014, 113, 1744-1750.	0.7	17
568	A mismatch index based on the difference between measured left ventricular ejection fraction and that estimated by infarct size at three months following reperfused acute myocardial infarction. <i>Journal of Electrocardiology</i> , 2014, 47, 191-196.	0.4	2
569	Antithrombotic Treatment in Patients With Heart Failure and Associated Atrial Fibrillation and Vascular Disease. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2689-2698.	1.2	25
570	Stroke in Patients With Aortic Stenosis. <i>Stroke</i> , 2014, 45, 1939-1946.	1.0	25
571	Usefulness of the Electrocardiogram in Predicting Cardiovascular Mortality in Asymptomatic Adults With Aortic Stenosis (from the Simvastatin and Ezetimibe in Aortic Stenosis Study). <i>American Journal of Cardiology</i> , 2014, 114, 751-756.	0.7	8
572	Diurnal variations in incidence and outcome of out-of-hospital cardiac arrest including prior comorbidity and pharmacotherapy: A nationwide study in Denmark. <i>Resuscitation</i> , 2014, 85, 1161-1168.	1.3	22
573	Survival after out-of-hospital cardiac arrest in relation to sex: A nationwide registry-based study. <i>Resuscitation</i> , 2014, 85, 1212-1218.	1.3	86
574	Renin-angiotensin system inhibition is not associated with increased sudden cardiac death, cardiovascular mortality or all-cause mortality in patients with aortic stenosis. <i>International Journal of Cardiology</i> , 2014, 175, 492-498.	0.8	31
575	Myocardial fibrosis in patients with myotonic dystrophy type 1: a cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 59.	1.6	43
576	Prognostic value of electroencephalography (EEG) after out-of-hospital cardiac arrest in successfully resuscitated patients used in daily clinical practice. <i>Resuscitation</i> , 2014, 85, 1580-1585.	1.3	34

#	ARTICLE	IF	CITATIONS
577	Association of heart failure severity with risk of diabetes: a Danish nationwide cohort study. <i>Diabetologia</i> , 2014, 57, 1595-1600.	2.9	37
578	The association between renal impairment and cardiac structure and function in patients with acute myocardial infarction. <i>American Heart Journal</i> , 2014, 167, 506-513.	1.2	6
579	High prevalence of cardiac involvement in patients with myotonic dystrophy type 1: A cross-sectional study. <i>International Journal of Cardiology</i> , 2014, 174, 31-36.	0.8	44
580	Residual OCTN2 transporter activity, carnitine levels and symptoms correlate in patients with primary carnitine deficiency. <i>Molecular Genetics and Metabolism Reports</i> , 2014, 1, 241-248.	0.4	20
581	Echocardiographic Findings Suggestive of Infective Endocarditis in Asymptomatic Danish Injection Drug Users Attending Urban Injection Facilities. <i>American Journal of Cardiology</i> , 2014, 114, 100-104.	0.7	16
582	Abstract 20552: Comparison of Outcome in Patients With ST-Elevation Myocardial Infarction Treated with Drug-Eluting Stents versus Bare Metal Stents in Eastern Denmark and Southern Sweden. <i>Circulation</i> , 2014, 130, .	1.6	0
583	Development and Progression of Coronary Artery Calcification in Long-Term Smokers: Adverse Effects of Continued Smoking. <i>Journal of the American College of Cardiology</i> , 2013, 62, 255-257.	1.2	19
584	Association of National Initiatives to Improve Cardiac Arrest Management With Rates of Bystander Intervention and Patient Survival After Out-of-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1377.	3.8	933
585	Patient adherence to evidence-based pharmacotherapy in systolic heart failure and the transition of follow-up from specialized heart failure outpatient clinics to primary care. <i>European Journal of Heart Failure</i> , 2013, 15, 671-678.	2.9	37
586	Hospital admissions and pharmacotherapy before out-of-hospital cardiac arrest according to age. <i>Resuscitation</i> , 2012, 83, 584-590.	1.3	13
587	Association of Clopidogrel Treatment With Risk of Mortality and Cardiovascular Events Following Myocardial Infarction in Patients With and Without Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 882.	3.8	48
588	Comparison of Selvester QRS score with magnetic resonance imaging measured infarct size in patients with ST elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2012, 45, 414-419.	0.4	20
589	Abstract 245: Cause specific Cardiovascular Risk Associated with use of Non Steroidal Anti-Inflammatory Drugs among Patients with Prior Myocardial Infarction - a Nationwide Cohort Study.. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, .	0.9	0
590	Abstract 69: Increased Risk of Venous Thromboembolism Associated with use of Non Steroidal Anti-Inflammatory Drugs among Patients with Prior Myocardial Infarction - A Nationwide Cohort Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, .	0.9	0
591	Efficacy of Post-Operative Clopidogrel Treatment in Patients Revascularized With Coronary Artery Bypass Grafting After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2011, 57, 1202-1209.	1.2	75
592	Heart failure etiology impacts survival of patients with heart failure. <i>International Journal of Cardiology</i> , 2011, 149, 211-215.	0.8	45
593	Pharmacotherapy and hospital admissions before out-of-hospital cardiac arrest: A nationwide study. <i>Resuscitation</i> , 2010, 81, 1657-1663.	1.3	15
594	Cardiovascular Effects of Growth Hormone in Adult Hemodialysis Patients: Results from a Randomized Controlled Trial. <i>Nephron Clinical Practice</i> , 2010, 115, c213-c226.	2.3	6

#	ARTICLE	IF	CITATIONS
595	Heart failure severity, as determined by loop diuretic dosages, predicts the risk of developing diabetes after myocardial infarction: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2010, 12, 1333-1338.	2.9	62
596	Increased Mortality Associated With Low Use of Clopidogrel in Patients With Heart Failure and Acute Myocardial Infarction Not Undergoing Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1300-1307.	1.2	18
597	Assessment of left atrial volume and mechanical function in ischemic heart disease. <i>International Journal of Cardiology</i> , 2010, 145, 197-202.	0.8	21
598	Long-term impact of diabetes in patients hospitalized with ischemic and non-ischemic heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 37-44.	0.4	18
599	Risk of bleeding in patients with acute myocardial infarction treated with different combinations of aspirin, clopidogrel, and vitamin K antagonists in Denmark: a retrospective analysis of nationwide registry data. <i>Lancet, The</i> , 2009, 374, 1967-1974.	6.3	507
600	Diabetes Patients Requiring Glucose-Lowering Therapy and Nondiabetics With a Prior Myocardial Infarction Carry the Same Cardiovascular Risk. <i>Circulation</i> , 2008, 117, 1945-1954.	1.6	480
601	Accuracy of a heart failure diagnosis in administrative registers. <i>European Journal of Heart Failure</i> , 2008, 10, 658-660.	2.9	214
602	Increased Mortality after Dronedarone Therapy for Severe Heart Failure. <i>New England Journal of Medicine</i> , 2008, 358, 2678-2687.	13.9	901
603	Persistent Use of Evidence-Based Pharmacotherapy in Heart Failure Is Associated With Improved Outcomes. <i>Circulation</i> , 2007, 116, 737-744.	1.6	150
604	Previously known and newly diagnosed atrial fibrillation: A major risk indicator after a myocardial infarction complicated by heart failure or left ventricular dysfunction†. <i>European Journal of Heart Failure</i> , 2006, 8, 591-598.	2.9	111
605	Long-term compliance with beta-blockers, angiotensin-converting enzyme inhibitors, and statins after acute myocardial infarction. <i>European Heart Journal</i> , 2006, 27, 1153-1158.	1.0	268
606	Valsartan: the past, present and future. <i>Future Cardiology</i> , 2005, 1, 591-598.	0.5	1
607	Antiarrhythmic effect of carvedilol after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2005, 45, 525-530.	1.2	242
608	BNP and Functional Status in Heart Failure (Response). <i>Cardiovascular Drugs and Therapy</i> , 2004, 18, 509-510.	1.3	0
609	Should investigators be involved in more than one similar type trial?. , 2001, 15, 181-185.		0
610	Dofetilide in Patients with Congestive Heart Failure and Left Ventricular Dysfunction: Safety Aspects and Effect on Atrial Fibrillation. <i>Congestive Heart Failure</i> , 2001, 7, 146-155.	2.0	51
611	QTc Interval as a Guide to Select Those Patients With Congestive Heart Failure and Reduced Left Ventricular Systolic Function Who Will Benefit From Antiarrhythmic Treatment With Dofetilide. <i>Circulation</i> , 2001, 103, 1422-1427.	1.6	74
612	QT Dispersion Has No Prognostic Information for Patients With Advanced Congestive Heart Failure and Reduced Left Ventricular Systolic Function. <i>Circulation</i> , 2001, 103, 831-835.	1.6	105

#	ARTICLE	IF	CITATIONS
613	Dofetilide: a new drug to control cardiac arrhythmia. , 0, .		2
614	Incident atrial fibrillation and heart failure in treated hypertensive patients with left ventricular hypertrophy. The LIFE Study. Exploration of Medicine, 0, , 139-148.	1.5	2