

Lars KÃber

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5570976/publications.pdf>

Version: 2024-02-01

614
papers

32,861
citations

6613

79
h-index

6300

158
g-index

619
all docs

619
docs citations

619
times ranked

29528
citing authors

#	ARTICLE	IF	CITATIONS
1	Ticagrelor and the risk of <i>Staphylococcus aureus</i> bacteraemia and other infections. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 13-19.	3.0	10
2	Cause-specific death and risk factors of 1-year mortality after implantable cardioverter-defibrillator implantation: a nationwide study. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 39-49.	4.0	3
3	Severity of congenital long QT syndrome disease manifestation and risk of depression, anxiety, and mortality: a nationwide study. Europace, 2022, 24, 620-629.	1.7	7
4	The association between cardiovascular disease admission rates and the coronavirus disease 2019 lockdown and reopening of a nation: a Danish nationwide cohort study. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 14-22.	4.0	9
5	Cardiovascular outcomes with GLP-1 receptor agonists vs. SGLT-2 inhibitors in patients with type 2 diabetes. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 549-556.	3.0	14
6	Reintervention rates following bioprosthetic surgical aortic valve replacementâ€”a Danish Nationwide Cohort Study. European Journal of Cardio-thoracic Surgery, 2022, 61, 614-622.	1.4	2
7	Temporal trends in utilization of transcatheter aortic valve replacement and patient characteristics: A nationwide study. American Heart Journal, 2022, 243, 140-146.	2.7	12
8	Fascicular heart blocks and risk of adverse cardiovascular outcomes: Results from a large primary care population. Heart Rhythm, 2022, 19, 252-259.	0.7	8
9	Importance of diagnostic setting in determining mortality in patients with new-onset heart failure: temporal trends in Denmark from 1997 to 2017. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 750-760.	4.0	7
10	Severity of anaemia and association with all-cause mortality in patients with medically managed left-sided endocarditis. Heart, 2022, 108, 882-888.	2.9	4
11	Effect of Empagliflozin on Blood Volume Redistribution in Patients With Chronic Heart Failure and Reduced Ejection Fraction: An Analysis From the Empire HF Randomized Clinical Trial. Circulation: Heart Failure, 2022, 15, .	3.9	17
12	Cardiac rehabilitation for patients with heart failure: association with readmission and mortality risk. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 830-839.	4.0	14
13	Impact of Sacubitril/Valsartan Versus Ramipril on Total Heart Failure Events in the PARADISE-MI Trial. Circulation, 2022, 145, 87-89.	1.6	28
14	Dapagliflozin and new-onset type 2 diabetes in patients with chronic kidney disease or heart failure: pooled analysis of the DAPA-CKD and DAPA-HF trials. Lancet Diabetes and Endocrinology, the, 2022, 10, 24-34.	11.4	40
15	Dapagliflozin and atrial fibrillation in heart failure with reduced ejection fraction: insights from <sc>DAPAâ€HF</sc>. European Journal of Heart Failure, 2022, 24, 513-525.	7.1	33
16	Glycated haemoglobin levels among 3295 hospitalized <sc>COVID</sc>-19 patients, with and without diabetes, and risk of severe infection, admission to an intensive care unit and all-cause mortality. Diabetes, Obesity and Metabolism, 2022, 24, 499-510.	4.4	12
17	Efficacy of Dapagliflozin in Black Versus White Patients With Heart Failure and Reduced Ejection Fraction. JACC: Heart Failure, 2022, 10, 52-64.	4.1	10
18	Long-term Risk of Heart Failure and Other Adverse Cardiovascular Outcomes in Granulomatosis With Polyangiitis: A Nationwide Cohort Study. Journal of Rheumatology, 2022, 49, 291-298.	2.0	3

#	ARTICLE	IF	CITATIONS
19	Elevated lipoprotein(a) in mitral and aortic valve calcification and disease: The Copenhagen General Population Study. <i>Atherosclerosis</i> , 2022, 349, 166-174.	0.8	21
20	Impairment of gut microbial biotin metabolism and host biotin status in severe obesity: effect of biotin and prebiotic supplementation on improved metabolism. <i>Gut</i> , 2022, 71, 2463-2480.	12.1	53
21	Diabetes and pre-diabetes in patients with heart failure and preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2022, 24, 497-509.	7.1	30
22	The burden of cardiovascular outcomes in heart failure patients with new-onset, prevalent, and without type 2 diabetes. <i>Clinical Research in Cardiology</i> , 2022, 111, 460-468.	3.3	0
23	Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: a nationwide study in <sc>Denmark</sc> from 2003 to 2017. <i>European Journal of Heart Failure</i> , 2022, 24, 539-547.	7.1	15
24	Gender- and Age-Specific Rates of Heart Failure and other Adverse Cardiovascular Outcomes in Systemic Sclerosis. <i>Rheumatology</i> , 2022, , .	1.9	1
25	Accuracy, analysis time, and reproducibility of dedicated 4D echocardiographic left atrial volume quantification software. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 1277-1288.	1.5	2
26	Dapagliflozin reduces uric acid concentration, an independent predictor of adverse outcomes in <sc>DAPA-HF</sc>. <i>European Journal of Heart Failure</i> , 2022, 24, 1066-1076.	7.1	28
27	Effect of Dapagliflozin, Compared With Placebo, According to Baseline Risk in DAPA-HF. <i>JACC: Heart Failure</i> , 2022, 10, 104-118.	4.1	5
28	Effect of implantable cardioverter-defibrillators in patients with non-ischaemic systolic heart failure and concurrent coronary atherosclerosis. <i>ESC Heart Failure</i> , 2022, 9, 1287-1293.	3.1	1
29	The impact of partial-oral endocarditis treatment on anxiety and depression in the POET trial. <i>Journal of Psychosomatic Research</i> , 2022, 154, 110718.	2.6	3
30	Impact of socioeconomic position on initiation of SGLT-2 inhibitors or GLP-1 receptor agonists in patients with type 2 diabetes – a Danish nationwide observational study. <i>Lancet Regional Health - Europe</i> , The, 2022, 14, 100308.	5.6	17
31	Long-Term Follow-Up of DANISH (The Danish Study to Assess the Efficacy of ICDs in Patients With) Tj ETQq1 1 0.784314 rgBT /Overl	1.6	28
32	Five-Year Outcomes of the Partial Oral Treatment of Endocarditis (POET) Trial. <i>New England Journal of Medicine</i> , 2022, 386, 601-602.	27.0	24
33	Flu Vaccine and Mortality in Hypertension: A Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2022, , e021715.	3.7	4
34	Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e022638.	3.7	16
35	Long-term Risk of Death and Hospitalization in Patients With Heart Failure and Takotsubo Syndrome: Insights From a Nationwide Cohort. <i>Journal of Cardiac Failure</i> , 2022, 28, 1534-1544.	1.7	14
36	Comparison of Effect of Ischemic Postconditioning on Cardiovascular Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention With Versus Without Thrombectomy. <i>American Journal of Cardiology</i> , 2022, 166, 18-24.	1.6	6

#	ARTICLE	IF	CITATIONS
37	A systematic review and meta-analysis of beta-blockers and renin-angiotensin system inhibitors for preventing left ventricular dysfunction due to anthracyclines or trastuzumab in patients with breast cancer. <i>European Heart Journal</i> , 2022, 43, 2562-2569.	2.2	39
38	Return to work after acute myocardial infarction with cardiogenic shock: a Danish nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 397-406.	1.0	2
39	Blood Pressure Drops During Hospitalization for Acute Heart Failure Treated With Serelaxin: A Patient-Level Analysis of 4 Randomized Controlled Trials. <i>Circulation: Heart Failure</i> , 2022, 15, CIRCHEARTFAILURE121009199.	3.9	3
40	The effect of empagliflozin on growth differentiation factor 15 in patients with heart failure: a randomized controlled trial (Empire HF Biomarker). <i>Cardiovascular Diabetology</i> , 2022, 21, 34.	6.8	10
41	Microbiome and metabolome features of the cardiometabolic disease spectrum. <i>Nature Medicine</i> , 2022, 28, 303-314.	30.7	102
42	Association between early detected heart failure stages and future cardiovascular and non-cardiovascular events in the elderly (Copenhagen Heart Failure Risk Study). <i>BMC Geriatrics</i> , 2022, 22, 230.	2.7	1
43	Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e024402.	3.7	1
44	NT-proBNP and ICD in Nonischemic Systolic Heart Failure. <i>JACC: Heart Failure</i> , 2022, 10, 161-171.	4.1	4
45	Periodic Repolarization Dynamics Identifies ICD Responders in Nonischemic Cardiomyopathy: A DANISH Substudy. <i>Circulation</i> , 2022, 145, 754-764.	1.6	5
46	Eligibility for pharmacological therapies in heart failure with reduced ejection fraction: implications of the new Chronic Kidney Disease Epidemiology Collaboration creatinine equation for estimating glomerular filtration rate. <i>European Journal of Heart Failure</i> , 2022, 24, 861-866.	7.1	7
47	Temporal trends of mortality in patients with infective endocarditis: a nationwide study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 9, 24-33.	4.0	12
48	Long-Term Mortality in Different Age Groups of Patients with Infective Endocarditis Who Undergo Aortic Root Replacement: A Nationwide Study. <i>Heart Surgery Forum</i> , 2022, 25, E213-E221.	0.5	0
49	Relationship of Dapagliflozin With Serum Sodium. <i>JACC: Heart Failure</i> , 2022, 10, 306-318.	4.1	10
50	Bleeding Episodes in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome Undergoing Very Early Versus Standard Care Invasive Examination (from the Very Early vs Deferred Invasive) Tj ETQq0 0 0 rgBT 1,6 Overlock 10 Tf 50 22 170, 10-16.	1.6	1
51	Hearing loss in fabry disease: A 16-year follow-up study of the Danish nationwide cohort. <i>Molecular Genetics and Metabolism Reports</i> , 2022, 31, 100841.	1.1	4
52	Left Atrial Remodeling and Cerebrovascular Disease Assessed by Magnetic Resonance Imaging in Continuously Monitored Patients. <i>Cerebrovascular Diseases</i> , 2022, 51, 403-412.	1.7	0
53	Accelerated and personalized therapy for heart failure with reduced ejection fraction. <i>European Heart Journal</i> , 2022, 43, 2573-2587.	2.2	41
54	Prognostic implications of serial high-sensitivity cardiac troponin testing among patients with COVID-19: A Danish nationwide registry-based cohort study. <i>American Heart Journal Plus</i> , 2022, 14, 100131.	0.6	3

#	ARTICLE	IF	CITATIONS
55	Self-assessed health status and associated mortality in endocarditis: secondary findings from the POET trial. <i>Quality of Life Research</i> , 2022, , 1.	3.1	0
56	β-blocker adherence among patients with congenital long QT syndrome: a nationwide study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 9, 76-84.	4.0	3
57	Initial Decline (Dip) in Estimated Glomerular Filtration Rate After Initiation of Dapagliflozin in Patients With Heart Failure and Reduced Ejection Fraction: Insights From DAPA-HF. <i>Circulation</i> , 2022, 146, 438-449.	1.6	53
58	Food purchases in households with and without diabetes based on consumer purchase data. <i>Primary Care Diabetes</i> , 2022, 16, 574-580.	1.8	5
59	Feasibility of randomizing Danish citizens aged 65–79 years to high-dose quadrivalent influenza vaccine vs. standard-dose quadrivalent influenza vaccine in a pragmatic registry-based setting: rationale and design of the DANFLU-1 Trial. <i>Pilot and Feasibility Studies</i> , 2022, 8, 87.	1.2	8
60	Clinical outcomes of no stenting in patients with ST-segment elevation myocardial infarction undergoing deferred primary percutaneous coronary intervention. <i>EuroIntervention</i> , 2022, 18, 482-491.	3.2	10
61	Efficacy and Safety of Dapagliflozin According to Frailty in Heart Failure With Reduced Ejection Fraction. <i>Annals of Internal Medicine</i> , 2022, 175, 820-830.	3.9	56
62	Sodium–Glucose Cotransporter 2 Inhibitors in Heart Failure with Reduced Ejection Fraction: Current Evidence and Future Perspectives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, , .	2.5	1
63	The Effect of Empagliflozin on Contractile Reserve in Heart Failure: Prespecified Sub-Study of a Randomized, Double-Blind, and Placebo-Controlled Trial. <i>American Heart Journal</i> , 2022, 250, 57-57.	2.7	1
64	ECG and CT for the detection of left atrial enlargement in hypertensive individuals—a population-based study. <i>Hypertension Research</i> , 2022, , .	2.7	0
65	Five-Year Outcomes After Coronary Computed Tomography Angiography (From 110,599 Patients in a Tj ETQq1 1 0.784314 ggBT /Over	1.6	0
66	Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. <i>PLoS ONE</i> , 2022, 17, e0269475.	2.5	2
67	Incidence rates of dilated cardiomyopathy in adult first-degree relatives versus matched controls. <i>IJC Heart and Vasculature</i> , 2022, 41, 101065.	1.1	5
68	Polygenic risk score for ACE-inhibitor-associated cough based on the discovery of new genetic loci. <i>European Heart Journal</i> , 2022, 43, 4707-4718.	2.2	5
69	Classification of Left and Right Coronary Arteries in Coronary Angiographies Using Deep Learning. <i>Electronics (Switzerland)</i> , 2022, 11, 2087.	3.1	2
70	Long-term effects of cardiac rehabilitation after heart valve surgery - results from the randomised CopenHeart_{VR} trial. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 247-255.	1.2	3
71	Dabigatran and the Risk of <i>Staphylococcus aureus</i> Bacteremia: A Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, 73, 480-486.	5.8	9
72	Early glycaemic changes after initiation of oral antidiabetic medication and risk of major adverse cardiovascular events: results from a large primary care population of patients with type 2 diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 486-495.	3.0	3

#	ARTICLE	IF	CITATIONS
73	Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19)â€”A Danish Nationwide, Register-based Study. <i>Clinical Infectious Diseases</i> , 2021, 73, e4025-e4030.	5.8	90
74	Pulmonary Arterial Enlargement in Well-Treated Persons With Human Immunodeficiency Virus. <i>Journal of Infectious Diseases</i> , 2021, 223, 94-100.	4.0	1
75	Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levelsâ€”a Danish registry-based study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, 7, 181-188.	4.0	3
76	Left ventricular myocardial crypts: morphological patterns and prognostic implications. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 75-81.	1.2	8
77	Atrial fibrillation is a marker of increased mortality risk in nonischemic heart failureâ€”Results from the DANISH trial. <i>American Heart Journal</i> , 2021, 232, 61-70.	2.7	2
78	The benefit of complete revascularization after primary PCI for STEMI is attenuated by increasing age: Results from the DANAMIâ€”PRIMULTI randomized study. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E467-E474.	1.7	11
79	Outcome of Dialysis-Requiring Acute Kidney Injury in Patients With Infective Endocarditis: A Nationwide Study. <i>Clinical Infectious Diseases</i> , 2021, 72, e232-e239.	5.8	4
80	The DANish randomized, double-blind, placebo controlled trial in patients with chronic HEART failure (DANHEART): A 2 Ã— 2 factorial trial of hydralazine-isosorbide dinitrate in patients with chronic heart failure (H-HeFT) and metformin in patients with chronic heart failure and diabetes or prediabetes (Met-HeFT). <i>American Heart Journal</i> , 2021, 231, 137-146.	2.7	21
81	Efficacy of Dapagliflozin on Renal Function and Outcomes in Patients With Heart Failure With Reduced Ejection Fraction. <i>Circulation</i> , 2021, 143, 298-309.	1.6	193
82	Prevalence and prognostic association of ventricular arrhythmia in non-ischaemic heart failure patients: results from the DANISH trial. <i>Europace</i> , 2021, 23, 587-595.	1.7	10
83	Reply to: Letter to the editor: Breaking the trend in cardiogenic shockâ€”From door-to-balloon to door-to-support. <i>American Heart Journal</i> , 2021, 231, 161.	2.7	0
84	Risk of arrhythmias after myocardial infarction in patients with left ventricular systolic dysfunction according to mode of revascularization: a Cardiac Arrhythmias and Risk Stratification after Myocardial infArction (CARISMA) substudy. <i>Europace</i> , 2021, 23, 616-623.	1.7	5
85	Incidence of acute coronary syndrome during national lock-down: Insights from nationwide data during the Coronavirus disease 2019 (COVID-19) pandemic. <i>American Heart Journal</i> , 2021, 232, 146-153.	2.7	13
86	Developing and validating models to predict sudden death and pump failure death in patients with heart failure and preserved ejection fraction. <i>Clinical Research in Cardiology</i> , 2021, 110, 1234-1248.	3.3	8
87	The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. <i>European Heart Journal</i> , 2021, 42, 1621-1631.	2.2	102
88	Temporal changes in the incidence of infective endocarditis in Denmark 1997â€”2017: A nationwide study. <i>International Journal of Cardiology</i> , 2021, 326, 145-152.	1.7	35
89	Comment onâ€”Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose: reply. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 75-75.	3.0	0
90	Vitamin K antagonists vs. direct oral anticoagulants after transcatheter aortic valve implantation in atrial fibrillation. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 11-19.	3.0	51

#	ARTICLE	IF	CITATIONS
91	Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 20-30.	3.0	4
92	Effects of dapagliflozin in heart failure with reduced ejection fraction and chronic obstructive pulmonary disease: an analysis of <sc>DAPAâ€HF</sc>. <i>European Journal of Heart Failure</i> , 2021, 23, 632-643.	7.1	24
93	Risk of major cardiovascular events according to educational level before and after the initial COVID-19 public lockdown: a nationwide study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 829-835.	3.7	6
94	Effects of empagliflozin on estimated extracellular volume, estimated plasma volume, and measured glomerular filtration rate in patients with heart failure (Empire HF Renal): a prespecified substudy of a double-blind, randomised, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 106-116.	11.4	80
95	All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2021, 42, 1516-1523.	2.2	50
96	Consequences of coronavirus disease-2019 (COVID-19) lockdown on infection-related hospitalizations among the pediatric population in Denmark. <i>European Journal of Pediatrics</i> , 2021, 180, 1955-1963.	2.7	18
97	Comparison of the three-level and the five-level versions of the EQ-5D. <i>European Journal of Health Economics</i> , 2021, 22, 621-628.	2.8	13
98	Serum potassium and outcomes in heart failure with preserved ejection fraction: a postâ€hoc analysis of the <sc>PARAGONâ€HF</sc> trial. <i>European Journal of Heart Failure</i> , 2021, 23, 776-784.	7.1	12
99	Effect of dapagliflozin on anaemia in <sc>DAPAâ€HF</sc>. <i>European Journal of Heart Failure</i> , 2021, 23, 617-628.	7.1	57
100	Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. <i>Thrombosis Research</i> , 2021, 199, 97-100.	1.7	6
101	Cardiac and Noncardiac Disease Burden and Treatment Effect of Sacubitril/Valsartan. <i>Circulation: Heart Failure</i> , 2021, 14, e008052.	3.9	13
102	Efficacy and safety of dapagliflozin according to aetiology in heart failure with reduced ejection fraction: insights from the <sc>DAPAâ€HF</sc> trial. <i>European Journal of Heart Failure</i> , 2021, 23, 601-613.	7.1	33
103	Early ICD implantation in cardiac arrest survivors with acute coronary syndrome â€“ predictors of implantation, ICD-therapy and long-term survival. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 205-212.	1.2	4
104	Maternal weight change from prepregnancy to 18 months postpartum and subsequent risk of hypertension and cardiovascular disease in Danish women: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003486.	8.4	22
105	The Danish comorbidity in liver transplant recipients study (DACOLT): a non-interventional prospective observational cohort study. <i>BMC Gastroenterology</i> , 2021, 21, 145.	2.0	2
106	Prospective ARNI vs. ACE inhibitor trial to Determine Superiority in reducing heart failure Events after Myocardial Infarction (PARADISEâ€MI): design and baseline characteristics. <i>European Journal of Heart Failure</i> , 2021, 23, 1040-1048.	7.1	70
107	Long-Term Cardiovascular Outcomes in Systemic Lupus Erythematosus. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1717-1727.	2.8	44
108	Household Exposure to Severe Acute Respiratory Syndrome Coronavirus 2 and Association With Coronavirus Disease 2019 Severity: A Danish Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, . .	5.8	4

#	ARTICLE	IF	CITATIONS
109	The association of prior carpal tunnel syndrome surgery with adverse cardiovascular outcomes and long-term mortality after aortic valve replacement. <i>IJC Heart and Vasculature</i> , 2021, 33, 100741.	1.1	0
110	Impact of age on reperfusion success and long-term prognosis in ST-segment elevation myocardial infarction – A cardiac magnetic resonance imaging study. <i>IJC Heart and Vasculature</i> , 2021, 33, 100731.	1.1	4
111	Sex-Specific Prevalence, Incidence, and Mortality Associated With Atrial Fibrillation in Heart Failure. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 1366-1375.	3.2	10
112	Global Differences in Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2021, 14, e007901.	3.9	25
113	Dapagliflozin in HFrEF Patients Treated With Mineralocorticoid Receptor Antagonists. <i>JACC: Heart Failure</i> , 2021, 9, 254-264.	4.1	75
114	Severe mental illness is associated with increased mortality and severe course of COVID-19. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 82-91.	4.5	46
115	Impact of myocardial infarction symptom presentation on emergency response and survival. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, , .	1.0	4
116	Time to Thrombolysis and Long-Term Outcomes in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2021, 52, 1724-1732.	2.0	23
117	Dapagliflozin and Recurrent Heart Failure Hospitalizations in Heart Failure With Reduced Ejection Fraction: An Analysis of DAPA-HF. <i>Circulation</i> , 2021, 143, 1962-1972.	1.6	35
118	Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 162, 135-142.	3.0	16
119	Ischemia From Nonculprit Stenoses Is Not Associated With Reduced Culprit Infarct Size in Patients with ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012290.	2.6	2
120	Time to Clinical Benefit of Dapagliflozin and Significance of Prior Heart Failure Hospitalization in Patients With Heart Failure With Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 499.	6.1	120
121	Insulin resistance genetic risk score and burden of coronary artery disease in patients referred for coronary angiography. <i>PLoS ONE</i> , 2021, 16, e0252855.	2.5	1
122	Efficacy and Safety of Dapagliflozin in Men and Women With Heart Failure With Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 678.	6.1	26
123	Metabolic Effects of Empagliflozin in Heart Failure: A Randomized, Double-Blind, and Placebo-Controlled Trial (Empire HF Metabolic). <i>Circulation</i> , 2021, 143, 2208-2210.	1.6	8
124	Heart failure associated with imported malaria: a nationwide Danish cohort study. <i>ESC Heart Failure</i> , 2021, 8, 3521-3529.	3.1	9
125	Extrapolating Long-term Event-Free and Overall Survival With Dapagliflozin in Patients With Heart Failure and Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 1298-1305.	6.1	12
126	Risk of Physical Injury for Dispatched Citizen Responders to Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2021, 10, e021626.	3.7	3

#	ARTICLE	IF	CITATIONS
127	HIV infection is associated with thoracic and abdominal aortic aneurysms: a prospective matched cohort study. <i>European Heart Journal</i> , 2021, 42, 2924-2931.	2.2	17
128	Oral fluoroquinolones and risk of aortic or mitral regurgitation: a nationwide nested case-control study. <i>European Heart Journal</i> , 2021, 42, 2899-2908.	2.2	7
129	Initiation of and persistence with P2Y12 inhibitors in patients with myocardial infarction according to revascularization strategy: a nationwide study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 774-786.	1.0	2
130	Associations of Empagliflozin With Left Ventricular Volumes, Mass, and Function in Patients With Heart Failure and Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 836.	6.1	95
131	Efficacy of dapagliflozin in heart failure with reduced ejection fraction according to body mass index. <i>European Journal of Heart Failure</i> , 2021, 23, 1662-1672.	7.1	36
132	Natriuretic peptide plasma concentrations and risk of cardiovascular versus non-cardiovascular events in heart failure with reduced ejection fraction: Insights from the PARADIGM-HF and ATMOSPHERE trials. <i>American Heart Journal</i> , 2021, 237, 45-53.	2.7	3
133	Implantable loop recorder detection of atrial fibrillation to prevent stroke (The LOOP Study): a randomised controlled trial. <i>Lancet</i> , 2021, 398, 1507-1516.	13.7	251
134	Long-term prognostic outcomes and implication of oral anticoagulants in patients with new-onset atrial fibrillation following st-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2021, 238, 89-99.	2.7	12
135	Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021, 16, e0255364.	2.5	3
136	Risk of coronavirus disease 2019 (Covid-19) contraction and severe infection in home- or healthcare professionals. <i>Journal of Infection</i> , 2021, 83, e12-e14.	3.3	4
137	Prediction of first cardiovascular disease event in 2.9 million individuals using Danish administrative healthcare data: a nationwide, registry-based derivation and validation study. <i>European Heart Journal Open</i> , 2021, 1, .	2.3	9
138	Effect of dapagliflozin on ventricular arrhythmias, resuscitated cardiac arrest, or sudden death in DAPA-HF. <i>European Heart Journal</i> , 2021, 42, 3727-3738.	2.2	125
139	Nursing Home Admission and Initiation of Domiciliary Care After Ischemic Stroke – The Importance of Time to Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105916.	1.6	3
140	Two Decades of Cardiac Amyloidosis. <i>JACC: CardioOncology</i> , 2021, 3, 522-533.	4.0	20
141	Socioeconomic Disparities in Referral for Invasive Hemodynamic Evaluation for Advanced Heart Failure: A Nationwide Cohort Study. <i>Circulation: Heart Failure</i> , 2021, 14, e008662.	3.9	10
142	Day-to-day measurement of physical activity and risk of atrial fibrillation. <i>European Heart Journal</i> , 2021, 42, 3979-3988.	2.2	16
143	The genomics of heart failure: design and rationale of the HERMES consortium. <i>ESC Heart Failure</i> , 2021, 8, 5531-5541.	3.1	11
144	Long-term Mortality Associated With Use of Carvedilol Versus Metoprolol in Heart Failure Patients With and Without Type 2 Diabetes: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e021310.	3.7	2

#	ARTICLE	IF	CITATIONS
145	Optimization of image sampling rate to lower the radiation dose of dynamic myocardial CT perfusion. Journal of Cardiovascular Computed Tomography, 2021, 15, 457-460.	1.3	2
146	Incidence of ischaemic stroke and mortality in patients with acute coronary syndrome and first-time detected atrial fibrillation: a nationwide study. European Heart Journal, 2021, 42, 4553-4561.	2.2	24
147	Importance of Risk Assessment in Timing of Invasive Coronary Evaluation and Treatment of Patients With Non-ST-Segment Elevation Acute Coronary Syndrome: Insights From the VERDICT Trial. Journal of the American Heart Association, 2021, 10, e022333.	3.7	9
148	Systolic Blood Pressure and Outcome in Patients Admitted With Acute Heart Failure: An Analysis of Individual Patient Data From 4 Randomized Clinical Trials. Journal of the American Heart Association, 2021, 10, e022288.	3.7	8
149	Workforce Attachment after Ischemic Stroke – The Importance of Time to Thrombolytic Therapy. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106031.	1.6	2
150	Nationwide cardiovascular disease admission rates during a second COVID-19 lockdown. American Heart Journal, 2021, 241, 35-37.	2.7	12
151	Clopidogrel, prasugrel, and ticagrelor for all-comers with ST-segment elevation myocardial infarction. International Journal of Cardiology, 2021, 342, 15-22.	1.7	5
152	Atrial fibrillation burden and cognitive decline in elderly patients undergoing continuous monitoring. American Heart Journal, 2021, 242, 15-23.	2.7	7
153	Left ventricular trabeculation and major adverse cardiovascular events: the Copenhagen General Population Study. European Heart Journal Cardiovascular Imaging, 2021, 22, 67-74.	1.2	20
154	Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 172-180.	4.0	43
155	Severe outcomes of COVID-19 among patients with COPD and asthma. ERJ Open Research, 2021, 7, 00594-2020.	2.6	13
156	Dapagliflozin and the Incidence of Type 2 Diabetes in Patients With Heart Failure and Reduced Ejection Fraction: An Exploratory Analysis From DAPA-HF. Diabetes Care, 2021, 44, 586-594.	8.6	50
157	De novo electrocardiographic abnormalities in persons living with HIV. Scientific Reports, 2021, 11, 20750.	3.3	4
158	Mortality and ventricular arrhythmia after acute myocarditis: a nationwide registry-based follow-up study. Open Heart, 2021, 8, e001806.	2.3	13
159	Rate of Heart Failure Following Atrial Fibrillation According to Presence of Family History of Dilated Cardiomyopathy or Heart Failure: A Nationwide Study. Journal of the American Heart Association, 2021, 10, e021286.	3.7	4
160	Lifetime Risk of Heart Failure and Trends in Incidence Rates Among Individuals With Type 2 Diabetes Between 1995 and 2018. Journal of the American Heart Association, 2021, 10, e021230.	3.7	2
161	Incidence of Infective Endocarditis Among Patients With Tetralogy of Fallot. Journal of the American Heart Association, 2021, 10, e022445.	3.7	8
162	Efficacy of a glucagon-like peptide-1 agonist and restrictive versus liberal oxygen supply in patients undergoing coronary artery bypass grafting or aortic valve replacement: study protocol for a 2-by-2 factorial designed, randomised clinical trial. BMJ Open, 2021, 11, e052340.	1.9	0

#	ARTICLE	IF	CITATIONS
163	Increased 5-year risk of stroke, atrial fibrillation, acute coronary syndrome, and heart failure in out-of-hospital cardiac arrest survivors compared with population controls: A nationwide registry-based study. <i>Resuscitation</i> , 2021, 169, 53-59.	3.0	5
164	Five-year risk of heart failure and death following myocardial infarction with cardiogenic shock: a nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 40-49.	1.0	5
165	Angiotensin Receptor–Neprilysin Inhibition in Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2021, 385, 1845-1855.	27.0	130
166	Efficacy and Safety of Dapagliflozin in Heart Failure With Reduced Ejection Fraction According to N-Terminal Pro-B-Type Natriuretic Peptide: Insights From the DAPA-HF Trial. <i>Circulation: Heart Failure</i> , 2021, 14, CIRCHeartFailure121008837.	3.9	21
167	Protective potential of high-intensity interval training on cardiac structure and function after COVID-19: protocol and statistical analysis plan for an investigator-blinded randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e048281.	1.9	2
168	Contacts With the Health Care System Before Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2021, 10, e021827.	3.7	6
169	Combinatorial, additive and dose-dependent drug–microbiome associations. <i>Nature</i> , 2021, 600, 500-505.	27.8	102
170	SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study. <i>BMJ</i> , The, 2021, 375, e068665.	6.0	179
171	Abstract 10575: The Effect of Empagliflozin on the Biomarker Growth Differentiation Factor 15 in Patients with Heart Failure and Reduced Ejection Fraction: A Post-Hoc Study of a Randomized, Double-Blind, and Placebo-Controlled Trial. <i>Circulation</i> , 2021, 144, .	1.6	0
172	Risk for Myocardial Infarction Following 5-Fluorouracil Treatment in Patients With Gastrointestinal Cancer. <i>JACC: CardioOncology</i> , 2021, 3, 725-733.	4.0	6
173	Association between four-dimensional echocardiographic left atrial measures and left atrial fibrosis assessed by left atrial late gadolinium enhancement. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, , .	1.2	5
174	Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 622.	1.7	1
175	Abstract 12895: Superior Effectiveness and Safety of Ticagrelor in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: A Nationwide Registry-Based Study. <i>Circulation</i> , 2021, 144, .	1.6	0
176	Rubidium-82 positron emission tomography for detection of acute doxorubicin-induced cardiac effects in lymphoma patients. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1698-1707.	2.1	15
177	123I-MIBG for detection of subacute doxorubicin-induced cardiotoxicity in patients with malignant lymphoma. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 931-939.	2.1	5
178	Time in therapeutic range and risk of thromboembolism and bleeding in patients with a mechanical heart valve prosthesis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 159, 74-83.e4.	0.8	16
179	Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. <i>Global Heart</i> , 2020, 14, 41.	2.3	9
180	Cancer is not associated with higher short or long-term mortality after successful resuscitation from out-of-hospital cardiac arrest when adjusting for prognostic factors. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S184-S192.	1.0	7

#	ARTICLE	IF	CITATIONS
181	Sub-acute cardiac magnetic resonance to predict irreversible reduction in left ventricular ejection fraction after ST-segment elevation myocardial infarction: A DANAMI-3 sub-study. International Journal of Cardiology, 2020, 301, 215-219.	1.7	3
182	Catheter ablation for atrial fibrillation is associated with lower incidence of heart failure and death. Europace, 2020, 22, 74-83.	1.7	13
183	Interaction of ischaemic postconditioning and thrombectomy in patients with ST-elevation myocardial infarction. Heart, 2020, 106, 24-32.	2.9	11
184	Increased risk of sudden death in untreated primary carnitine deficiency. Journal of Inherited Metabolic Disease, 2020, 43, 290-296.	3.6	21
185	Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 14-21.	3.0	4
186	Risk of atrial fibrillation after pacemaker implantation: A nationwide Danish registry-based follow-up study. Journal of Electrocardiology, 2020, 63, 153-158.	0.9	3
187	Early and late risk of ischemic stroke after TAVR as compared to a nationwide background population. Clinical Research in Cardiology, 2020, 109, 791-801.	3.3	13
188	Long-Term Prognostic Value of Less-Stringent Electrocardiographic Q Waves and Fourth Universal Definition of Myocardial Infarction Q Waves. American Journal of Medicine, 2020, 133, 582-589.e7.	1.5	2
189	Incidence and predictors of atrial fibrillation episodes as detected by implantable loop recorder in patients at risk: From the LOOP study. American Heart Journal, 2020, 219, 117-127.	2.7	33
190	Genome-wide association and Mendelian randomisation analysis provide insights into the pathogenesis of heart failure. Nature Communications, 2020, 11, 163.	12.8	466
191	Myocardial fibrosis and the effect of primary prophylactic defibrillator implantation in patients with non-ischemic systolic heart failure—DANISH-MRI. American Heart Journal, 2020, 221, 165-176.	2.7	35
192	Early Q-wave morphology in prediction of reperfusion success in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention – A cardiac magnetic resonance imaging study. Journal of Electrocardiology, 2020, 58, 135-142.	0.9	3
193	Efficacy and Safety of Dapagliflozin in Heart Failure With Reduced Ejection Fraction According to Age. Circulation, 2020, 141, 100-111.	1.6	145
194	Effects of Dapagliflozin on Symptoms, Function, and Quality of Life in Patients With Heart Failure and Reduced Ejection Fraction. Circulation, 2020, 141, 90-99.	1.6	244
195	Sacubitril/Valsartan Across the Spectrum of Ejection Fraction in Heart Failure. Circulation, 2020, 141, 352-361.	1.6	335
196	One-year outcomes in atrial fibrillation presenting during infections: a nationwide registry-based study. European Heart Journal, 2020, 41, 1112-1119.	2.2	27
197	Sudden death in heart failure: do we understand what we observe?. European Heart Journal, 2020, 41, 1985-1987.	2.2	3
198	Risk of gastrointestinal bleeding associated with oral anticoagulation and non-steroidal anti-inflammatory drugs in patients with atrial fibrillation: a nationwide study. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 292-300.	3.0	20

#	ARTICLE	IF	CITATIONS
199	Serum Lactate and A Relative Change in Lactate as Predictors of Mortality in Patients With Cardiogenic Shock – Results from the Cardshock Study. <i>Shock</i> , 2020, 53, 43-49.	2.1	15
200	Risk of diabetes among related and unrelated family members. <i>Diabetes Research and Clinical Practice</i> , 2020, 160, 107997.	2.8	8
201	Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. <i>Circulation</i> , 2020, 142, 2080-2082.	1.6	168
202	National all-cause mortality during the COVID-19 pandemic: a Danish registry-based study. <i>European Journal of Epidemiology</i> , 2020, 35, 1007-1019.	5.7	19
203	Association Between Prescribed Ibuprofen and Severe COVID-19 Infection: A Nationwide Register-Based Cohort Study. <i>Clinical and Translational Science</i> , 2020, 13, 1103-1107.	3.1	27
204	Differences in mortality in patients undergoing surgery for infective endocarditis according to age and valvular surgery. <i>BMC Infectious Diseases</i> , 2020, 20, 705.	2.9	17
205	Blood pressure and mortality in patients with type 2 diabetes and a recent coronary event in the ELIXA trial. <i>Cardiovascular Diabetology</i> , 2020, 19, 175.	6.8	1
206	Influenza Vaccination Is Associated With Reduced Cardiovascular Mortality in Adults With Diabetes: A Nationwide Cohort Study. <i>Diabetes Care</i> , 2020, 43, 2226-2233.	8.6	36
207	One-Year Mortality After Intensification of Outpatient Diuretic Therapy. <i>Journal of the American Heart Association</i> , 2020, 9, e016010.	3.7	25
208	Dapagliflozin and Diuretic Use in Patients With Heart Failure and Reduced Ejection Fraction in DAPA-HF. <i>Circulation</i> , 2020, 142, 1040-1054.	1.6	128
209	Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial. <i>American Heart Journal</i> , 2020, 228, 47-56.	2.7	61
210	C-reactive protein after coronary artery bypass graft surgery and its relationship with postoperative atrial fibrillation. <i>Europace</i> , 2020, 22, 1182-1188.	1.7	16
211	Risk Factors for Morbidity and Mortality Following Hospitalization for Pericarditis. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2623-2631.	2.8	11
212	Effect of Empagliflozin on Hemodynamics in Patients With Heart Failure and Reduced Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2740-2751.	2.8	57
213	Imidazole propionate is increased in diabetes and associated with dietary patterns and altered microbial ecology. <i>Nature Communications</i> , 2020, 11, 5881.	12.8	122
214	Incidence of infective endocarditis during the coronavirus disease 2019 pandemic: A nationwide study. <i>IJC Heart and Vasculature</i> , 2020, 31, 100675.	1.1	9
215	Degree of ST-segment elevation in patients with STEMI reflects the acute ischemic burden and the salvage potential. <i>Journal of Electrocardiology</i> , 2020, 63, 28-34.	0.9	2
216	Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2020, 76, 767-777.	2.8	61

#	ARTICLE	IF	CITATIONS
217	Genetic variability in the absorption of dietary sterols affects the risk of coronary artery disease. European Heart Journal, 2020, 41, 2618-2628.	2.2	61
218	Prevalence and incidence of intra-ventricular conduction delays and outcomes in patients with heart failure and reduced ejection fraction: insights from PARADIGM-HF and ATMOSPHERE. European Journal of Heart Failure, 2020, 22, 2370-2379.	7.1	14
219	<p>Identification of Patients with New-Onset Heart Failure and Reduced Ejection Fraction in Danish Administrative Registers</p>. Clinical Epidemiology, 2020, Volume 12, 589-594.	3.0	17
220	Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark. Circulation, 2020, 142, 1227-1229.	1.6	24
221	Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction-related cardiogenic shock from 2005 to 2017: A nationwide cohort study. American Heart Journal, 2020, 229, 127-137.	2.7	24
222	Effect of Dapagliflozin in DAPA-HF According to Background Glucose-Lowering Therapy. Diabetes Care, 2020, 43, 2878-2881.	8.6	20
223	Time trends in incidence, comorbidity, and mortality of ischemic stroke in Denmark (1996-2016). Neurology, 2020, 95, e2343-e2353.	1.1	20
224	Serum uric acid, influence of sacubitril-valsartan, and cardiovascular outcomes in heart failure with preserved ejection fraction: <sc>PARAGON-HF</sc>. European Journal of Heart Failure, 2020, 22, 2093-2101.	7.1	33
225	Usefulness of High Sensitivity Troponin T to Predict Long-Term Left Ventricular Dysfunction After ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2020, 134, 8-13.	1.6	9
226	Effect of dapagliflozin according to baseline systolic blood pressure in the Dapagliflozin and Prevention of Adverse Outcomes in Heart Failure trial (DAPA-HF). European Heart Journal, 2020, 41, 3402-3418.	2.2	90
227	Association between biomarkers and COVID-19 severity and mortality: a nationwide Danish cohort study. BMJ Open, 2020, 10, e041295.	1.9	47
228	Patient Characteristics, Clinical Outcomes, and Effect of Dapagliflozin in Relation to Duration of Heart Failure. Circulation: Heart Failure, 2020, 13, e007879.	3.9	14
229	Self-reported health status and the associated risk of mortality in heart failure: The DANISH trial. Journal of Psychosomatic Research, 2020, 137, 110220.	2.6	6
230	Prognostic Value of Late Gadolinium Enhancement for the Prediction of Cardiovascular Outcomes in Dilated Cardiomyopathy. Circulation: Cardiovascular Imaging, 2020, 13, e010105.	2.6	60
231	Incidence of Ischemic Stroke in Individuals With and Without Aortic Valve Stenosis. Stroke, 2020, 51, 1364-1371.	2.0	16
232	Prevalence and Risk Factors of Moderate-to-Severe Hepatic Steatosis in Human Immunodeficiency Virus Infection: The Copenhagen Co-morbidity Liver Study. Journal of Infectious Diseases, 2020, 222, 1353-1362.	4.0	17
233	Sibling history is associated with heart failure after a first myocardial infarction. Open Heart, 2020, 7, e001143.	2.3	1
234	Clinical outcome following late reperfusion with percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction. European Heart Journal: Acute Cardiovascular Care, 2020, , .	1.0	5

#	ARTICLE	IF	CITATIONS
235	Endogenous Testosterone Levels Are Associated with Risk of Type 2 Diabetes in Women without Established Comorbidity. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa050.	0.2	12
236	Statin therapy is associated with lower prevalence of gut microbiota dysbiosis. <i>Nature</i> , 2020, 581, 310-315.	27.8	283
237	Infarct size following loading with Ticagrelor/Prasugrel versus Clopidogrel in ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2020, 314, 7-12.	1.7	16
238	Myocardial Infarction in Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2020, 8, 618-626.	4.1	17
239	Efficacy and safety of sodium-glucose cotransporter 2 inhibition according to left ventricular ejection fraction in DAPA-HF. <i>European Journal of Heart Failure</i> , 2020, 22, 1247-1258.	7.1	29
240	Left Atrial Late Gadolinium Enhancement is Associated With Incident Atrial Fibrillation as Detected by Continuous Monitoring With Implantable Loop Recorders. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 1690-1700.	5.3	22
241	Type 2 Diabetes Mellitus and Impact of Heart Failure on Prognosis Compared to Other Cardiovascular Diseases. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020, 13, e006260.	2.2	28
242	Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 168.	7.4	331
243	Recurrent infective endocarditis versus first-time infective endocarditis after heart valve surgery. <i>Clinical Research in Cardiology</i> , 2020, 109, 1342-1351.	3.3	9
244	Effects of dapagliflozin in DAPA-HF according to background heart failure therapy. <i>European Heart Journal</i> , 2020, 41, 2379-2392.	2.2	151
245	Effects of Sacubitril/Valsartan on N-Terminal Pro-B-Type Natriuretic Peptide in Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2020, 8, 372-381.	4.1	53
246	Prognostic impact of angiographic findings, procedural success, and timing of percutaneous coronary intervention in cardiogenic shock. <i>ESC Heart Failure</i> , 2020, 7, 768-773.	3.1	4
247	Comprehensive Evaluation of Rhythm Monitoring Strategies in Screening for Atrial Fibrillation. <i>Circulation</i> , 2020, 141, 1510-1522.	1.6	88
248	Left atrial volume and function assessed by cardiac magnetic resonance imaging are markers of subclinical atrial fibrillation as detected by continuous monitoring. <i>Europace</i> , 2020, 22, 724-731.	1.7	37
249	Diagnostic utility of MR-proANP and NT-proBNP in elderly outpatients with a high risk of heart failure: the Copenhagen heart failure risk study. <i>Biomarkers</i> , 2020, 25, 248-259.	1.9	2
250	Smartphone Activation of Citizen Responders to Facilitate Defibrillation in Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2020, 76, 43-53.	2.8	110
251	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020, 19, 107.	6.8	18
252	New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. <i>European Heart Journal</i> , 2020, 41, 3072-3079.	2.2	93

#	ARTICLE	IF	CITATIONS
253	Age-specific trends in incidence and survival of out-of-hospital cardiac arrest from presumed cardiac cause in Denmark 2002–2014. Resuscitation, 2020, 152, 77-85.	3.0	9
254	Seasonality of ventricular fibrillation at first myocardial infarction and association with viral exposure. PLoS ONE, 2020, 15, e0226936.	2.5	4
255	Prevalence of and Risk Factors for Low Bone Mineral Density Assessed by Quantitative Computed Tomography in People Living With HIV and Uninfected Controls. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 165-172.	2.1	11
256	Comparison of BNP and NT-proBNP in Patients With Heart Failure and Reduced Ejection Fraction. Circulation: Heart Failure, 2020, 13, e006541.	3.9	96
257	Potassium Disturbances and Risk of Ventricular Fibrillation Among Patients With ST-segment Elevation Myocardial Infarction. Journal of the American Heart Association, 2020, 9, e014160.	3.7	13
258	Cardiovascular complications in patients with total cavopulmonary connection: A nationwide cohort study. International Journal of Cardiology, 2020, 305, 120-126.	1.7	5
259	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. International Journal of Cardiology, 2020, 305, 92-98.	1.7	7
260	Favorable five-year outcomes for heart failure diagnosed in younger patients without severe comorbidity. International Journal of Cardiology, 2020, 305, 106-112.	1.7	6
261	Prognostic Models Derived in PARADIGM-HF and Validated in ATMOSPHERE and the Swedish Heart Failure Registry to Predict Mortality and Morbidity in Chronic Heart Failure. JAMA Cardiology, 2020, 5, 432.	6.1	59
262	Electrocardiogram to predict reperfusion success in late presenters with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. Journal of Electrocardiology, 2020, 59, 74-80.	0.9	0
263	Immediate vs Delayed Stenting in ST-Elevation Myocardial Infarction: Rationale and Design of the International PRIMACY Bayesian Randomized Controlled Trial. Canadian Journal of Cardiology, 2020, 36, 1805-1814.	1.7	10
264	Pericardial Adipose Tissue Volume Is Independently Associated With Human Immunodeficiency Virus Status and Prior Use of Stavudine, Didanosine, or Indinavir. Journal of Infectious Diseases, 2020, 222, 54-61.	4.0	9
265	The prevalence and importance of frailty in heart failure with reduced ejection fraction—An analysis of <sc>PARADIGM-HF</sc> and <sc>ATMOSPHERE</sc>. European Journal of Heart Failure, 2020, 22, 2123-2133.	7.1	85
266	Readmission and death in patients admitted with new-onset versus worsening of chronic heart failure: insights from a nationwide cohort. European Journal of Heart Failure, 2020, 22, 1777-1785.	7.1	53
267	Elevated miR-9 in Cerebrospinal Fluid Is Associated with Poor Functional Outcome After Subarachnoid Hemorrhage. Translational Stroke Research, 2020, 11, 1243-1252.	4.2	14
268	Soluble urokinase receptor as a predictor of non-cardiac mortality in patients with percutaneous coronary intervention treated ST-segment elevation myocardial infarction. Clinical Biochemistry, 2020, 80, 8-13.	1.9	1
269	Association between statin use and outcomes in patients with coronavirus disease 2019 (COVID-19): a nationwide cohort study. BMJ Open, 2020, 10, e044421.	1.9	54
270	Cardiovascular prognostic value of echocardiography and N terminal pro B-type natriuretic peptide in type 1 diabetes: the Thousand & 1 Study. European Journal of Endocrinology, 2020, 182, 481-488.	3.7	10

#	ARTICLE	IF	CITATIONS
271	Early Stages of Obesity-related Heart Failure Are Associated with Natriuretic Peptide Deficiency and an Overall Lack of Neurohormonal Activation: The Copenhagen Heart Failure Risk Study. <i>Global Heart</i> , 2020, 15, 25.	2.3	3
272	Title is missing!. , 2020, 15, e0226936.		0
273	Title is missing!. , 2020, 15, e0226936.		0
274	A simple clinical assessment is superior to systematic triage in prediction of mortality in the emergency department. <i>Emergency Medicine Journal</i> , 2019, 36, emermed-2016-206382.	1.0	25
275	Importance of elevated heart rate in the very early phase of ST-segment elevation myocardial infarction: Results from the DANAMI-3 trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 318-328.	1.0	12
276	Assessment of the myocardial area at risk: comparing T2-weighted cardiovascular magnetic resonance imaging with contrast-enhanced cine (CE-SSFP) imaging—a DANAMI3 substudy. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 361-366.	1.2	10
277	Partial Oral versus Intravenous Antibiotic Treatment of Endocarditis. <i>New England Journal of Medicine</i> , 2019, 380, 415-424.	27.0	502
278	Myocardial perfusion during atrial fibrillation in patients with non-ischaemic systolic heart failure: a cross-sectional study using Rubidium-82 positron emission tomography/computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 233-240.	1.2	6
279	Cardiovascular, mortality, and kidney outcomes with GLP-1 receptor agonists in patients with type 2 diabetes: a systematic review and meta-analysis of cardiovascular outcome trials. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 776-785.	11.4	961
280	Direct oral anticoagulant—versus vitamin K antagonist—related gastrointestinal bleeding: Insights from a nationwide cohort. <i>American Heart Journal</i> , 2019, 216, 117-124.	2.7	10
281	Effects of Seralaxin in Patients with Acute Heart Failure. <i>New England Journal of Medicine</i> , 2019, 381, 716-726.	27.0	174
282	Association between Type D personality and outcomes in patients with non-ischemic heart failure. <i>Quality of Life Research</i> , 2019, 28, 2901-2908.	3.1	10
283	The Dapagliflozin And Prevention of Adverse—outcomes in Heart Failure (DAPA—HF) trial: baseline characteristics. <i>European Journal of Heart Failure</i> , 2019, 21, 1402-1411.	7.1	159
284	Risk Models for Prediction of Implantable Cardioverter-Defibrillator Benefit. <i>JACC: Heart Failure</i> , 2019, 7, 717-724.	4.1	29
285	Age-Related Characteristics and Outcomes of Patients With Heart Failure With Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2019, 74, 601-612.	2.8	97
286	The economic burden of heart failure in Denmark from 1998 to 2016. <i>European Journal of Heart Failure</i> , 2019, 21, 1526-1531.	7.1	17
287	Insulin treatment and clinical outcomes in patients with diabetes and heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2019, 21, 974-984.	7.1	52
288	Association of Carpal Tunnel Syndrome With Amyloidosis, Heart Failure, and Adverse Cardiovascular Outcomes. <i>Journal of the American College of Cardiology</i> , 2019, 74, 15-23.	2.8	77

#	ARTICLE	IF	CITATIONS
289	Associations between common ECG abnormalities and out-of-hospital cardiac arrest. Open Heart, 2019, 6, e000905.	2.3	8
290	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Left-Sided Heart Valve Surgery. JAMA Cardiology, 2019, 4, 1139.	6.1	27
291	Burden and causes for hospitalizations following coronary artery bypass grafting: a nationwide cohort study. European Journal of Cardio-thoracic Surgery, 2019, 55, 893-902.	1.4	8
292	Diagnostic Potential of Intracardiac Echocardiography in Patients with Suspected Prosthetic Valve Endocarditis. Journal of the American Society of Echocardiography, 2019, 32, 1558-1564.e3.	2.8	15
293	Incidence of heart failure after pacemaker implantation: a nationwide Danish Registry-based follow-up study. European Heart Journal, 2019, 40, 3641-3648.	2.2	48
294	A More COMPLETE Picture of Revascularization in STEMI. New England Journal of Medicine, 2019, 381, 1472-1474.	27.0	13
295	Duration of Heart Failure and Effect of Defibrillator Implantation in Patients With Nonischemic Systolic Heart Failure. Circulation: Heart Failure, 2019, 12, e006022.	3.9	2
296	Dapagliflozin in Patients with Heart Failure and Reduced Ejection Fraction. New England Journal of Medicine, 2019, 381, 1995-2008.	27.0	4,108
297	Prognostic role of genetic polymorphisms of the interleukin-6 signaling pathway in patients with severe heart failure. Pharmacogenomics Journal, 2019, 19, 428-437.	2.0	7
298	Comparison of Survival After Aortic Valve Replacement With Mitroflow or Perimount Prostheses. Seminars in Thoracic and Cardiovascular Surgery, 2019, 31, 350-358.	0.6	7
299	Outcomes associated with dual antiplatelet therapy after myocardial infarction in patients with aortic stenosis. International Journal of Cardiology, 2019, 281, 140-145.	1.7	2
300	Polygenic predisposition to breast cancer and the risk of coronary artery disease. International Journal of Cardiology, 2019, 291, 145-151.	1.7	2
301	Clinical implications of electrocardiographic bundle branch block in primary care. Heart, 2019, 105, heartjnl-2018-314295.	2.9	15
302	Unreported exclusion and sampling bias in interpretation of randomized controlled trials in patients with STEMI. International Journal of Cardiology, 2019, 289, 1-5.	1.7	5
303	Prevalence of infective endocarditis in patients with positive blood cultures: a Danish nationwide study. European Heart Journal, 2019, 40, 3237-3244.	2.2	40
304	Early Discharge from the Emergency Department Based on Soluble Urokinase Plasminogen Activator Receptor (suPAR) Levels: A TRIAGE III Substudy. Disease Markers, 2019, 2019, 1-8.	1.3	19
305	Impact of Multiple Myocardial Scars Detected by CMR in Patients Following STEMI. JACC: Cardiovascular Imaging, 2019, 12, 2168-2178.	5.3	15
306	The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure. Europace, 2019, 21, 1203-1210.	1.7	9

#	ARTICLE	IF	CITATIONS
307	Prevalence of early stages of heart failure in an elderly risk population: the Copenhagen Heart Failure Risk Study. <i>Open Heart</i> , 2019, 6, e000840.	2.3	11
308	Complete Revascularization Versus Culprit Lesion Only in Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Disease. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 721-730.	2.9	15
309	Impaired myocardial perfusion is associated with increasing end-systolic- and end-diastolic volumes in patients with non-ischemic systolic heart failure: a cross-sectional study using Rubidium-82 PET/CT. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 68.	1.7	2
310	A trial to evaluate the effect of the sodium-glucose co-transporter 2 inhibitor dapagliflozin on morbidity and mortality in patients with heart failure and reduced left ventricular ejection fraction (DAPA-HF). <i>European Journal of Heart Failure</i> , 2019, 21, 665-675.	7.1	264
311	Mortality associated with cardiovascular drugs in patients with chronic obstructive pulmonary disease and right-sided heart failure – A danish nationwide registry-based study. <i>European Journal of Internal Medicine</i> , 2019, 63, 56-61.	2.2	20
312	Prevalence of heart failure and other risk factors among first-degree relatives of women with peripartum cardiomyopathy. <i>Heart</i> , 2019, 105, 1057-1062.	2.9	10
313	Association of genetic variants previously implicated in coronary artery disease with age at onset of coronary artery disease requiring revascularizations. <i>PLoS ONE</i> , 2019, 14, e0211690.	2.5	5
314	Congenital myopathies are mainly associated with a mild cardiac phenotype. <i>Journal of Neurology</i> , 2019, 266, 1367-1375.	3.6	10
315	N-Terminal Pro-B-Type Natriuretic Peptide Levels for Risk Prediction in Patients With Heart Failure and Preserved Ejection Fraction According to Atrial Fibrillation Status. <i>Circulation: Heart Failure</i> , 2019, 12, e005766.	3.9	21
316	Availability of suPAR in emergency departments may improve risk stratification: a secondary analysis of the TRIAGE III trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 43.	2.6	15
317	Long-Term Risk of Infective Endocarditis After Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1646-1655.	2.8	86
318	The impact of implantable cardioverter-defibrillator implantation on health-related quality of life in the DANISH trial. <i>Europace</i> , 2019, 21, 900-908.	1.7	10
319	Income Inequality and Outcomes in Heart Failure. <i>JACC: Heart Failure</i> , 2019, 7, 336-346.	4.1	63
320	Efficacy of an implantable cardioverter-defibrillator in patients with diabetes and heart failure and reduced ejection fraction. <i>Clinical Research in Cardiology</i> , 2019, 108, 868-877.	3.3	11
321	Cardiac ventricular sizes are reduced in patients with long-term, normoalbuminuric type 1 diabetes compared to the non-diabetic background population. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 289-296.	2.0	5
322	Comparative thromboembolic risk in atrial fibrillation with and without a secondary precipitant – Danish nationwide cohort study. <i>BMJ Open</i> , 2019, 9, e028468.	1.9	11
323	Echocardiographic subtypes of heart failure in consecutive hospitalised patients with dyspnoea. <i>Open Heart</i> , 2019, 6, e000928.	2.3	4
324	Natural History of Subclinical Atrial Fibrillation Detected by Implanted Loop Recorders. <i>Journal of the American College of Cardiology</i> , 2019, 74, 2771-2781.	2.8	72

#	ARTICLE	IF	CITATIONS
325	Prevalence and risk factors of prolonged QT interval and electrocardiographic abnormalities in persons living with HIV. <i>Aids</i> , 2019, 33, 2205-2210.	2.2	14
326	Prior exposure to thymidine analogs and didanosine is associated with long-lasting alterations in adipose tissue distribution and cardiovascular risk factors. <i>Aids</i> , 2019, 33, 675-683.	2.2	34
327	Sex-Related Differences in Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2019, 12, e006539.	3.9	78
328	Significant hearing loss in Fabry disease: Study of the Danish nationwide cohort prior to treatment. <i>PLoS ONE</i> , 2019, 14, e0225071.	2.5	9
329	Fractional flow reserve-guided percutaneous coronary intervention vs. medical therapy for patients with stable coronary lesions: meta-analysis of individual patient data. <i>European Heart Journal</i> , 2019, 40, 180-186.	2.2	159
330	Soluble Urokinase Plasminogen Activator Receptor (suPAR) as an Added Predictor to Existing Preoperative Risk Assessments. <i>World Journal of Surgery</i> , 2019, 43, 780-790.	1.6	6
331	Safety and Tolerability of the Chymase Inhibitor Fulacimstat in Patients With Left Ventricular Dysfunction After Myocardial Infarction—Results of the CHIARA MIA 1 Trial. <i>Clinical Pharmacology in Drug Development</i> , 2019, 8, 942-951.	1.6	17
332	Differential Impact of Heart Failure With Reduced Ejection Fraction on Men and Women. <i>Journal of the American College of Cardiology</i> , 2019, 73, 29-40.	2.8	168
333	Incidence of infective endocarditis in patients considered at moderate risk. <i>European Heart Journal</i> , 2019, 40, 1355-1361.	2.2	29
334	Visit-to-Visit Variability of Hemoglobin A1c in People Without Diabetes and Risk of Major Adverse Cardiovascular Events and All-Cause Mortality. <i>Diabetes Care</i> , 2019, 42, 134-141.	8.6	36
335	Beta-blocker Treatment After acute Myocardial Infarction in revascularized patients without reduced left ventricular ejection fraction (BETAMI): Rationale and design of a prospective, randomized, open, blinded end point study. <i>American Heart Journal</i> , 2019, 208, 37-46.	2.7	20
336	Generalised arterial calcification in normoalbuminuric patients with type 1 diabetes with and without cardiovascular autonomic neuropathy. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 98-102.	2.0	13
337	Influenza Vaccine in Heart Failure. <i>Circulation</i> , 2019, 139, 575-586.	1.6	114
338	The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. <i>Europace</i> , 2019, 21, 572-580.	1.7	9
339	Heart failure with reduced ejection fraction: comparison of patient characteristics and clinical outcomes within Asia and between Asia, Europe and the Americas. <i>European Journal of Heart Failure</i> , 2019, 21, 577-587.	7.1	38
340	The prognostic value of troponin T and N-terminal pro-B-type natriuretic peptide, alone and in combination, in heart failure patients with and without diabetes. <i>European Journal of Heart Failure</i> , 2019, 21, 40-49.	7.1	54
341	Left ventricular remodelling and cardiac chamber sizes in long-term, normoalbuminuric type 1 diabetes patients with and without cardiovascular autonomic neuropathy. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 171-177.	2.3	3
342	Abstract 149: Elevated mir-9 in Cerebrospinal Fluid is Associated With Poor Functional Outcome After Subarachnoid Hemorrhage. <i>Stroke</i> , 2019, 50, .	2.0	0

#	ARTICLE	IF	CITATIONS
343	Does macrolide use confer risk of out-of-hospital cardiac arrest compared with penicillin V? A Danish national case-crossover and caseâ€“timeâ€“control study. <i>BMJ Open</i> , 2018, 8, e019997.	1.9	1
344	Treatment with insulin is associated with worse outcome in patients with chronic heart failure and diabetes. <i>European Journal of Heart Failure</i> , 2018, 20, 888-895.	7.1	93
345	Prevalence, Temporal Evolution, and Impact on Survival of Ventricular Conduction Blocks in Patients With Acute Coronary Syndrome and Cardiogenic Shock. <i>American Journal of Cardiology</i> , 2018, 122, 199-205.	1.6	5
346	Association of Timing of Aortic Valve Replacement Surgery After Stroke With Risk of Recurrent Stroke and Mortality. <i>JAMA Cardiology</i> , 2018, 3, 506.	6.1	13
347	Possible early detection of coronary artery calcium progression in type 1 diabetes: A case-control study of normoalbuminuric type 1 diabetes patients and matched controls. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 18-25.	2.8	5
348	Importance of comorbidities in comatose survivors of shockable and non-shockable out-of-hospital cardiac arrest treated with target temperature management. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 133-140.	1.2	3
349	Risk of Incident Heart Failure in Patients With Diabetes and Asymptomatic Left Ventricular Systolic Dysfunction. <i>Diabetes Care</i> , 2018, 41, 1285-1291.	8.6	38
350	Long-term causes of death in patients with infective endocarditis who undergo medical therapy only or surgical treatment: a nationwide population-based study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 860-866.	1.4	34
351	Low-Dose Aspirin in Heart Failure Notâ€“Complicatedâ€“by Atrial Fibrillation. <i>JACC: Heart Failure</i> , 2018, 6, 156-167.	4.1	11
352	Survival after out-of-hospital cardiac arrest in nursing homes â€“ A nationwide study. <i>Resuscitation</i> , 2018, 125, 90-98.	3.0	36
353	Effect of sacubitril/valsartan on recurrent events in the Prospective comparison of ARNI with ACEI to Determine Impact on Global Mortality and morbidity in Heart Failure trial (PARADIGMâ€“HF). <i>European Journal of Heart Failure</i> , 2018, 20, 760-768.	7.1	62
354	Impact of transducer frequency setting on speckle tracking measures. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 457-463.	1.5	4
355	Relation of Bleeding Events to Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated by Percutaneous Coronary Intervention (a DANAMI-3 Substudy). <i>American Journal of Cardiology</i> , 2018, 121, 781-788.	1.6	2
356	YKL-40 in patients with end-stage renal disease receiving haemodialysis. <i>Biomarkers</i> , 2018, 23, 357-363.	1.9	14
357	Myocardial perfusion in patients with non-ischaemic systolic heart failure and type 2 diabetes: a cross-sectional study using Rubidium-82 PET/CT. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 993-1001.	1.5	1
358	Characteristics and prognosis of heart failure with improved compared with persistently reduced ejection fraction: A systematic review and meta-analyses. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 366-376.	1.8	38
359	Incidence of infective endocarditis among patients considered at high risk. <i>European Heart Journal</i> , 2018, 39, 623-629.	2.2	89
360	Liver fat content, non-alcoholic fatty liver disease, and ischaemic heart disease: Mendelian randomization and meta-analysis of 279â€“%013 individuals. <i>European Heart Journal</i> , 2018, 39, 385-393.	2.2	152

#	ARTICLE	IF	CITATIONS
361	The year in cardiology 2017: heart failure. <i>European Heart Journal</i> , 2018, 39, 832-839.	2.2	5
362	Microvascular complications in diabetes patients with heart failure and reduced ejection fraction—insights from the Beta-blocker Evaluation of Survival Trial. <i>European Journal of Heart Failure</i> , 2018, 20, 1549-1556.	7.1	17
363	The Reply. <i>American Journal of Medicine</i> , 2018, 131, e169.	1.5	0
364	Danegaptide for primary percutaneous coronary intervention in acute myocardial infarction patients: a phase 2 randomised clinical trial. <i>Heart</i> , 2018, 104, 1593-1599.	2.9	20
365	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery and Patients With Nonvalvular Atrial Fibrillation. <i>JAMA Cardiology</i> , 2018, 3, 417.	6.1	73
366	Short- and long-term cause of death in patients undergoing isolated coronary artery bypass grafting: A nationwide cohort study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 54-60.e4.	0.8	12
367	Association of Genetic Variation in Coronary Artery Disease—Related Loci With the Risk of Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>Circulation</i> , 2018, 137, 1290-1292.	1.6	5
368	Altered mental status predicts mortality in cardiogenic shock — results from the CardShock study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 38-44.	1.0	26
369	Women have a worse prognosis and undergo fewer coronary angiographies after out-of-hospital cardiac arrest than men. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 414-422.	1.0	33
370	Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. <i>Europace</i> , 2018, 20, e78-e86.	1.7	22
371	Prognostic implications of left ventricular asymmetry in patients with asymptomatic aortic valve stenosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 168-175.	1.2	5
372	Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. <i>International Journal of Cardiology</i> , 2018, 251, 15-21.	1.7	20
373	Right ventricular function assessed by 2D strain analysis predicts ventricular arrhythmias and sudden cardiac death in patients after acute myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 800-807.	1.2	25
374	Prognostic Impact of Mild Hypokalemia in Terms of Death and Stroke in the General Population—A Prospective Population Study. <i>American Journal of Medicine</i> , 2018, 131, 318.e9-318.e19.	1.5	13
375	Aliskiren alone or in combination with enalapril vs. enalapril among patients with chronic heart failure with and without diabetes: a subgroup analysis from the <scp>ATMOSPHERE</scp> trial. <i>European Journal of Heart Failure</i> , 2018, 20, 136-147.	7.1	18
376	Return to the workforce following infective endocarditis—A nationwide cohort study. <i>American Heart Journal</i> , 2018, 195, 130-138.	2.7	15
377	Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 41-48.	4.1	3
378	The Glucagon-Like Peptide-1 Analog Exenatide Increases Blood Glucose Clearance, Lactate Clearance, and Heart Rate in Comatose Patients After Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2018, 46, e118-e125.	0.9	7

#	ARTICLE	IF	CITATIONS
379	Sacubitril/valsartan reduces serum uric acid concentration, an independent predictor of adverse outcomes in PARADIGM-HF. European Journal of Heart Failure, 2018, 20, 514-522.	7.1	35
380	Contribution of cardiac and extra-cardiac disease burden to risk of cardiovascular outcomes varies by ejection fraction in heart failure. European Journal of Heart Failure, 2018, 20, 504-510.	7.1	52
381	Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. European Journal of Heart Failure, 2018, 20, 240-247.	7.1	16
382	Brief Report: Prevalence of Peripheral Artery Disease Is Higher in Persons Living With HIV Compared With Uninfected Controls. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 381-385.	2.1	21
383	Hypertension genetic risk score is associated with burden of coronary heart disease among patients referred for coronary angiography. PLoS ONE, 2018, 13, e0208645.	2.5	14
384	Albiglutide and cardiovascular outcomes in patients with type 2 diabetes and cardiovascular disease (Harmony Outcomes): a double-blind, randomised placebo-controlled trial. Lancet, The, 2018, 392, 1519-1529.	13.7	1,179
385	Refractory out-of-hospital cardiac arrest with ongoing cardiopulmonary resuscitation at hospital arrival – survival and neurological outcome without extracorporeal cardiopulmonary resuscitation. Critical Care, 2018, 22, 242.	5.8	29
386	Risk of Thromboembolism Associated With Atrial Fibrillation Following Noncardiac Surgery. Journal of the American College of Cardiology, 2018, 72, 2027-2036.	2.8	80
387	Use of renal replacement therapy after out-of-hospital cardiac arrest in Denmark 2005–2013. Scandinavian Cardiovascular Journal, 2018, 52, 238-243.	1.2	8
388	Benefit From Reperfusion With Primary Percutaneous Coronary Intervention Beyond 12 Hours of Symptom Duration in Patients With ST-Segment Elevation Myocardial Infarction. Circulation: Cardiovascular Interventions, 2018, 11, e006842.	3.9	29
389	Use of the prognostic biomarker suPAR in the emergency department improves risk stratification but has no effect on mortality: a cluster-randomized clinical trial (TRIAGE III). Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 69.	2.6	25
390	Response by Elming et al to Letter Regarding Article, “Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure”. Circulation, 2018, 137, 2190-2190.	1.6	0
391	Prestroke and Poststroke Antithrombotic Therapy in Patients With Atrial Fibrillation. JAMA Network Open, 2018, 1, e180171.	5.9	25
392	MR-ProADM as a Prognostic Marker in Patients With ST-Segment Elevation Myocardial Infarction – DANAMI-3 (a Danish Study of Optimal Acute Treatment of Patients With STEMI) Substudy. Journal of the American Heart Association, 2018, 7, .	3.7	15
393	Association between socioeconomic factors and ICD implantation in a publicly financed health care system: a Danish nationwide study. Europace, 2018, 20, 1129-1137.	1.7	10
394	Risk Prediction of Atrial Fibrillation Based on Electrocardiographic Interatrial Block. Journal of the American Heart Association, 2018, 7, .	3.7	32
395	Can copeptin and troponin T ratio predict final infarct size and myocardial salvage index in patients with ST-elevation myocardial infarction: A sub-study of the DANAMI-3 trial. Clinical Biochemistry, 2018, 59, 37-42.	1.9	4
396	Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. Clinical Epidemiology, 2018, Volume 10, 917-930.	3.0	10

#	ARTICLE	IF	CITATIONS
397	Bleeding Events After ST-segment Elevation Myocardial Infarction in Patients Randomized to an All-comer Clinical Trial Compared With Unselected Patients. American Journal of Cardiology, 2018, 122, 1287-1296.	1.6	7
398	Baseline Characteristics of Patients With Heart Failure and Preserved Ejection Fraction in the PARAGON-HF Trial. Circulation: Heart Failure, 2018, 11, e004962.	3.9	117
399	Atherosclerosis and renal disease involvement in patients with systemic lupus erythematosus: a cross-sectional cohort study. Rheumatology, 2018, 57, 1964-1971.	1.9	11
400	Comparative thromboembolic risk in atrial fibrillation patients with and without a concurrent infection. American Heart Journal, 2018, 204, 43-51.	2.7	4
401	Prognostic role of serum sodium levels across different serum potassium levels in heart failure patients: A Danish register-based cohort study. International Journal of Cardiology, 2018, 272, 244-249.	1.7	12
402	Comparison between patients included in randomized controlled trials of ischemic heart disease and real-world data. A nationwide study. American Heart Journal, 2018, 204, 128-138.	2.7	7
403	Osborn waves following out-of-hospital cardiac arrest—Effect of level of temperature management and risk of arrhythmia and death. Resuscitation, 2018, 128, 119-125.	3.0	6
404	Temporal trends in survival of patients with and without diabetes following out-of-hospital cardiac arrest: a nationwide danish study. , 2018, , .		0
405	Reduced risk of heart failure with intensified multifactorial intervention in individuals with type 2 diabetes and microalbuminuria: 21Âyears of follow-up in the randomised Steno-2 study. Diabetologia, 2018, 61, 1724-1733.	6.3	66
406	Coronary CT angiography in clinical triage of patients at high risk of coronary artery disease. Scandinavian Cardiovascular Journal, 2017, 51, 28-34.	1.2	14
407	Adrenomedullin: a marker of impaired hemodynamics, organ dysfunction, and poor prognosis in cardiogenic shock. Annals of Intensive Care, 2017, 7, 6.	4.6	58
408	Left Ventricular Hypertrophy Is Associated With Increased Infarct Size and Decreased Myocardial Salvage in Patients With STâ€Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. Journal of the American Heart Association, 2017, 6, .	3.7	39
409	Incidence and survival outcome according to heart rhythm during resuscitation attempt in out-of-hospital cardiac arrest patients with presumed cardiac etiology. Resuscitation, 2017, 114, 157-163.	3.0	71
410	Association Between Early Q Waves and Reperfusion Success in Patients With ST-Segmentâ€Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2017, 10, .	3.9	10
411	Implantable cardioverter defibrillator and survival after out-of-hospital cardiac arrest due to acute myocardial infarction in Denmark in the years 2001â€2012, a nationwide study. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 144-154.	1.0	12
412	Effect of Ischemic Postconditioning During Primary Percutaneous Coronary Intervention for Patients With ST-Segment Elevation Myocardial Infarction. JAMA Cardiology, 2017, 2, 490.	6.1	105
413	Age-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012. Circulation, 2017, 135, 1214-1223.	1.6	188
414	Electrocardiographic PR Interval Duration and Cardiovascular Risk: Results From the Copenhagen ECG Study. Canadian Journal of Cardiology, 2017, 33, 674-681.	1.7	29

#	ARTICLE	IF	CITATIONS
415	Fractional Flow Reserve—Guided Complete Revascularization Improves the Prognosis in Patients With ST-Segment—Elevation Myocardial Infarction and Severe Nonculprit Disease. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	39
416	Bystander Efforts and 1-Year Outcomes in Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2017, 376, 1737-1747.	27.0	265
417	Cardiopulmonary Resuscitation Training in Schools Following 8 Years of Mandating Legislation in Denmark: A Nationwide Survey. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	46
418	Prehospital electrocardiographic acuteness score of ischemia is inversely associated with neurohormonal activation in STEMI patients with severe ischemia. <i>Journal of Electrocardiology</i> , 2017, 50, 90-96.	0.9	5
419	Antithrombotic therapy after bioprosthetic aortic valve implantation: Warfarin versus aspirin, a randomized controlled trial. <i>Thrombosis Research</i> , 2017, 150, 104-110.	1.7	33
420	Electrocardiographic Preexcitation and Risk of Cardiovascular Morbidity and Mortality. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	4.8	20
421	Myocardial Damage in Patients With Deferred Stenting After STEMI. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2794-2804.	2.8	37
422	Complications after implantation of a new-generation insertable cardiac monitor: Results from the LOOP study. <i>International Journal of Cardiology</i> , 2017, 241, 229-234.	1.7	28
423	Echocardiographic and clinical findings in patients with Fabry disease during long-term enzyme replacement therapy: a nationwide Danish cohort study. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 207-216.	1.2	14
424	Pregnancy-associated plasma protein-A (PAPP-A) and the proform of the eosinophil major basic protein (ProMBP) are associated with increased risk of death in heart failure patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 352-357.	1.2	5
425	Role of B-type Natriuretic Peptide and N-terminal Prohormone BNP as Predictors of Cardiovascular Morbidity and Mortality in Patients With a Recent Coronary Event and Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	75
426	Defibrillators work: now it is time to find out who needs them. <i>European Heart Journal</i> , 2017, 38, 1747-1748.	2.2	3
427	Association between bystander cardiopulmonary resuscitation and redeemed prescriptions for antidepressants and anxiolytics in out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , 2017, 115, 32-38.	3.0	5
428	Infective endocarditis and risk of death after cardiac implantable electronic device implantation: a nationwide cohort study. <i>Europace</i> , 2017, 19, 1007-1014.	1.7	30
429	Atrial fibrillation detected by continuous electrocardiographic monitoring using implantable loop recorder to prevent stroke in individuals at risk (the LOOP study): Rationale and design of a large randomized controlled trial. <i>American Heart Journal</i> , 2017, 187, 122-132.	2.7	56
430	Bystander Defibrillation for Out-of-Hospital Cardiac Arrest in Public vs Residential Locations. <i>JAMA Cardiology</i> , 2017, 2, 507.	6.1	117
431	The effects of sacubitril/valsartan on coronary outcomes in PARADIGM-HF. <i>American Heart Journal</i> , 2017, 188, 35-41.	2.7	32
432	Complete Revascularization in ST-Elevation Myocardial Infarction?. <i>New England Journal of Medicine</i> , 2017, 376, 1282-1284.	27.0	4

#	ARTICLE	IF	CITATIONS
433	Dietary Assessment in the MetaCardis Study: Development and Relative Validity of an Online Food Frequency Questionnaire. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017, 117, 878-888.	0.8	32
434	ICD Implantation in Patients with Nonischemic Heart Failure. <i>New England Journal of Medicine</i> , 2017, 376, 89-92.	27.0	7
435	Clinical and Echocardiographic Characteristics and Cardiovascular Outcomes According to Diabetes Status in Patients With Heart Failure and Preserved Ejection Fraction. <i>Circulation</i> , 2017, 135, 724-735.	1.6	153
436	The firstâ€inâ€man randomized trial of a beta3 adrenoceptor agonist in chronic heart failure: the <scp>BEATâ€CHF</scp> trial. <i>European Journal of Heart Failure</i> , 2017, 19, 566-575.	7.1	53
437	Prevalence of Prediabetes and Undiagnosed Diabetes in Patients with HFpEF and HFrEF and Associated Clinical Outcomes. <i>Cardiovascular Drugs and Therapy</i> , 2017, 31, 545-549.	2.6	55
438	Six-minute walking test and long term prognosis in patients with asymptomatic aortic valve stenosis. <i>International Journal of Cardiology</i> , 2017, 249, 334-339.	1.7	6
439	Prognostic Value of N-Terminal Pro-B-Type Natriuretic Peptide Levels in Heart Failure Patients With and Without Atrial Fibrillation. <i>Circulation: Heart Failure</i> , 2017, 10, .	3.9	53
440	Increases in Natriuretic Peptides Precede Heart Failure Hospitalization in Patients With a Recent Coronary Event and Type 2 Diabetes Mellitus. <i>Circulation</i> , 2017, 136, 1560-1562.	1.6	15
441	Response by Christiansen et al to Letters Regarding Article, â€œAge-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012â€ Circulation, 2017, 136, 886-887.	1.6	0
442	The prognostic significance of lung function in stable heart failure outpatients. <i>Clinical Cardiology</i> , 2017, 40, 1145-1151.	1.8	18
443	Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure. <i>Circulation</i> , 2017, 136, 1772-1780.	1.6	134
444	Frequency and Prognostic Significance of Abnormal Liver Function Tests in Patients With Cardiogenic Shock. <i>American Journal of Cardiology</i> , 2017, 120, 1090-1097.	1.6	17
445	Re-Examination of the BEST Trial Using Composite Outcomes, Including Emergency Department Visits. <i>JACC: Heart Failure</i> , 2017, 5, 591-599.	4.1	12
446	Temporal changes in infective endocarditis guidelines during the last 12 years: High-level evidence needed. <i>American Heart Journal</i> , 2017, 193, 70-75.	2.7	14
447	Associations of serum potassium levels with mortality in chronic heart failure patients. <i>European Heart Journal</i> , 2017, 38, 2890-2896.	2.2	136
448	Contemporary Characteristics and Outcomes in Chagasic Heart Failure Compared With Other Nonischemic and Ischemic Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2017, 10, .	3.9	53
449	Type of Atrial Fibrillation and Outcomes inÂPatients With Heart Failure and ReducedÂEjectionÂFraction. <i>Journal of the American College of Cardiology</i> , 2017, 70, 2490-2500.	2.8	114
450	Normal values of regional left ventricular myocardial thickness, mass and distribution-assessed by 320-detector computed tomography angiography in the Copenhagen General Population Study. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 421-429.	1.5	11

#	ARTICLE	IF	CITATIONS
451	Declining Risk of Sudden Death in Heart Failure. New England Journal of Medicine, 2017, 377, 41-51.	27.0	355
452	Beta-Blockers for Exams Identify Students at High Risk of Psychiatric Morbidity. Journal of Child and Adolescent Psychopharmacology, 2017, 27, 266-273.	1.3	15
453	Coronary risk stratification of patients undergoing surgery for valvular heart disease. International Journal of Cardiology, 2017, 227, 37-42.	1.7	6
454	The association of admission blood glucose level with the clinical picture and prognosis in cardiogenic shock – Results from the CardShock Study. International Journal of Cardiology, 2017, 226, 48-52.	1.7	38
455	Dementia-related adverse events in <scp>PARADIGM-HF</scp> and other trials in heart failure with reduced ejection fraction. European Journal of Heart Failure, 2017, 19, 129-137.	7.1	95
456	Early Gadolinium Enhancement for Determination of Area at Risk. JACC: Cardiovascular Imaging, 2017, 10, 130-139.	5.3	17
457	Routine blood tests are associated with short term mortality and can improve emergency department triage: a cohort study of >12,000 patients. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 115.	2.6	22
458	Mortality and risk of cardiac complications among immediate survivors of accidental electric shock: a Danish nationwide cohort study. BMJ Open, 2017, 7, e015967.	1.9	17
459	Introduction of a prognostic biomarker to strengthen risk stratification of acutely admitted patients: rationale and design of the TRIAGE III cluster randomized interventional trial. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2016, 24, 100.	2.6	8
460	GLP-1 analogues for neuroprotection after out-of-hospital cardiac arrest: study protocol for a randomized controlled trial. Trials, 2016, 17, 304.	1.6	10
461	Current real-life use of vasopressors and inotropes in cardiogenic shock - adrenaline use is associated with excess organ injury and mortality. Critical Care, 2016, 20, 208.	5.8	145
462	Trials and the “real world” – How different are they?. European Journal of Heart Failure, 2016, 18, 411-413.	7.1	2
463	Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. Journal of the American Heart Association, 2016, 5, .	3.7	10
464	Cardiac rehabilitation increases physical capacity but not mental health after heart valve surgery: a randomised clinical trial. Heart, 2016, 102, 1995-2003.	2.9	36
465	Copenhagen comorbidity in HIV infection (COCOMO) study: a study protocol for a longitudinal, non-interventional assessment of non-AIDS comorbidity in HIV infection in Denmark. BMC Infectious Diseases, 2016, 16, 713.	2.9	61
466	Nocturnal antihypertensive treatment in patients with type 1 diabetes with autonomic neuropathy and non-dipping: a randomised, placebo-controlled, double-blind cross-over trial. BMJ Open, 2016, 6, e012307.	1.9	17
467	Identifying Drug-Drug Interactions by Data Mining. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, 621-628.	2.2	29
468	Major femoral vascular access complications after coronary diagnostic and interventional procedures: A Danish register study. International Journal of Cardiology, 2016, 202, 604-608.	1.7	50

#	ARTICLE	IF	CITATIONS
469	Prolonged cardiopulmonary resuscitation and outcomes after out-of-hospital cardiac arrest. Resuscitation, 2016, 105, 45-51.	3.0	30
470	Short-term mortality risk of serum potassium levels in hypertension: a retrospective analysis of nationwide registry data. European Heart Journal, 2016, 38, ehv129.	2.2	97
471	Ambulatory cardiac arrhythmias in relation to mild hypokalaemia and prognosis in community dwelling middle-aged and elderly subjects. Europace, 2016, 18, 585-591.	1.7	10
472	Echocardiographic quantification of systolic function during atrial fibrillation: probing the "ten heart cycles" rule. Future Cardiology, 2016, 12, 159-165.	1.2	6
473	Deferred versus conventional stent implantation in patients with ST-segment elevation myocardial infarction (DANAMI 3-DEFER): an open-label, randomised controlled trial. Lancet, The, 2016, 387, 2199-2206.	13.7	160
474	Deferred stenting in acute ST elevation myocardial infarction – Authors' reply. Lancet, The, 2016, 388, 1371-1372.	13.7	1
475	Association Between Heart Rate at Rest and Incident Atrial Fibrillation (from the Copenhagen) Tj ETQq1 1 0.784314 1.6 BT / Overlock 10 T	1.6	21
476	Early changes in left atrial volume after acute myocardial infarction. Relation to invasive hemodynamics at rest and during exercise. International Journal of Cardiology, 2016, 223, 717-722.	1.7	10
477	The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. American Heart Journal, 2016, 181, 35-42.	2.7	35
478	Incidence of cancer in patients with chronic heart failure: a long-term follow-up study. European Journal of Heart Failure, 2016, 18, 260-266.	7.1	158
479	Chronic obstructive pulmonary disease in patients with end-stage kidney disease on hemodialysis. Hemodialysis International, 2016, 20, 68-77.	0.9	20
480	Defibrillator Implantation in Patients with Nonischemic Systolic Heart Failure. New England Journal of Medicine, 2016, 375, 1221-1230.	27.0	1,350
481	Rationale, design, and baseline characteristics of the DANish randomized, controlled, multicenter study to assess the efficacy of Implantable cardioverter defibrillators in patients with non-ischemic Systolic Heart failure on mortality (DANISH). American Heart Journal, 2016, 179, 136-141.	2.7	29
482	Return to the Workforce After First Hospitalization for Heart Failure. Circulation, 2016, 134, 999-1009.	1.6	50
483	Association of Bystander Cardiopulmonary Resuscitation and Survival According to Ambulance Response Times After Out-of-Hospital Cardiac Arrest. Circulation, 2016, 134, 2095-2104.	1.6	122
484	Varying effects of recommended treatments for heart failure with reduced ejection fraction: meta-analysis of randomized controlled trials in the ESC and ACCF/AHA guidelines. ESC Heart Failure, 2016, 3, 235-244.	3.1	17
485	Neuroprotective Effects of the Glucagon-Like Peptide-1 Analog Exenatide After Out-of-Hospital Cardiac Arrest. Circulation, 2016, 134, 2115-2124.	1.6	42
486	Use of digoxin and risk of death or readmission for heart failure and sinus rhythm: A nationwide propensity score matched study. International Journal of Cardiology, 2016, 221, 944-950.	1.7	12

#	ARTICLE	IF	CITATIONS
487	Influence of age on perioperative major adverse cardiovascular events and mortality risks in elective non-cardiac surgery. <i>European Journal of Internal Medicine</i> , 2016, 35, 55-59.	2.2	25
488	Flow measurement at the aortic root - impact of location of through-plane phase contrast velocity mapping. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 18, 55.	3.3	26
489	Ventricular ectopic burden in comatose survivors of out-of-hospital cardiac arrest treated with targeted temperature management at 33°C and 36°C. <i>Resuscitation</i> , 2016, 102, 98-104.	3.0	6
490	Temporal trends in survival after out-of-hospital cardiac arrest in patients with and without underlying chronic obstructive pulmonary disease. <i>Resuscitation</i> , 2016, 104, 76-82.	3.0	9
491	Effect of single and dual renin-angiotensin blockade on stroke in patients with and without diabetes in VALIANT. <i>European Stroke Journal</i> , 2016, 1, 93-100.	5.5	1
492	Longevity and admission to nursing home according to age after isolated coronary artery bypass surgery: a nationwide cohort study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 22, 792-798.	1.1	6
493	Familial clustering and subsequent incidence of atrial fibrillation among first-degree relatives in Denmark. <i>Europace</i> , 2016, 18, 658-664.	1.7	14
494	Age-dependent trends in postoperative mortality and preoperative comorbidity in isolated coronary artery bypass surgery: a nationwide study. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 391-397.	1.4	32
495	Pre-hospital electrocardiographic severity and acuteness scores predict left ventricular function in patients with ST elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2016, 49, 284-291.	0.9	6
496	Normal-Weight Central Obesity and Mortality Risk in Older Adults With Coronary Artery Disease. <i>Mayo Clinic Proceedings</i> , 2016, 91, 343-351.	3.0	65
497	Atrial fibrillation and risk of stroke: a nationwide cohort study. <i>Europace</i> , 2016, 18, 1689-1697.	1.7	45
498	Short and long-term survival after primary percutaneous coronary intervention in young patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 203, 697-701.	1.7	24
499	Better results from prevention than from additional treatment. <i>Nature Reviews Cardiology</i> , 2016, 13, 75-77.	13.7	2
500	Electrocardiographic Tpeak-Tend interval and risk of cardiovascular morbidity and mortality: Results from the Copenhagen ECG study. <i>Heart Rhythm</i> , 2016, 13, 915-924.	0.7	34
501	Risk of death and stroke associated with anticoagulation therapy after mitral valve repair. <i>Heart</i> , 2016, 102, 687-693.	2.9	7
502	Editor's Choice-Is the pre-hospital ECG after out-of-hospital cardiac arrest accurate for the diagnosis of ST-elevation myocardial infarction?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 317-326.	1.0	24
503	Prognostic value of multi-detector computed tomography in asymptomatic aortic valve stenosis. <i>International Journal of Cardiology</i> , 2016, 203, 331-337.	1.7	2
504	Regional cardiac dysfunction and outcome in patients with left ventricular dysfunction, heart failure, or both after myocardial infarction. <i>European Heart Journal</i> , 2016, 37, 466-472.	2.2	40

#	ARTICLE	IF	CITATIONS
505	The importance of β_2 -agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 551-559.	1.0	2
506	The Aliskiren Trial to Minimize <scp>OutcomeS</scp> in Patients with <scp>HEart</scp> failure trial (<scp>ATMOSPHERE</scp>): revised statistical analysis plan and baseline characteristics. <i>European Journal of Heart Failure</i> , 2015, 17, 1075-1083.	7.1	18
507	The formation and design of the TRIAGE study - baseline data on 6005 consecutive patients admitted to hospital from the emergency department. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 106.	2.6	21
508	Thromboembolic risk stratification of patients hospitalized with heart failure in sinus rhythm: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2015, 17, 828-836.	7.1	34
509	Optimal Cardiac Resynchronization Therapy Pacing Rate in Non-Ischemic Heart Failure Patients: A Randomized Crossover Pilot Trial. <i>PLoS ONE</i> , 2015, 10, e0138124.	2.5	2
510	Differing prognostic value of pulse pressure in patients with heart failure with reduced or preserved ejection fraction: results from the MAGGIC individual patient meta-analysis. <i>European Heart Journal</i> , 2015, 36, 1106-1114.	2.2	53
511	Return to Work in Out-of-Hospital Cardiac Arrest Survivors. <i>Circulation</i> , 2015, 131, 1682-1690.	1.6	130
512	Prognostic value of reduced discrimination and oedema on cerebral computed tomography in a daily clinical cohort of out-of-hospital cardiac arrest patients. <i>Resuscitation</i> , 2015, 92, 141-147.	3.0	23
513	Iron deficiency: Prevalence and relation to cardiovascular biomarkers in heart failure outpatients. <i>International Journal of Cardiology</i> , 2015, 195, 143-148.	1.7	20
514	Incidence and outcome of first myocardial infarction according to gender and age in Denmark over a 35-year period (1978-2012). <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2015, 1, 72-78.	4.0	27
515	Short-term mortality risk of serum potassium levels in acute heart failure following myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015, 1, 245-251.	3.0	73
516	Association of Selected Antipsychotic Agents With Major Adverse Cardiovascular Events and Noncardiovascular Mortality in Elderly Persons. <i>Journal of the American Heart Association</i> , 2015, 4, e001666.	3.7	35
517	Long-Term Clinical Impact of Coronary Angiography in Patients With Recent Acute-Onset Chest Pain. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1404-1413.	5.3	65
518	Out-of-hospital cardiac arrests in children and adolescents: Incidences, outcomes, and household socioeconomic status. <i>Resuscitation</i> , 2015, 88, 12-19.	3.0	68
519	Sinus bradycardia during hypothermia in comatose survivors of out-of-hospital cardiac arrest - A new early marker of favorable outcome?. <i>Resuscitation</i> , 2015, 89, 36-42.	3.0	63
520	Myocardial perfusion at rest in patients with Diabetes Mellitus Type 1 compared with healthy controls assessed with Multi Detector Computed Tomography. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 15-22.	2.8	7
521	Non-vitamin K antagonist oral anticoagulation agents in anticoagulant naive atrial fibrillation patients: Danish nationwide descriptive data 2011-2013. <i>Europace</i> , 2015, 17, 187-193.	1.7	152
522	Exercise-based cardiac rehabilitation in patients with heart failure: a meta-analysis of randomised controlled trials between 1999 and 2013. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1504-1512.	1.8	70

#	ARTICLE	IF	CITATIONS
523	Progression of cardiac involvement in patients with limb-girdle type 2 and Becker muscular dystrophies: A 9-year follow-up study. <i>International Journal of Cardiology</i> , 2015, 182, 403-411.	1.7	36
524	Update to the study protocol, including statistical analysis plan for a randomized clinical trial comparing comprehensive cardiac rehabilitation after heart valve surgery with control: the CopenHeartVR trial. <i>Trials</i> , 2015, 16, 38.	1.6	3
525	Association of NSAID Use With Risk of Bleeding and Cardiovascular Events in Patients Receiving Antithrombotic Therapy After Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 805.	7.4	115
526	Age-Specific Performance of the Revised Cardiac Risk Index for Predicting Cardiovascular Risk in Elective Noncardiac Surgery. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 103-108.	2.2	44
527	Mechanisms for overestimating acute myocardial infarct size with gadolinium-enhanced cardiovascular magnetic resonance imaging in humans: a quantitative and kinetic study. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 17, jev123.	1.2	30
528	The Transmural Extent and Severity of Myocardial Hypoperfusion Predicts Long-Term Outcome in NSTEMI. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 684-694.	5.3	16
529	Complete revascularisation versus treatment of the culprit lesion only in patients with ST-segment elevation myocardial infarction and multivessel disease (DANAMI-3-PRIMULTI): an open-label, randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 665-671.	13.7	748
530	NSAIDs are associated with increased risk of atrial fibrillation in patients with prior myocardial infarction: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015, 1, 107-114.	3.0	16
531	Factors Associated With Successful Resuscitation After Out-of-Hospital Cardiac Arrest and Temporal Trends in Survival and Comorbidity. <i>Annals of Emergency Medicine</i> , 2015, 65, 523-531.e2.	0.6	71
532	P-wave duration and the risk of atrial fibrillation: Results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2015, 12, 1887-1895.	0.7	152
533	Survival After Out-of-Hospital Cardiac Arrest in Relation to Age and Early Identification of Patients With Minimal Chance of Long-Term Survival. <i>Circulation</i> , 2015, 131, 1536-1545.	1.6	84
534	Peripheral artery disease is a coronary heart disease risk equivalent among both men and women: results from a nationwide study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 317-325.	1.8	94
535	The Third DANish Study of Optimal Acute Treatment of Patients with ST-segment Elevation Myocardial Infarction: Ischemic postconditioning or deferred stent implantation versus conventional primary angioplasty and complete revascularization versus treatment of culprit lesion only. <i>American Heart Journal</i> . 2015. 169. 613-621.	2.7	61
536	Prognostic Implications of Level-of-Care at Tertiary Heart Centers Compared With Other Hospitals After Resuscitation From Out-of-Hospital Cardiac Arrest. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 268-276.	2.2	54
537	β-Blocker-Associated Risks in Patients With Uncomplicated Hypertension Undergoing Noncardiac Surgery. <i>JAMA Internal Medicine</i> , 2015, 175, 1923.	5.1	37
538	Resuscitation and post resuscitation care of the very old after out-of-hospital cardiac arrest is worthwhile. <i>International Journal of Cardiology</i> , 2015, 201, 616-623.	1.7	39
539	Impact of proton pump inhibitor treatment on gastrointestinal bleeding associated with non-steroidal anti-inflammatory drug use among post-myocardial infarction patients taking antithrombotics: nationwide study. <i>BMJ, The</i> , 2015, 351, h5096.	6.0	22
540	Echocardiographic evaluation of pre-diagnostic development in young relatives genetically predisposed to hypertrophic cardiomyopathy. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1511-1518.	1.5	6

#	ARTICLE	IF	CITATIONS
541	Factors Associated With and Outcomes After Ventricular Fibrillation Before and During Primary Angioplasty in Patients With ST-Segment Elevation Myocardial Infarction. American Journal of Cardiology, 2015, 116, 678-685.	1.6	30
542	Relative Importance of History of Heart Failure Hospitalization and N-Terminal Pro-B-Type Natriuretic Peptide Level as Predictors of Outcomes in Patients With Heart Failure and Preserved Ejection Fraction. JACC: Heart Failure, 2015, 3, 478-486.	4.1	21
543	Predictors and Progression of Aortic Stenosis in Patients With Preserved Left Ventricular Ejection Fraction. American Journal of Cardiology, 2015, 115, 86-92.	1.6	20
544	Thromboembolic risk in 16 274 atrial fibrillation patients undergoing direct current cardioversion with and without oral anticoagulant therapy. Europace, 2015, 17, 18-23.	1.7	102
545	International Geographic Variation in Event Rates in Trials of Heart Failure With Preserved and Reduced Ejection Fraction. Circulation, 2015, 131, 43-53.	1.6	75
546	Resting heart rate and risk of adverse cardiovascular outcomes in asymptomatic aortic stenosis: The SEAS study. International Journal of Cardiology, 2015, 180, 122-128.	1.7	11
547	Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality—A retrospective nationwide study. Diabetes Research and Clinical Practice, 2015, 107, 104-112.	2.8	15
548	Oral anticoagulation therapy after radiofrequency ablation of atrial fibrillation and the risk of thromboembolism and serious bleeding: long-term follow-up in nationwide cohort of Denmark. European Heart Journal, 2015, 36, 307-315.	2.2	98
549	The impact of distal embolization and distal protection on long-term outcome in patients with ST elevation myocardial infarction randomized to primary percutaneous coronary intervention—results from a randomized study. European Heart Journal: Acute Cardiovascular Care, 2015, 4, 180-188.	1.0	17
550	Pharmacogenetic Risk Stratification in Angiotensin-Converting Enzyme Inhibitor-Treated Patients with Congestive Heart Failure: A Retrospective Cohort Study. PLoS ONE, 2015, 10, e0144195.	2.5	9
551	Abstract 18150: Ventricular Arrhythmia During Post Cardiac Arrest Care: Prognostic Importance and Influence of Pre-hospital Defibrillation - A TTM Substudy. Circulation, 2015, 132, .	1.6	0
552	Targeted Temperature Management at 33°C Versus 36°C and Impact on Systemic Vascular Resistance and Myocardial Function After Out-of-Hospital Cardiac Arrest. Circulation: Cardiovascular Interventions, 2014, 7, 663-672.	3.9	83
553	Cardiovascular Disease in Survivors of Adolescent and Young Adult Cancer: A Danish Cohort Study, 1943–2009. Journal of the National Cancer Institute, 2014, 106, dju110.	6.3	84
554	Temporal Trends in Coverage of Historical Cardiac Arrests Using a Volunteer-Based Network of Automated External Defibrillators Accessible to Laypersons and Emergency Dispatch Centers. Circulation, 2014, 130, 1859-1867.	1.6	85
555	Effect of extended follow-up in a specialized heart failure clinic on adherence to guideline recommended therapy: NorthStar Adherence Study. European Journal of Heart Failure, 2014, 16, 1249-1255.	7.1	21
556	Risk prediction of cardiovascular death based on the QTc interval: evaluating age and gender differences in a large primary care population. European Heart Journal, 2014, 35, 1335-1344.	2.2	98
557	Nocturnal antihypertensive treatment in patients with type 1 diabetes with autonomic neuropathy and non-dipping of blood pressure during night time: protocol for a randomised, placebo-controlled, double-blind, two-way crossover study. BMJ Open, 2014, 4, e006142.	1.9	3
558	Myocardial infarction is a frequent cause of exercise-related resuscitated out-of-hospital cardiac arrest in a general non-athletic population. Resuscitation, 2014, 85, 1612-1618.	3.0	9

#	ARTICLE	IF	CITATIONS
559	Nationwide trends in development of heart failure and mortality after first-time myocardial infarction 1997–2010: A Danish cohort study. <i>European Journal of Internal Medicine</i> , 2014, 25, 731-738.	2.2	33
560	Comparison of the clinical outcome of different beta-blockers in heart failure patients: a retrospective nationwide cohort study. <i>European Journal of Heart Failure</i> , 2014, 16, 678-684.	7.1	25
561	Relationships Between Biomarkers and Left Ventricular Filling Pressures at Rest and During Exercise in Patients After Myocardial Infarction. <i>Journal of Cardiac Failure</i> , 2014, 20, 959-967.	1.7	12
562	Distinction of salvaged and infarcted myocardium within the ischaemic area-at-risk with T2 mapping. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1048-1053.	1.2	35
563	Four-Group Classification of Left Ventricular Hypertrophy Based on Ventricular Concentricity and Dilatation Identifies a Low-Risk Subset of Eccentric Hypertrophy in Hypertensive Patients. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 422-429.	2.6	87
564	Availability of a baseline Electrocardiogram changes the application of the Sclarovsky-Birnbaum Myocardial Ischemia Grade. <i>Journal of Electrocardiology</i> , 2014, 47, 571-576.	0.9	4
565	Hemodynamics and vasopressor support in therapeutic hypothermia after cardiac arrest: Prognostic implications. <i>Resuscitation</i> , 2014, 85, 664-670.	3.0	32
566	Resuscitation of patients suffering from sudden cardiac arrests in nursing homes is not futile. <i>Resuscitation</i> , 2014, 85, 369-375.	3.0	37
567	Incidence and Influence of Hospitalization for Recurrent Syncope and Its Effect on Short- and Long-Term All-Cause and Cardiovascular Mortality. <i>American Journal of Cardiology</i> , 2014, 113, 1744-1750.	1.6	17
568	A mismatch index based on the difference between measured left ventricular ejection fraction and that estimated by infarct size at three months following reperfused acute myocardial infarction. <i>Journal of Electrocardiology</i> , 2014, 47, 191-196.	0.9	2
569	Antithrombotic Treatment in Patients With Heart Failure and Associated Atrial Fibrillation and Vascular Disease. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2689-2698.	2.8	25
570	Stroke in Patients With Aortic Stenosis. <i>Stroke</i> , 2014, 45, 1939-1946.	2.0	25
571	Usefulness of the Electrocardiogram in Predicting Cardiovascular Mortality in Asymptomatic Adults With Aortic Stenosis (from the Simvastatin and Ezetimibe in Aortic Stenosis Study). <i>American Journal of Cardiology</i> , 2014, 114, 751-756.	1.6	8
572	Diurnal variations in incidence and outcome of out-of-hospital cardiac arrest including prior comorbidity and pharmacotherapy: A nationwide study in Denmark. <i>Resuscitation</i> , 2014, 85, 1161-1168.	3.0	22
573	Survival after out-of-hospital cardiac arrest in relation to sex: A nationwide registry-based study. <i>Resuscitation</i> , 2014, 85, 1212-1218.	3.0	86
574	Renin–angiotensin system inhibition is not associated with increased sudden cardiac death, cardiovascular mortality or all-cause mortality in patients with aortic stenosis. <i>International Journal of Cardiology</i> , 2014, 175, 492-498.	1.7	31
575	Myocardial fibrosis in patients with myotonic dystrophy type 1: a cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 59.	3.3	43
576	Prognostic value of electroencephalography (EEG) after out-of-hospital cardiac arrest in successfully resuscitated patients used in daily clinical practice. <i>Resuscitation</i> , 2014, 85, 1580-1585.	3.0	34

#	ARTICLE	IF	CITATIONS
577	Association of heart failure severity with risk of diabetes: a Danish nationwide cohort study. <i>Diabetologia</i> , 2014, 57, 1595-1600.	6.3	37
578	The association between renal impairment and cardiac structure and function in patients with acute myocardial infarction. <i>American Heart Journal</i> , 2014, 167, 506-513.	2.7	6
579	High prevalence of cardiac involvement in patients with myotonic dystrophy type 1: A cross-sectional study. <i>International Journal of Cardiology</i> , 2014, 174, 31-36.	1.7	44
580	Residual OCTN2 transporter activity, carnitine levels and symptoms correlate in patients with primary carnitine deficiency. <i>Molecular Genetics and Metabolism Reports</i> , 2014, 1, 241-248.	1.1	20
581	Echocardiographic Findings Suggestive of Infective Endocarditis in Asymptomatic Danish Injection Drug Users Attending Urban Injection Facilities. <i>American Journal of Cardiology</i> , 2014, 114, 100-104.	1.6	16
582	Abstract 20552: Comparison of Outcome in Patients With ST-Elevation Myocardial Infarction Treated with Drug-Eluting Stents versus Bare Metal Stents in Eastern Denmark and Southern Sweden. <i>Circulation</i> , 2014, 130, .	1.6	0
583	Development and Progression of Coronary Artery Calcification in Long-Term Smokers: Adverse Effects of Continued Smoking. <i>Journal of the American College of Cardiology</i> , 2013, 62, 255-257.	2.8	19
584	Association of National Initiatives to Improve Cardiac Arrest Management With Rates of Bystander Intervention and Patient Survival After Out-of-Hospital Cardiac Arrest. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1377.	7.4	933
585	Patient adherence to evidence-based pharmacotherapy in systolic heart failure and the transition of follow-up from specialized heart failure outpatient clinics to primary care. <i>European Journal of Heart Failure</i> , 2013, 15, 671-678.	7.1	37
586	Hospital admissions and pharmacotherapy before out-of-hospital cardiac arrest according to age. <i>Resuscitation</i> , 2012, 83, 584-590.	3.0	13
587	Association of Clopidogrel Treatment With Risk of Mortality and Cardiovascular Events Following Myocardial Infarction in Patients With and Without Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 882.	7.4	48
588	Comparison of Selvester QRS score with magnetic resonance imaging measured infarct size in patients with ST elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2012, 45, 414-419.	0.9	20
589	Abstract 245: Cause specific Cardiovascular Risk Associated with use of Non Steroidal Anti-Inflammatory Drugs among Patients with Prior Myocardial Infarction - a Nationwide Cohort Study.. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, .	2.2	0
590	Abstract 69: Increased Risk of Venous Thromboembolism Associated with use of Non Steroidal Anti-Inflammatory Drugs among Patients with Prior Myocardial Infarction - A Nationwide Cohort Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, .	2.2	0
591	Efficacy of Post-Operative Clopidogrel Treatment in Patients Revascularized With Coronary Artery Bypass Grafting After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2011, 57, 1202-1209.	2.8	75
592	Heart failure etiology impacts survival of patients with heart failure. <i>International Journal of Cardiology</i> , 2011, 149, 211-215.	1.7	45
593	Pharmacotherapy and hospital admissions before out-of-hospital cardiac arrest: A nationwide study. <i>Resuscitation</i> , 2010, 81, 1657-1663.	3.0	15
594	Cardiovascular Effects of Growth Hormone in Adult Hemodialysis Patients: Results from a Randomized Controlled Trial. <i>Nephron Clinical Practice</i> , 2010, 115, c213-c226.	2.3	6

#	ARTICLE	IF	CITATIONS
595	Heart failure severity, as determined by loop diuretic dosages, predicts the risk of developing diabetes after myocardial infarction: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2010, 12, 1333-1338.	7.1	62
596	Increased Mortality Associated With Low Use of Clopidogrel in Patients With Heart Failure and Acute Myocardial Infarction Not Undergoing Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1300-1307.	2.8	18
597	Assessment of left atrial volume and mechanical function in ischemic heart disease. <i>International Journal of Cardiology</i> , 2010, 145, 197-202.	1.7	21
598	Long-term impact of diabetes in patients hospitalized with ischemic and non-ischemic heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 37-44.	1.2	18
599	Risk of bleeding in patients with acute myocardial infarction treated with different combinations of aspirin, clopidogrel, and vitamin K antagonists in Denmark: a retrospective analysis of nationwide registry data. <i>Lancet, The</i> , 2009, 374, 1967-1974.	13.7	507
600	Diabetes Patients Requiring Glucose-Lowering Therapy and Nondiabetics With a Prior Myocardial Infarction Carry the Same Cardiovascular Risk. <i>Circulation</i> , 2008, 117, 1945-1954.	1.6	480
601	Accuracy of a heart failure diagnosis in administrative registers. <i>European Journal of Heart Failure</i> , 2008, 10, 658-660.	7.1	214
602	Increased Mortality after Dronedarone Therapy for Severe Heart Failure. <i>New England Journal of Medicine</i> , 2008, 358, 2678-2687.	27.0	901
603	Persistent Use of Evidence-Based Pharmacotherapy in Heart Failure Is Associated With Improved Outcomes. <i>Circulation</i> , 2007, 116, 737-744.	1.6	150
604	Previously known and newly diagnosed atrial fibrillation: A major risk indicator after a myocardial infarction complicated by heart failure or left ventricular dysfunction†. <i>European Journal of Heart Failure</i> , 2006, 8, 591-598.	7.1	111
605	Long-term compliance with beta-blockers, angiotensin-converting enzyme inhibitors, and statins after acute myocardial infarction. <i>European Heart Journal</i> , 2006, 27, 1153-1158.	2.2	268
606	Valsartan: the past, present and future. <i>Future Cardiology</i> , 2005, 1, 591-598.	1.2	1
607	Antiarrhythmic effect of carvedilol after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2005, 45, 525-530.	2.8	242
608	BNP and Functional Status in Heart Failure (Response). <i>Cardiovascular Drugs and Therapy</i> , 2004, 18, 509-510.	2.6	0
609	Dofetilide: a new drug to control cardiac arrhythmia. <i>Expert Opinion on Pharmacotherapy</i> , 2003, 4, 973-985.	1.8	2
610	Should investigators be involved in more than one similar type trial?. , 2001, 15, 181-185.		0
611	Dofetilide in Patients with Congestive Heart Failure and Left Ventricular Dysfunction: Safety Aspects and Effect on Atrial Fibrillation. <i>Congestive Heart Failure</i> , 2001, 7, 146-155.	2.0	51
612	QTc Interval as a Guide to Select Those Patients With Congestive Heart Failure and Reduced Left Ventricular Systolic Function Who Will Benefit From Antiarrhythmic Treatment With Dofetilide. <i>Circulation</i> , 2001, 103, 1422-1427.	1.6	74

#	ARTICLE	IF	CITATIONS
613	QT Dispersion Has No Prognostic Information for Patients With Advanced Congestive Heart Failure and Reduced Left Ventricular Systolic Function. Circulation, 2001, 103, 831-835.	1.6	105
614	Incident atrial fibrillation and heart failure in treated hypertensive patients with left ventricular hypertrophy. The LIFE Study. Exploration of Medicine, 0, , 139-148.	1.5	2