

Yaou Liu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5571340/yaou-liu-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

1,673
citations

22
h-index

38
g-index

99
ext. papers

2,150
ext. citations

5.8
avg, IF

4.31
L-index

#	Paper	IF	Citations
91	Volumetric Segmentation of White Matter Tracts with Label Embedding.. <i>NeuroImage</i> , 2022 , 118934	7.9	2
90	Cerebral Microbleed Automatic Detection System Based on the "Deep Learning".. <i>Frontiers in Medicine</i> , 2022 , 9, 807443	4.9	1
89	Deep Brain Stimulation Modulates Multiple Abnormal Resting-State Network Connectivity in Patients With Parkinson's Disease.. <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 794987	5.3	0
88	Radiomics Nomogram for Predicting Stroke Recurrence in Symptomatic Intracranial Atherosclerotic Stenosis.. <i>Frontiers in Neuroscience</i> , 2022 , 16, 851353	5.1	0
87	Prediction of H3 K27M-mutant in midline gliomas by magnetic resonance imaging: a systematic review and meta-analysis.. <i>Neuroradiology</i> , 2022 , 1	3.2	
86	A transfer learning approach to few-shot segmentation of novel white matter tracts.. <i>Medical Image Analysis</i> , 2022 , 79, 102454	15.4	0
85	Structural and Functional Characterization of Gray Matter Alterations in Female Patients With Neuropsychiatric Systemic Lupus.. <i>Frontiers in Neuroscience</i> , 2022 , 16, 839194	5.1	
84	Syphilitic meningomyelitis misdiagnosed as spinal cord tumor: Case and review. <i>Journal of Spinal Cord Medicine</i> , 2021 , 44, 789-793	1.9	0
83	Radiomic signatures based on multiparametric MR images for predicting Ki-67 index expression in medulloblastoma.. <i>Annals of Translational Medicine</i> , 2021 , 9, 1665	3.2	0
82	A deep learning algorithm for white matter hyperintensity lesion detection and segmentation. <i>Neuroradiology</i> , 2021 , 1	3.2	1
81	Brain structural and functional alterations in MOG antibody disease. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 1350-1363	5	5
80	Brain structural alterations in MOG antibody diseases: a comparative study with AQP4 seropositive NMOSD and MS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 , 92, 709-716	5.5	3
79	Aberrant multimodal brain networks in patients with anti-NMDA receptor encephalitis. <i>CNS Neuroscience and Therapeutics</i> , 2021 , 27, 652-663	6.8	1
78	Acceleration of Brain TOF-MRA with Compressed Sensitivity Encoding: A Multicenter Clinical Study. <i>American Journal of Neuroradiology</i> , 2021 , 42, 1208-1215	4.4	4
77	Assessment of blood supply of the external carotid artery in moyamoya disease using super-selective pseudo-continuous arterial spin labeling technique. <i>European Radiology</i> , 2021 , 31, 9287-9295	8.8	8
76	Prediction of H3K27M-mutant brainstem glioma by amide proton transfer-weighted imaging and its derived radiomics. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 4426-4436	8.8	6
75	Structural and Functional Alterations in Visual Pathway After Optic Neuritis in MOG Antibody Disease: A Comparative Study With AQP4 Seropositive NMOSD. <i>Frontiers in Neurology</i> , 2021 , 12, 673472 ^{4.1}	4.1	2

74	Multimodal super-resolved q-space deep learning. <i>Medical Image Analysis</i> , 2021 , 71, 102085	15.4	3
73	Persistently Gadolinium-Enhancing Lesion Is a Predictor of Poor Prognosis in NMOSD Attack: a Clinical Trial. <i>Neurotherapeutics</i> , 2021 , 18, 868-877	6.4	4
72	Development and evaluation of a manual segmentation protocol for deep grey matter in multiple sclerosis: Towards accelerated semi-automated references. <i>NeuroImage: Clinical</i> , 2021 , 30, 102659	5.3	0
71	Automatic multiclass intramedullary spinal cord tumor segmentation on MRI with deep learning. <i>NeuroImage: Clinical</i> , 2021 , 31, 102766	5.3	2
70	Assisting scalable diagnosis automatically via CT images in the combat against COVID-19. <i>Scientific Reports</i> , 2021 , 11, 4145	4.9	8
69	Deep learning-based methods may minimize GBCA dosage in brain MRI. <i>European Radiology</i> , 2021 , 31, 6419-6428	8	5
68	Altered Cerebral Blood Flow in Alzheimer's Disease With Depression. <i>Frontiers in Psychiatry</i> , 2021 , 12, 687739	5	1
67	Open-access quantitative MRI data of the spinal cord and reproducibility across participants, sites and manufacturers. <i>Scientific Data</i> , 2021 , 8, 219	8.2	6
66	Structural and functional hippocampal alterations in Multiple sclerosis and neuromyelitis optica spectrum disorder. <i>Multiple Sclerosis Journal</i> , 2021 , 13524585211032800	5	3
65	Generic acquisition protocol for quantitative MRI of the spinal cord. <i>Nature Protocols</i> , 2021 , 16, 4611-4632	12.8	11
64	The occurrence of myelin oligodendrocyte glycoprotein antibodies in aquaporin-4-antibody seronegative Neuromyelitis Optica Spectrum Disorder: A systematic review and meta-analysis. <i>Multiple Sclerosis and Related Disorders</i> , 2021 , 53, 103030	4	4
63	Subtyping relapsing-remitting multiple sclerosis using structural MRI. <i>Journal of Neurology</i> , 2021 , 268, 1808-1817	5.5	4
62	Relationship between homocysteine levels and post-stroke cognitive impairment in female and male population: from a prospective multicenter study.. <i>Journal of Translational Internal Medicine</i> , 2021 , 9, 264-272	3	1
61	Primary Categorizing and Masking Cerebral Small Vessel Disease Based on "Deep Learning System". <i>Frontiers in Neuroinformatics</i> , 2020 , 14, 17	3.9	3
60	Reduced accuracy of MRI deep grey matter segmentation in multiple sclerosis: an evaluation of four automated methods against manual reference segmentations in a multi-center cohort. <i>Journal of Neurology</i> , 2020 , 267, 3541-3554	5.5	8
59	Prevention and control measures in radiology department for COVID-19. <i>European Radiology</i> , 2020 , 30, 3603-3608	8	26
58	Different patterns of cerebral perfusion in SLE patients with and without neuropsychiatric manifestations. <i>Human Brain Mapping</i> , 2020 , 41, 755-766	5.9	12
57	Altered Temporal Organization of Brief Spontaneous Brain Activities in Patients with Alzheimer's Disease. <i>Neuroscience</i> , 2020 , 425, 1-11	3.9	8

56	Identifying Mild Cognitive Impairment with Random Forest by Integrating Multiple MRI Morphological Metrics. <i>Journal of Alzheimer's Disease</i> , 2020 , 73, 991-1002	4.3	5
55	Accelerating Brain 3D T1-Weighted Turbo Field Echo MRI Using Compressed Sensing-Sensitivity Encoding (CS-SENSE). <i>European Journal of Radiology</i> , 2020 , 131, 109255	4.7	4
54	Brain MRI characteristics in neuromyelitis optica spectrum disorders: A large multi-center retrospective study in China. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 46, 102475	4	5
53	Cortical Thinning and Ventricle Enlargement in Neuromyelitis Optica Spectrum Disorders. <i>Frontiers in Neurology</i> , 2020 , 11, 872	4.1	2
52	Spatial distribution of multiple sclerosis lesions in the cervical spinal cord. <i>Brain</i> , 2019 , 142, 633-646	11.2	47
51	Radiomics in multiple sclerosis and neuromyelitis optica spectrum disorder. <i>European Radiology</i> , 2019 , 29, 4670-4677	8	17
50	White Matter Microstructure Alterations in Patients With Spinal Cord Injury Assessed by Diffusion Tensor Imaging. <i>Frontiers in Human Neuroscience</i> , 2019 , 13, 11	3.3	7
49	The effects of repetitive transcranial magnetic stimulation on the whole-brain functional network of postherpetic neuralgia patients. <i>Medicine (United States)</i> , 2019 , 98, e16105	1.8	8
48	Automatic segmentation of the spinal cord and intramedullary multiple sclerosis lesions with convolutional neural networks. <i>NeuroImage</i> , 2019 , 184, 901-915	7.9	77
47	Progressive brain rich-club network disruption from clinically isolated syndrome towards multiple sclerosis. <i>NeuroImage: Clinical</i> , 2018 , 19, 232-239	5.3	17
46	Brain MRI Characteristics of Patients with Anti-Methyl-D-Aspartate Receptor Encephalitis and Their Associations with 2-Year Clinical Outcome. <i>American Journal of Neuroradiology</i> , 2018 , 39, 824-829	4.4	41
45	Different patterns of longitudinal brain and spinal cord changes and their associations with disability progression in NMO and MS. <i>European Radiology</i> , 2018 , 28, 96-103	8	16
44	Multimodal characterization of gray matter alterations in neuromyelitis optica. <i>Multiple Sclerosis Journal</i> , 2018 , 24, 1308-1316	5	10
43	Bidirectional degeneration in the visual pathway in neuromyelitis optica spectrum disorder (NMOSD). <i>Multiple Sclerosis Journal</i> , 2018 , 24, 1585-1593	5	26
42	Disrupted Module Efficiency of Structural and Functional Brain Connectomes in Clinically Isolated Syndrome and Multiple Sclerosis. <i>Frontiers in Human Neuroscience</i> , 2018 , 12, 138	3.3	18
41	Baseline Brain Activity Changes in Patients With Single and Relapsing Optic Neuritis. <i>Frontiers in Human Neuroscience</i> , 2018 , 12, 144	3.3	0
40	Identifying aMCI with functional connectivity network characteristics based on subtle AAL atlas. <i>Brain Research</i> , 2018 , 1696, 81-90	3.7	8
39	. <i>American Journal of Neuroradiology</i> , 2018 , 39, E121-E122	4.4	

38	Altered Brain Structure and Functional Connectivity of Primary Visual Cortex in Optic Neuritis. <i>Frontiers in Human Neuroscience</i> , 2018 , 12, 473	3.3	7
37	Hemodynamic simulation of intracranial aneurysm growth with virtual silk stent implantation. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2018 , 1-10	2.1	1
36	White matter microstructural alterations in clinically isolated syndrome and multiple sclerosis. <i>Journal of Clinical Neuroscience</i> , 2018 , 53, 27-33	2.2	11
35	Comparison of brain and spinal cord magnetic resonance imaging features in neuromyelitis optica spectrum disorders patients with or without aquaporin-4 antibody. <i>Multiple Sclerosis and Related Disorders</i> , 2017 , 13, 58-66	4	10
34	Metabolic changes in normal-appearing white matter in patients with neuromyelitis optica and multiple sclerosis: a comparative magnetic resonance spectroscopy study. <i>Acta Radiologica</i> , 2017 , 58, 1132-1137	2	13
33	Brain Ischemia Suppresses Immunity in the Periphery and Brain via Different Neurogenic Innervations. <i>Immunity</i> , 2017 , 46, 474-487	32.3	93
32	Abnormal brain function in neuromyelitis optica: A fMRI investigation of mPASAT. <i>European Journal of Radiology</i> , 2017 , 95, 197-201	4.7	3
31	Performance of five research-domain automated WM lesion segmentation methods in a multi-center MS study. <i>NeuroImage</i> , 2017 , 163, 106-114	7.9	18
30	Functional Brain Network Alterations in Clinically Isolated Syndrome and Multiple Sclerosis: A Graph-based Connectome Study. <i>Radiology</i> , 2017 , 282, 534-541	20.5	38
29	Disrupted topological organization of structural and functional brain connectomes in clinically isolated syndrome and multiple sclerosis. <i>Scientific Reports</i> , 2016 , 6, 29383	4.9	47
28	Multicenter Validation of Mean Upper Cervical Cord Area Measurements from Head 3D T1-Weighted MR Imaging in Patients with Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , 2016 , 37, 749-54	4.4	22
27	Diagnostic performance of brain MRI in pharmacovigilance of natalizumab-treated MS patients. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 1174-83	5	19
26	Autoantibody to MOG suggests two distinct clinical subtypes of NMOSD. <i>Science China Life Sciences</i> , 2016 , 59, 1270-1281	8.5	32
25	Whole brain functional connectivity in clinically isolated syndrome without conventional brain MRI lesions. <i>European Radiology</i> , 2016 , 26, 2982-91	8	11
24	Thalamic Atrophy Contributes to Low Slow Wave Sleep in Neuromyelitis Optica Spectrum Disorder 2016 , 7, 691-696		4
23	Blocking LINGO-1 in vivo reduces degeneration and enhances regeneration of the optic nerve. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2016 , 2, 2055217316641704	2	8
22	MRI criteria differentiating asymptomatic PML from new MS lesions during natalizumab pharmacovigilance. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 1138-45	5.5	44
21	Multimodal Quantitative MR Imaging of the Thalamus in Multiple Sclerosis and Neuromyelitis Optica. <i>Radiology</i> , 2015 , 277, 784-92	20.5	30

20	Differential patterns of spinal cord and brain atrophy in NMO and MS. <i>Neurology</i> , 2015 , 84, 1465-72	6.5	60
19	Altered thalamic functional connectivity in multiple sclerosis. <i>European Journal of Radiology</i> , 2015 , 84, 703-8	4.7	19
18	Structural MRI substrates of cognitive impairment in neuromyelitis optica. <i>Neurology</i> , 2015 , 85, 1491-9	6.5	47
17	A scaling aneurysm model-based approach to assessing the role of flow pattern and energy loss in aneurysm rupture prediction. <i>Journal of Translational Medicine</i> , 2015 , 13, 311	8.5	11
16	Hemispheric Asymmetry of Human Brain Anatomical Network Revealed by Diffusion Tensor Tractography. <i>BioMed Research International</i> , 2015 , 2015, 908917	3	17
15	An approach to facial expression recognition integrating radial basis function kernel and multidimensional scaling analysis. <i>Soft Computing</i> , 2014 , 18, 1363-1371	3.5	5
14	Cortical thinning correlates with cognitive change in multiple sclerosis but not in neuromyelitis optica. <i>European Radiology</i> , 2014 , 24, 2334-43	8	26
13	White matter atrophy in brain of neuromyelitis optica: a voxel-based morphometry study. <i>Acta Radiologica</i> , 2014 , 55, 589-93	2	12
12	Microstructural abnormalities in the trigeminal nerves of patients with trigeminal neuralgia revealed by multiple diffusion metrics. <i>European Journal of Radiology</i> , 2013 , 82, 783-6	4.7	64
11	Longitudinal progression of grey matter atrophy morphological characteristics in MCI patients 2013 ,		3
10	Anti-aquaporin-4 antibody positivity in neuromyelitis optica is associated with lesion activity. <i>European Neurology</i> , 2013 , 70, 113-6	2.1	1
9	Baseline brain activity changes in patients with clinically isolated syndrome revealed by resting-state functional MRI. <i>Acta Radiologica</i> , 2012 , 53, 1073-8	2	14
8	Comparison of grey matter atrophy between patients with neuromyelitis optica and multiple sclerosis: a voxel-based morphometry study. <i>European Journal of Radiology</i> , 2012 , 81, e110-4	4.7	61
7	Whole brain white matter changes revealed by multiple diffusion metrics in multiple sclerosis: a TBSS study. <i>European Journal of Radiology</i> , 2012 , 81, 2826-32	4.7	39
6	A tract-based diffusion study of cerebral white matter in neuromyelitis optica reveals widespread pathological alterations. <i>Multiple Sclerosis Journal</i> , 2012 , 18, 1013-21	5	50
5	Altered topological organization of white matter structural networks in patients with neuromyelitis optica. <i>PLoS ONE</i> , 2012 , 7, e48846	3.7	31
4	Brain plasticity in relapsing-remitting multiple sclerosis: evidence from resting-state fMRI. <i>Journal of the Neurological Sciences</i> , 2011 , 304, 127-31	3.2	38
3	Clinical isolated syndrome: a 3-year follow-up study in China. <i>Clinical Neurology and Neurosurgery</i> , 2011 , 113, 658-60	2	11

- | | | | |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 2 | Abnormal baseline brain activity in patients with neuromyelitis optica: a resting-state fMRI study. <i>European Journal of Radiology</i> , 2011 , 80, 407-11 | 4-7 | 50 |
| 1 | Diffusion tensor tractography reveals disrupted topological efficiency in white matter structural networks in multiple sclerosis. <i>Cerebral Cortex</i> , 2011 , 21, 2565-77 | 5-1 | 257 |