

# Rosa Conde-Vicente

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5571679/rosa-conde-vicente-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54  
papers

691  
citations

14  
h-index

23  
g-index

59  
ext. papers

757  
ext. citations

4.2  
avg, IF

3.22  
L-index

#	Paper	IF	Citations
54	The effects of duodenal-jejunal exclusion on hormonal regulation of glucose metabolism in Goto-Kakizaki rats. <i>American Journal of Surgery</i> , <b>2007</b> , 194, 221-4	2.7	99
53	Influence of insulin resistance and adipokines in the grade of steatosis of nonalcoholic fatty liver disease. <i>Digestive Diseases and Sciences</i> , <b>2008</b> , 53, 1088-92	4	49
52	Effect of a hypocaloric diet on serum visfatin in obese non-diabetic patients. <i>Nutrition</i> , <b>2008</b> , 24, 517-21	4.8	39
51	Beneficial effects of liraglutide on adipocytokines, insulin sensitivity parameters and cardiovascular risk biomarkers in patients with Type 2 diabetes: a prospective study. <i>Diabetes Research and Clinical Practice</i> , <b>2014</b> , 104, 92-6	7.4	36
50	Evaluation of weight loss and adipocytokines levels after two hypocaloric diets with different macronutrient distribution in obese subjects with rs9939609 gene variant. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2012</b> , 28, 663-8	7.5	27
49	Resistin levels in morbid obese patients following the biliopancreatic diversion surgery. <i>Hormone and Metabolic Research</i> , <b>2011</b> , 43, 205-8	3.1	23
48	Effects of duodenal-jejunal exclusion on beta cell function and hormonal regulation in Goto-Kakizaki rats. <i>American Journal of Surgery</i> , <b>2012</b> , 204, 242-7	2.7	16
47	The rs9939609 gene variant in FTO modified the metabolic response of weight loss after a 3-month intervention with a hypocaloric diet. <i>Journal of Investigative Medicine</i> , <b>2013</b> , 61, 22-6	2.9	16
46	C358A missense polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) and insulin resistance in patients with diabetes mellitus type 2. <i>Diabetes Research and Clinical Practice</i> , <b>2010</b> , 88, 76-80	7.4	16
45	Ala54Thr polymorphism of fatty acid binding protein 2, role on insulin resistance and cardiovascular risk factors in presurgical morbid obesity patients. <i>Obesity Surgery</i> , <b>2009</b> , 19, 1691-6	3.7	16
44	Influence of Ala54Thr polymorphism of fatty acid-binding protein-2 on clinical results of biliopancreatic diversion. <i>Nutrition</i> , <b>2008</b> , 24, 300-4	4.8	16
43	Relation of leptin and adiponectin with cardiovascular risk factors, intact parathormone, and vitamin D levels in patients with primary hyperparathyroidism. <i>Journal of Clinical Laboratory Analysis</i> , <b>2012</b> , 26, 398-402	3	15
42	Influence of G1359A polymorphism of the cannabinoid receptor gene on anthropometric parameters and insulin resistance in women with obesity. <i>Metabolism: Clinical and Experimental</i> , <b>2011</b> , 60, 272-6	12.7	15
41	Relation of resistin levels with cardiovascular risk factors, insulin resistance and inflammation in naïve diabetes obese patients. <i>Diabetes Research and Clinical Practice</i> , <b>2010</b> , 89, 110-4	7.4	15
40	Effects of C358A missense polymorphism of the degrading enzyme fatty acid amide hydrolase on weight loss, adipocytokines, and insulin resistance after 2 hypocaloric diets. <i>Metabolism: Clinical and Experimental</i> , <b>2010</b> , 59, 1387-92	12.7	13
39	Effects of RS9939609 gene variant in FTO gene on weight loss and cardiovascular risk factors after biliopancreatic diversion surgery. <i>Journal of Gastrointestinal Surgery</i> , <b>2012</b> , 16, 1194-8	3.3	12
38	Effects of C358A missense polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase on weight loss after a hypocaloric diet. <i>Metabolism: Clinical and Experimental</i> , <b>2011</b> , 60, 730-4	12.7	12

37	Changes of ghrelin and leptin in response to hypocaloric diet in obese patients. <i>Nutrition</i> , <b>2008</b> , 24, 162-68	4.8	12
36	Genetic variation in the cannabinoid receptor gene (CNR1) (G1359A polymorphism) and their influence on anthropometric parameters and metabolic parameters under a high monounsaturated vs. high polyunsaturated fat hypocaloric diets. <i>Journal of Nutritional Biochemistry</i> , <b>2013</b> , 24, 1431-5	6.3	11
35	Relation of the rs9939609 gene variant in FTO with metabolic syndrome in obese female patients. <i>Journal of Diabetes and Its Complications</i> , <b>2013</b> , 27, 346-50	3.2	11
34	Relation of G1359A polymorphism of the cannabinoid receptor (CB1) gene with metabolic syndrome by ATP III classification. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2011</b> , 27, 506-11	7.5	11
33	Circulating visfatin in obese non-diabetic patients in relation to cardiovascular risk factors, insulin resistance, and adipocytokines: a contradictory piece of the puzzle. <i>Nutrition</i> , <b>2010</b> , 26, 1130-3	4.8	11
32	Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor with weight, cardiovascular risk factor, and serum adipokine levels in obese female subjects. <i>Journal of Clinical Laboratory Analysis</i> , <b>2015</b> , 29, 100-5	3	10
31	Lack of association of serum resistin levels with metabolic syndrome criteria in obese female patients. <i>Clinical Biochemistry</i> , <b>2011</b> , 44, 1280-3	3.5	10
30	Serum visfatin concentrations are related to dietary intake in obese patients. <i>Annals of Nutrition and Metabolism</i> , <b>2010</b> , 57, 265-70	4.5	10
29	Influence of lys656asn polymorphism of leptin receptor gene on surgical results of biliopancreatic diversion. <i>Journal of Gastrointestinal Surgery</i> , <b>2010</b> , 14, 899-903	3.3	10
28	Metabolic syndrome and ALA54THR polymorphism of fatty acid-binding protein 2 in obese patients. <i>Metabolism: Clinical and Experimental</i> , <b>2011</b> , 60, 664-8	12.7	9
27	Influence of G308A polymorphism of tumor necrosis factor alpha gene on surgical results of biliopancreatic diversion. <i>Obesity Surgery</i> , <b>2010</b> , 20, 221-5	3.7	8
26	Influence of Lys656Asn polymorphism of the leptin receptor gene on insulin resistance in nondiabetic obese patients. <i>Journal of Diabetes and Its Complications</i> , <b>2008</b> , 22, 199-204	3.2	8
25	OST risk index and calcaneus bone densitometry in osteoporosis diagnosis. <i>Journal of Clinical Densitometry</i> , <b>2007</b> , 10, 404-7	3.5	8
24	Role of G1359A polymorphism of the cannabinoid receptor gene on weight loss and adipocytokines levels after two different hypocaloric diets. <i>Journal of Nutritional Biochemistry</i> , <b>2012</b> , 23, 287-91	6.3	7
23	The deleterious effect of bariatric surgery on cortical and trabecular bone density in the femurs of non-obese, type 2 diabetic Goto-Kakizaki rats. <i>Obesity Surgery</i> , <b>2012</b> , 22, 1755-60	3.7	7
22	Genetic variation in the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) and their influence on weight loss and insulin resistance under a high monounsaturated fat hypocaloric diet. <i>Journal of Diabetes and Its Complications</i> , <b>2013</b> , 27, 235-9	3.2	7
21	The effects of two different hypocaloric diets on glucagon-like peptide 1 in obese adults, relation with insulin response after weight loss. <i>Journal of Diabetes and Its Complications</i> , <b>2009</b> , 23, 239-43	3.2	7
20	Effect of fatty acid-binding protein 2 Ala54Thr genotype on weight loss and cardiovascular risk factors after a high-polyunsaturated fat diet in obese patients. <i>Journal of Investigative Medicine</i> , <b>2012</b> , 60, 1194-8	2.9	7

19	Basal glucagonlike peptide 1 levels and metabolic syndrome in obese patients. <i>Journal of Investigative Medicine</i> , <b>2012</b> , 60, 874-7	2.9	7
18	Influence of -55CT polymorphism of UCP3 gene on surgical results of biliopancreatic diversion. <i>Obesity Surgery</i> , <b>2010</b> , 20, 895-9	3.7	7
17	Relation of visfatin to cardiovascular risk factors and adipocytokines in patients with impaired fasting glucose. <i>Nutrition</i> , <b>2013</b> , 29, 1300-3	4.8	6
16	Visfatin levels in female, morbid, nondiabetic obese patients after biliopancreatic diversion surgery. <i>Surgery for Obesity and Related Diseases</i> , <b>2011</b> , 7, 195-8	3	6
15	Role of G308 promoter variant of tumor necrosis factor alpha gene on weight loss and metabolic parameters after a high monounsaturated versus a high polyunsaturated fat hypocaloric diets. <i>Medicina Clínica</i> , <b>2013</b> , 141, 189-93	1	5
14	Basal GLP-1 levels in morbidly obese patients following biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , <b>2012</b> , 61, 70-3	4.5	5
13	Evaluation of weight loss and adipocytokine levels after two hypocaloric diets with different macronutrient distribution in obese subjects with the rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Annals of Nutrition and Metabolism</i> , <b>2013</b> , 63, 277-82	4.5	5
12	Influence of insulin resistance and adipocytokines on elevated serum alanine aminotransferase in obese patients. <i>Archives of Medical Research</i> , <b>2008</b> , 39, 110-4	6.6	5
11	Relationship of -55C/T polymorphism of uncoupling protein 3 (UCP3) gene with metabolic syndrome by ATP III classification. <i>Journal of Clinical Laboratory Analysis</i> , <b>2012</b> , 26, 272-8	3	4
10	Influence of G308A promoter variant of tumor necrosis factor-alpha gene on insulin resistance and weight loss secondary to two hypocaloric diets: a randomized clinical trial. <i>Archives of Medical Research</i> , <b>2009</b> , 40, 36-41	6.6	4
9	The ratio of adiponectin to HOMA as an index of metabolic syndrome in obese women. <i>Annals of Nutrition and Metabolism</i> , <b>2011</b> , 58, 301-6	4.5	4
8	Relationship of fat distribution with adipokines in patients with acquired immunodeficiency virus infection. <i>Journal of Clinical Laboratory Analysis</i> , <b>2012</b> , 26, 336-41	3	3
7	Lys656Asn polymorphism of leptin receptor gene is related with leptin changes after a high monounsaturated fat diet in obese patients. <i>Journal of Investigative Medicine</i> , <b>2013</b> , 61, 286-90	2.9	3
6	C358A missense polymorphism of the endocannabinoid-degrading enzyme fatty acid amide hydrolase (FAAH) and visfatin levels in obese females. <i>International Journal of Obesity</i> , <b>2010</b> , 34, 511-5	5.5	3
5	Effect of two types of bariatric surgery (gastrojejunal bypass and sleeve gastropasty) on gene expression of bone remodeling markers in Goto-Kakizaki rats. <i>Obesity Surgery</i> , <b>2014</b> , 24, 37-41	3.7	2
4	Relation of Trp64Arg polymorphism of beta3-adrenoreceptor gene with cardiovascular risk factors in presurgical morbidly obese patients. <i>Archives of Medical Research</i> , <b>2008</b> , 39, 791-5	6.6	2
3	Polymorphism Ala54Thr of fatty acid-binding protein 2: Allelic frequencies and influence on cardiovascular risk factors in a multicenter study of Castilla y Leon. <i>Annals of Nutrition and Metabolism</i> , <b>2010</b> , 57, 163-8	4.5	1
2	Role of the rs9939609 gene variant of FTO on cardiovascular risk factors and adipokines levels in naive patients with diabetes mellitus type 2. <i>International Journal of Diabetes in Developing Countries</i> , <b>2013</b> , 33, 202-206	0.8	

- 1 Interaction between tumor necrosis factor- $\beta$  gene -308G/A promoter and leptin receptor gene Lys656Asn single-nucleotide polymorphisms: effect on serum leptin concentrations. *Annals of Nutrition and Metabolism*, **2010**, 57, 89-94 4.5