

Claudio E Bruschini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5571721/publications.pdf>

Version: 2024-02-01

119
papers

2,021
citations

331259

21
h-index

288905

40
g-index

126
all docs

126
docs citations

126
times ranked

1568
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Single-photon avalanche diode imagers in biophotonics: review and outlook. <i>Light: Science and Applications</i> , 2019, 8, 87. | 7.7 | 269 |
| 2 | Megapixel time-gated SPAD image sensor for 2D and 3D imaging applications. <i>Optica</i> , 2020, 7, 346. | 4.8 | 200 |
| 3 | Ground penetrating radar and imaging metal detector for antipersonnel mine detection. <i>Journal of Applied Geophysics</i> , 1998, 40, 59-71. | 0.9 | 134 |
| 4 | A 512 Å— 512 SPAD Image Sensor With Integrated Gating for Widefield FLIM. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2019, 25, 1-12. | 1.9 | 109 |
| 5 | Architecture and applications of a high resolution gated SPAD image sensor. <i>Optics Express</i> , 2014, 22, 17573. | 1.7 | 94 |
| 6 | Cryogenic characterization of 28 nm bulk CMOS technology for quantum computing. , 2017, , . | | 61 |
| 7 | Dynamic range extension for photon counting arrays. <i>Optics Express</i> , 2018, 26, 22234. | 1.7 | 57 |
| 8 | Performance of an electromagnetic liquid krypton calorimeter based on a ribbon electrode tower structure. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1996, 370, 413-424. | 0.7 | 53 |
| 9 | Wide-field time-gated SPAD imager for phasor-based FLIM applications. <i>Methods and Applications in Fluorescence</i> , 2020, 8, 024002. | 1.1 | 50 |
| 10 | Fluorescence lifetime imaging with a megapixel SPAD camera and neural network lifetime estimation. <i>Scientific Reports</i> , 2020, 10, 20986. | 1.6 | 44 |
| 11 | Nonuniformity Analysis of a 65-kpixel CMOS SPAD Imager. <i>IEEE Transactions on Electron Devices</i> , 2016, 63, 57-64. | 1.6 | 42 |
| 12 | Quantum correlation measurement with single photon avalanche diode arrays. <i>Optics Express</i> , 2019, 27, 32863. | 1.7 | 42 |
| 13 | Characterization of GigaRad Total Ionizing Dose and Annealing Effects on 28-nm Bulk MOSFETs. <i>IEEE Transactions on Nuclear Science</i> , 2017, 64, 2639-2647. | 1.2 | 41 |
| 14 | Quanta burst photography. <i>ACM Transactions on Graphics</i> , 2020, 39, . | 4.9 | 38 |
| 15 | A Low-Noise CMOS SPAD Pixel With 12.1 Ps SPTR and 3 Ns Dead Time. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2022, 28, 1-9. | 1.9 | 33 |
| 16 | Compact solid-state CMOS single-photon detector array for in vivo NIR fluorescence lifetime oncology measurements. <i>Biomedical Optics Express</i> , 2016, 7, 1797. | 1.5 | 32 |
| 17 | SPAD imagers for super resolution localization microscopy enable analysis of fast fluorophore blinking. <i>Scientific Reports</i> , 2017, 7, 44108. | 1.6 | 29 |
| 18 | Commercial Systems for the Direct Detection of Explosives for Explosive Ordnance Disposal Tasks. <i>Subsurface Sensing Technologies and Applications</i> , 2001, 2, 299-336. | 0.9 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Resolving the Controversy in Biexciton Binding Energy of Cesium Lead Halide Perovskite Nanocrystals through Heralded Single-Particle Spectroscopy. <i>ACS Nano</i> , 2021, 15, 19581-19587. | 7.3 | 26 |
| 20 | EndoTOFPET-US: a novel multimodal tool for endoscopy and positron emission tomography. <i>Journal of Instrumentation</i> , 2013, 8, C04002-C04002. | 0.5 | 25 |
| 21 | LinoSPAD: A Compact Linear SPAD Camera System with 64 FPGA-Based TDC Modules for Versatile 50 ps Resolution Time-Resolved Imaging. <i>Instruments</i> , 2017, 1, 6. | 0.8 | 23 |
| 22 | Combining endoscopic ultrasound with Time-Of-Flight PET: The EndoTOFPET-US Project. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013, 732, 577-580. | 0.7 | 22 |
| 23 | Photon-Counting Arrays for Time-Resolved Imaging. <i>Sensors</i> , 2016, 16, 1005. | 2.1 | 22 |
| 24 | Ten years of biophotonics single-photon SPAD imager applications: retrospective and outlook. <i>Proceedings of SPIE</i> , 2017, , . | 0.8 | 21 |
| 25 | Engineering Breakdown Probability Profile for PDP and DCR Optimization in a SPAD Fabricated in a Standard 55 nm BCD Process. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2022, 28, 1-10. | 1.9 | 21 |
| 26 | Widefield High Frame Rate Single-Photon SPAD Imagers for SPIM-FCS. <i>Biophysical Journal</i> , 2018, 114, 2455-2464. | 0.2 | 20 |
| 27 | Heralded Spectroscopy Reveals Exciton-Exciton Correlations in Single Colloidal Quantum Dots. <i>Nano Letters</i> , 2021, 21, 6756-6763. | 4.5 | 19 |
| 28 | SPADnet: Embedded coincidence in a smart sensor network for PET applications. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2014, 734, 122-126. | 0.7 | 17 |
| 29 | 3D-Stacked CMOS SPAD Image Sensors: Technology and Applications. , 2018, , . | | 17 |
| 30 | EMG pattern recognition using decomposition techniques for constructing multiclass classifiers. , 2016, , . | | 15 |
| 31 | In vitro and in vivo NIR fluorescence lifetime imaging with a time-gated SPAD camera. <i>Optica</i> , 2022, 9, 532. | 4.8 | 15 |
| 32 | Sub-10 ps Minimum Ionizing Particle Detection With Geiger-Mode APDs. <i>Frontiers in Physics</i> , 2022, 10, . | 1.0 | 15 |
| 33 | On the low-frequency EMI response of coincident loops over a conductive and permeable soil and corresponding background reduction schemes. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2004, 42, 1706-1719. | 2.7 | 14 |
| 34 | Sensor network architecture for a fully digital and scalable SPAD based PET system. , 2012, , . | | 14 |
| 35 | Endo-TOFPET-US: A multimodal ultrasonic probe featuring time of flight PET in diagnostic and therapeutic endoscopy. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013, 718, 121-125. | 0.7 | 14 |
| 36 | Single-Photon, Time-Gated, Phasor-Based Fluorescence Lifetime Imaging through Highly Scattering Medium. <i>ACS Photonics</i> , 2020, 7, 68-79. | 3.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | WA92: a fixed target experiment to trigger on and identify beauty particle decays. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 379, 252-270. | 0.7 | 13 |
| 38 | Study of charm correlations in $\bar{\nu}_e$ -N interactions at GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 348, 256-262. | 1.5 | 12 |
| 39 | LinoSPAD: a time-resolved 256Å—1 CMOS SPAD line sensor system featuring 64 FPGA-based TDC channels running at up to 8.5 giga-events per second. Proceedings of SPIE, 2016, , . | 0.8 | 12 |
| 40 | Impact of GigaRad Ionizing Dose on 28 nm bulk MOSFETs for future HL-LHC. , 2016, , . | | 11 |
| 41 | Total ionizing dose effects on analog performance of 28 nm bulk MOSFETs. , 2017, , . | | 11 |
| 42 | First Near-Ultraviolet- and Blue-Enhanced Backside-Illuminated Single-Photon Avalanche Diode Based on Standard SOI CMOS Technology. IEEE Journal of Selected Topics in Quantum Electronics, 2019, 25, 1-6. | 1.9 | 11 |
| 43 | Multi-modal Sensory Feedback System for Upper Limb Amputees. , 2017, , . | | 10 |
| 44 | A Bit Too Much? High Speed Imaging from Sparse Photon Counts. , 2019, , . | | 10 |
| 45 | The beauty contiguity trigger of the BEATRICE experiment: detector, readout and processor overview. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1994, 337, 280-294. | 0.7 | 9 |
| 46 | A study of kinematical correlations between charmed particles produced in $\bar{\nu}_e$ -Cu interactions at GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 385, 487-492. | 1.5 | 9 |
| 47 | Search for the decay $D^0 \rightarrow \frac{1}{4} + \frac{1}{4}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 353, 563-570. | 1.5 | 8 |
| 48 | Results from an on-line non-leptonic neural trigger implemented in an experiment looking for beauty. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 361, 506-518. | 0.7 | 8 |
| 49 | Measurement of the beauty production cross section in 350 GeV / c $\bar{\nu}_e$ -Cu interactions. Nuclear Physics B, 1998, 519, 19-36. | 0.9 | 8 |
| 50 | Light Extraction Enhancement Techniques for Inorganic Scintillators. Crystals, 2021, 11, 362. | 1.0 | 8 |
| 51 | Single-photon avalanche diode imaging sensor for subsurface fluorescence LiDAR. Optica, 2021, 8, 1126. | 4.8 | 8 |
| 52 | Optical-stack optimization for improved SPAD photon detection efficiency. , 2019, , . | | 8 |
| 53 | First characterization of the SPADnet sensor: a digital silicon photomultiplier for PET applications. Journal of Instrumentation, 2013, 8, C12026-C12026. | 0.5 | 7 |
| 54 | Towards Quantum 3D Imaging Devices. Applied Sciences (Switzerland), 2021, 11, 6414. | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Theoretical minimum uncertainty of single-molecule localizations using a single-photon avalanche diode array. <i>Optics Express</i> , 2021, 29, 39920. | 1.7 | 7 |
| 56 | WA92: A fixed target experiment to study beauty in hadronic interactions. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1992, 27, 251-256. | 0.5 | 6 |
| 57 | EndoTOPPET-US a novel multimodal tool for endoscopy and Positron Emission Tomography. , 2012, , . | | 6 |
| 58 | A 65k pixel, 150k frames-per-second camera with global gating and micro-lenses suitable for fluorescence lifetime imaging. <i>Proceedings of SPIE</i> , 2014, 9141, . | 0.8 | 6 |
| 59 | Fundamentals of a scalable network in SPADnet-based PET systems. , 2015, , . | | 6 |
| 60 | Guard-Ring-Free InGaAs/InP Single-Photon Avalanche Diode Based on a Novel One-Step Zn-Diffusion Technique. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2022, 28, 1-9. | 1.9 | 6 |
| 61 | A 500 Å— 500 Dual-Gate SPAD Imager With 100% Temporal Aperture and 1 ns Minimum Gate Length for FLIM and Phasor Imaging Applications. <i>IEEE Transactions on Electron Devices</i> , 2022, 69, 2865-2872. | 1.6 | 6 |
| 62 | SPADs for quantum random number generators and beyond. , 2014, , . | | 5 |
| 63 | Fluorescence lifetime imaging to differentiate bound from unbound ICG-cRGD both <i>in vitro</i> and <i>in vivo</i> . <i>Proceedings of SPIE</i> , 2015, , . | 0.8 | 5 |
| 64 | GigaRad total ionizing dose and post-irradiation effects on 28 nm bulk MOSFETs. , 2016, , . | | 5 |
| 65 | Monolithic SPAD Arrays for High-Performance, Time-Resolved Single-Photon Imaging. , 2018, , . | | 5 |
| 66 | Time Domain NIRS Optode based on Null/Small Source-Detector Distance for Wearable Applications. , 2019, , . | | 5 |
| 67 | Phasor-based widefield FLIM using a gated 512Å—512 single-photon SPAD imager. , 2019, 10882, . | | 5 |
| 68 | CMOS 3D-Stacked FSI Multi-Channel Digital SiPM for Time-of-Flight PET Applications. , 2020, , . | | 5 |
| 69 | A secondary-vertex trigger for a beauty search: results from the WA92 experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1994, 351, 225-227. | 0.7 | 4 |
| 70 | The use of a decay detector in the search for beauty decays in the WA92 experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1994, 351, 222-224. | 0.7 | 4 |
| 71 | Results from the WA92 experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1995, 368, 185-191. | 0.7 | 4 |
| 72 | Results from a MA16-based neural trigger in an experiment looking for beauty. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1996, 376, 411-419. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Phase-angle-based EMI object discrimination and analysis of data from a commercial differential two-frequency system. , 2000, 4038, 1404. | | 4 |
| 74 | Characterization of large-scale non-uniformities in a 20k TDC/SPAD array integrated in a 130nm CMOS process. , 2011, , . | | 4 |
| 75 | Distributed coincidence detection for multi-ring based PET systems. , 2014, , . | | 4 |
| 76 | Development of EndoTOFPET-US, a multi-modal endoscope for ultrasound and time of flight positron emission tomography. Journal of Instrumentation, 2014, 9, C02002-C02002. | 0.5 | 4 |
| 77 | EndoTOFPET-US â€“ A Miniaturised Calorimeter for Endoscopic Time-of-Flight Positron Emission Tomography. Journal of Physics: Conference Series, 2015, 587, 012068. | 0.3 | 4 |
| 78 | Megapixel time-gated SPAD image sensor for scientific imaging applications. , 2021, , . | | 4 |
| 79 | RESULTS FROM A NEURAL TRIGGER BASED ON THE MA16 MICROPROCESSOR. International Journal of Modern Physics C, 1995, 06, 567-572. | 0.8 | 3 |
| 80 | A handheld \hat{I}^2 probe for intra-operative detection of radiotracers. , 2011, , . | | 3 |
| 81 | Analyzing blinking effects in super resolution localization microscopy with single-photon SPAD imagers. , 2016, , . | | 3 |
| 82 | Light Extraction Enhancement in Scintillation Crystals Using Thin Film Coatings. , 2018, , . | | 3 |
| 83 | A time-gated large-array SPAD camera for picosecond resolution real-time FLIM (Conference) Tj ETQq1 1 0.784314 rgBT /Overlock 10 | | 3 |
| 84 | SPADnet: A fully digital, networked approach to MRI compatible PET systems based on deep-submicron CMOS technology. , 2013, , . | | 2 |
| 85 | SPADnet: a fully digital, scalable, and networked photonic component for time-of-flight PET applications. , 2014, , . | | 2 |
| 86 | EndoTOFPET-US: Multi-modal endoscope for Ultrasound and Time of Flight PET. , 2014, , . | | 2 |
| 87 | SPADnet network modeling, simulation and emulation. , 2014, , . | | 2 |
| 88 | CMOS-Based Single-Photon Detectors: Technology and Applications. , 2018, , . | | 2 |
| 89 | A Sensor Network Architecture for Digital SiPM-Based PET Systems. IEEE Transactions on Radiation and Plasma Medical Sciences, 2018, 2, 574-587. | 2.7 | 2 |
| 90 | Automatic hand phantom map generation and detection using decomposition support vector machines. BioMedical Engineering OnLine, 2018, 17, 74. | 1.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|----------|-----------|
| 91 | Fluorescence lifetime imaging with a single-photon SPAD array using long overlapping gates: an experimental and theoretical study. , 2019, 10882, . | | 2 |
| 92 | First results from the parallelisation of CERN's NA48 simulation program. , 1994, , 371-376. | | 1 |
| 93 | A Handheld Intra-Operative \hat{I}^2+ Sensing System. Procedia Engineering, 2011, 25, 988-991. | 1.2 | 1 |
| 94 | A handheld probe for \hat{I}^2+ -emitting radiotracer detection in surgery, biopsy and medical diagnostics based on Silicon Photomultipliers. , 2011, , . | | 1 |
| 95 | Compact imaging system with single-photon sensitivity and picosecond time resolution for fluorescence-guided surgery with lifetime imaging capability. , 2013, , . | | 1 |
| 96 | Time-resolved imaging system for fluorescence-guided surgery with lifetime imaging capability. Proceedings of SPIE, 2014, , . | 0.8 | 1 |
| 97 | Automatic hand phantom map detection methods. , 2015, , . | | 1 |
| 98 | Towards 10ps SPTR and Ultra-Low DCR in SiPMs Through the Combination of Microlenses and Photonic Crystals. , 2017, , . | | 1 |
| 99 | Imaging free and bound NADH towards cancer tissue detection using FLIM system based on SPAD array. , 2017, , . | | 1 |
| 100 | A Compact Probe for \hat{I}^2+ -Emitting Radiotracer Detection in Surgery, Biopsy and Medical Diagnostics based on Silicon Photomultipliers. , 2011, , . | | 1 |
| 101 | The Beauty Contiguity Trigger of the BEATRICE experiment. , 0, , . | | 0 |
| 102 | Application of neural microprocessors to high-energy physics experiments. , 1994, , . | | 0 |
| 103 | AN ON-LINE NON-LEPTONIC NEURAL TRIGGER APPLIED TO AN EXPERIMENT LOOKING FOR BEAUTY. International Journal of Modern Physics C, 1994, 05, 863-870. | 0.8 | 0 |
| 104 | Trigger for the WA92 fixed-target beauty experiment. Nuclear Physics, Section B, Proceedings Supplements, 1995, 44, 435-440. | 0.5 | 0 |
| 105 | Achievements and bottlenecks in humanitarian demining EU-funded research: final results from the EC DELVE project. , 2008, , . | | 0 |
| 106 | Updates from the SPADnet project (fully digital, scalable and networked photonic component for) Tj ETQq0 0 0 rgBT, /Overlock 10 Tf 50 | 1.3 | 0 |
| 107 | Fluorescence lifetime imaging using a single photon avalanche diode array sensor (Conference) Tj ETQq1 1 0.784314 rgBT /Overlock 10 | 0.784314 | 0 |
| 108 | Tradeoffs in Cherenkov Detection for Positron Emission Tomography. , 2018, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|----|-----------|
| 109 | Towards quantum 3D imaging devices. , 2021, , . | | 0 |
| 110 | Random flip-flop: adding quantum randomness to digital circuits for improved cyber security, artificial intelligence and more. , 2021, , . | | 0 |
| 111 | EUDEM2: Overview and some early findings. , 2004, , 201-208. | | 0 |
| 112 | A Disdrometer based on ultra-fast SPAD Cameras. , 2011, , . | | 0 |
| 113 | Applications of a reconfigurable SPAD line imager (Conference Presentation). , 2018, , . | | 0 |
| 114 | High-dynamic-range imaging with photon-counting arrays (Conference Presentation). , 2019, , . | | 0 |
| 115 | Quantum imaging with SPAD arrays (Conference Presentation). , 2020, , . | | 0 |
| 116 | Light Extraction Enhancement Techniques for Inorganic Scintillators. , 2020, , . | | 0 |
| 117 | NIR fluorescence lifetime macroscopic imaging with a time-gated SPAD camera. , 2022, , . | | 0 |
| 118 | SPAD array technology enables fluctuation-contrast super-resolution in a confocal microscope. , 2021, , . | | 0 |
| 119 | Characterization of a large Gated SPAD camera for in vivo Macroscopic Fluorescence Lifetime Imaging. , 2022, , . | | 0 |