

# Tibor Harkany

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5572198/publications.pdf>

Version: 2024-02-01

168  
papers

12,154  
citations

34493

54  
h-index

35168

102  
g-index

173  
all docs

173  
docs citations

173  
times ranked

18220  
citing authors

#	ARTICLE	IF	CITATIONS
1	3D-printed design of a stereotaxic adaptor for the precision targeting of brain structures in infant mice. <i>European Journal of Neuroscience</i> , 2022, 55, 725-732.	1.2	3
2	Disrupted <i>Cacna1c</i> gene expression perturbs spontaneous Ca <sup>2+</sup> activity causing abnormal brain development and increased anxiety. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	15
3	Preclinical Establishment of a Divalent Vaccine against SARS-CoV-2. <i>Vaccines</i> , 2022, 10, 516.	2.1	2
4	A hypothalamic pathway for Augmentin-controlled body weight regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2200476119.	3.3	8
5	Gestational immune activation disrupts hypothalamic neurocircuits of maternal care behavior. <i>Molecular Psychiatry</i> , 2022, , .	4.1	7
6	Neuronal heterogeneity in the paraventricular nucleus of the hypothalamus as revealed by single-cell RNA-seq. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2022, 25, 100366.	0.6	3
7	Genetic Manipulation of sn-1-Diacylglycerol Lipase and CB <sub>1</sub> Cannabinoid Receptor Gain-of-Function Uncover Neuronal 2-Linoleoyl Glycerol Signaling in <i>Drosophila melanogaster</i> . <i>Cannabis and Cannabinoid Research</i> , 2021, 6, 119-136.	1.5	11
8	Secretagogin marks amygdaloid PKC $\delta$ interneurons and modulates NMDA receptor availability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	5
9	Neuropathology of the Brainstem to Mechanistically Understand and to Treat Alzheimer's Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 1555.	1.0	9
10	Functional heterogeneity of POMC neurons relies on mTORC1 signaling. <i>Cell Reports</i> , 2021, 37, 109800.	2.9	19
11	Physiological Rules of Endocannabinoid Action During Fetal and Neonatal Brain Development. <i>Cannabis and Cannabinoid Research</i> , 2021, 6, 381-388.	1.5	4
12	Biological basis of cannabinoid medicines. <i>Science</i> , 2021, 374, 1449-1450.	6.0	10
13	Life-long epigenetic programming of cortical architecture by maternal "Western" diet during pregnancy. <i>Molecular Psychiatry</i> , 2020, 25, 22-36.	4.1	28
14	Life-long impairment of glucose homeostasis upon prenatal exposure to psychostimulants. <i>EMBO Journal</i> , 2020, 39, e100882.	3.5	11
15	HCN Channel Activity Balances Quiescence and Proliferation in Neural Stem Cells and Is a Selective Target for Neuroprotection During Cancer Treatment. <i>Molecular Cancer Research</i> , 2020, 18, 1522-1533.	1.5	6
16	A Neuro-hormonal Circuit for Paternal Behavior Controlled by a Hypothalamic Network Oscillation. <i>Cell</i> , 2020, 182, 960-975.e15.	13.5	43
17	The plot thickens: cannabinoid receptors on astroglial mitochondria coordinate animal behaviors by regulating lactate availability for neurons. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 189.	7.1	1
18	Dental cell type atlas reveals stem and differentiated cell types in mouse and human teeth. <i>Nature Communications</i> , 2020, 11, 4816.	5.8	126

#	ARTICLE	IF	CITATIONS
19	Molecular design of hypothalamus development. <i>Nature</i> , 2020, 582, 246-252.	13.7	105
20	Identification of ALK in Thinness. <i>Cell</i> , 2020, 181, 1246-1262.e22.	13.5	66
21	Adverse effects of $\delta^9$ -tetrahydrocannabinol on neuronal bioenergetics during postnatal development. <i>JCI Insight</i> , 2020, 5, .	2.3	12
22	Secretagogin expression in the vertebrate brainstem with focus on the noradrenergic system and implications for Alzheimer's disease. <i>Brain Structure and Function</i> , 2019, 224, 2061-2078.	1.2	14
23	The Glutamine Transporter Slc38a1 Regulates GABAergic Neurotransmission and Synaptic Plasticity. <i>Cerebral Cortex</i> , 2019, 29, 5166-5179.	1.6	27
24	Unified Classification of Molecular, Network, and Endocrine Features of Hypothalamic Neurons. <i>Annual Review of Neuroscience</i> , 2019, 42, 1-26.	5.0	30
25	Brain-wide genetic mapping identifies the indusium griseum as a prenatal target of pharmacologically unrelated psychostimulants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 25958-25967.	3.3	12
26	Hypothalamic cell diversity: non-neuronal codes for long-distance volume transmission by neuropeptides. <i>Current Opinion in Neurobiology</i> , 2019, 56, 16-23.	2.0	20
27	GPR55 controls functional differentiation of self-renewing epithelial progenitors for salivation. <i>JCI Insight</i> , 2019, 4, .	2.3	4
28	Lung Single-Cell Signaling Interaction Map Reveals Basophil Role in Macrophage Imprinting. <i>Cell</i> , 2018, 175, 1031-1044.e18.	13.5	332
29	Hypothalamic $\delta$ -CNTF volume transmission shapes cortical noradrenergic excitability upon acute stress. <i>EMBO Journal</i> , 2018, 37, .	3.5	33
30	Resolution Matters: Correlating Quantitative Proteomics and Nanoscale Precision Microscopy for Reconstructing Synapse Identity. <i>Proteomics</i> , 2018, 18, e1800139.	1.3	4
31	Diversity matters: combinatorial information coding by GABAA receptor subunits during spatial learning and its allosteric modulation. <i>Cellular Signalling</i> , 2018, 50, 142-159.	1.7	5
32	Novel insights into the spatial and temporal complexity of hypothalamic organization through precision methods allowing nanoscale resolution. <i>Journal of Internal Medicine</i> , 2018, 284, 568-580.	2.7	4
33	Chemical synapses without synaptic vesicles: Purinergic neurotransmission through a CALHM1 channel-mitochondrial signaling complex. <i>Science Signaling</i> , 2018, 11, .	1.6	69
34	Secretagogin protects Pdx1 from proteasomal degradation to control a transcriptional program required for $\beta^2$ cell specification. <i>Molecular Metabolism</i> , 2018, 14, 108-120.	3.0	19
35	Ca <sup>2+</sup> -binding protein NECAB2 facilitates inflammatory pain hypersensitivity. <i>Journal of Clinical Investigation</i> , 2018, 128, 3757-3768.	3.9	15
36	Functional Differentiation of Cholecystokinin-Containing Interneurons Destined for the Cerebral Cortex. <i>Cerebral Cortex</i> , 2017, 27, bhw094.	1.6	19

#	ARTICLE	IF	CITATIONS
37	Endogenous GABAA receptor activity suppresses glioma growth. <i>Oncogene</i> , 2017, 36, 777-786.	2.6	60
38	Molecular diversity of corticotropin-releasing hormone mRNA-containing neurons in the hypothalamus. <i>Journal of Endocrinology</i> , 2017, 232, R161-R172.	1.2	34
39	(S)Pot on Mitochondria: Cannabinoids Disrupt Cellular Respiration to Limit Neuronal Activity. <i>Cell Metabolism</i> , 2017, 25, 8-10.	7.2	31
40	Secretagogen-dependent matrix metalloprotease-2 release from neurons regulates neuroblast migration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E2006-E2015.	3.3	27
41	Induction of functional dopamine neurons from human astrocytes in vitro and mouse astrocytes in a Parkinson's disease model. <i>Nature Biotechnology</i> , 2017, 35, 444-452.	9.4	278
42	Artemisinins Target GABAA Receptor Signaling and Impair $\hat{\pm}$ Cell Identity. <i>Cell</i> , 2017, 168, 86-100.e15.	13.5	330
43	A $\langle \text{sc} \rangle \text{TRPV} \langle / \text{sc} \rangle$ $\hat{\pm}$ secretagogen regulatory axis controls pancreatic $\hat{\pm}$ cell survival by modulating protein turnover. <i>EMBO Journal</i> , 2017, 36, 2107-2125.	3.5	52
44	miR-183 cluster scales mechanical pain sensitivity by regulating basal and neuropathic pain genes. <i>Science</i> , 2017, 356, 1168-1171.	6.0	124
45	Molecular interrogation of hypothalamic organization reveals distinct dopamine neuronal subtypes. <i>Nature Neuroscience</i> , 2017, 20, 176-188.	7.1	384
46	Selective Silencing of Hippocampal Parvalbumin Interneurons Induces Development of Recurrent Spontaneous Limbic Seizures in Mice. <i>Journal of Neuroscience</i> , 2017, 37, 8166-8179.	1.7	63
47	GABAA receptor subunit deregulation in the hippocampus of human fetuses with Down syndrome. <i>Brain Structure and Function</i> , 2017, 223, 1501-1518.	1.2	8
48	Nonsulfated cholecystokinins in cerebral neurons. <i>Neuropeptides</i> , 2016, 60, 37-44.	0.9	13
49	Orthopedic surgery modulates neuropeptides and BDNF expression at the spinal and hippocampal levels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E6686-E6695.	3.3	56
50	Oligodendrocyte heterogeneity in the mouse juvenile and adult central nervous system. <i>Science</i> , 2016, 352, 1326-1329.	6.0	817
51	H1N1 influenza virus induces narcolepsy-like sleep disruption and targets sleep $\hat{\pm}$ wake regulatory neurons in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E368-77.	3.3	71
52	Comparative anatomical distribution of neuronal calcium-binding protein (NECAB) 1 and -2 in rodent and human spinal cord. <i>Brain Structure and Function</i> , 2016, 221, 3803-3823.	1.2	14
53	Integration of electrophysiological recordings with single-cell RNA-seq data identifies neuronal subtypes. <i>Nature Biotechnology</i> , 2016, 34, 175-183.	9.4	361
54	At the Tip of an Iceberg: Prenatal Marijuana and Its Possible Relation to Neuropsychiatric Outcome in the Offspring. <i>Biological Psychiatry</i> , 2016, 79, e33-e45.	0.7	73

#	ARTICLE	IF	CITATIONS
55	Cannabinoid receptor-interacting protein Crip1a modulates CB1 receptor signaling in mouse hippocampus. <i>Brain Structure and Function</i> , 2016, 221, 2061-2074.	1.2	33
56	Endocannabinoids and fetal organ development: a conflict of misconstrued concepts and policies?. <i>Future Neurology</i> , 2015, 10, 75-78.	0.9	0
57	Protracted brain development in a rodent model of extreme longevity. <i>Scientific Reports</i> , 2015, 5, 11592.	1.6	48
58	Presynaptic adenosine $A_2A$ receptors dampen cannabinoid $CB_1$ receptor-mediated inhibition of corticostriatal glutamatergic transmission. <i>British Journal of Pharmacology</i> , 2015, 172, 1074-1086.	2.7	45
59	Critical role of somatostatin receptor 2 in the vulnerability of the central noradrenergic system: new aspects on Alzheimer's disease. <i>Acta Neuropathologica</i> , 2015, 129, 541-563.	3.9	36
60	Three-dimensional Imaging Reveals New Compartments and Structural Adaptations in Odontoblasts. <i>Journal of Dental Research</i> , 2015, 94, 945-954.	2.5	32
61	Fetal endocannabinoids orchestrate the organization of pancreatic islet microarchitecture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6185-94.	3.3	44
62	Replacing SNAP-25b with SNAP-25a expression results in metabolic disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4326-35.	3.3	29
63	Lack of presynaptic interaction between glucocorticoid and $CB_1$ cannabinoid receptors in GABA- and glutamatergic terminals in the frontal cortex of laboratory rodents. <i>Neurochemistry International</i> , 2015, 90, 72-84.	1.9	9
64	A secretagoin locus of the mammalian hypothalamus controls stress hormone release. <i>EMBO Journal</i> , 2015, 34, 36-54.	3.5	75
65	Neuronal calcium-binding proteins 1/2 localize to dorsal root ganglia and excitatory spinal neurons and are regulated by nerve injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E1149-58.	3.3	47
66	GABAergic Terminals Are a Source of Galanin to Modulate Cholinergic Neuron Development in the Neonatal Forebrain. <i>Cerebral Cortex</i> , 2014, 24, 3277-3288.	1.6	10
67	Neurotrophin and endocannabinoid interactions in the neurobiology of pain. <i>European Journal of Neuroscience</i> , 2014, 39, 331-333.	1.2	1
68	Miswiring the brain: $\Delta^9$ -tetrahydrocannabinol disrupts cortical development by inducing an SCG10/stathmin-2 degradation pathway. <i>EMBO Journal</i> , 2014, 33, 668-685.	3.5	189
69	The molecular interplay between endocannabinoid and neurotrophin signals in the nervous system and beyond. <i>European Journal of Neuroscience</i> , 2014, 39, 334-343.	1.2	10
70	Revival of Calcium-Binding Proteins for Neuromorphology: Secretagoin Typifies Distinct Cell Populations in the Avian Brain. <i>Brain, Behavior and Evolution</i> , 2014, 83, 82-92.	0.9	13
71	Programming of neural cells by (endo)cannabinoids: from physiological rules to emerging therapies. <i>Nature Reviews Neuroscience</i> , 2014, 15, 786-801.	4.9	235
72	Endocannabinoids modulate cortical development by configuring Slit2/Robo1 signalling. <i>Nature Communications</i> , 2014, 5, 4421.	5.8	70

#	ARTICLE	IF	CITATIONS
73	Neuronal substrates and functional consequences of prenatal cannabis exposure. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 931-941.	2.8	103
74	S.12.01 Miswiring the brain: delta-9-tetrahydrocannabinol disrupts cortical connectivity by inducing SCG10 degradation. <i>European Neuropsychopharmacology</i> , 2014, 24, S125-S126.	0.3	0
75	The endocannabinoid 2-AG controls skeletal muscle cell differentiation via CB1 receptor-dependent inhibition of K <sup>v</sup> 7 channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2472-81.	3.3	75
76	Neurochemical mapping of the human hippocampus reveals perisynaptic matrix around functional synapses in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2013, 125, 215-229.	3.9	76
77	CB1 Cannabinoid Receptors Couple to Focal Adhesion Kinase to Control Insulin Release. <i>Journal of Biological Chemistry</i> , 2013, 288, 32685-32699.	1.6	61
78	Dietary energy substrates reverse early neuronal hyperactivity in a mouse model of Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2013, 125, 157-171.	2.1	79
79	Endocannabinoid signals in the developmental programming of delayed-onset neuropsychiatric and metabolic illnesses. <i>Biochemical Society Transactions</i> , 2013, 41, 1569-1576.	1.6	24
80	Nerve growth factor scales endocannabinoid signaling by regulating monoacylglycerol lipase turnover in developing cholinergic neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1935-1940.	3.3	41
81	Orexin neurons use endocannabinoids to break obesity-induced inhibition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 9625-9626.	3.3	8
82	Diacylglycerol lipase $\pm$ manipulation reveals developmental roles for intercellular endocannabinoid signaling. <i>Scientific Reports</i> , 2013, 3, 2093.	1.6	23
83	Targeted Lipidomics in <i>Drosophila melanogaster</i> Identifies Novel 2-Monoacylglycerols and N-acyl Amides. <i>PLoS ONE</i> , 2013, 8, e67865.	1.1	85
84	Cracking Down on Inhibition: Selective Removal of GABAergic Interneurons from Hippocampal Networks. <i>Journal of Neuroscience</i> , 2012, 32, 1989-2001.	1.7	40
85	Clusters of secretogin-expressing neurons in the aged human olfactory tract lack terminal differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6259-6264.	3.3	24
86	[125]SD-7015 reveals fine modalities of CB1 cannabinoid receptor density in the prefrontal cortex during progression of Alzheimer's disease. <i>Neurochemistry International</i> , 2012, 60, 286-291.	1.9	36
87	The decrease of dopamine D2/D3 receptor densities in the putamen and nucleus caudatus goes parallel with maintained levels of CB1 cannabinoid receptors in Parkinson's disease: A preliminary autoradiographic study with the selective dopamine D2/D3 antagonist [3H]raclopride and the novel CB1 inverse agonist [125]SD7015. <i>Brain Research Bulletin</i> , 2012, 87, 504-510.	1.4	20
88	Sticking out of the crowd: the molecular identity and development of cholecystokinin-containing basket cells. <i>Journal of Physiology</i> , 2012, 590, 703-714.	1.3	13
89	Secretogin is Expressed in Sensory CGRP Neurons and in Spinal Cord of Mouse and Complements other Calcium-Binding Proteins, with a Note on Rat and Human. <i>Molecular Pain</i> , 2012, 8, 1744-8069-8-80.	1.0	34
90	The renaissance of Ca <sup>2+</sup> -binding proteins in the nervous system: secretogin takes center stage. <i>Cellular Signalling</i> , 2012, 24, 378-387.	1.7	59

#	ARTICLE	IF	CITATIONS
91	Molecular model of cannabis sensitivity in developing neuronal circuits. Trends in Pharmacological Sciences, 2011, 32, 551-561.	4.0	85
92	Molecular mechanisms of neuronal specification. European Journal of Neuroscience, 2011, 34, 1513-1515.	1.2	0
93	WNT signaling in activated microglia is proinflammatory. Glia, 2011, 59, 119-131.	2.5	187
94	Molecular reorganization of endocannabinoid signalling in Alzheimer's disease. Brain, 2011, 134, 1041-1060.	3.7	164
95	HDAC9 links epigenetics to dendrite development (Commentary on Sugo <i>et al.</i> ). European Journal of Neuroscience, 2010, 31, 1519-1520.	1.2	1
96	Secretagoin is a Ca <sup>2+</sup> -binding protein identifying prospective extended amygdala neurons in the developing mammalian telencephalon. European Journal of Neuroscience, 2010, 31, 2166-2177.	1.2	34
97	SAT1, a glutamine transporter, is preferentially expressed in GABAergic neurons. Frontiers in Neuroanatomy, 2010, 4, 1.	0.9	171
98	Differential Subcellular Recruitment of Monoacylglycerol Lipase Generates Spatial Specificity of 2-Arachidonoyl Glycerol Signaling during Axonal Pathfinding. Journal of Neuroscience, 2010, 30, 13992-14007.	1.7	94
99	En masse in vitro functional profiling of the axonal mechanosensitivity of sensory neurons. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 16336-16341.	3.3	14
100	Increased Abundance of Opioid Receptor Heteromers After Chronic Morphine Administration. Science Signaling, 2010, 3, ra54.	1.6	191
101	Secretagoin is a Ca <sup>2+</sup> -binding protein specifying subpopulations of telencephalic neurons. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 22492-22497.	3.3	69
102	Amyloid $\beta$ -Induced Neuronal Hyperexcitability Triggers Progressive Epilepsy. Journal of Neuroscience, 2009, 29, 3453-3462.	1.7	545
103	Autoantibodies in autoimmune polyglandular syndrome type I patients react with major brain neurotransmitter systems. Journal of Comparative Neurology, 2009, 513, 1-20.	0.9	18
104	Autoantibodies in autoimmune polyglandular syndrome type I patients react with major brain neurotransmitter systems. Journal of Comparative Neurology, 2009, 513, spc1-spc1.	0.9	0
105	Autoantibodies in autoimmune polyglandular syndrome type I patients react with major brain neurotransmitter systems. Journal of Comparative Neurology, 2009, 513, spc1-spc1.	0.9	0
106	Neurobiological consequences of maternal cannabis on human fetal development and its neuropsychiatric outcome. European Archives of Psychiatry and Clinical Neuroscience, 2009, 259, 395-412.	1.8	142
107	GABA action in immature neocortical neurons directly depends on the availability of ketone bodies. Journal of Neurochemistry, 2009, 110, 1330-1338.	2.1	78
108	The synaptic split of SNAP-25: Different roles in glutamatergic and GABAergic neurons?. Neuroscience, 2009, 158, 223-230.	1.1	33

#	ARTICLE	IF	CITATIONS
109	Wiring and firing neuronal networks: endocannabinoids take center stage. <i>Current Opinion in Neurobiology</i> , 2008, 18, 338-345.	2.0	98
110	CB1 Cannabinoid Receptors: Molecular Biology, Second Messenger Coupling and Polarized Trafficking in Neurons. , 2008, , 59-73.		6
111	Endocannabinoid functions controlling neuronal specification during brain development. <i>Molecular and Cellular Endocrinology</i> , 2008, 286, S84-S90.	1.6	149
112	Calpain activity contributes to the control of SNAP-25 levels in neurons. <i>Molecular and Cellular Neurosciences</i> , 2008, 39, 314-323.	1.0	18
113	Unique Luminal Localization of VGAT-C Terminus Allows for Selective Labeling of Active Cortical GABAergic Synapses. <i>Journal of Neuroscience</i> , 2008, 28, 13125-13131.	1.7	87
114	Endocannabinoid signaling controls pyramidal cell specification and long-range axon patterning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8760-8765.	3.3	263
115	Endocannabinoid Functions in Neurogenesis, Neuronal Migration, and Specification. , 2008, , 237-256.		0
116	The emerging functions of endocannabinoid signaling during CNS development. <i>Trends in Pharmacological Sciences</i> , 2007, 28, 83-92.	4.0	357
117	Hardwiring the Brain: Endocannabinoids Shape Neuronal Connectivity. <i>Science</i> , 2007, 316, 1212-1216.	6.0	463
118	Thioflavins released from nanoparticles target fibrillar amyloid $\beta^2$ in the hippocampus of APP/PS1 transgenic mice. <i>International Journal of Developmental Neuroscience</i> , 2006, 24, 195-201.	0.7	54
119	Vesicular glutamate transporter 3 (VGLUT3) identifies spatially segregated excitatory terminals in the rat substantia nigra. <i>European Journal of Neuroscience</i> , 2006, 23, 1063-1070.	1.2	17
120	Non-fibrillar $\beta^2$ -amyloid abates spike-timing-dependent synaptic potentiation at excitatory synapses in layer 2/3 of the neocortex by targeting postsynaptic AMPA receptors. <i>European Journal of Neuroscience</i> , 2006, 23, 2035-2047.	1.2	76
121	Brain-derived neurotrophic factor selectively regulates dendritogenesis of parvalbumin-containing interneurons in the main olfactory bulb through the PLC $\beta^3$ pathway. <i>Journal of Neurobiology</i> , 2006, 66, 1437-1451.	3.7	44
122	Dendritic Release of Retrograde Messengers Controls Synaptic Transmission in Local Neocortical Networks. <i>Neuroscientist</i> , 2005, 11, 334-344.	2.6	32
123	Endocannabinoids regulate interneuron migration and morphogenesis by transactivating the TrkB receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 19115-19120.	3.3	251
124	Galantamine-induced behavioral recovery after sublethal excitotoxic lesions to the rat medial septum. <i>Behavioural Brain Research</i> , 2005, 163, 33-41.	1.2	20
125	Redistribution of CB1 cannabinoid receptors during evolution of cholinergic basal forebrain territories and their cortical projection areas: A comparison between the gray mouse lemur ( <i>Microcebus murinus</i> , primates) and rat. <i>Neuroscience</i> , 2005, 135, 595-609.	1.1	24
126	Endocannabinoid-Independent Retrograde Signaling at Inhibitory Synapses in Layer 2/3 of Neocortex: Involvement of Vesicular Glutamate Transporter 3. <i>Journal of Neuroscience</i> , 2004, 24, 4978-4988.	1.7	90



#	ARTICLE	IF	CITATIONS
127	Brain-derived neurotrophic factor controls functional differentiation and microcircuit formation of selectively isolated fast-spiking GABAergic interneurons. <i>European Journal of Neuroscience</i> , 2004, 20, 1290-1306.	1.2	88
128	Region-specific generation of functional neurons from naive embryonic stem cells in adult brain. <i>Journal of Neurochemistry</i> , 2004, 88, 1229-1239.	2.1	41
129	Neonatal handling increases sensitivity to acute neurodegeneration in adult rats. <i>Journal of Neurobiology</i> , 2004, 60, 463-472.	3.7	12
130	Turning the heterogeneous into homogeneous: studies on selectively isolated GABAergic interneuron subsets. <i>International Journal of Developmental Neuroscience</i> , 2004, 22, 533-543.	0.7	20
131	Rabbit forebrain cholinergic system: Morphological characterization of nuclei and distribution of cholinergic terminals in the cerebral cortex and hippocampus. <i>Journal of Comparative Neurology</i> , 2003, 460, 597-611.	0.9	28
132	Complementary distribution of vesicular glutamate transporters 1 and 2 in the nucleus accumbens of rat: Relationship to calretinin-containing extrinsic innervation and calbindin-immunoreactive neurons. <i>Journal of Comparative Neurology</i> , 2003, 465, 1-10.	0.9	43
133	Effect of Corticosterone and Adrenalectomy on NMDA-Induced Cholinergic Cell Death in Rat Magnocellular Nucleus Basalis. <i>Journal of Neuroendocrinology</i> , 2003, 9, 713-720.	1.2	18
134	Complementary distribution of type 1 cannabinoid receptors and vesicular glutamate transporter 3 in basal forebrain suggests input-specific retrograde signalling by cholinergic neurons. <i>European Journal of Neuroscience</i> , 2003, 18, 1979-1992.	1.2	69
135	Neurotrophin-4 mediated TrkB activation reinforces morphine-induced analgesia. <i>Nature Neuroscience</i> , 2003, 6, 221-222.	7.1	18
136	Electron microscopic analysis of nanoparticles delivering thioflavin-T after intrahippocampal injection in mouse: implications for targeting $\beta$ -amyloid in Alzheimer's disease. <i>Neuroscience Letters</i> , 2003, 338, 174-176.	1.0	51
137	Inhibition of neuronal nitric oxide synthase-mediated activation of poly(ADP-ribose) polymerase in traumatic brain injury: neuroprotection by 3-aminobenzamide. <i>Neuroscience</i> , 2003, 121, 983-990.	1.1	31
138	Post-lesion administration of 5-HT <sub>1A</sub> receptor agonist 8-OH-DPAT protects cholinergic nucleus basalis neurons against NMDA excitotoxicity. <i>NeuroReport</i> , 2003, 14, 57-60.	0.6	17
139	Reversible Paired Helical Filament-Like Phosphorylation of Tau Is an Adaptive Process Associated with Neuronal Plasticity in Hibernating Animals. <i>Journal of Neuroscience</i> , 2003, 23, 6972-6981.	1.7	313
140	Pyramidal cell communication within local networks in layer 2/3 of rat neocortex. <i>Journal of Physiology</i> , 2003, 551, 139-153.	1.3	508
141	Functional Recovery of Cholinergic Basal Forebrain Neurons under Disease Conditions: Old Problems, New Solutions?. <i>Reviews in the Neurosciences</i> , 2002, 13, 95-165.	1.4	45
142	Distinct subsets of nucleus basalis neurons exhibit similar sensitivity to excitotoxicity. <i>NeuroReport</i> , 2002, 13, 767-772.	0.6	11
143	In vivo labeling of rabbit cholinergic basal forebrain neurons with fluorochromated antibodies. <i>NeuroReport</i> , 2002, 13, 1395-1398.	0.6	7
144	17 $\beta$ -Estradiol enhances cortical cholinergic innervation and preserves synaptic density following excitotoxic lesions to the rat nucleus basalis magnocellularis. <i>Neuroscience</i> , 2002, 110, 489-504.	1.1	36

#	ARTICLE	IF	CITATIONS
145	Cutaneous lymphatic amyloid deposits in 'Hungarian-type' familial transthyretin amyloidosis: a case report. <i>British Journal of Dermatology</i> , 2002, 146, 674-679.	1.4	14
146	Pathological Peptide Folding in Alzheimers Disease and Other Conformational Disorders. <i>Current Medicinal Chemistry</i> , 2002, 9, 1763-1780.	1.2	27
147	$\beta$ -Amyloid(1-42)-Induced Cholinergic Lesions in Rat Nucleus Basalis Bidirectionally Modulate Serotonergic Innervation of the Basal Forebrain and Cerebral Cortex. <i>Neurobiology of Disease</i> , 2001, 8, 667-678.	2.1	39
148	Short-term consequences of N-methyl-D-aspartate excitotoxicity in rat magnocellular nucleus basalis: effects on in vivo labelling of cholinergic neurons. <i>Neuroscience</i> , 2001, 108, 611-627.	1.1	22
149	Oral post-lesion administration of 5-HT1A receptor agonist repinotan hydrochloride (BAY x 3702) attenuates NMDA-induced delayed neuronal death in rat magnocellular nucleus basalis. <i>Neuroscience</i> , 2001, 108, 629-642.	1.1	44
150	Cortical cholinergic decline parallels the progression of Borna virus encephalitis. <i>NeuroReport</i> , 2001, 12, 3767-3772.	0.6	18
151	Chronic Corticosterone Administration Dose-Dependently Modulates $\beta$ (1-42) and NMDA-Induced Neurodegeneration in Rat Magnocellular Nucleus Basalis. <i>Journal of Neuroendocrinology</i> , 2001, 12, 486-494.	1.2	70
152	Action of Glucocorticoids on Survival of Nerve Cells: Promoting Neurodegeneration or Neuroprotection?1. <i>Journal of Neuroendocrinology</i> , 2001, 13, 749-760.	1.2	112
153	$\beta$ -Amyloid neurotoxicity is mediated by a glutamate-triggered excitotoxic cascade in rat nucleus basalis. <i>European Journal of Neuroscience</i> , 2000, 12, 2735-2745.	1.2	245
154	beta-Amyloid Excitotoxicity in Rat Magnocellular Nucleus Basalis: Effect of Cortical Deafferentation on Cerebral Blood Flow Regulation and Implications for Alzheimer's Disease. <i>Annals of the New York Academy of Sciences</i> , 2000, 903, 374-386.	1.8	44
155	A novel brain trauma model in the mouse: effects of dexamethasone treatment. <i>Pflugers Archiv European Journal of Physiology</i> , 2000, 441, 409-415.	1.3	16
156	Mechanisms of $\beta$ -Amyloid Neurotoxicity: Perspectives of Pharmacotherapy. <i>Reviews in the Neurosciences</i> , 2000, 11, 329-82.	1.4	107
157	Increased amyloid precursor protein expression and serotonergic sprouting following excitotoxic lesion of the rat magnocellular nucleus basalis: neuroprotection by Ca <sup>2+</sup> antagonist nimodipine. <i>Neuroscience</i> , 2000, 101, 101-114.	1.1	54
158	Neuroprotective approaches in experimental models of $\beta$ -Amyloid neurotoxicity: Relevance to Alzheimer's disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1999, 23, 963-1008.	2.5	89
159	N-Methyl-d-Aspartate Receptor Antagonist MK-801 and Radical Scavengers Protect Cholinergic Nucleus Basalis Neurons against $\beta$ -Amyloid Neurotoxicity. <i>Neurobiology of Disease</i> , 1999, 6, 109-121.	2.1	68
160	Propionyl-IIGL tetrapeptide antagonizes $\beta$ -amyloid excitotoxicity in rat nucleus basalis. <i>NeuroReport</i> , 1999, 10, 1693-1698.	0.6	22
161	$\beta$ -Amyloid(Phe(SO <sub>3</sub> H) <sub>24</sub> ) <sub>25-35</sub> in rat nucleus basalis induces behavioral dysfunctions, impairs learning and memory and disrupts cortical cholinergic innervation. <i>Behavioural Brain Research</i> , 1998, 90, 133-145.	1.2	101
162	$\beta$ -Amyloid-Induced Cholinergic Denervation Correlates with Enhanced Nitric Oxide Synthase Activity in Rat Cerebral Cortex: Reversal by NMDA Receptor Blockade. <i>Brain Research Bulletin</i> , 1998, 45, 405-411.	1.4	49

#	ARTICLE	IF	CITATIONS
163	Neurotrophin-mediated neuroprotection by solid fetal telencephalic graft in middle cerebral artery occlusion: a preventive approach. <i>Brain Research Bulletin</i> , 1998, 47, 185-191.	1.4	14
164	Chronic Ethanol Ingestion-Induced Changes in Open-Field Behavior and Oxidative Stress in the Rat. <i>Pharmacology Biochemistry and Behavior</i> , 1997, 58, 195-201.	1.3	12
165	Novelty-induced behavioral dysfunctioning correlates with the loss of Ca <sup>2+</sup> homeostasis after chronic ethanol intoxication. <i>Neurobiology (Budapest, Hungary)</i> , 1997, 5, 87-90.	0.2	1
166	Chronic aluminum treatment results in aluminum deposits and affects M1 muscarinic receptors in rat brain. <i>Neurobiology (Budapest, Hungary)</i> , 1996, 4, 35-43.	0.2	1
167	Cholinotoxic effects of $\beta$ -amyloid(1-42) peptide on cortical projections of the rat nucleus basalis magnocellularis. <i>Brain Research</i> , 1995, 695, 71-75.	1.1	61
168	$\beta$ -Amyloid(1-42) affects cholinergic but not parvalbumin-containing neurons in the septal complex of the rat. <i>Brain Research</i> , 1995, 698, 270-274.	1.1	62