

Dong Chan Jin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5572316/publications.pdf>

Version: 2024-02-01

26
papers

484
citations

840776

11
h-index

677142

22
g-index

26
all docs

26
docs citations

26
times ranked

908
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient characteristics according to rehabilitation and employment status in Korean hemodialysis patients. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 356-364.	2.2	3
2	The effect of vascular access type on intra-access flow volume during hemodialysis. <i>Journal of Vascular Access</i> , 2019, 20, 746-751.	0.9	0
3	Analysis of mortality risk from Korean hemodialysis registry data 2017. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 169-175.	2.2	27
4	Exchange over the guidewire from non-tunneled to tunneled hemodialysis catheters can be performed without patency loss. <i>Journal of Vascular Access</i> , 2018, 19, 252-257.	0.9	3
5	Current characteristics of dialysis therapy in Korea: 2016 registry data focusing on diabetic patients. <i>Kidney Research and Clinical Practice</i> , 2018, 37, 20-29.	2.2	105
6	Usefulness of assisted procedures for arteriovenous fistula maturation without compromising access patency. <i>Hemodialysis International</i> , 2017, 21, 335-342.	0.9	10
7	A case of gabapentin-induced rhabdomyolysis requiring renal replacement therapy. <i>Hemodialysis International</i> , 2017, 21, E4-E8.	0.9	7
8	The impact of high serum bicarbonate levels on mortality in hemodialysis patients. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 109-116.	1.7	3
9	Ascites reinfusion dialysis of refractory ascites as a bridge to kidney and liver transplantation in a patient on hemodialysis. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 363-364.	1.7	1
10	The impact of blood flow rate during hemodialysis on all-cause mortality. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 1131-1139.	1.7	16
11	Serum Alkaline Phosphatase Levels Predict Infection-Related Mortality and Hospitalization in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2016, 11, e0157361.	2.5	22
12	HDL Cholesterol Level Is Associated with Contrast Induced Acute Kidney Injury in Chronic Kidney Disease Patients Undergoing PCI. <i>Scientific Reports</i> , 2016, 6, 35774.	3.3	10
13	Comparison of uremic pruritus between patients undergoing hemodialysis and peritoneal dialysis. <i>Kidney Research and Clinical Practice</i> , 2016, 35, 107-113.	2.2	45
14	The protective effect of neutralizing high-mobility group box1 against chronic cyclosporine nephrotoxicity in mice. <i>Transplant Immunology</i> , 2016, 34, 42-49.	1.2	10
15	Invasive Primary Colonic Aspergillosis in the Immunocompetent Host without Classical Risk Factors. <i>Yonsei Medical Journal</i> , 2015, 56, 1453.	2.2	10
16	Association of Erythropoietin-Stimulating Agent Responsiveness with Mortality in Hemodialysis and Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2015, 10, e0143348.	2.5	37
17	Contrast Volume/Raw eGFR Ratio for Predicting Contrast-Induced Acute Kidney Injury in Patients Undergoing Percutaneous Coronary Intervention for Myocardial Infarction. <i>CardioRenal Medicine</i> , 2015, 5, 61-68.	1.9	7
18	The Impact of Timing of Dialysis Initiation on Mortality in Patients with Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2015, 35, 703-711.	2.3	11

#	ARTICLE	IF	CITATIONS
19	Serum Gamma-Glutamyltransferase Levels Predict Clinical Outcomes in Hemodialysis Patients. PLoS ONE, 2015, 10, e0138159.	2.5	3
20	Major changes and improvements of dialysis therapy in Korea: review of end-stage renal disease registry. Korean Journal of Internal Medicine, 2015, 30, 17.	1.7	34
21	Benefits of a Continuous Ambulatory Peritoneal Dialysis (CAPD) Technique with One Icodextrin-Containing and Two Biocompatible Glucose-Containing Dialysates for Preservation of Residual Renal Function and Biocompatibility in Incident CAPD Patients. Journal of Korean Medical Science, 2014, 29, 1217.	2.5	9
22	The Association between Body Mass Index and Mortality on Peritoneal Dialysis: A Prospective Cohort Study. Peritoneal Dialysis International, 2014, 34, 383-389.	2.3	24
23	Renal replacement therapy in Korea, 2012. Kidney Research and Clinical Practice, 2014, 33, 9-18.	2.2	50
24	Comparison of the Impact of High-Flux Dialysis on Mortality in Hemodialysis Patients with and without Residual Renal Function. PLoS ONE, 2014, 9, e97184.	2.5	7
25	The impact of high-flux dialysis on mortality rates in incident and prevalent hemodialysis patients. Korean Journal of Internal Medicine, 2014, 29, 774.	1.7	3
26	Brief Report: Renal replacement therapy in Korea, 2010. Kidney Research and Clinical Practice, 2012, 31, 62-71.	2.2	27