

Mahdi Fallah

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5572927/publications.pdf>

Version: 2024-02-01

84
papers

2,619
citations

236925

25
h-index

197818

49
g-index

84
all docs

84
docs citations

84
times ranked

5098
citing authors

#	ARTICLE	IF	CITATIONS
1	Metastatic sites and survival in lung cancer. <i>Lung Cancer</i> , 2014, 86, 78-84.	2.0	590
2	<i>TERT</i> promoter mutations in bladder cancer affect patient survival and disease recurrence through modification by a common polymorphism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17426-17431.	7.1	291
3	Autoimmune diseases associated with non-Hodgkin lymphoma: a nationwide cohort study. <i>Annals of Oncology</i> , 2014, 25, 2025-2030.	1.2	160
4	Clinical significance of glutamic acid decarboxylase antibodies in patients with epilepsy. <i>Epilepsia</i> , 2010, 51, 760-767.	5.1	126
5	Interleukin-6 levels are increased in temporal lobe epilepsy but not in extra-temporal lobe epilepsy. <i>Journal of Neurology</i> , 2009, 256, 796-802.	3.6	72
6	Population Landscape of Familial Cancer. <i>Scientific Reports</i> , 2015, 5, 12891.	3.3	68
7	Familial risk of early and late onset cancer: nationwide prospective cohort study. <i>BMJ, The</i> , 2012, 345, e8076-e8076.	6.0	55
8	The population impact of familial cancer, a major cause of cancer. <i>International Journal of Cancer</i> , 2014, 134, 1899-1906.	5.1	54
9	Lead-time in the European Randomised Study of Screening for Prostate Cancer. <i>European Journal of Cancer</i> , 2010, 46, 3102-3108.	2.8	53
10	Hodgkin lymphoma after autoimmune diseases by age at diagnosis and histological subtype. <i>Annals of Oncology</i> , 2014, 25, 1397-1404.	1.2	49
11	Risk of familial classical Hodgkin lymphoma by relationship, histology, age, and sex: a joint study from five Nordic countries. <i>Blood</i> , 2015, 126, 1990-1995.	1.4	47
12	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003431.	8.4	45
13	Cancer Risk in Relatives of Testicular Cancer Patients by Histology Type and Age at Diagnosis: A Joint Study from Five Nordic Countries. <i>European Urology</i> , 2015, 68, 283-289.	1.9	42
14	Risk of thyroid cancer in first-degree relatives of patients with non-medullary thyroid cancer by histology type and age at diagnosis: a joint study from five Nordic countries. <i>Journal of Medical Genetics</i> , 2013, 50, 373-382.	3.2	40
15	Personal History of Diabetes as Important as Family History of Colorectal Cancer for Risk of Colorectal Cancer: A Nationwide Cohort Study. <i>American Journal of Gastroenterology</i> , 2020, 115, 1103-1109.	0.4	40
16	Survival rate of gastric and esophageal cancers in Ardabil province, North-West of Iran. <i>Archives of Iranian Medicine</i> , 2007, 10, 32-7.	0.6	40
17	Telomere length, telomerase reverse transcriptase promoter mutations, and melanoma risk. <i>Genes Chromosomes and Cancer</i> , 2018, 57, 564-572.	2.8	39
18	Miscarriage and risk of cardiovascular disease. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 284-288.	2.8	36

#	ARTICLE	IF	CITATIONS
19	Search for familial clustering of multiple myeloma with any cancer. <i>Leukemia</i> , 2016, 30, 627-632.	7.2	36
20	C-reactive protein and seizures in focal epilepsy: A video-electroencephalographic study. <i>Epilepsia</i> , 2012, 53, 790-796.	5.1	34
21	Risk-Adapted Starting Age of Screening for Relatives of Patients With Breast Cancer. <i>JAMA Oncology</i> , 2020, 6, 68.	7.1	30
22	Risk of cancer in patients with medically diagnosed hay fever or allergic rhinitis. <i>International Journal of Cancer</i> , 2014, 135, 2397-2403.	5.1	29
23	The high prevalence of antiphospholipid antibodies in refractory focal epilepsy is related to recurrent seizures. <i>European Journal of Neurology</i> , 2009, 16, 134-141.	3.3	28
24	Age- and time-dependent changes in cancer incidence among immigrants to Sweden: colorectal, lung, breast and prostate cancers. <i>International Journal of Cancer</i> , 2012, 131, E122-8.	5.1	28
25	Multiple primary (even in situ) melanomas in a patient pose significant risk to family members. <i>European Journal of Cancer</i> , 2014, 50, 2659-2667.	2.8	28
26	Incorporation of Detailed Family History from the Swedish Family Cancer Database into the PCPT Risk Calculator. <i>Journal of Urology</i> , 2015, 193, 460-465.	0.4	26
27	Risk of Next Melanoma in Patients With Familial and Sporadic Melanoma by Number of Previous Melanomas. <i>JAMA Dermatology</i> , 2015, 151, 607.	4.1	26
28	Higher risk of primary cancers after polycythaemia vera and vice versa. <i>British Journal of Haematology</i> , 2011, 153, 283-285.	2.5	25
29	Distribution and risk of the second discordant primary cancers combined after a specific first primary cancer in German and Swedish cancer registries. <i>Cancer Letters</i> , 2015, 369, 152-166.	7.2	25
30	<i>GHSR</i> DNA hypermethylation is a common epigenetic alteration of high diagnostic value in a broad spectrum of cancers. <i>Oncotarget</i> , 2015, 6, 4418-4427.	1.8	25
31	Familial risk of non-Hodgkin lymphoma by sex, relationship, age at diagnosis and histology: a joint study from five Nordic countries. <i>Leukemia</i> , 2016, 30, 373-378.	7.2	24
32	Reproductive history and carotid intima-media thickness. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 995-1002.	2.8	22
33	Calculating the Starting Age for Screening in Relatives of Patients With Colorectal Cancer Based on Data From Large Nationwide Data Sets. <i>Gastroenterology</i> , 2020, 159, 159-168.e3.	1.3	22
34	Risk factor investigation for cardiovascular health through WHO STEPS approach in Ardabil, Iran. <i>Vascular Health and Risk Management</i> , 2011, 7, 417.	2.3	21
35	Nonendocrine Cancers Associated with Benign and Malignant Parathyroid Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1108-E1114.	3.6	19
36	Familial melanoma by histology and age: Joint data from five Nordic countries. <i>European Journal of Cancer</i> , 2014, 50, 1176-1183.	2.8	19

#	ARTICLE	IF	CITATIONS
37	Familial colorectal cancer risk in half siblings and siblings: nationwide cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, l803.	2.3	19
38	Retention rates of new antiepileptic drugs in localization-related epilepsy: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2009, 119, 55-60.	2.1	18
39	Effect of a Detailed Family History of Melanoma on Risk for Other Tumors: A Cohort Study Based on the Nationwide Swedish Family-Cancer Database. <i>Journal of Investigative Dermatology</i> , 2014, 134, 930-936.	0.7	18
40	Cardiovascular diseases attributable to hysterectomy: a population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1476-1483.	2.8	17
41	Diagnostic values of GHR DNA methylation pattern in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 135, 705-713.	2.5	16
42	Risk of Second Primary Cancers in Multiple Myeloma Survivors in German and Swedish Cancer Registries. <i>Scientific Reports</i> , 2016, 6, 22084.	3.3	15
43	Prostate cancer risk assessment model: a scoring model based on the Swedish Family-Cancer Database. <i>Journal of Medical Genetics</i> , 2012, 49, 345-352.	3.2	13
44	Risk of second primary cancers in women diagnosed with endometrial cancer in German and Swedish cancer registries. <i>International Journal of Cancer</i> , 2017, 141, 2270-2280.	5.1	13
45	Risk-tailored starting age of breast cancer screening based on women's reproductive profile: A nationwide cohort study. <i>European Journal of Cancer</i> , 2020, 124, 207-213.	2.8	13
46	Familial risk of breast cancer by dynamic, accumulative, and static definitions of family history. <i>Cancer</i> , 2020, 126, 2837-2848.	4.1	13
47	Familial risk of pleural mesothelioma increased drastically in certain occupations: A nationwide prospective cohort study. <i>European Journal of Cancer</i> , 2018, 103, 1-6.	2.8	12
48	Pregnancy-related factors and the risk of isolated systolic hypertension. <i>Blood Pressure</i> , 2007, 16, 50-55.	1.5	11
49	Idiopathic generalized epilepsies: a follow-up study in a single-center. <i>Acta Neurologica Scandinavica</i> , 2010, 122, 196-201.	2.1	10
50	Importance of tumor location and histology in familial risk of upper gastrointestinal cancers: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1169-1179.	3.0	10
51	The risk of contralateral breast cancer in daughters of women with and without breast cancer. <i>Clinical Genetics</i> , 2016, 89, 332-335.	2.0	9
52	Substantial under-estimation in cancer incidence estimates for developing countries due to under-ascertainment in elderly cancer cases. <i>Cancer Letters</i> , 2008, 264, 250-255.	7.2	8
53	Risk of thyroid cancer in relatives of patients with medullary thyroid carcinoma by age at diagnosis. <i>Endocrine-Related Cancer</i> , 2013, 20, 717-724.	3.1	8
54	Risk of subsequent cancers in renal cell carcinoma survivors with a family history. <i>European Journal of Cancer</i> , 2014, 50, 2108-2118.	2.8	8

#	ARTICLE	IF	CITATIONS
55	A simple-to-use method incorporating genomic markers into prostate cancer risk prediction tools facilitated future validation. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 563-573.	5.0	8
56	A method to adjust for ascertainment bias in the evaluation of cancer registry data. <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8, 113-8.	1.2	8
57	Correction for under-ascertainment in cancer cases in the very elderly (aged 75+): external reference method. <i>Cancer Causes and Control</i> , 2008, 19, 739-749.	1.8	7
58	Effect of dietary intervention on serum lignan levels in pregnant women - a controlled trial. <i>Reproductive Health</i> , 2010, 7, 26.	3.1	7
59	Maternal Age at First Delivery and Risk of Cardiovascular Disease Later in Life. <i>ISRN Epidemiology</i> , 2013, 2013, 1-6.	0.6	7
60	High concentration of immunoglobulin A is associated with temporal lobe epilepsy. <i>Epilepsy Research</i> , 2013, 103, 54-61.	1.6	6
61	Collection and Use of Family History in Oncology Clinics. <i>Journal of Clinical Oncology</i> , 2014, 32, 3344-3345.	1.6	4
62	Risk of invasive prostate cancer and prostate cancer death in relatives of patients with prostatic borderline or in situ neoplasia: A nationwide cohort study. <i>Cancer</i> , 2020, 126, 4371-4378.	4.1	4
63	Risk of prostate cancer in relatives of prostate cancer patients in Sweden: A nationwide cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003616.	8.4	4
64	Clinical predictors in patients with refractory epilepsy exposed to levetiracetam: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 332-336.	2.1	3
65	Nervous system tumors in adult immigrants to Sweden by subsite and histology. <i>European Journal of Neurology</i> , 2011, 18, 766-771.	3.3	3
66	Risk of invasive breast cancer in relatives of patients with breast carcinoma in situ: a prospective cohort study. <i>BMC Medicine</i> , 2020, 18, 295.	5.5	3
67	Risk-adapted starting age of breast cancer screening in women with a family history of ovarian or other cancers: A nationwide cohort study. <i>Cancer</i> , 2021, 127, 2091-2098.	4.1	3
68	Histological concordance in familial central nervous system tumors: Evidence from nationwide Swedish Family-Cancer Database. <i>Cancer Epidemiology</i> , 2015, 39, 334-339.	1.9	2
69	Iran cancer incidence should be corrected for under-ascertainment in cancer cases in the elderly (aged 65+). <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8, 348-52.	1.2	2
70	Survival rate of gastric and esophageal cancers in Ardabil Province, North-West of Iran. <i>European Journal of Cancer, Supplement</i> , 2008, 6, 161.	2.2	1
71	Importance of Family History of Colorectal Carcinoma In Situ Versus Invasive Colorectal Cancer: A Nationwide Cohort Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021, , 1-6.	4.9	1
72	Risk of Gynecological Cancers in Cholecystectomized Women: A Large Nationwide Cohort Study. <i>Cancers</i> , 2022, 14, 1484.	3.7	1

#	ARTICLE	IF	CITATIONS
73	Determinants of unfavorable presentation of primary cutaneous melanoma. Journal of the American Academy of Dermatology, 2011, 65, e5-e6.	1.2	0
74	Response: Methods for second primary cancers evaluation have to be standardized. International Journal of Cancer, 2018, 142, 1286-1287.	5.1	0
75	Determining the Appropriate Risk-Adapted Screening Age for Familial Breast Cancer—Reply. JAMA Oncology, 2020, 6, 934.	7.1	0
76	Abstract 2743: Cancer risk in relatives of testicular cancer patients by histology type and age at diagnosis: a joint study from five Nordic countries. , 2015, , .		0
77	New methods of handling cases of unknown age in cancer registry data. Asian Pacific Journal of Cancer Prevention, 2008, 9, 259-62.	1.2	0
78	Global cancer incidences are substantially under-estimated due to under-ascertainment in elderly cancer cases. Asian Pacific Journal of Cancer Prevention, 2009, 10, 223-6.	1.2	0
79	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
80	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
81	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
82	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
83	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
84	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0