

# Mahdi Fallah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5572927/publications.pdf>

Version: 2024-02-01

84  
papers

2,619  
citations

236925

25  
h-index

197818

49  
g-index

84  
all docs

84  
docs citations

84  
times ranked

5098  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of Gynecological Cancers in Cholecystectomized Women: A Large Nationwide Cohort Study. <i>Cancers</i> , 2022, 14, 1484.	3.7	1
2	Risk-adapted starting age of breast cancer screening in women with a family history of ovarian or other cancers: A nationwide cohort study. <i>Cancer</i> , 2021, 127, 2091-2098.	4.1	3
3	Risk of prostate cancer in relatives of prostate cancer patients in Sweden: A nationwide cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003616.	8.4	4
4	Importance of Family History of Colorectal Carcinoma In Situ Versus Invasive Colorectal Cancer: A Nationwide Cohort Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021, , 1-6.	4.9	1
5	Risk-Adapted Starting Age of Screening for Relatives of Patients With Breast Cancer. <i>JAMA Oncology</i> , 2020, 6, 68.	7.1	30
6	Risk-tailored starting age of breast cancer screening based on women's reproductive profile: A nationwide cohort study. <i>European Journal of Cancer</i> , 2020, 124, 207-213.	2.8	13
7	Determining the Appropriate Risk-Adapted Screening Age for Familial Breast Cancer—Reply. <i>JAMA Oncology</i> , 2020, 6, 934.	7.1	0
8	Risk of invasive breast cancer in relatives of patients with breast carcinoma in situ: a prospective cohort study. <i>BMC Medicine</i> , 2020, 18, 295.	5.5	3
9	Risk of invasive prostate cancer and prostate cancer death in relatives of patients with prostatic borderline or in situ neoplasia: A nationwide cohort study. <i>Cancer</i> , 2020, 126, 4371-4378.	4.1	4
10	Familial risk of breast cancer by dynamic, accumulative, and static definitions of family history. <i>Cancer</i> , 2020, 126, 2837-2848.	4.1	13
11	Personal History of Diabetes as Important as Family History of Colorectal Cancer for Risk of Colorectal Cancer: A Nationwide Cohort Study. <i>American Journal of Gastroenterology</i> , 2020, 115, 1103-1109.	0.4	40
12	Calculating the Starting Age for Screening in Relatives of Patients With Colorectal Cancer Based on Data From Large Nationwide Data Sets. <i>Gastroenterology</i> , 2020, 159, 159-168.e3.	1.3	22
13	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003431.	8.4	45
14	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
15	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
16	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
17	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
18	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0

#	ARTICLE	IF	CITATIONS
19	Risk of colorectal cancer in patients with diabetes mellitus: A Swedish nationwide cohort study. , 2020, 17, e1003431.		0
20	Familial colorectal cancer risk in half siblings and siblings: nationwide cohort study. BMJ: British Medical Journal, 2019, 364, l803.	2.3	19
21	Response: Methods for second primary cancers evaluation have to be standardized. International Journal of Cancer, 2018, 142, 1286-1287.	5.1	0
22	Importance of tumor location and histology in familial risk of upper gastrointestinal cancers: a nationwide cohort study. Clinical Epidemiology, 2018, Volume 10, 1169-1179.	3.0	10
23	Familial risk of pleural mesothelioma increased drastically in certain occupations: A nationwide prospective cohort study. European Journal of Cancer, 2018, 103, 1-6.	2.8	12
24	Telomere length, telomerase reverse transcriptase promoter mutations, and melanoma risk. Genes Chromosomes and Cancer, 2018, 57, 564-572.	2.8	39
25	Risk of second primary cancers in women diagnosed with endometrial cancer in German and Swedish cancer registries. International Journal of Cancer, 2017, 141, 2270-2280.	5.1	13
26	The risk of contralateral breast cancer in daughters of women with and without breast cancer. Clinical Genetics, 2016, 89, 332-335.	2.0	9
27	Risk of Second Primary Cancers in Multiple Myeloma Survivors in German and Swedish Cancer Registries. Scientific Reports, 2016, 6, 22084.	3.3	15
28	Familial risk of non-Hodgkin lymphoma by sex, relationship, age at diagnosis and histology: a joint study from five Nordic countries. Leukemia, 2016, 30, 373-378.	7.2	24
29	Search for familial clustering of multiple myeloma with any cancer. Leukemia, 2016, 30, 627-632.	7.2	36
30	Risk of familial classical Hodgkin lymphoma by relationship, histology, age, and sex: a joint study from five Nordic countries. Blood, 2015, 126, 1990-1995.	1.4	47
31	Population Landscape of Familial Cancer. Scientific Reports, 2015, 5, 12891.	3.3	68
32	Histological concordance in familial central nervous system tumors: Evidence from nationwide Swedish Family-Cancer Database. Cancer Epidemiology, 2015, 39, 334-339.	1.9	2
33	Incorporation of Detailed Family History from the Swedish Family Cancer Database into the PCPT Risk Calculator. Journal of Urology, 2015, 193, 460-465.	0.4	26
34	Risk of Next Melanoma in Patients With Familial and Sporadic Melanoma by Number of Previous Melanomas. JAMA Dermatology, 2015, 151, 607.	4.1	26
35	Cancer Risk in Relatives of Testicular Cancer Patients by Histology Type and Age at Diagnosis: A Joint Study from Five Nordic Countries. European Urology, 2015, 68, 283-289.	1.9	42
36	A simple-to-use method incorporating genomic markers into prostate cancer risk prediction tools facilitated future validation. Journal of Clinical Epidemiology, 2015, 68, 563-573.	5.0	8

#	ARTICLE	IF	CITATIONS
37	Distribution and risk of the second discordant primary cancers combined after a specific first primary cancer in German and Swedish cancer registries. <i>Cancer Letters</i> , 2015, 369, 152-166.	7.2	25
38	<i>GHR</i> DNA hypermethylation is a common epigenetic alteration of high diagnostic value in a broad spectrum of cancers. <i>Oncotarget</i> , 2015, 6, 4418-4427.	1.8	25
39	Abstract 2743: Cancer risk in relatives of testicular cancer patients by histology type and age at diagnosis: a joint study from five Nordic countries. , 2015, , .		0
40	Effect of a Detailed Family History of Melanoma on Risk for Other Tumors: A Cohort Study Based on the Nationwide Swedish Family-Cancer Database. <i>Journal of Investigative Dermatology</i> , 2014, 134, 930-936.	0.7	18
41	The population impact of familial cancer, a major cause of cancer. <i>International Journal of Cancer</i> , 2014, 134, 1899-1906.	5.1	54
42	Risk of cancer in patients with medically diagnosed hay fever or allergic rhinitis. <i>International Journal of Cancer</i> , 2014, 135, 2397-2403.	5.1	29
43	Collection and Use of Family History in Oncology Clinics. <i>Journal of Clinical Oncology</i> , 2014, 32, 3344-3345.	1.6	4
44	Autoimmune diseases associated with non-Hodgkin lymphoma: a nationwide cohort study. <i>Annals of Oncology</i> , 2014, 25, 2025-2030.	1.2	160
45	Multiple primary (even in situ) melanomas in a patient pose significant risk to family members. <i>European Journal of Cancer</i> , 2014, 50, 2659-2667.	2.8	28
46	Metastatic sites and survival in lung cancer. <i>Lung Cancer</i> , 2014, 86, 78-84.	2.0	590
47	Hodgkin lymphoma after autoimmune diseases by age at diagnosis and histological subtype. <i>Annals of Oncology</i> , 2014, 25, 1397-1404.	1.2	49
48	Familial melanoma by histology and age: Joint data from five Nordic countries. <i>European Journal of Cancer</i> , 2014, 50, 1176-1183.	2.8	19
49	Risk of subsequent cancers in renal cell carcinoma survivors with a family history. <i>European Journal of Cancer</i> , 2014, 50, 2108-2118.	2.8	8
50	High concentration of immunoglobulin A is associated with temporal lobe epilepsy. <i>Epilepsy Research</i> , 2013, 103, 54-61.	1.6	6
51	<i>TERT</i> promoter mutations in bladder cancer affect patient survival and disease recurrence through modification by a common polymorphism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17426-17431.	7.1	291
52	Risk of thyroid cancer in first-degree relatives of patients with non-medullary thyroid cancer by histology type and age at diagnosis: a joint study from five Nordic countries. <i>Journal of Medical Genetics</i> , 2013, 50, 373-382.	3.2	40
53	Risk of thyroid cancer in relatives of patients with medullary thyroid carcinoma by age at diagnosis. <i>Endocrine-Related Cancer</i> , 2013, 20, 717-724.	3.1	8
54	Maternal Age at First Delivery and Risk of Cardiovascular Disease Later in Life. <i>ISRN Epidemiology</i> , 2013, 2013, 1-6.	0.6	7

#	ARTICLE	IF	CITATIONS
55	Familial risk of early and late onset cancer: nationwide prospective cohort study. <i>BMJ</i> , The, 2012, 345, e8076-e8076.	6.0	55
56	Prostate cancer risk assessment model: a scoring model based on the Swedish Family-Cancer Database. <i>Journal of Medical Genetics</i> , 2012, 49, 345-352.	3.2	13
57	Diagnostic values of GHSR DNA methylation pattern in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 135, 705-713.	2.5	16
58	Age- and time-dependent changes in cancer incidence among immigrants to Sweden: colorectal, lung, breast and prostate cancers. <i>International Journal of Cancer</i> , 2012, 131, E122-8.	5.1	28
59	C-reactive protein and seizures in focal epilepsy: A video-electroencephalographic study. <i>Epilepsia</i> , 2012, 53, 790-796.	5.1	34
60	Determinants of unfavorable presentation of primary cutaneous melanoma. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, e5-e6.	1.2	0
61	Risk factor investigation for cardiovascular health through WHO STEPS approach in Ardabil, Iran. <i>Vascular Health and Risk Management</i> , 2011, 7, 417.	2.3	21
62	Higher risk of primary cancers after polycythaemia vera and vice versa. <i>British Journal of Haematology</i> , 2011, 153, 283-285.	2.5	25
63	Nervous system tumors in adult immigrants to Sweden by subsite and histology. <i>European Journal of Neurology</i> , 2011, 18, 766-771.	3.3	3
64	Nonendocrine Cancers Associated with Benign and Malignant Parathyroid Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1108-E1114.	3.6	19
65	Idiopathic generalized epilepsies: a follow-up study in a single-center. <i>Acta Neurologica Scandinavica</i> , 2010, 122, 196-201.	2.1	10
66	Effect of dietary intervention on serum lignan levels in pregnant women - a controlled trial. <i>Reproductive Health</i> , 2010, 7, 26.	3.1	7
67	Clinical significance of glutamic acid decarboxylase antibodies in patients with epilepsy. <i>Epilepsia</i> , 2010, 51, 760-767.	5.1	126
68	Miscarriage and risk of cardiovascular disease. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 284-288.	2.8	36
69	Lead-time in the European Randomised Study of Screening for Prostate Cancer. <i>European Journal of Cancer</i> , 2010, 46, 3102-3108.	2.8	53
70	Interleukin-6 levels are increased in temporal lobe epilepsy but not in extra-temporal lobe epilepsy. <i>Journal of Neurology</i> , 2009, 256, 796-802.	3.6	72
71	Retention rates of new antiepileptic drugs in localization-related epilepsy: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2009, 119, 55-60.	2.1	18
72	The high prevalence of antiphospholipid antibodies in refractory focal epilepsy is related to recurrent seizures. <i>European Journal of Neurology</i> , 2009, 16, 134-141.	3.3	28

#	ARTICLE	IF	CITATIONS
73	Global cancer incidences are substantially under-estimated due to under-ascertainment in elderly cancer cases. <i>Asian Pacific Journal of Cancer Prevention</i> , 2009, 10, 223-6.	1.2	0
74	Correction for under-ascertainment in cancer cases in the very elderly (aged 75+): external reference method. <i>Cancer Causes and Control</i> , 2008, 19, 739-749.	1.8	7
75	Clinical predictors in patients with refractory epilepsy exposed to levetiracetam: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 332-336.	2.1	3
76	Survival rate of gastric and esophageal cancers in Ardabil Province, North-West of Iran. <i>European Journal of Cancer, Supplement</i> , 2008, 6, 161.	2.2	1
77	Substantial under-estimation in cancer incidence estimates for developing countries due to under-ascertainment in elderly cancer cases. <i>Cancer Letters</i> , 2008, 264, 250-255.	7.2	8
78	New methods of handling cases of unknown age in cancer registry data. <i>Asian Pacific Journal of Cancer Prevention</i> , 2008, 9, 259-62.	1.2	0
79	Pregnancy-related factors and the risk of isolated systolic hypertension. <i>Blood Pressure</i> , 2007, 16, 50-55.	1.5	11
80	Reproductive history and carotid intima-media thickness. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 995-1002.	2.8	22
81	Cardiovascular diseases attributable to hysterectomy: a population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1476-1483.	2.8	17
82	A method to adjust for ascertainment bias in the evaluation of cancer registry data. <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8, 113-8.	1.2	8
83	Iran cancer incidence should be corrected for under-ascertainment in cancer cases in the elderly (aged 65+). <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8, 348-52.	1.2	2
84	Survival rate of gastric and esophageal cancers in Ardabil province, North-West of Iran. <i>Archives of Iranian Medicine</i> , 2007, 10, 32-7.	0.6	40