

Martin D Dawson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5573037/martin-d-dawson-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

204
papers

5,988
citations

37
h-index

70
g-index

248
ext. papers

7,272
ext. citations

4
avg, IF

5.51
L-index

#	Paper	IF	Citations
204	A 3-Gb/s Single-LED OFDM-Based Wireless VLC Link Using a Gallium Nitride $\mu\text{m LED}$. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 637-640	2.2	546
203	. <i>Journal of Lightwave Technology</i> , 2012 , 30, 61-67	4	226
202	Towards 10 Gb/s orthogonal frequency division multiplexing-based visible light communication using a GaN violet micro-LED. <i>Photonics Research</i> , 2017 , 5, A35	6	206
201	High Bandwidth GaN-Based Micro-LEDs for Multi-Gb/s Visible Light Communications. <i>IEEE Photonics Technology Letters</i> , 2016 , 28, 2023-2026	2.2	206
200	Size-dependent light output, spectral shift, and self-heating of 400 nm InGaN light-emitting diodes. <i>Journal of Applied Physics</i> , 2010 , 107, 013103	2.5	197
199	Multi-site optical excitation using ChR2 and micro-LED array. <i>Journal of Neural Engineering</i> , 2010 , 7, 16004	4	184
198	High-Speed Visible Light Communications Using Individual Pixels in a Micro Light-Emitting Diode Array. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 1346-1348	2.2	161
197	Size-dependent efficiency and efficiency droop of blue InGaN micro-light emitting diodes. <i>Applied Physics Letters</i> , 2012 , 101, 231110	3.4	156
196	A review of gallium nitride LEDs for multi-gigabit-per-second visible light data communications. <i>Semiconductor Science and Technology</i> , 2017 , 32, 023001	1.8	146
195	LED Based Wavelength Division Multiplexed 10 Gb/s Visible Light Communications. <i>Journal of Lightwave Technology</i> , 2016 , 34, 3047-3052	4	139
194	Lomeguatrib, a potent inhibitor of O6-alkylguanine-DNA-alkyltransferase: phase I safety, pharmacodynamic, and pharmacokinetic trial and evaluation in combination with temozolomide in patients with advanced solid tumors. <i>Clinical Cancer Research</i> , 2006 , 12, 1577-84	12.9	115
193	1.5 Gbit/s Multi-Channel Visible Light Communications Using CMOS-Controlled GaN-Based LEDs. <i>Journal of Lightwave Technology</i> , 2013 , 31, 1211-1216	4	113
192	Thermal and optical characterization of micro-LED probes for in vivo optogenetic neural stimulation. <i>Optics Letters</i> , 2013 , 38, 992-4	3	101
191	High power CW red VECSEL with linearly polarized TEM00 output beam. <i>Optics Express</i> , 2005 , 13, 77-81	3.3	99
190	Colloidal quantum dot random laser. <i>Optics Express</i> , 2011 , 19, 2996-3003	3.3	92
189	Low-threshold organic laser based on an oligofluorene truxene with low optical losses. <i>Applied Physics Letters</i> , 2009 , 94, 243304	3.4	89
188	Active-Matrix GaN Micro Light-Emitting Diode Display With Unprecedented Brightness. <i>IEEE Transactions on Electron Devices</i> , 2015 , 62, 1918-1925	2.9	87

187	Depth-specific optogenetic control in vivo with a scalable, high-density LED neural probe. <i>Scientific Reports</i> , 2016 , 6, 28381	4.9	84
186	Visible Light Communication Using a Blue GaN μ LED and Fluorescent Polymer Color Converter. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 2035-2038	2.2	84
185	High-Speed Integrated Visible Light Communication System: Device Constraints and Design Considerations. <i>IEEE Journal on Selected Areas in Communications</i> , 2015 , 33, 1750-1757	14.2	84
184	Optobionic vision--a new genetically enhanced light on retinal prosthesis. <i>Journal of Neural Engineering</i> , 2009 , 6, 035007	5	84
183	Characteristics and applications of micro-pixelated GaN-based light emitting diodes on Si substrates. <i>Journal of Applied Physics</i> , 2014 , 115, 033112	2.5	80
182	The Impact of Solar Irradiance on Visible Light Communications. <i>Journal of Lightwave Technology</i> , 2018 , 36, 2376-2386	4	58
181	Broadly tunable femtosecond mode-locking in a Tm:KYW laser near 2 μ m. <i>Optics Express</i> , 2011 , 19, 9995-10000	10.0	58
180	Individually Addressable AlInGaN Micro-LED Arrays With CMOS Control and Subnanosecond Output Pulses. <i>IEEE Photonics Technology Letters</i> , 2009 , 21, 811-813	2.2	57
179	Optogenetic activation of neocortical neurons in vivo with a sapphire-based micro-scale LED probe. <i>Frontiers in Neural Circuits</i> , 2015 , 9, 25	3.5	54
178	Flexible blue-emitting encapsulated organic semiconductor DFB laser. <i>Optics Express</i> , 2010 , 18, 25535-453	3.3	53
177	1 Gbps free-space deep-ultraviolet communications based on III-nitride micro-LEDs emitting at 262 nm. <i>Photonics Research</i> , 2019 , 7, B41	6	52
176	Modulation bandwidth studies of recombination processes in blue and green InGaN quantum well micro-light-emitting diodes. <i>Applied Physics Letters</i> , 2013 , 102, 091103	3.4	50
175	Micro-LED pumped polymer laser: A discussion of future pump sources for organic lasers. <i>Laser and Photonics Reviews</i> , 2013 , 7, 1065-1078	8.3	47
174	. <i>IEEE Journal of Quantum Electronics</i> , 2012 , 48, 328-337	2	46
173	GaN directional couplers for integrated quantum photonics. <i>Applied Physics Letters</i> , 2011 , 99, 161119	3.4	46
172	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2013 , 19, 1400108-1400108	3.8	43
171	. <i>Journal of Lightwave Technology</i> , 2016 , 34, 2049-2055	4	41
170	Heterogeneous integration of gallium nitride light-emitting diodes on diamond and silica by transfer printing. <i>Optics Express</i> , 2015 , 23, 9329-38	3.3	40

169	Fabrication, characterization and applications of flexible vertical InGaN micro-light emitting diode arrays. <i>Optics Express</i> , 2016 , 24, 699-707	3.3	39
168	Integration of Semiconductor Nanowire Lasers with Polymeric Waveguide Devices on a Mechanically Flexible Substrate. <i>Nano Letters</i> , 2017 , 17, 5990-5994	11.5	39
167	Size-dependent capacitance study on InGaN-based micro-light-emitting diodes. <i>Journal of Applied Physics</i> , 2014 , 116, 044512	2.5	37
166	Laser action in a surface-structured free-standing membrane based on a π -conjugated polymer-composite. <i>Organic Electronics</i> , 2011 , 12, 62-69	3.5	37
165	High-Speed Visible Light Communication Based on a III-Nitride Series-Biased Micro-LED Array. <i>Journal of Lightwave Technology</i> , 2019 , 37, 1180-1186	4	37
164	Three-dimensional cross-nanowire networks recover full terahertz state. <i>Science</i> , 2020 , 368, 510-513	33.3	36
163	Transfer Printing of Semiconductor Nanowires with Lasing Emission for Controllable Nanophotonic Device Fabrication. <i>ACS Nano</i> , 2016 , 10, 3951-8	16.7	36
162	Monolithic diamond Raman laser. <i>Optics Letters</i> , 2015 , 40, 930-3	3	34
161	Temperature-dependent efficiency droop of blue InGaN micro-light emitting diodes. <i>Applied Physics Letters</i> , 2014 , 105, 171107	3.4	34
160	InP/AlGaInP quantum dot semiconductor disk lasers for CW TEM ₀₀ emission at 716 - 755 nm. <i>Optics Express</i> , 2009 , 17, 21782-7	3.3	34
159	Continuous-wave diamond Raman laser. <i>Optics Letters</i> , 2010 , 35, 2994-6	3	33
158	CMOS-Controlled Color-Tunable Smart Display. <i>IEEE Photonics Journal</i> , 2012 , 4, 1639-1646	1.8	33
157	Colloidal quantum dot nanocomposites for visible wavelength conversion of modulated optical signals. <i>Optical Materials Express</i> , 2012 , 2, 250	2.6	33
156	A Multigigabit per Second Integrated Multiple-Input Multiple-Output VLC Demonstrator. <i>Journal of Lightwave Technology</i> , 2017 , 35, 4358-4365	4	32
155	An intra-cavity Raman laser using synthetic single-crystal diamond. <i>Optics Express</i> , 2010 , 18, 16765-70	3.3	32
154	A CMOS Time-Resolved Fluorescence Lifetime Analysis Micro-System. <i>Sensors</i> , 2009 , 9, 9255-74	3.8	32
153	Intracavity diamond heatspreaders in lasers: the effects of birefringence. <i>Optics Express</i> , 2006 , 14, 9250-60	3.3	32
152	Miniaturized optoelectronic tweezers controlled by GaN micro-pixel light emitting diode arrays. <i>Optics Express</i> , 2011 , 19, 2720-8	3.3	30

151	Optoelectronic tweezers system for single cell manipulation and fluorescence imaging of live immune cells. <i>Optics Express</i> , 2014 , 22, 1372-80	3.3	29
150	Continuous Tuning and Efficient Intracavity Second-Harmonic Generation in a Semiconductor Disk Laser With an Intracavity Diamond Heatspreader. <i>IEEE Journal of Quantum Electronics</i> , 2008 , 44, 216-225 ²		29
149	1.6 W continuous-wave Raman laser using low-loss synthetic diamond. <i>Optics Express</i> , 2011 , 19, 6938-44	3.3	28
148	An organic semiconductor laser based on star-shaped truxene-core oligomers for refractive index sensing. <i>Sensors and Actuators B: Chemical</i> , 2013 , 185, 132-139	8.5	27
147	1.9 μ m waveguide laser fabricated by ultrafast laser inscription in Tm:LuO ceramic. <i>Optics Express</i> , 2017 , 25, 14910-14917	3.3	27
146	Tunable continuous-wave diamond Raman laser. <i>Optics Express</i> , 2011 , 19, 24165-70	3.3	27
145	Aging characteristics of blue InGaN micro-light emitting diodes at an extremely high current density of 3.5 kA cm ² . <i>Semiconductor Science and Technology</i> , 2016 , 31, 045005	1.8	26
144	Over 10 Gbps VLC for Long-Distance Applications Using a GaN-Based Series-Biased Micro-LED Array. <i>IEEE Photonics Technology Letters</i> , 2020 , 32, 499-502	2.2	25
143	On-chip GaN-based dual-color micro-LED arrays and their application in visible light communication. <i>Optics Express</i> , 2019 , 27, A1517-A1528	3.3	25
142	Vertically Emitting Indium Phosphide Nanowire Lasers. <i>Nano Letters</i> , 2018 , 18, 3414-3420	11.5	25
141	Hybrid GaN LED with capillary-bonded III-V MQW color-converting membrane for visible light communications. <i>Semiconductor Science and Technology</i> , 2015 , 30, 035012	1.8	24
140	Nanosecond colloidal quantum dot lasers for sensing. <i>Optics Express</i> , 2014 , 22, 7308-19	3.3	24
139	. <i>Journal of Lightwave Technology</i> , 2015 , 33, 3571-3576	4	24
138	Sub-Micron Lithography Using InGaN Micro-LEDs: Mask-Free Fabrication of LED Arrays. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 2221-2224	2.2	24
137	Wavelength-tunable colloidal quantum dot laser on ultra-thin flexible glass. <i>Applied Physics Letters</i> , 2014 , 104, 141108	3.4	23
136	A Vertically Integrated CMOS Microsystem for Time-Resolved Fluorescence Analysis. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2010 , 4, 437-44	5.1	23
135	Direct Laser Writing of Nanosized Oligofluorene Truxenes in UV-Transparent Photoresist Microstructures. <i>Advanced Materials</i> , 2009 , 21, 781-785	24	23
134	An oligofluorene truxene based distributed feedback laser for biosensing applications. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 679-86	11.8	22

133	Flexible distributed-feedback colloidal quantum dot laser. <i>Applied Physics Letters</i> , 2011 , 99, 241103	3.4	21
132	Pulsed pumping of semiconductor disk lasers. <i>Optics Express</i> , 2007 , 15, 3247-56	3.3	21
131	Large radius of curvature micro-lenses on single crystal diamond for application in monolithic diamond Raman lasers. <i>Diamond and Related Materials</i> , 2016 , 65, 37-41	3.5	20
130	RGB and white-emitting organic lasers on flexible glass. <i>Optics Express</i> , 2016 , 24, 2273-80	3.3	20
129	Continuous-wave Raman laser pumped within a semiconductor disk laser cavity. <i>Optics Letters</i> , 2011 , 36, 1083-5	3	20
128	Multisite microLED optrode array for neural interfacing. <i>Neurophotonics</i> , 2019 , 6, 035010	3.9	19
127	Ultralow-threshold up-converted lasing in oligofluorenes with tailored strong nonlinear absorption. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 12018-12025	7.1	18
126	High accuracy transfer printing of single-mode membrane silicon photonic devices. <i>Optics Express</i> , 2018 , 26, 16679-16688	3.3	18
125	Design, Fabrication, and Application of GaN-Based Micro-LED Arrays With Individual Addressing by N-Electrodes. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-11	1.8	18
124	Highly-photostable and mechanically flexible all-organic semiconductor lasers. <i>Optical Materials Express</i> , 2013 , 3, 584	2.6	18
123	Diode-pumped, mechanically-flexible polymer DFB laser encapsulated by glass membranes. <i>Optics Express</i> , 2014 , 22, 24160-8	3.3	17
122	Microlensed microchip VECSEL. <i>Optics Express</i> , 2007 , 15, 9341-6	3.3	17
121	Red microchip VECSEL array. <i>Optics Express</i> , 2005 , 13, 7209-14	3.3	17
120	Design of Linear and Star-Shaped Macromolecular Organic Semiconductors for Photonic Applications. <i>Accounts of Chemical Research</i> , 2019 , 52, 1665-1674	24.3	16
119	Large cross-section edge-coupled diamond waveguides. <i>Diamond and Related Materials</i> , 2011 , 20, 564-567	5.75	16
118	Nanofabrication of gallium nitride photonic crystal light-emitting diodes. <i>Microelectronic Engineering</i> , 2010 , 87, 2200-2207	2.5	16
117	Gb/s Underwater Wireless Optical Communications Using Series-Connected GaN Micro-LED Arrays. <i>IEEE Photonics Journal</i> , 2020 , 12, 1-10	1.8	16
116	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017 , 23, 1-10	3.8	15

115	Demonstration of 2.3 Gb/s RGB white-light VLC using polymer based colour-converters and GaN micro-LEDs 2015 ,		15
114	Generation of primary hepatocyte microarrays by piezoelectric printing. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 89, 126-32	6	15
113	Diamond Raman Waveguide Lasers: Completely Analytical Design Optimization Incorporating Scattering Losses. <i>IEEE Journal of Quantum Electronics</i> , 2011 , 47, 1069-1077	2	15
112	Amplified spontaneous emission in free-standing membranes incorporating star-shaped monodisperse π -conjugated trixene oligomers. <i>Journal of Optics (United Kingdom)</i> , 2010 , 12, 035503	1.7	15
111	Passive Mode-Locking of a Ti : Sapphire Laser by InGaP Quantum-Dot Saturable Absorber. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 209-211	2.2	15
110	High-Speed Integrated Digital to Light Converter for Short Range Visible Light Communication. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 118-121	2.2	14
109	Neural Network-Based Joint Spatial and Temporal Equalization for MIMO-VLC System. <i>IEEE Photonics Technology Letters</i> , 2019 , 31, 821-824	2.2	13
108	Diode-pumped femtosecond Tm-doped LuScO laser near 2.1 μ m. <i>Optics Letters</i> , 2018 , 43, 1287-1290	3	13
107	Ultra-portable explosives sensor based on a CMOS fluorescence lifetime analysis micro-system. <i>AIP Advances</i> , 2011 , 1, 032115	1.5	13
106	Slow-light in a vertical-cavity semiconductor optical amplifier. <i>Optics Express</i> , 2006 , 14, 6858-63	3.3	13
105	Characterization, Selection, and Microassembly of Nanowire Laser Systems. <i>Nano Letters</i> , 2020 , 20, 1862-1868	3.8	12
104	InGaN μ LEDs integrated onto colloidal quantum dot functionalized ultra-thin glass. <i>Optics Express</i> , 2017 , 25, 19179-19184	3.3	12
103	Manufacturing with light - micro-assembly of opto-electronic microstructures. <i>Optics Express</i> , 2017 , 25, 28838	3.3	12
102	Experimental proof-of-concept of optical spatial modulation OFDM using micro LEDs 2015 ,		11
101	Organic Semiconductor Laser Biosensor: Design and Performance Discussion. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2016 , 22, 6-14	3.8	11
100	Imaging-MIMO visible light communication system using μ LEDs and integrated receiver 2014 ,		11
99	Optical properties of single crystal diamond microfilms fabricated by ion implantation and lift-off processing. <i>Diamond and Related Materials</i> , 2012 , 21, 16-23	3.5	11
98	On-chip optical stimulation and electrical recording from cells. <i>Journal of Biomedical Optics</i> , 2013 , 18, 111402	3.5	11

97	Improved sectioning in a slit scanning confocal microscope. <i>Optics Letters</i> , 2008 , 33, 1813-5	3	11
96	Direct integration of micro-LEDs and a SPAD detector on a silicon CMOS chip for data communications and time-of-flight ranging. <i>Optics Express</i> , 2020 , 28, 6909-6917	3.3	11
95	Gigabit per second visible light communication based on AlGaInP red micro-LED micro-transfer printed onto diamond and glass. <i>Optics Express</i> , 2020 , 28, 12149-12156	3.3	11
94	Control of edge bulge evolution during photoresist reflow and its application to diamond microlens fabrication. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2016 , 34, 021602	1.3	11
93	Positioning and Space-Division Multiple Access Enabled by Structured Illumination With Light-Emitting Diodes. <i>Journal of Lightwave Technology</i> , 2017 , 35, 2339-2345	4	10
92	Characteristics of GaN-based light emitting diodes with different thicknesses of buffer layer grown by HVPE and MOCVD. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 075101	3	10
91	Visible light communication using InGaN optical sources with AlInGaP nanomembrane down-converters. <i>Optics Express</i> , 2016 , 24, 10020-9	3.3	10
90	Thin film diamond membranes bonded on-demand with SOI ring resonators. <i>Diamond and Related Materials</i> , 2018 , 88, 215-221	3.5	10
89	Micro-pixelated LEDs for science and instrumentation. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 090301-090301	3	10
88	Scalable visible light communications with a micro-LED array projector and high-speed smartphone camera. <i>Optics Express</i> , 2019 , 27, 15585-15594	3.3	10
87	Micro-LED based optical wireless communications systems. <i>Semiconductors and Semimetals</i> , 2021 , 281-3216	3.3	10
86	Modification of emission wavelength in organic random lasers based on photonic glass. <i>Organic Electronics</i> , 2012 , 13, 1129-1135	3.5	9
85	Transfer printing of AlGaAs-on-SOI microdisk resonators for selective mode coupling and low-power nonlinear processes. <i>Optics Letters</i> , 2020 , 45, 881-884	3	9
84	Mechanically Flexible Organic Semiconductor Laser Array. <i>IEEE Photonics Journal</i> , 2012 , 4, 684-690	1.8	8
83	CMOS-integrated GaN LED array for discrete power level stepping in visible light communications. <i>Optics Express</i> , 2017 , 25, A338-A345	3.3	8
82	InGaN micro-pixelated light-emitting diodes with nano-textured surfaces and modified emission profiles. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 103, 389-393	2.6	8
81	Thermal Management, Structure Design, and Integration Considerations for VECSELs 2010 , 73-117		8
80	Tunable single-mode fiber-VCSEL using an intracavity polymer microlens. <i>Optics Letters</i> , 2007 , 32, 2831-3		8

79	Automated Nanoscale Absolute Accuracy Alignment System for Transfer Printing. <i>ACS Applied Nano Materials</i> , 2020 , 3, 10326-10332	5.6	8
78	High speed spatial encoding enabled by CMOS-controlled micro-LED arrays 2016 ,		7
77	Dip-pen nanolithography of nanostructured oligofluorene truxenes in a photo-curable host matrix. <i>Journal of Materials Chemistry</i> , 2011 , 21, 14209		7
76	Selective wet etching of AlInN layers for nitride-based MEMS and photonic device structures 2008 ,		7
75	CdS(x)Se(1-x)/ZnS semiconductor nanocrystal laser with sub 10kW/cm(2) threshold and 40nJ emission output at 600 nm. <i>Optics Express</i> , 2016 , 24, A146-53	3.3	7
74	Gb/s single-LED OFDM-based VLC using violet and UV Gallium nitride LEDs 2015 ,		6
73	Micro-structured light emission from planar InGaN light-emitting diodes. <i>Semiconductor Science and Technology</i> , 2014 , 29, 015005	1.8	6
72	Fluorene-containing tetraphenylethylene molecules as lasing materials. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 734-746	2.5	6
71	Hole transport assisted by the piezoelectric field in In _{0.4} Ga _{0.6} N/GaN quantum wells under electrical injection. <i>Journal of Applied Physics</i> , 2015 , 118, 125709	2.5	6
70	Direct LED writing of submicron resist patterns: Towards the fabrication of individually-addressable InGaN submicron stripe-shaped LED arrays. <i>Nano Research</i> , 2014 , 7, 1849-1860	10	6
69	Emission characteristics of photonic crystal light-emitting diodes. <i>Applied Optics</i> , 2011 , 50, 3233-9	0.2	6
68	Hybrid organic/GaN photonic crystal light-emitting diode. <i>Applied Physics Letters</i> , 2012 , 101, 141122	3.4	6
67	Singly-resonant sum frequency generation of visible light in a semiconductor disk laser. <i>Optics Express</i> , 2009 , 17, 6010-7	3.3	6
66	Array-Format Microchip Semiconductor Disk Lasers. <i>IEEE Journal of Quantum Electronics</i> , 2008 , 44, 1096-1103		6
65	Thermal management in disc lasers: doped-dielectric and semiconductor laser gain media in thin-disc and microchip formats. <i>Journal of Modern Optics</i> , 2007 , 54, 1669-1676	1.1	6
64	Spatially dense integration of micron-scale devices from multiple materials on a single chip via transfer-printing. <i>Optical Materials Express</i> , 2021 , 11, 3567	2.6	6
63	Flexible Glass Hybridized Colloidal Quantum Dots for Gb/s Visible Light Communications. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-11	1.8	5
62	Large scale matching of function to the genetic identity of retinal ganglion cells. <i>Scientific Reports</i> , 2017 , 7, 15395	4.9	5

61	Inkjet-printed silver nanoparticle electrodes on GaN-based micro-structured light-emitting diodes. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 104, 1003-1009	2.6	5
60	Index and gain dynamics of optically pumped GaInNAs vertical-cavity semiconductor optical amplifiers. <i>Applied Physics Letters</i> , 2005 , 87, 231115	3.4	5
59	Multispectral time-of-flight imaging using light-emitting diodes. <i>Optics Express</i> , 2019 , 27, 35485-35498	3.3	5
58	All-optical tuning of a diamond micro-disk resonator on silicon. <i>Photonics Research</i> , 2020 , 8, 318	6	5
57	Combining time of flight and photometric stereo imaging for 3D reconstruction of discontinuous scenes. <i>Optics Letters</i> , 2021 , 46, 3612-3615	3	5
56	Single-chip discrete multitone generation 2015 ,		4
55	Transfer printing of semiconductor nanowire lasers. <i>IET Optoelectronics</i> , 2018 , 12, 30-35	1.5	4
54	Ultra-wide coverage VLC system with alignment-free receiver 2018 ,		4
53	Positioning and Data Broadcasting Using Illumination Pattern Sequences Displayed by LED Arrays. <i>IEEE Transactions on Communications</i> , 2018 , 66, 5582-5592	6.9	4
52	Planar micro- and nano-patterning of GaN light-emitting diodes: Guidelines and limitations. <i>Journal of Applied Physics</i> , 2014 , 115, 084503	2.5	4
51	Optical spatial modulation OFDM using micro LEDs 2014 ,		4
50	Hybrid organic semiconductor lasers for bio-molecular sensing. <i>Faraday Discussions</i> , 2014 , 174, 369-81	3.6	4
49	1W CW Red VECSEL Frequency-Doubled to Generate 60mW in the Ultraviolet 2006 ,		4
48	10 Gbps wavelength division multiplexing using UV-A, UV-B, and UV-C micro-LEDs. <i>Photonics Research</i> , 2022 , 10, 516	6	4
47	Pump-power-dependence of a CsPbBr ₃ -in-Cs ₄ PbBr ₆ quantum dot color converter. <i>Optical Materials Express</i> , 2019 , 9, 3504	2.6	4
46	High-sensitivity inter-satellite optical communications using chip-scale LED and single-photon detector hardware. <i>Optics Express</i> , 2021 , 29, 10749-10768	3.3	4
45	Method for inferring the mechanical strain of GaN-on-Si epitaxial layers using optical profilometry and finite element analysis. <i>Optical Materials Express</i> , 2021 , 11, 1643	2.6	4
44	AlGaIn Ultraviolet Micro-LEDs. <i>IEEE Journal of Quantum Electronics</i> , 2022 , 1-1	2	4

43	A high speed generalised space shift keying link with micro-LEDs and CMOS APD receiver 2016,		3
42	Experimental demonstration of generalised space shift keying for visible light communication 2017		3
41	Concept of a GaN-LED-based positioning system using structured illumination 2015,		3
40	Organic polymer composite random laser operating underwater. <i>Optics Letters</i> , 2012 , 37, 5160-2	3	3
39	Directly color-tunable smart display based on a CMOS-controlled micro-LED array 2012,		3
38	Size-Dependent Characterization of Deep UV Micro-Light-Emitting Diodes 2020,		3
37	Optimum Device and Modulation Scheme Selection for Optical Wireless Communications. <i>Journal of Lightwave Technology</i> , 2021 , 39, 2281-2287	4	3
36	Control of automated systems with a structured light illumination source 2016,		3
35	Temporal Encoding to Reject Background Signals in a Low Complexity, Photon Counting Communication Link. <i>Materials</i> , 2018 , 11,	3.5	3
34	Multi-Gigabit integrated MIMO visible light communication system: Progress and updates 2015,		2
33	Ultra-Low Cost High-Density Two-Dimensional Visible-Light Optical Interconnects. <i>Journal of Lightwave Technology</i> , 2019 , 37, 3305-3314	4	2
32	2011,		2
31	High-bandwidth parallel data transmission using GaN/CMOS micro-LED arrays 2012,		2
30	Photonic quasi-crystal light emitting diodes: comparisons of device performance with pattern pitch 2010,		2
29	CMOS-integrated flip-chip, micro-pixel InGaN LED arrays for on-chip microfluorimetry 2007,		2
28	4 Gbps wireless optical communications up to 5 m using a UV-C micro-light-emitting diode array 2021,		2
27	High-Throughput Electrical Characterization of Nanomaterials from Room to Cryogenic Temperatures. <i>ACS Nano</i> , 2020 , 14, 15293-15305	16.7	2
26	Synchronization-free top-down illumination photometric stereo imaging using light-emitting diodes and a mobile device. <i>Optics Express</i> , 2021 , 29, 1502-1515	3.3	2

25	Micro-LEDs for biomedical applications. <i>Semiconductors and Semimetals</i> , 2021 , 106, 57-94	0.6	2
24	High precision integrated photonic thermometry enabled by a transfer printed diamond resonator on GaN waveguide chip. <i>Optics Express</i> , 2021 , 29, 29095-29106	3.3	2
23	Integrated multiple-input multiple-output visible light communications systems: recent progress and results 2015 ,		1
22	Energy scaling of yellow emission from monolithic diamond Raman lasers 2017 ,		1
21	Development, performance and application of novel GaN-based micro-LED arrays with individually addressable n-electrodes 2017 ,		1
20	Video-rate photometric stereo-imaging with general lighting luminaires 2017 ,		1
19	Stripe Excitation of High Gain Media With Disorder. <i>IEEE Journal of Quantum Electronics</i> , 2012 , 48, 1184-1192		1
18	Corrections to "Characterization of Single-Crystal Synthetic Diamond for Multi-Watt Continuous-Wave Raman Lasers"[Mar 12 328-337]. <i>IEEE Journal of Quantum Electronics</i> , 2012 , 48, 1494-1494		1
17	Thermal Management of Lasers and LEDs Using Diamond 2013 , 353-384		1
16	Fabrication and characterisation of microscale air bridges in conductive gallium nitride. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 96, 495-501	2.6	1
15	GaN diode-pumping of a red semiconductor disk laser 2008 ,		1
14	Characterisation of an InAs quantum dot semiconductor disk laser 2008 ,		1
13	Top-down Illumination Photometric Stereo Imaging Using Light-Emitting Diodes and a Mobile Device 2019 ,		1
12	LED Excitation of an On-chip Imaging Flow Cytometer for Bead-based Immunoassay 2020 ,		1
11	A diamond-based, hybrid optrode for multisite optogenetics 2016 ,		1
10	44-1: Invited Paper: Micro-LEDs for Technological Convergence between Displays, Optical Communications, and Sensing and Imaging Systems. <i>Digest of Technical Papers SID International Symposium</i> , 2020 , 51, 638-641	0.5	1
9	GaN based LED drive circuit for Visible Light Communication (VLC) with improved linearity using on-chip optical feedback 2016 ,		1
8	Data transmission for high-bandwidth neural interfacing using visible light communication 2016 ,		1

7	A wearable phototherapy device utilizing micro-LEDs. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2019</i> , 2019, 67-70	0.9	1
6	Microscale Automated Alignment and Spatial Tracking through Structured Illumination 2019 ,		1
5	LED-Based Photometric Stereo-Imaging Employing Frequency-Division Multiple Access 2018 ,		1
4	Energy Scaling, Second Stokes Oscillation, and Raman Gain-Guiding in Monolithic Diamond Raman Lasers. <i>IEEE Journal of Quantum Electronics</i> , 2018 , 54, 1-8	2	1
3	LED Excitation of an Imaging Cytometer for Bead-Based Immunoassay. <i>IEEE Photonics Technology Letters</i> , 2021 , 33, 892-895	2.2	0
2	Power-scaling properties of apertured microchip vertical external-cavity surface-emitting lasers. <i>Electronics Letters</i> , 2013 , 49, 146-148	1.1	
1	Suspension and transfer printing of ZnCdMgSe membranes from an InP substrate. <i>Optical Materials Express</i> , 2020 , 10, 3328	2.6	