

# Mohamad Hafiz Mamat

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5573485/publications.pdf>

Version: 2024-02-01

394  
papers

2,960  
citations

201385

27  
h-index

276539

41  
g-index

394  
all docs

394  
docs citations

394  
times ranked

2801  
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of doping concentrations on the aluminum doped zinc oxide thin films properties for ultraviolet photoconductive sensor applications. <i>Optical Materials</i> , 2010, 32, 696-699.	1.7	156
2	Fabrication of ultraviolet photoconductive sensor using a novel aluminium-doped zinc oxide nanorod-nanoflake network thin film prepared via ultrasonic-assisted sol-gel and immersion methods. <i>Sensors and Actuators A: Physical</i> , 2011, 171, 241-247.	2.0	112
3	Sonicated sol-gel preparation of nanoparticulate ZnO thin films with various deposition speeds: The highly preferred c-axis (002) orientation enhances the final properties. <i>Journal of Alloys and Compounds</i> , 2014, 582, 12-21.	2.8	94
4	Thermal annealing-induced formation of ZnO nanoparticles: Minimum strain and stress ameliorate preferred c-axis orientation and crystal-growth properties. <i>Journal of Alloys and Compounds</i> , 2014, 610, 575-588.	2.8	79
5	Fabrication of hierarchical Sn-doped ZnO nanorod arrays through sonicated sol-gel immersion for room temperature, resistive-type humidity sensor applications. <i>Ceramics International</i> , 2016, 42, 9785-9795.	2.3	68
6	Influence of various sol concentrations on stress/strain and properties of ZnO thin films synthesised by sol-gel technique. <i>Thin Solid Films</i> , 2013, 527, 102-109.	0.8	64
7	Novel synthesis of aligned Zinc oxide nanorods on a glass substrate by sonicated sol-gel immersion. <i>Materials Letters</i> , 2010, 64, 1211-1214.	1.3	62
8	Vertically aligned carbon nanotubes synthesized from waste chicken fat. <i>Materials Letters</i> , 2013, 101, 61-64.	1.3	60
9	Fabrication of an ultraviolet photoconductive sensor using novel nanostructured, nanohole-enhanced, aligned aluminium-doped zinc oxide nanorod arrays at low immersion times. <i>Sensors and Actuators B: Chemical</i> , 2014, 195, 609-622.	4.0	52
10	Analysis on different detection mechanisms involved in ZnO-based photodetector and photodiodes. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 7100-7113.	1.1	47
11	High-Performance Dye-Sensitized Solar Cells Based on Morphology-Controllable Synthesis of ZnO-ZnS Heterostructure Nanocone Photoanodes. <i>PLoS ONE</i> , 2015, 10, e0123433.	1.1	45
12	Synthesis, structural and optical properties of mesostructured, X-doped NiO (x = Zn, Sn, Fe) nanoflake network films. <i>Materials Research Bulletin</i> , 2020, 127, 110860.	2.7	45
13	Rational design of aromatic surfactants for graphene/natural rubber latex nanocomposites with enhanced electrical conductivity. <i>Journal of Colloid and Interface Science</i> , 2018, 516, 34-47.	5.0	41
14	Heterogeneous SnO <sub>2</sub> /ZnO nanoparticulate film: Facile synthesis and humidity sensing capability. <i>Materials Science in Semiconductor Processing</i> , 2018, 81, 127-138.	1.9	40
15	Quasi-aligned carbon nanotubes synthesised from waste engine oil. <i>Materials Letters</i> , 2015, 139, 220-223.	1.3	37
16	Dependence of photocatalysis on electron trapping in Ag-doped flowerlike rutile-phase TiO <sub>2</sub> film by facile hydrothermal method. <i>Applied Surface Science</i> , 2020, 534, 147571.	3.1	37
17	Effects of Annealing Environments on the Solution-Grown, Aligned Aluminium-Doped Zinc Oxide Nanorod-Array-Based Ultraviolet Photoconductive Sensor. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-15.	1.5	36
18	Metamorphosis of strain/stress on optical band gap energy of ZAO thin films via manipulation of thermal annealing process. <i>Journal of Luminescence</i> , 2015, 160, 165-175.	1.5	36

#	ARTICLE	IF	CITATIONS
19	A novel fabrication of MEH-PPV/Al:ZnO nanorod arrays based ordered bulk heterojunction hybrid solar cells. <i>Applied Surface Science</i> , 2013, 275, 75-83.	3.1	35
20	Fabrication of nanocubic ZnO/SnO <sub>2</sub> film-based humidity sensor with high sensitivity by ultrasonic-assisted solution growth method at different Zn:Sn precursor ratios. <i>Applied Nanoscience (Switzerland)</i> , 2014, 4, 829-838.	1.6	35
21	Controllable Growth of Vertically Aligned Aluminum-Doped Zinc Oxide Nanorod Arrays by Sonicated Sol-Gel Immersion Method depending on Precursor Solution Volumes. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 06GH04.	0.8	33
22	Optical and electrical properties of aluminum doped zinc oxide thin films at various doping concentrations. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 1263-1267.	0.5	31
23	Performance of an Ultraviolet Photoconductive Sensor Using Well-Aligned Aluminium-Doped Zinc-Oxide Nanorod Arrays Annealed in an Air and Oxygen Environment. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 06GF05.	0.8	31
24	Controllable Growth of Vertically Aligned Aluminum-Doped Zinc Oxide Nanorod Arrays by Sonicated Sol-Gel Immersion Method depending on Precursor Solution Volumes. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 06GH04.	0.8	31
25	Controlled Growth of Zinc Oxide Nanorods by Aqueous-Solution Method. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2010, 40, 190-194.	0.6	29
26	Performance of an Ultraviolet Photoconductive Sensor Using Well-Aligned Aluminium-Doped Zinc-Oxide Nanorod Arrays Annealed in an Air and Oxygen Environment. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 06GF05.	0.8	29
27	Fabrication of thin, dense and small-diameter zinc oxide nanorod array-based ultraviolet photoconductive sensors with high sensitivity by catalyst-free radio frequency magnetron sputtering. <i>Materials Letters</i> , 2013, 93, 215-218.	1.3	29
28	Effect of oxygen flow rate on the ultraviolet sensing properties of zinc oxide nanocolumn arrays grown by radio frequency magnetron sputtering. <i>Ceramics International</i> , 2016, 42, 4107-4119.	2.3	29
29	Growth of titanium dioxide nanorod arrays through the aqueous chemical route under a novel and facile low-cost method. <i>Materials Letters</i> , 2016, 164, 294-298.	1.3	29
30	Enhanced humidity sensing performance using Sn-Doped ZnO nanorod Array/SnO <sub>2</sub> nanowire heteronetwork fabricated via two-step solution immersion. <i>Materials Letters</i> , 2018, 210, 258-262.	1.3	29
31	Raman investigation of rutile-phased TiO <sub>2</sub> nanorods/nanoflowers with various reaction times using one step hydrothermal method. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 7920-7926.	1.1	28
32	Dye-sensitized solar Cell using pure anatase TiO <sub>2</sub> annealed at different temperatures. <i>Optik</i> , 2017, 140, 1063-1068.	1.4	28
33	Heat treatment effects on the surface morphology and optical properties of ZnO nanostructures. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010, 7, 2286-2289.	0.8	25
34	Improving the photovoltaic performance of DSSCs using a combination of mixed-phase TiO <sub>2</sub> nanostructure photoanode and agglomerated free reduced graphene oxide counter electrode assisted with hyperbranched surfactant. <i>Optik</i> , 2018, 158, 522-534.	1.4	25
35	Structural modification of ZnO nanorod array through Fe-doping: Ramification on UV and humidity sensing properties. <i>Nano Structures Nano Objects</i> , 2019, 18, 100262.	1.9	23
36	Effect of annealing on structural, optical, and electrical properties of nickel (Ni)/indium tin oxide (ITO) nanostructures prepared by RF magnetron sputtering. <i>Superlattices and Microstructures</i> , 2014, 70, 82-90.	1.4	22

#	ARTICLE	IF	CITATIONS
37	Thickness-controlled synthesis of vertically aligned c-axis oriented ZnO nanorod arrays: Effect of growth time via novel dual sonication sol-gel process. Japanese Journal of Applied Physics, 2016, 55, 01AE15.	0.8	22
38	Developing high-sensitivity UV sensors based on ZnO nanorods grown on TiO <sub>2</sub> seed layer films using solution immersion method. Sensors and Actuators A: Physical, 2020, 302, 111827.	2.0	22
39	Enhanced photovoltaic performance using reduced graphene oxide assisted by triple-tail surfactant as an efficient and low-cost counter electrode for dye-sensitized solar cells. Optik, 2017, 139, 291-298.	1.4	21
40	Fabrication and characterization of rutile-phased titanium dioxide (TiO <sub>2</sub> ) nanorods array with various reaction times using one step hydrothermal method. Optik, 2018, 154, 510-515.	1.4	20
41	Incorporation of Electrochemically Exfoliated Graphene Oxide and TiO <sub>2</sub> into Polyvinylidene Fluoride-Based Nanofiltration Membrane for Dye Rejection. Water, Air, and Soil Pollution, 2019, 230, 1.	1.1	20
42	Growth Pattern of Zinc Oxide Nanorods on Gold Coated Silicon Surfaces. , 2009, , .		19
43	Electrical characteristics of sol-gel derived aluminum doped zinc oxide thin films at different annealing temperatures. , 2010, , .		19
44	Improvement sensitivity humidity sensor based on ZnO/SnO <sub>2</sub> cubic structure. IOP Conference Series: Materials Science and Engineering, 2013, 46, 012005.	0.3	19
45	Electrical enhancement of radiation-vulcanized natural rubber latex added with reduced graphene oxide additives for supercapacitor electrodes. Journal of Materials Science, 2017, 52, 6611-6622.	1.7	19
46	Fabrication of vertically aligned carbon nanotubes-zinc oxide nanocomposites and their field electron emission enhancement. Materials and Design, 2016, 90, 185-195.	3.3	18
47	Synthesis, transfer and application of graphene as a transparent conductive film: a review. Bulletin of Materials Science, 2020, 43, 1.	0.8	18
48	Influence of Growth Time and Temperature on the Morphology of ZnO Nanorods via Hydrothermal. IOP Conference Series: Materials Science and Engineering, 2015, 99, 012016.	0.3	17
49	Reduced graphene oxide/platinum hybrid counter electrode assisted by custom-made triple-tail surfactant and zinc oxide/titanium dioxide bilayer nanocomposite photoanode for enhancement of DSSCs photovoltaic performance. Optik, 2018, 161, 70-83.	1.4	17
50	Reduced graphene oxide-multiwalled carbon nanotubes hybrid film with low Pt loading as counter electrode for improved photovoltaic performance of dye-sensitized solar cells. Journal of Materials Science: Materials in Electronics, 2018, 29, 10723-10743.	1.1	17
51	Modulation of Sn concentration in ZnO nanorod array: intensification on the conductivity and humidity sensing properties. Journal of Materials Science: Materials in Electronics, 2018, 29, 12076-12088.	1.1	17
52	Zn-Doped SnO <sub>2</sub> with 3D Cubic Structure for Humidity Sensor. Procedia Engineering, 2013, 56, 801-806.	1.2	16
53	Enhancing the performance of self-powered ultraviolet photosensor using rapid aqueous chemical-grown aluminum-doped titanium oxide nanorod arrays as electron transport layer. Thin Solid Films, 2018, 655, 1-12.	0.8	16
54	Photocatalytic degradation of methylene blue by flowerlike rutile-phase TiO <sub>2</sub> film grown via hydrothermal method. Journal of Sol-Gel Science and Technology, 2022, 102, 637-648.	1.1	16

#	ARTICLE	IF	CITATIONS
55	Study on electrical properties of Zinc Oxide thin film. , 2008, , .		15
56	The effect of sputtering pressure on structural, optical and electrical properties of indium tin oxide nanocolumns prepared by radio frequency (RF) magnetron sputtering. Superlattices and Microstructures, 2014, 72, 140-147.	1.4	15
57	Preparation of conductive cellulose paper through electrochemical exfoliation of graphite: The role of anionic surfactant ionic liquids as exfoliating and stabilizing agents. Carbohydrate Polymers, 2018, 201, 48-59.	5.1	15
58	Chitosan-assisted hydrothermal synthesis of multiferroic BiFeO <sub>3</sub> : Effects on structural, magnetic and optical properties. Results in Physics, 2019, 15, 102740.	2.0	15
59	Nanotubular Ta <sub>2</sub> O <sub>5</sub> as ultraviolet (UV) photodetector. Journal of Materials Science: Materials in Electronics, 2019, 30, 4953-4966.	1.1	15
60	Direct and seedless growth of Nickel Oxide nanosheet architectures on ITO using a novel solution immersion method. Materials Letters, 2019, 236, 460-464.	1.3	15
61	Fabrication and structural properties of flower-like TiO <sub>2</sub> nanorod array films grown on glass substrate without FTO layer. Materials Letters, 2020, 273, 127902.	1.3	15
62	Heterojunction of SnO <sub>2</sub> nanosheet/arrayed ZnO nanorods for humidity sensing. Materials Chemistry and Physics, 2022, 288, 126436.	2.0	15
63	Thermal stability and phase transformation of TiO <sub>2</sub> nanowires at various temperatures. Microelectronic Engineering, 2013, 108, 134-137.	1.1	14
64	A study on different morphological structures of zinc oxide nanostructures for humidity sensing application. AIP Conference Proceedings, 2016, , .	0.3	14
65	Surfactants with aromatic headgroups for optimizing properties of graphene/natural rubber latex composites (NRL): Surfactants with aromatic amine polar heads. Journal of Colloid and Interface Science, 2019, 545, 184-194.	5.0	14
66	Influence of Drying Temperature on the Structural, Optical, and Electrical Properties of Layer-by-Layer ZnO Nanoparticles Seeded Catalyst. Journal of Nanomaterials, 2012, 2012, 1-7.	1.5	13
67	Effect of Iron and Cobalt Catalysts on The Growth of Carbon Nanotubes from Palm Oil Precursor. IOP Conference Series: Materials Science and Engineering, 2013, 46, 012014.	0.3	13
68	Scaled-up prototype of carbon nanotube production system utilizing waste cooking palm oil precursor and its nanocomposite application as supercapacitor electrodes. Journal of Materials Science: Materials in Electronics, 2016, 27, 11599-11605.	1.1	13
69	Coupling heterostructure of thickness-controlled nickel oxide nanosheets layer and titanium dioxide nanorod arrays via immersion route for self-powered solid-state ultraviolet photosensor applications. Measurement: Journal of the International Measurement Confederation, 2020, 149, 106982.	2.5	13
70	Fabrication, structural, optical, electrical, and humidity sensing characteristics of hierarchical NiO nanosheet/nanoball-flower-like structure films. Journal of Materials Science: Materials in Electronics, 2020, 31, 11673-11687.	1.1	13
71	Photocatalytic performance improvement by utilizing GO_MWCNTs hybrid solution on sand/ZnO/TiO <sub>2</sub> -based photocatalysts to degrade methylene blue dye. Environmental Science and Pollution Research, 2021, 28, 6966-6979.	2.7	13
72	Novel encapsulated ITO/arc-ZnO:TiO <sub>2</sub> antireflective passivating layer for TCO conducting substrate prepared by simultaneous radio frequency-magnetron sputtering. Microelectronic Engineering, 2013, 108, 138-144.	1.1	12

#	ARTICLE	IF	CITATIONS
73	Synthesis and field electron emission properties of waste cooking palm oil-based carbon nanotubes coated on different zinc oxide nanostructures. <i>Journal of Alloys and Compounds</i> , 2016, 656, 368-377.	2.8	12
74	High Surface Area to Volume Ratio 3D Nanoporous Nb <sub>2</sub> O <sub>5</sub> for Enhanced Humidity Sensing. <i>Journal of Electronic Materials</i> , 2019, 48, 3805-3815.	1.0	12
75	Chemisorbed CO <sub>2</sub> molecules on ZnO nanowires (100Ånm) surface leading towards enhanced piezoelectric voltage. <i>Vacuum</i> , 2020, 182, 109565.	1.6	12
76	Annealing temperature dependency of structural, optical and electrical characteristics of manganese-doped nickel oxide nanosheet array films for humidity sensing applications. <i>Nanomaterials and Nanotechnology</i> , 2021, 11, 184798042098278.	1.2	12
77	Schottky behavior of reduced graphene oxide at various operating temperatures. <i>Surfaces and Interfaces</i> , 2017, 6, 229-236.	1.5	11
78	Hierarchically assembled tin-doped zinc oxide nanorods using low-temperature immersion route for low temperature ethanol sensing. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 16292-16305.	1.1	11
79	Thickness-Dependent Characteristics of Aluminium-Doped Zinc Oxide Nanorod-Array-Based, Ultraviolet Photoconductive Sensors. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 06FF03.	0.8	11
80	Synthesis of TiO <sub>2</sub> Nanowires via Hydrothermal Method. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 06FG08.	0.8	11
81	Particles Size and Conductivity Study of P-Type Copper (I) Iodide (CuI) Thin Film for Solid State Dye-Sensitized Solar Cells. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 17, 012009.	0.3	10
82	Zinc Oxide Nanorods Characteristics Prepared by Sol-Gel Immersion Method Immersed at Different Times. <i>Advanced Materials Research</i> , 2013, 667, 375-379.	0.3	10
83	Transparent antenna using aluminum doped zinc oxide for wireless application. , 2015, , .		10
84	Electrochemical exfoliation of graphite in nanofibrillated kenaf cellulose (NFC)/surfactant mixture for the development of conductive paper. <i>Carbohydrate Polymers</i> , 2020, 228, 115376.	5.1	10
85	Aluminium doping of titanium dioxide thin films using sol-gel method. <i>Materials Research Innovations</i> , 2011, 15, s137-s140.	1.0	9
86	Synthesis of TiO <sub>2</sub> Nanowires via Hydrothermal Method. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 06FG08.	0.8	9
87	Nano-structured amorphous carbon films using novel palm oil precursor for solar cell applications. <i>Optik</i> , 2015, 126, 1610-1612.	1.4	9
88	Structural and optical properties of hydrothermally synthesized mesoporous Si/TiO <sub>2</sub> nanowire composites. <i>Microelectronic Engineering</i> , 2015, 136, 31-35.	1.1	9
89	Nanocolumnar zinc oxide as a transparent conductive oxide film for a blue InGaN-based light emitting diode. <i>Ceramics International</i> , 2015, 41, 913-920.	2.3	9
90	Effect of thermal implying during ageing process of nanorods growth on the properties of zinc oxide nanorod arrays. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	9

#	ARTICLE	IF	CITATIONS
91	Effect of heat treatment to the rutile based dye sensitized solar cell. <i>Optik</i> , 2016, 127, 4076-4079.	1.4	9
92	Low-temperature-dependent growth of titanium dioxide nanorod arrays in an improved aqueous chemical growth method for photoelectrochemical ultraviolet sensing. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 1017-1033.	1.1	9
93	Effect of Surfactantsâ€™ Tail Number on the PVDF/GO/TiO <sub>2</sub> -Based Nanofiltration Membrane for Dye Rejection and Antifouling Performance Improvement. <i>International Journal of Environmental Research</i> , 2021, 15, 149-161.	1.1	9
94	Piezoelectric energy harvesting based on ZnO: A review. <i>AIP Conference Proceedings</i> , 2021, , .	0.3	9
95	Carbon nanotubes from waste cooking palm oil as adsorbent materials for the adsorption of heavy metal ions. <i>Environmental Science and Pollution Research</i> , 2021, 28, 65171-65187.	2.7	9
96	Thermal Degradation of Nanocomposited PMMA/TiO <sub>2</sub> Nanocomposites. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013, 46, 012045.	0.3	8
97	A review on hematite (Fe <sub>2</sub> O <sub>3</sub> ) focusing on nanostructures, synthesis methods and applications. , 2016, , .		8
98	Structural, optical, and electrical evolution of sol-gel-immersion grown nickel oxide nanosheet array films on aluminium doping. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 9916-9930.	1.1	8
99	Titanium dioxide/agglomerated-free reduced graphene oxide hybrid photoanode film for dye-sensitized solar cells photovoltaic performance improvement. <i>Nano Structures Nano Objects</i> , 2019, 18, 100314.	1.9	8
100	Improved DSSC photovoltaic performance using reduced graphene oxide-carbon nanotube/platinum assisted with customised triple-tail surfactant as counter electrode and zinc oxide nanowire/titanium dioxide nanoparticle bilayer nanocomposite as photoanode. <i>Graphene Technology</i> , 2019, 4, 17-31.	1.9	8
101	Highly branched triple-chain surfactant-mediated electrochemical exfoliation of graphite to obtain graphene oxide: colloidal behaviour and application in water treatment. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 12732-12744.	1.3	8
102	Structural phase instability, mixed-phase, and energy band gap change in BiFeO <sub>3</sub> under lattice strain effect from first-principles investigation. <i>Ceramics International</i> , 2021, 47, 12592-12599.	2.3	8
103	ZnO Nanoparticles on Si, Si/Au, and Si/Au/ZnO Substrates by Mist-Atomisation. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-8.	1.5	7
104	Electrical and Structural Properties of ZnO/TiO <sub>2</sub> Nanocomposite Thin Films by RF Magnetron Co-Sputtering. <i>Advanced Materials Research</i> , 0, 667, 206-212.	0.3	7
105	Effect of Annealing Temperature of Magnesium Doped Zinc Oxide Nanorods Growth on Silicon Substrate. <i>Journal of Nano Research</i> , 0, 26, 33-38.	0.8	7
106	Structural properties of Al-doped ZnO thin films deposited by Sol-Gel spin-coating method. , 2013, , .		7
107	Bonding and Mechanical Properties of PMMA/TiO <sub>2</sub> Nanocomposites. <i>Advanced Materials Research</i> , 0, 832, 700-705.	0.3	7
108	Characterization of Copper (I) Iodide (CuI) Thin Film using TMED for Dye-Sensitized Solar Cells. <i>Advanced Materials Research</i> , 0, 667, 447-451.	0.3	7



#	ARTICLE	IF	CITATIONS
109	Structural and optical properties of N-doped ZnO nanorod arrays prepared using sol-gel immersion method. , 2016, , .		7
110	Preparation of a portable calorimetry kit and one-step spectrophotometric nanomolar level detection of l-Histidine in serum and urine samples using sebacic acid capped silver nanoparticles. Journal of Science: Advanced Materials and Devices, 2021, 6, 100-107.	1.5	7
111	Temperature dependant high output voltage generation via mechanical transducer by using surface modified (O <sub>2</sub> , CO <sub>2</sub> , NO <sub>2</sub> ) ZnO nanowires. Microelectronic Engineering, 2021, 248, 111614.	1.1	7
112	Al Doped ZnO Thin Film Based Ultraviolet Photo-Conductive Sensor Prepared by Sol-Gel Spin-Coating Method. , 2009, , .		6
113	The Effect of Stabiliserâ€™s Molarity to the Growth of ZnO Nanorods. Defect and Diffusion Forum, 0, 312-315, 99-103.	0.4	6
114	Carbon Nanostructures Production from Waste Materials: A Review. Advanced Materials Research, 0, 1109, 50-54.	0.3	6
115	Amorphous Alâ€™Cu alloy nanowires decorated with carbon spheres synthesised from waste engine oil. Journal of Alloys and Compounds, 2015, 642, 111-116.	2.8	6
116	Structural, optical, and electrical properties of Ni-doped ZnO nanorod arrays prepared via sonicated sol-gel immersion method. AIP Conference Proceedings, 2018, , .	0.3	6
117	Hydrothermal synthesis of nanomoss Nb <sub>2</sub> O <sub>5</sub> films and their ultraviolet photodetection performance. Journal of Materials Science: Materials in Electronics, 2018, 29, 16765-16774.	1.1	6
118	The effect of annealing temperatures on zinc oxide thin films properties for electronic devices application. , 2008, , .		5
119	A Surface Morphology Study On The Effect Of Annealing Temperature To Nanostructured ZnO And Its Reaction Mechanism In Solution Method. , 2009, , .		5
120	A study on ohmic contact of different metal contact materials on nanostructured Titanium Dioxide (TiO <sub>2</sub> ) Thin Film. , 2010, , .		5
121	Characteristics of Aligned Aluminum-Doped Zinc oxide nanorod arrays via a novel sonicated sol-gel immersion. , 2011, , .		5
122	Influence of Cubic Structured-ZnSnO <sub>3</sub> Immersion Time to the Performance of Humidity Sensor. Nano Hybrids, 2012, 2, 1-11.	0.3	5
123	Aging Effects on Physical and Electrical Properties of Nano-Structured MgZnO Thin Films for Carbon Nanotube Applications. Journal of Nanoscience and Nanotechnology, 2012, 12, 8153-8157.	0.9	5
124	Characteristics of layer-by-layer ZnO nanoparticles thin films prepared with different deposition layer. , 2012, , .		5
125	Humidity sensor-based ZnO/SnO <sub>2</sub> nanocomposite synthesised by sol-gel immersion method. International Journal of Materials Engineering Innovation, 2014, 5, 159.	0.2	5
126	Surfactant-free seed-mediated large-scale synthesis of mesoporous TiO <sub>2</sub> nanowires. Ceramics International, 2015, 41, 4260-4266.	2.3	5



#	ARTICLE	IF	CITATIONS
127	Preparation of nickel oxide thin films at different annealing temperature by sol-gel spin coating method. AIP Conference Proceedings, 2016, , .	0.3	5
128	Atmospheric pressure plasma needle jet treated on aluminium thin film for semiconductor industries. Materials Today: Proceedings, 2019, 7, 715-720.	0.9	5
129	Solvents driven structural, morphological, optical and dielectric properties of lead free perovskite $\text{CH}_3\text{NH}_3\text{SnCl}_3$ for optoelectronic applications: experimental and DFT study. Materials Research Express, 2019, 6, 125921.	0.8	5
130	Characterization of Titanium Dioxide (TiO <sub>2</sub> ) Nanotubes for Resistive-type Humidity Sensor. , 2020, , .		5
131	Adsorption effect of oxygen on ZnO Nanowires (100 nm) leading towards pronounced edge effects and voltage enhancement. Materials Research Express, 2020, 7, 095004.	0.8	5
132	Enhancement of Nanocomposite for Humidity Sensor Application. Engineering Materials, 2014, , 15-30.	0.3	5
133	Effects of Aluminium Doping and Electrode Distance on the Performance of Aligned Zinc Oxide Nanorod Array-Based Ultraviolet Photoconductive Sensors. Japanese Journal of Applied Physics, 2012, 51, 06FE04.	0.8	5
134	Post annealing temperature effect on photoluminescence spectroscopy of ZnO thin film. , 2010, , .		4
135	Electrically conductive zinc oxide (ZnO) nanostructures prepared by solgel spin-coating. , 2010, , .		4
136	Electrical properties of ZnO thin films prepared by sol-gel technique. , 2010, , .		4
137	Optical Properties of Nanostructured Zinc Oxides Deposited on Silicon Substrates. Defect and Diffusion Forum, 2011, 312-315, 1132-1136.	0.4	4
138	Effect of RF Power on the Formation and Morphology Evolution of ZnO Nanostructured Thin Films. Advanced Materials Research, 0, 576, 577-581.	0.3	4
139	ZnO Nanostructures “ Nanorods and Flower-Like on Si/Au Substrates by Solution-Immersion Method in Different pH of Precursor. Advanced Materials Research, 0, 667, 86-92.	0.3	4
140	Effect of Deposition Time on Properties of Nanostructured ZnO Thin Films Deposited by RF Magnetron Sputtering. Advanced Materials Research, 2013, 832, 460-465.	0.3	4
141	Deposition of Amorphous Carbon Thin Films via Bias Assisted Pyrolysis-CVD. Advanced Materials Research, 0, 667, 172-179.	0.3	4
142	Preparation of Aligned ZnO Nanorod Arrays on Sn-Doped ZnO Thin Films by Sonicated Sol-Gel Immersion Fabricated for Dye-Sensitized Solar Cell. Advances in Materials Science and Engineering, 2014, 2014, 1-8.	1.0	4
143	Effect of Nb-doped TiO <sub>2</sub> on nanocomposited aligned ZnO nanorod/TiO <sub>2</sub> :Nb for dye-sensitized solar cells. AIP Conference Proceedings, 2016, , .	0.3	4
144	Parametric study of waste chicken fat catalytic chemical vapour deposition for controlled synthesis of vertically aligned carbon nanotubes. Cogent Physics, 2016, 3, .	0.7	4

#	ARTICLE	IF	CITATIONS
145	The utilization of waste cooking palm oil as a green carbon source for the growth of multilayer graphene. <i>Journal of the Australian Ceramic Society</i> , 2021, 57, 347-358.	1.1	4
146	Fabrication and application of composite adsorbents made by one-pot electrochemical exfoliation of graphite in surfactant ionic liquid/nanocellulose mixtures. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 19313-19328.	1.3	4
147	Influence of annealing temperature on the sensitivity of nickel oxide nanosheet films in humidity sensing applications. <i>Indonesian Journal of Electrical Engineering and Computer Science</i> , 2020, 18, 284.	0.7	4
148	Synthesis of ZnO nanorods on porous silicon substrate using sol-gel method. <i>Materials Research Innovations</i> , 2009, 13, 189-191.	1.0	3
149	Effects of cobalt doping concentration on the structural, electrical, and optical properties of titanium dioxide thin films. , 2011, , .		3
150	A novel fabrication process for nanostructured Al-doped ZnO thin film based humidity sensors. , 2011, , .		3
151	Effect of Oxygen Flow Rate on the Properties of Nanocolumnar ZnO Thin Films Prepared Using Radio Frequency Magnetron Sputtering System for Ultraviolet Sensor Applications. <i>Advanced Materials Research</i> , 2011, 364, 1-6.	0.3	3
152	Effects Of Spin Coating Speed On Nanostructured Titanium Dioxide (TiO <sub>2</sub> ) Thin Films Properties. <i>AIP Conference Proceedings</i> , 2011, , .	0.3	3
153	Aligned Growth of Zinc Oxide Nanorods on Catalyst-Seeded Si Substrate by Aqueous-Solution Immersion Method. <i>Defect and Diffusion Forum</i> , 2011, 312-315, 104-109.	0.4	3
154	Characterization of Titanium Dioxide Nanopowder Synthesized by Sol Gel Grinding Method. <i>Advanced Materials Research</i> , 2012, 626, 425-429.	0.3	3
155	Characterization of titanium dioxide nanopowder synthesized by sol gel grinding method: Effect of TiO <sub>2</sub> precursor concentration. , 2012, , .		3
156	Electrical and Optical Properties of Nanostructured Zinc Oxide Thin Films Influenced by Annealing Temperature. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 8165-8168.	0.9	3
157	Thickness-Dependent Characteristics of Aluminium-Doped Zinc Oxide Nanorod-Array-Based, Ultraviolet Photoconductive Sensors. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 06FF03.	0.8	3
158	Effect of growth duration to the electrical properties of Zn doped SnO <sub>2</sub> thin film toward humidity sensor application. , 2012, , .		3
159	Study of Annealed Nickel (Ni)/Indium Tin Oxide (ITO) Nanostructures Prepared by RF Magnetron Sputtering. <i>Advanced Materials Research</i> , 2013, 832, 695-699.	0.3	3
160	Photoanode of nanostructured TiO <sub>2</sub> prepared by ultrasonic irradiation assisted of sol-gel with P-25 for dye-sensitized Solar Cells. , 2013, , .		3
161	Factors Affecting the Properties of Zinc Oxide Thin Films Prepared by Dip-Coating Method: A Review. <i>Advanced Materials Research</i> , 0, 667, 193-199.	0.3	3
162	Effects of Pressure Dependence on Nanocolumnar Zinc Oxide Deposited by RF Magnetron Sputtering. <i>Advanced Materials Research</i> , 2013, 832, 787-791.	0.3	3

#	ARTICLE	IF	CITATIONS
163	Nanostructured Al-doped ZnO-based gas sensor prepared using sol-gel spin-coating method. , 2014, , .		3
164	Structural Properties of ZnO/SnO <sub>2</sub> -Composite-Nanorod Deposited Using Thermal Chemical Vapour Deposition. IOP Conference Series: Materials Science and Engineering, 2015, 83, 012002.	0.3	3
165	Carbon Nanostructures Production from Waste Materials: A Review. Advanced Materials Research, 2015, 1109, 25-29.	0.3	3
166	Effect of anneal temperature on fluorine doped tin oxide (FTO) nanostructured fabricated using hydrothermal method. AIP Conference Proceedings, 2017, , .	0.3	3
167	Aluminum- and Iron-Doped Zinc Oxide Nanorod Arrays for Humidity Sensor Applications. , 0, , .		3
168	Adsorption effect of NO <sub>2</sub> on ZnO (100 nm) nanowires, leading towards reduced reverse leakage current and voltage enhancement. Bulletin of Materials Science, 2020, 43, 1.	0.8	3
169	Effects of TiO <sub>2</sub> phase and nanostructures as photoanode on the performance of dye-sensitized solar cells. Bulletin of Materials Science, 2021, 44, 1.	0.8	3
170	Highly Porous NiO Nanoflower-based Humidity Sensor Grown on Seedless Glass Substrate via One-Step Simplistic Immersion Method. International Journal of Engineering and Advanced Technology, 2019, 9, 5718-5722.	0.2	3
171	Enhanced magnetoelectric effect in heterogeneous multiferroic (x)CuFe <sub>2</sub> O <sub>4</sub> •(1-x)KNbO <sub>3</sub> nanocomposite. Emergent Materials, 2022, 5, 529-536.	3.2	3
172	Strain-mediated electrical and optical properties of novel lead-free <math>\text{CuFe}_2\text{O}_4\text{-KNbO}_3</math> nanocomposite solid solutions: A combined experimental and <math>\text{Density Functional Theory}</math> studies. Microscopy Research and Technique, 2022, 85, 3140-3152.	1.2	3
173	Influence of Annealing Temperature on the Photo-Electrical and Structural Disorder Characteristics of Nano-Structured Zinc Oxide Thin Films. , 2009, , .		2
174	Synthesis of ZnO Nanowires on ZnO Microsheets Grown on Gold Catalyst. , 2009, , .		2
175	Surface morphology study on effect of deposition temperature on nanostructured zinc oxide by chemical vapour deposition method. Materials Research Innovations, 2009, 13, 196-198.	1.0	2
176	Nucleation and growth of chrysanthemum-like zinc oxide crystals using silicon dioxide. Materials Research Innovations, 2009, 13, 139-141.	1.0	2
177	Electrical & optical properties of nanocomposite MEH-PPV/ZnO thin film. , 2010, , .		2
178	Effect of Gold catalyst thickness on Zinc Oxide thin films. , 2010, , .		2
179	Effect of Catalyst Concentration on the Growth of Palm oil Based Vertically Aligned Carbon Nanotubes. , 2010, , .		2
180	Nanostructured TiO <sub>2</sub> photoanode prepared through sonication of P-25/sol-gel for dye-sensitized. , 2011, , .		2

#	ARTICLE	IF	CITATIONS
181	Ultraviolet sensing mechanism and characteristics of environmentally friendly aligned aluminium doped zinc oxide nanorod arrays prepared using low cost solution growth method. <i>Materials Research Innovations</i> , 2011, 15, s148-s152.	1.0	2
182	The surface morphology and bonding properties of free standing PMMA/TiO <sub>2</sub> /nanocomposite films. , 2012, , .		2
183	Effect of oxygen ratio to the transparency and conductivity of nanostructured ZnO thin films deposited by RF magnetron sputtering. , 2012, , .		2
184	Properties of ZnO/MgO multilayer films as insulating layer prepared by sol-gel method. , 2012, , .		2
185	The Growth of ZnO Nanoparticles by Solution-Immersion Method on Various Types of Seeded Template. <i>Journal of Nano Research</i> , 0, 26, 39-44.	0.8	2
186	Characteristics of Humidity Sensor Fabricated Using Nanostructured ZnO Thin Film by Sol-Gel Method. <i>Advanced Materials Research</i> , 0, 667, 380-383.	0.3	2
187	Electrical Properties of Nanostructured Aluminum Doped Zinc Oxide (ZnO) Thin Film Prepared Using Sol-Gel Spin-Coating Method at Different Doping Concentrations. <i>Advanced Materials Research</i> , 0, 667, 507-510.	0.3	2
188	Transmittance Enhanced Properties of Novel Encapsulated ITO/Arc-TiO <sub>2</sub> /Antireflective TCO Substrate Prepared by RF Magnetron Sputtering. <i>Advanced Materials Research</i> , 0, 667, 573-582.	0.3	2
189	Effect of Hydrothermal Growth Temperature on the Morphology and Structural Properties of Synthesized TiO <sub>2</sub> Nanowires. <i>Advanced Materials Research</i> , 2013, 667, 442-446.	0.3	2
190	Electrical and Structural Properties of TiO <sub>2</sub> Thin Film Prepared at Different Annealing Temperatures by Sol-Gel Spin-Coating Method. <i>Advanced Materials Research</i> , 2013, 667, 371-374.	0.3	2
191	Structural and Optical Properties of Nickel-Doped Zinc Oxide Thin Film on Nickel Seed Layer Deposited by RF Magnetron Sputtering Technique. <i>Advanced Materials Research</i> , 0, 895, 3-7.	0.3	2
192	Effects of Sn Dopant on Structural and Optical Properties of ZnO Thin Film Prepared by Sol-Gel Route. <i>Applied Mechanics and Materials</i> , 0, 773-774, 617-621.	0.2	2
193	Polarization-field hysteresis loop characteristic of nanostructured ZnO/MgO bilayer film based-MFIM capacitor. , 2015, , .		2
194	Electrical Properties of Tin-Doped Zinc Oxide Nanostructures Doped at Different Dopant Concentrations. <i>Advanced Materials Research</i> , 0, 1109, 577-581.	0.3	2
195	Electrical properties of tin-doped zinc oxide nanostructures doped at different dopant concentrations. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	2
196	Synthesis of Titanium Dioxide Nanorod Arrays Using a Facile Aqueous Sol-Gel Route for Ultraviolet Photosensor Applications. , 2017, , .		2
197	Improvement in photo voltaic performance of rutile-phased TiO <sub>2</sub> nanorod/nanoflower-based dye-sensitized solar cell. <i>Journal of the Australian Ceramic Society</i> , 2018, 54, 663-670.	1.1	2
198	Investigation of the effect of Anodized Duration toward Photocatalytic Performance of Nb <sub>2</sub> O <sub>5</sub> . <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 340, 012007.	0.3	2

#	ARTICLE	IF	CITATIONS
199	Effect of growth time to the properties of Al-doped ZnO nanorod arrays. AIP Conference Proceedings, 2018, , .	0.3	2
200	Characterization of barium strontium titanate thin films on sapphire substrate prepared via RF magnetron sputtering system. AIP Conference Proceedings, 2018, , .	0.3	2
201	Plasma diagnostic by optical emission spectroscopy on reactive magnetron sputtering plasma "A Brief Introduction. Journal of Physics: Conference Series, 2018, 1027, 012005.	0.3	2
202	Humidity sensing properties of Al-doped zinc oxide coating films. AIP Conference Proceedings, 2018, , .	0.3	2
203	The optical properties of $\text{Fe}_2\text{O}_3$ nanostructures synthesized with different immersion time. AIP Conference Proceedings, 2018, , .	0.3	2
204	High responsivity of ultraviolet sensor-based rutile-phased $\text{TiO}_2$ nanorod arrays using different bias voltage. Journal of the Australian Ceramic Society, 2020, 56, 461-468.	1.1	2
205	Solution growth of highly crystalline and dense-packed ZnO nanorods on a $\text{TiO}_2$ seed layer with enhanced absorbance properties. Japanese Journal of Applied Physics, 2020, 59, SAAC10.	0.8	2
206	Controllable synthesis of Sn:ZnO/SnO <sub>2</sub> nanorods: pH-dependent growth for an ethanol gas sensor. Journal of Materials Science: Materials in Electronics, 2020, 31, 15394-15406.	1.1	2
207	Influence of Doping Concentration on the Zinc Doped Nickel Oxide Nanostructures: Morphological, Structural, and Optical Properties. IOP Conference Series: Earth and Environmental Science, 2021, 682, 012070.	0.2	2
208	Structural and Optical Properties of $\text{BiFeO}_3$ via Polymer-Assisted Hydrothermal Synthesis under Different Weight of Chitosan. Solid State Phenomena, 0, 317, 53-59.	0.3	2
209	Impact of annealing temperature to the performance of hematite based humidity sensor. Indonesian Journal of Electrical Engineering and Computer Science, 2019, 13, 1079.	0.7	2
210	Undoped and Zn-doped NiO nanosheet/nanoflower-like films-based humidity sensor fabricated via immersion method. Materials Today: Proceedings, 2022, 48, 1910-1914.	0.9	2
211	Effect of Precursors on the Growth and Physiochemical Properties of Bio-mimetic $\text{ZnFe}_2\text{O}_4$ Nanocomposites for Photoelectrochemical Application. Sains Malaysiana, 2020, 49, 3219-3228.	0.3	2
212	A guide to designing graphene-philic surfactants. Journal of Colloid and Interface Science, 2022, 620, 346-355.	5.0	2
213	The effect of annealing temperature on the electrical and optical properties of nanostructured ZNO for UV sensing applications. , 2008, , .		1
214	Effect of Annealing Temperature on the Surface Morphology and Electrical Properties of Aluminum Doped Zinc Oxide Thin Films Prepared by Sol-Gel Spin-Coating Method. AIP Conference Proceedings, 2008, , .	0.3	1
215	Effect of pH value on physical and optical properties of zinc oxide nanostructures. Materials Research Innovations, 2009, 13, 176-178.	1.0	1
216	Effect of Immersion Reaction Condition on the Morphology and Optical Properties of ZnO Nanorods Grown on Porous Silicon Substrates. , 2009, , .		1

#	ARTICLE	IF	CITATIONS
217	Properties of Nanostructured Zinc Oxide by Hydro-Thermal Aqueous Chemical Growth Method. , 2009, , .		1
218	Preparation and characterisation of one-dimensional zinc oxide structure. Materials Research Innovations, 2009, 13, 153-156.	1.0	1
219	Synthesis and structural properties of zinc oxide flower-like nanostructures by thermal chemical vapour deposition method. Materials Research Innovations, 2009, 13, 207-210.	1.0	1
220	The Effect of SiO <sub>2</sub> Thickness on the Nucleation and Growth of ZnO Nanostructures. Transactions of the Materials Research Society of Japan, 2009, 34, 317-320.	0.2	1
221	Electrical and optical properties of well-aligned Al doped ZnO nanorod arrays annealed at different temperatures. , 2010, , .		1
222	Ultra-violet sensing characteristic and field emission properties of vertically aligned aluminum doped zinc oxide nanorod arrays. , 2010, , .		1
223	Influence of oxygen flow rate during annealing process of Titanium Dioxide thin films. , 2010, , .		1
224	Optical properties of annealed nanostructured Zinc Oxide thin film exposed at different temperatures. , 2010, , .		1
225	Highly Conductive Vertically Aligned Carbon Nanotubes Grown on Mg <sub>0.3</sub> Zn <sub>0.7</sub> O Thin Film Template Using Thermal Chemical Vapour Deposition Method. Japanese Journal of Applied Physics, 2011, 50, 06GE02.	0.8	1
226	Ultra-violet Sensing Characteristic and Field Emission Properties of Vertically Aligned Aluminum Doped Zinc Oxide Nanorod Arrays. , 2011, , .		1
227	Effect of Annealing Process On ZnO Nanorod Prepared At Different Potentials Using Electrodeposition Technique. , 2011, , .		1
228	Palm Oil as the Carbon Source for the Synthesis of Carbon Nanotubes using Floating Catalystâ€”Chemical Vapour Deposition Method. , 2011, , .		1
229	Rectifying Behavior of Aligned ZnO Nanorods on Mg <sub>0.3</sub> Zn <sub>0.7</sub> O Thin Film Template. Advanced Materials Research, 0, 364, 35-39.	0.3	1
230	Electrical and structural properties of Aligned Aluminum-doped zinc oxide nanorod arrays via a novel sonicated sol-gel immersion. , 2011, , .		1
231	Electrically Conductive Zinc Oxide (ZnO) Nanostructures Prepared by Sol-gel Spin-coating. , 2011, , .		1
232	Structure transformation of ZnO thin films properties influenced by substrate temperature deposited by magnetron sputtering. , 2012, , .		1
233	Optical properties of nano-structured zinc oxide thin films deposited by radio-frequency magnetron sputtering at different substrate temperatures. , 2012, , .		1
234	Dielectric properties of bulk TiO <sub>2</sub> nanowires prepared by hydrothermal method. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
235	A modified sol-gel method for preparing nanostructured Nb-doped TiO <sub>2</sub> DSSC photoanode. , 2012, , .		1
236	Performance of Ultraviolet Photoconductive Sensor Based on Aluminium-Doped Zinc Oxide Nanorod-Nanoflake Network Thin Film Using Aluminium Contacts. Advanced Materials Research, 0, 832, 298-302.	0.3	1
237	Humidity sensor based on SnO <sub>2</sub> nanoparticle thin film synthesized by thermal chemical vapor deposition (CVD). , 2013, , .		1
238	Nanostructured Zinc Oxide Thin Film Based Humidity Sensor Prepared by Sol-Gel Immersion Technique. Advanced Materials Research, 2013, 667, 553-557.	0.3	1
239	Humidity Sensor Using CVD Deposited SnO <sub>2</sub> Thin Film. Advanced Materials Research, 0, 667, 415-420.	0.3	1
240	Optical Properties of Nanostructured Aluminum Doped Zinc Oxide (ZnO) Thin Film for Thin Film Transistor (TFT) Application. Advanced Materials Research, 0, 667, 511-515.	0.3	1
241	Physical Properties of Nano-Structured Zinc Oxide Thin Films Deposited by Radio-Frequency Magnetron Sputtering. Advanced Materials Research, 0, 667, 495-500.	0.3	1
242	High Transparency Characteristics of Zinc Oxide Thin Films Annealed at Different Temperatures. Advanced Materials Research, 2013, 667, 367-370.	0.3	1
243	Zinc Oxide Buffer Layer Insertion for Sensitivity Improvement in Aluminium-Doped Zinc Oxide-Based Humidity Sensors. Advanced Materials Research, 2013, 667, 287-293.	0.3	1
244	Oxygen-sensing characteristics of nanostructured Al-doped ZnO thin films. , 2014, , .		1
245	Sensitivity of nanostructured Al-doped ZnO-based CH <sub>4</sub> sensor fabricated using sol-gel method. , 2014, , .		1
246	Effect of Substrate Temperature on Structural and Morphological Properties of Indium Tin Oxide Nanocolumns Using RF Magnetron Sputtering. Advanced Materials Research, 2014, 895, 12-16.	0.3	1
247	Electrical conductivity characteristics of tin-doped Zinc Oxide thin film deposited using sol-gel immersion method. , 2014, , .		1
248	Structural and Optical Properties of Nickel (Ni)/indium Tin Oxide (ITO) Thin-Films Deposited by RF Magnetron Sputtering. Advanced Materials Research, 2014, 895, 181-185.	0.3	1
249	Dye-sensitized solar cell using aligned ZnO nanorod grown on SZO films at different solution molarities. , 2014, , .		1
250	Electrical properties of Aluminium doped Zinc Oxide nanorods with different dopant percentage. , 2015, , .		1
251	Influence of Annealing on the Morphological and Optical Properties of Mg Doped ZnO Thin Film. Advanced Materials Research, 0, 1109, 539-543.	0.3	1
252	Effect of Oxygen Annealing on the Electrical and Optical Properties of Zinc Oxide Thin Film. Advanced Materials Research, 0, 1109, 598-602.	0.3	1



#	ARTICLE	IF	CITATIONS
253	Thermal Annealing-Activated Crystallinity Metastasis of Al:ZnO Thin Films. Advanced Materials Research, 0, 1109, 181-185.	0.3	1
254	Electrical properties of undoped zinc oxide nanostructures at different annealing temperature. AIP Conference Proceedings, 2016, , .	0.3	1
255	Effect of deposition speed on properties of zinc oxide nanoparticle decorated zinc oxide nanorod arrays. , 2016, , .		1
256	Low temperature growth of rutile titanium dioxide nanorod arrays using a novel facile method for UV photosensor application. , 2016, , .		1
257	Fabrication of Titanium dioxide nanorod arrays-based UV photosensor from low-concentration of Titanium (IV) butoxide with hydrochloric acid. , 2016, , .		1
258	Effect of TiO <sub>2</sub> thickness on nanocomposited aligned ZnO nanorod/TiO <sub>2</sub> for dye-sensitized solar cells. AIP Conference Proceedings, 2016, , .	0.3	1
259	Electrical and optical characteristics of atmospheric pressure plasma needle jet driven by neon trasformer. AIP Conference Proceedings, 2017, , .	0.3	1
260	The Performance of Humidity Sensor using Iron Oxide as The Sensor Element. , 2018, , .		1
261	Structural properties of ZnO nano-template layer by spin coating method. AIP Conference Proceedings, 2018, , .	0.3	1
262	ZnO-based transparent conductive thin films via sonicated-assisted sol-gel technique. AIP Conference Proceedings, 2018, , .	0.3	1
263	Sn-doped TiO <sub>2</sub> nanorod arrays produced by facile one step aqueous chemical route: Structural characterization. AIP Conference Proceedings, 2018, , .	0.3	1
264	Surface Topology and Optical Properties of Nanostructured Zinc Oxide Thin Films Prepared Using Two-Stage Solution Immersion Method. IOP Conference Series: Materials Science and Engineering, 2018, 340, 012011.	0.3	1
265	Preparation of TNAs/NiO p-n heterojunction and their applications in UV photosensor. AIP Conference Proceedings, 2018, , .	0.3	1
266	Structural and electrical properties of nanostructured ZnO. AIP Conference Proceedings, 2018, , .	0.3	1
267	Electrical and structural properties of Nb-doped TiO <sub>2</sub> at different Nb concentrations deposited by spin coating technique. AIP Conference Proceedings, 2018, , .	0.3	1
268	Influence of different stabilizers to the growth of ZnO nanostructures on TiO <sub>2</sub> seed layer. AIP Conference Proceedings, 2019, , .	0.3	1
269	Structural and electrical properties of ZnO and SiO <sub>2</sub> doped ZnO powder for varistor application. AIP Conference Proceedings, 2019, , .	0.3	1
270	High sensitivity ultra-violet photosensor based on nanostructured Nb <sub>2</sub> O <sub>5</sub> . AIP Conference Proceedings, 2019, , .	0.3	1

#	ARTICLE	IF	CITATIONS
271	Electrical Behavior of a Nanoporous Nb <sub>2</sub> O <sub>5</sub> /Pt Schottky Contact at Elevated Temperatures. Journal of Electronic Materials, 2019, 48, 611-620.	1.0	1
272	Synthesis and Properties of NiO Nanosheet Array Films on Glass Substrates via Immersion Technique. Lecture Notes in Mechanical Engineering, 2021, , 633-644.	0.3	1
273	PHYSICAL PROPERTIES OF NOVEL $\text{Fe}_2\text{O}_3/\text{NiO}$ HETEROSTRUCTURES THROUGH IMMERSION/ SOL-GEL SPIN COATING METHOD: DIFFERENT DEPOSITION NUMBERS OF NiO LAYER. Jurnal Teknologi (Sciences and) Tj ETQq1 1 0.384314rgBT /Ov	0.3	1
274	Improvement of c-axis (002) AlN crystal plane by temperature assisted HiPIMS technique. Microelectronics International, 2021, 38, 86-92.	0.4	1
275	Effect of Deposition Temperature on Self-Catalyzed ZnO Nanorods via Chemical Vapour Deposition Method. Indonesian Journal of Electrical Engineering and Computer Science, 2018, 11, 209.	0.7	1
276	Effect of Zn-Doping on the Structural, Optical, and Humidity Sensing Properties of Sol-Gel Synthesized NiO Thin Film. International Journal of Recent Technology and Engineering, 2019, 8, 6745-6749.	0.2	1
277	Highly Conductive Vertically Aligned Carbon Nanotubes Grown on Mg <sub>0.3</sub> Zn <sub>0.7</sub> O Thin Film Template Using Thermal Chemical Vapour Deposition Method. Japanese Journal of Applied Physics, 2011, 50, 06GE02.	0.8	1
278	Effect of substrate placement in schott vial to hematite properties. Bulletin of Electrical Engineering and Informatics, 2019, 8, 58-64.	0.6	1
279	Synthesis, Characterization and Growth Mechanism of ZnO Nano-flower by Thermal Chemical Vapor Deposition Method at Low Deposition Temperature. AIP Conference Proceedings, 2008, , .	0.3	0
280	Effect of Mg Dopant Percentage on the Photoluminescence Property of Nano-Structured ZnO Thin Films Deposited on Si Substrate. , 2009, , .		0
281	Surface Morphology Study and Electrical Properties of Zinc Oxide Thin Films Deposited at Various Deposition Temperatures Using TCVD. , 2009, , .		0
282	Surface Morphology and Optical Property Studies of Nanostructured Titanium Dioxide. , 2009, , .		0
283	Structural Properties of $\beta$ -Phase Copper (I) Iodide Nano-Structured Thin Films Prepared by Sol Gel Method. , 2009, , .		0
284	Electrical and Photoluminescence Properties of Intrinsic Zinc Oxide Thin Films Prepared at Different Molar Concentrations. , 2009, , .		0
285	The Study of Physical Properties on Nanostructured Titanium Dioxide Thin Film Annealed at Different Temperatures. , 2009, , .		0
286	New Approach of ZnO Nanowires Grown on ZnO Microball using Gas Blocker in Catalytic Thermal Chemical Vapor Deposition. , 2009, , .		0
287	Crystalline Size Effect on the Electrical Properties of Zinc Oxide Nano-Structured Thin Films for Solar Cell Applications. , 2009, , .		0
288	The Influence of Ar Gas Flow on the Luminescence Properties of ZnO Nanowires. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
289	The Effect of Deposition Temperature on the Growth of ZnO Nanorods on Porous Silicon using Sol-gel Immersion Method. , 2009, , .		0
290	Zinc Oxide Nanostructured Thin Films: Preparation and Characterization. Advanced Structured Materials, 2010, , 355-373.	0.3	0
291	Photoluminescence of Zinc Oxide nanofibers synthesis by novel gas blocker in thermal CVD method. , 2010, , .		0
292	I&#x2013;V performances of aligned ZnO nanorods/Mg<inf>0.3</inf>Zn<inf>0.7</inf>O thin film heterojunction for MESFET applications. , 2010, , .		0
293	Electrical Properties and Surface Morphology Study of Titanium Dioxide Thin Films Prepared by Sol Gel Method. , 2010, , .		0
294	Effects of Different Precursor&#x2013;s Concentration on the Properties of Zinc Oxide Thin Films. , 2010, , .		0
295	Effects of spin coating speed on nanostructured Titanium Dioxide thin films properties. , 2010, , .		0
296	Photoluminescence properties of zinc oxide nanostructures grown on zinc oxide thin films seeded catalyst. , 2010, , .		0
297	Effect of annealing process on ZnO nanorod prepared at different potentials using electrodeposition technique. , 2010, , .		0
298	Photoresponse characteristics of nanostructured aluminum doped Zinc oxide thin films. , 2011, , .		0
299	Effects of annealing temperature on RF behaviour of Mg<inf>0.2</inf>Zn<inf>0.8</inf>O thin films. , 2011, , .		0
300	Structural and optical properties of as-prepared ZnO nanorod by electrochemical deposition method. , 2011, , .		0
301	Surface Morphology of ZnO Thin Film at Different Molar Concentrations. , 2011, , .		0
302	Growth of Multi-Shaped Zinc Oxide Nanostructures Using C-Axis Oriented Zinc Oxide Thin Film as a Seeded Catalyst via Hydrothermal Aqueous Chemical Growth Method. Defect and Diffusion Forum, 2011, 312-315, 1126-1131.	0.4	0
303	Electrical and Optical Properties of Zinc Oxide Thin Films by Sol-Gel Dip-Coating Technique. , 2011, , .		0
304	Controllable density of aligned zinc oxide nanorod arrays by molarities variation. , 2012, , .		0
305	Structural study and sensitivity measurements of ZnO based ammonia (NH<inf>3</inf>) sensor. , 2012, , .		0
306	Electrical, dielectric and structural properties of MgO thin films deposited on single layer ZnO using chemical solution method. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
307	Influence of the oxygen flow rate on the plasma parameters in reactive magnetron sputtering plasma using Zn target. , 2012, , .		0
308	Effects of Aluminium Doping and Electrode Distance on the Performance of Aligned Zinc Oxide Nanorod Array-Based Ultraviolet Photoconductive Sensors. Japanese Journal of Applied Physics, 2012, 51, 06FE04.	0.8	0
309	Influence of MgO Molar Concentration to the Properties of Multilayer ZnO/MgO Films Using Sol-Gel Method. Advanced Materials Research, 0, 576, 309-313.	0.3	0
310	Influence of post heat treatment to the properties of ZnO thin film prepared by RF magnetron sputtering. , 2012, , .		0
311	Electrical properties of ZnO/TiO <sub>2</sub> nanocomposite film deposited by simultaneous Radio-Frequency Magnetron sputtering. , 2012, , .		0
312	Electron and Ion Densities Measurement in Reactive Magnetron Zinc Sputtering Plasma. Advanced Materials Research, 0, 832, 344-349.	0.3	0
313	Optical Properties of Al Doped Zinc Oxide Nanorods Thin Film Deposited by Immersion Technique. Advanced Materials Research, 0, 667, 388-392.	0.3	0
314	Dye-sensitized solar cells using novel aligned ZnO nanorod arrays on Sn-doped ZnO thin film. , 2013, , .		0
315	Structural, Optical and Electrical Characteristics of Polycrystalline ZnO Thin Film Prepared by Sol-Gel Spin-Coating Method. Advanced Materials Research, 2013, 667, 24-29.	0.3	0
316	Effects of Annealing Treatment on the Properties of TiO <sub>2</sub> /ZnO Thin Film Prepared by Simultaneous RF-Magnetron Sputtering. Advanced Materials Research, 0, 832, 573-578.	0.3	0
317	Structural properties of nanorod zinc oxide thin films on Si substrate deposited by RF magnetron sputtering at room temperature. , 2013, , .		0
318	Dispersion of TiO <sub>2</sub> Nanopowder in the PMMA Matrix Prepared by Sonication-Solution Casting Method. Advanced Materials Research, 0, 667, 115-121.	0.3	0
319	Optical Properties and Morphology of Al Doped Zinc Oxide Thin Film Exposed on Wet and Dry Conditions. Advanced Materials Research, 2013, 667, 272-276.	0.3	0
320	Formation of ZnO Nanoparticulate Thin Film: Sol-Gel Synthesis and Characterisation. Advanced Materials Research, 2013, 832, 362-367.	0.3	0
321	Electrical Characteristic of UV Sensor Using Nanostructured Al Doped ZnO Thin Film. Advanced Materials Research, 0, 667, 384-387.	0.3	0
322	Growth of Zinc Oxide Rods in Different Heating Medium. Advanced Materials Research, 0, 667, 490-494.	0.3	0
323	Growth and Characterisation of Nanocrystalline ZnO Thin Films by Dip Coating Technique. Advanced Materials Research, 2013, 832, 368-373.	0.3	0
324	Influence of Annealing Temperature on the Properties of Nanostructured ZnO Thin Film Prepared by Sol-Gel Method. Advanced Materials Research, 2013, 667, 558-561.	0.3	0

#	ARTICLE	IF	CITATIONS
325	Influence of Substrate Temperature on Morphological and Electrical Properties of Indium Tin Oxide Nanocolumns Prepared by RF Magnetron Sputtering. <i>Advanced Materials Research</i> , 2013, 832, 281-285.	0.3	0
326	Investigation of Stress and Electrical Properties of Air-Annealed and Oxygen-Annealed Aluminium-Doped Zinc Oxide Nanorod Arrays. <i>Advanced Materials Research</i> , 2013, 832, 303-309.	0.3	0
327	Effects of Oxygen Gas Composition on Nanocolumnar Zinc Oxide Properties Deposited by RF Magnetron Sputtering. <i>Advanced Materials Research</i> , 0, 832, 783-786.	0.3	0
328	Growth of Self-Catalyzed ZnO Heterostructures Using Thermal Chemical Vapor Deposition Method. <i>Advanced Materials Research</i> , 0, 667, 338-342.	0.3	0
329	Stability Studies on Optical and Structure Properties of Zinc Oxide Thin Films Exposed to Different Environment. <i>Advanced Materials Research</i> , 2013, 667, 549-552.	0.3	0
330	Influence of RF Magnetron Sputtering Pressure on the Structural, Optical, and Morphological Properties of Indium Tin Oxide Nanocolumns. <i>Advanced Materials Research</i> , 2013, 832, 276-280.	0.3	0
331	High Sensitivity Humidity Sensor Based on ZnSnO <sub>3</sub> Composite Nanocube. <i>Key Engineering Materials</i> , 2013, 594-595, 872-876.	0.4	0
332	Effect of Annealing on Surface of Nickel (Ni)/Indium Tin Oxide (ITO) Nanostructures Measured by Atomic Force Microscopy (AFM). <i>Advanced Materials Research</i> , 2013, 832, 51-55.	0.3	0
333	Thermo Gravimetric Analysis Study of PMMA/TiO <sub>2</sub> ; Nanocomposites. <i>Advanced Materials Research</i> , 0, 832, 816-820.	0.3	0
334	Ultra-Violet Photoresponse Characteristics of Nanostructured Al Doped Zinc Oxide Thin Films Based Ultra-Violet Sensor. <i>Advanced Materials Research</i> , 0, 667, 569-572.	0.3	0
335	Sensing Characteristics of PVA-ZnO/SnO <sub>2</sub> ; Nanocube Humidity Sensor Prepared by Sol-Gel Immersion Technique. <i>Advanced Materials Research</i> , 0, 832, 466-470.	0.3	0
336	Fabrication of dye-sensitized solar cell using nanocomposited aligned ZnO nanorod/Nb-doped TiO <sub>2</sub> at different Nb-doped concentrations. , 2014, , .		0
337	Growth of aligned ZnO nanorod on undoped and Tin-doped ZnO thin films and their application in dye-sensitized solar cell. , 2014, , .		0
338	Fabrication of dye-sensitized solar cell using nanocomposited aligned ZnO nanorod/TiO <sub>2</sub> . , 2014, , .		0
339	Surface Morphology of Nano-Sized Titanium Dioxide. <i>Applied Mechanics and Materials</i> , 0, 534, 63-68.	0.2	0
340	Effects of Growth Temperature on the Structural Properties of Zinc Oxide Nanograins Deposited by RF Magnetron Sputtering. <i>Advanced Materials Research</i> , 2014, 895, 500-504.	0.3	0
341	Fabrication of platinum decorated zinc oxide nanorod array-based ultraviolet sensors and their responsivity performance. , 2014, , .		0
342	Effect of Sn dopant concentration on structural and electrical properties of ZnO nanostructures based methane gas sensor. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
343	Electrical Properties of Undoped Zinc Oxide Nanostructures at Different Annealing Temperature. Advanced Materials Research, 2015, 1109, 572-576.	0.3	0
344	Effect of Dopant Concentration on Electrical and Optical Properties of Sn-Doped ZnO Thin Films Deposited by Sol-Gel Immersion Method. Advanced Materials Research, 0, 1109, 549-553.	0.3	0
345	Effect of Various Tin Doping Percentages on the Electrical and Structural Properties of Nanostructured Zinc Oxide Thin Films Deposited Using Sol-Gel Immersion Method for Gas Sensing Application. Advanced Materials Research, 2015, 1109, 554-558.	0.3	0
346	Influence of Thermal Annealing on the Properties of Sol-Gel-Derived Al:ZnO Thin Films. Advanced Materials Research, 0, 1109, 186-190.	0.3	0
347	Synthesis of Al-Doped ZnO Nanorod Arrays on Al-Doped ZnO Seed Layer and their Properties. Advanced Materials Research, 2015, 1109, 266-270.	0.3	0
348	Synthesized of Highly Sensitive Tin (IV)-Doped Zinc Oxide Humidity Sensor. Advanced Materials Research, 0, 1109, 559-563.	0.3	0
349	Enhanced Performance of Al-Doped Zinc Oxide Nanorods at Different Concentration Using Sol-Gel Preparation Methods towards Humidity Sensing Application. Advanced Materials Research, 0, 1109, 519-523.	0.3	0
350	Structural Properties of Sn-Doped ZnO Thin Films Deposited on Glass Substrate Using Sol-Gel Immersion Method. Advanced Materials Research, 0, 1109, 568-571.	0.3	0
351	Electrical and Structural Properties of Nanostructured Tin Doped Zinc Oxide Deposited by Sol-Gel Immersion Method. Advanced Materials Research, 2015, 1109, 564-567.	0.3	0
352	Fabrication of Intrinsic Zinc Oxide-Coated, Aluminium-Doped Zinc Oxide Nanorod Array-Based Ultraviolet Photoconductive Sensors. Applied Mechanics and Materials, 0, 773-774, 696-700.	0.2	0
353	Fabrication of nanostructured Al-doped ZnO thin film for methane sensing applications. AIP Conference Proceedings, 2016, , .	0.3	0
354	Effect of growth time on ZnO nanorod arrays by a facile sonicated sol-gel immersion technique. AIP Conference Proceedings, 2016, , .	0.3	0
355	ZnO/SnO <sub>2</sub> nanoflower based ZnO template synthesized by thermal chemical vapor deposition. AIP Conference Proceedings, 2016, , .	0.3	0
356	Electrical properties of Mg doped ZnO nanostructure annealed at different temperature. AIP Conference Proceedings, 2016, , .	0.3	0
357	Percentage of different aluminum doping influence the morphological and optical properties of ZnO nanostructured growth for sensor application. AIP Conference Proceedings, 2016, , .	0.3	0
358	Content variation of particle size in TiO <sub>2</sub> paste as medium for electron transportation in dye sensitized solar cell. , 2016, , .		0
359	Effect of substrates temperature on structural and optical properties indium tin oxide prepared by RF magnetron sputtering. , 2016, , .		0
360	Morphological, Structural and Optical Properties of Mg Doped ZnO Nanostructured Growth by Aqueous Solution Method. Materials Science Forum, 0, 846, 454-458.	0.3	0

#	ARTICLE	IF	CITATIONS
361	Optimization of processing parameters on the controlled growth of c-axis oriented ZnO nanorod arrays. AIP Conference Proceedings, 2016, , .	0.3	0
362	Synthesis and enhanced photocatalytic property of CuO nanostructure via dip coating method. , 2017, , .		0
363	The Influence of Growth Duration Process on Morphology and Electrical Properties of SnO <sub>2</sub> Nanostructured Films. Solid State Phenomena, 0, 268, 274-278.	0.3	0
364	The effect of different ratio (stabilizer " precursor) in sonicated immersion method of hematite nanorods. , 2017, , .		0
365	The effect of deposition time on sputtered barium strontium titanate thin films. , 2017, , .		0
366	Structural and optical properties of nanocomposited ZnO/SnO <sub>2</sub> thin film deposited at different Sn precursor. , 2017, , .		0
367	The effects of different precursor in sonicated immersion technique on hematite nanostructure properties. IOP Conference Series: Materials Science and Engineering, 2018, 340, 012003.	0.3	0
368	Facile Synthesis of N-doped ZnO Nanorod Arrays: Towards Enhancing the UV-sensing Performance. , 2018, , .		0
369	Engineering the Properties of Nb <sub>2</sub> O <sub>5</sub> -ZnO Nanostructures via Dual Synthesis Techniques. , 2018, , .		0
370	Effect of Different Metal Contact Distance and Light on Electrical Properties of Calcium Carbonate Thin Film. , 2018, , .		0
371	Enhancing Photocatalytic Performance of Nanoporous Nb <sub>2</sub> O <sub>5</sub> /Doped Platinum. , 2018, , .		0
372	2018 IEEE International Conference on Semiconductor Electronics (ICSE) Synthesis, Properties and Humidity Detection of Anodized Nb <sub>2</sub> O <sub>5</sub> Films. , 2018, , .		0
373	Electrical properties of TiO <sub>2</sub> at different deposition frequencies and their application in ZnO/TiO <sub>2</sub> based dye-sensitized solar cells. AIP Conference Proceedings, 2018, , .	0.3	0
374	Effect of co-doping process on topography, optical and electrical properties of ZnO nanostructured. , 2018, , .		0
375	The performance of hematite nanostructures in different humidity levels. AIP Conference Proceedings, 2018, , .	0.3	0
376	Effect of intrinsic zinc oxide coating on the properties of Al-doped zinc oxide nanorod arrays. AIP Conference Proceedings, 2018, , .	0.3	0
377	Polyethylene glycol assisted growth of Sn-doped ZnO nanorod arrays prepared via sol-gel immersion method. AIP Conference Proceedings, 2018, , .	0.3	0
378	Effect of different coating layer on the topography and optical properties of ZnO nanostructured. AIP Conference Proceedings, 2018, , .	0.3	0



#	ARTICLE	IF	CITATIONS
379	Current-Voltage Characteristics of Nb <sub>2</sub> O <sub>5</sub> nanoporous via light illumination. IOP Conference Series: Materials Science and Engineering, 2018, 340, 012001.	0.3	0
380	Synthesis of p-type nickel oxide nanosheets on n-type titanium dioxide nanorod arrays for p-n heterojunction-based UV photosensor. AIP Conference Proceedings, 2018, , .	0.3	0
381	Effect of the polymeric coating thickness on the photocurrent performance of titanium dioxide nanorod arrays-polyaniline composite-based UV photosensor. AIP Conference Proceedings, 2018, , .	0.3	0
382	Effect of various SnO <sub>2</sub> pH on ZnO/SnO <sub>2</sub> -composite film via immersion technique. AIP Conference Proceedings, 2018, , .	0.3	0
383	Fabrication of Al-doped ZnO nanorod array using different type and thickness of metal contact. AIP Conference Proceedings, 2019, , .	0.3	0
384	UV photoresponsivity of sol-gel derived Al-doped ZnO nanorod array. AIP Conference Proceedings, 2019, , .	0.3	0
385	Investigation on properties of ZnO nanorods grown at different immersion time on TiO <sub>2</sub> seed layer. AIP Conference Proceedings, 2019, , .	0.3	0
386	Effect of SnO <sub>2</sub> coating to the properties of ZnO nanorod array. AIP Conference Proceedings, 2019, , .	0.3	0
387	Electrodeposited Cu <sub>2</sub> O Microstructure as an Effective Ultraviolet (UV) Sensor Operating at Low Bias Voltages. , 2019, , .		0
388	Physicochemical properties of surface modified ZnFe <sub>2</sub> O <sub>4</sub> nanocomposite incorporated with bio-templated kapok fiber for photoelectrochemical application. Surface and Interface Analysis, 2021, 53, 637-649.	0.8	0
389	Effect of nozzle-substrate distance on the structural and optical properties of AZO thin films deposited by spray pyrolysis technique. AIP Conference Proceedings, 2021, , .	0.3	0
390	Growth of Zinc Oxide Thin Film with Titanium Dioxide at Different Concentration Prepared by Hydrothermal Method. Lecture Notes in Mechanical Engineering, 2021, , 971-979.	0.3	0
391	Enhancing the Sensitivity Properties of ZnO/SnO <sub>2</sub> Composite Nanorods Based Humidity Sensor via Thermal Chemical Vapour Deposition at Various Substrate Temperature. Advanced Science Letters, 2015, 21, 3689-3697.	0.2	0
392	Intrinsic ZnO/Al-doped ZnO Homojunction: Structural and Optical Properties. Indonesian Journal of Electrical Engineering and Computer Science, 2018, 12, 393.	0.7	0
393	Influence of Pre-Sputtering Technique on Material Properties of BST Thin Films for Tunable Microwave Applications. , 2020, , .		0
394	Anodization voltage effect on physical properties of anodic TiO <sub>2</sub> nanotube arrays film. AIP Conference Proceedings, 2020, , .	0.3	0