

Ada Tang, Pt

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5574057/ada-tang-pt-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

1,960

citations

21

h-index

44

g-index

77

ext. papers

2,472

ext. citations

2.9

avg, IF

4.84

L-index

#	Paper	IF	Citations
67	Physical activity and exercise recommendations for stroke survivors: a statement for healthcare professionals from the American Heart Association/American Stroke Association. <i>Stroke</i> , 2014 , 45, 2532-533	6.7	696
66	Effects of an aerobic exercise program on aerobic capacity, spatiotemporal gait parameters, and functional capacity in subacute stroke. <i>Neurorehabilitation and Neural Repair</i> , 2009 , 23, 398-406	4.7	105
65	Maximal exercise test results in subacute stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 1100-5	2.8	83
64	Reliability of Zephyr Bioharness and Fitbit Charge Measures of Heart Rate and Activity at Rest, During the Modified Canadian Aerobic Fitness Test, and Recovery. <i>Journal of Strength and Conditioning Research</i> , 2019 , 33, 559-571	3.2	79
63	Exercise and Fitness Training after Stroke: A Handbook for Evidence-Based Practice, edited by Gillian Mead, Frederike van Wijck. <i>Exercise and Fitness Training after Stroke: A Handbook for Evidence-Based Practice</i> Gillian Mead, Frederike van Wijck, editors Edinburgh: Churchill Livingstone Elsevier, 2013. ISBN 978-0-7020-4338-3. 278 p., illustrated US\$66.95. <i>Physiotherapy Canada</i>	0.8	78
62	Feasibility and effects of adapted cardiac rehabilitation after stroke: a prospective trial. <i>BMC Neurology</i> , 2010 , 10, 40	3.1	63
61	Relationship between perceived and measured changes in walking after stroke. <i>Journal of Neurologic Physical Therapy</i> , 2012 , 36, 115-21	4.1	57
60	Do functional walk tests reflect cardiorespiratory fitness in sub-acute stroke?. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2006 , 3, 23	5.3	52
59	A Single Bout of High-Intensity Interval Training Improves Motor Skill Retention in Individuals With Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 726-735	4.7	51
58	Effects of exercise on cardiovascular risk factors following stroke or transient ischemic attack: a systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2017 , 31, 1561-1572	3.3	47
57	High-Intensity Interval Training After Stroke: An Opportunity to Promote Functional Recovery, Cardiovascular Health, and Neuroplasticity. <i>Neurorehabilitation and Neural Repair</i> , 2018 , 32, 543-556	4.7	42
56	Psychometric properties of the Zephyr bioharness device: a systematic review. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2018 , 10, 6	2.4	42
55	Exercise-induced changes in cardiovascular function after stroke: a randomized controlled trial. <i>International Journal of Stroke</i> , 2014 , 9, 883-9	6.3	39
54	Aerobic Exercise Recommendations to Optimize Best Practices in Care After Stroke: AEROBICS 2019 Update. <i>Physical Therapy</i> , 2020 , 100, 149-156	3.3	36
53	Outcomes in people after stroke attending an adapted cardiac rehabilitation exercise program: does time from stroke make a difference?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 1648-56	2.8	36
52	Cardiac rehabilitation after stroke-need and opportunity. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009 , 29, 97-104	3.6	33
51	Changes in spatiotemporal gait variables over time during a test of functional capacity after stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2009 , 6, 27	5.3	31

50	High- and low-intensity exercise do not improve cognitive function after stroke: A randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 841-846	3.4	27
49	Validity of rating of perceived exertion ranges in individuals in the subacute stage of stroke recovery. <i>Topics in Stroke Rehabilitation</i> , 2013 , 20, 519-27	2.6	25
48	Feasibility of adapted aerobic cycle ergometry tasks to encourage paretic limb use after stroke: a case series. <i>Journal of Neurologic Physical Therapy</i> , 2008 , 32, 80-7	4.1	25
47	Survey of fitness facilities for individuals post-stroke in the Greater Toronto Area. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008 , 33, 713-9	3	22
46	The effect of interventions on balance self-efficacy in the stroke population: a systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2015 , 29, 1168-77	3.3	20
45	Profile of patients at admission into an inpatient stroke rehabilitation programme: cardiorespiratory fitness and functional characteristics. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2008 , 60, 171-9	0.8	20
44	Cognition and motor impairment correlates with exercise test performance after stroke. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 622-7	1.2	18
43	Effects of extended effortful activity on spatio-temporal parameters of gait in individuals with stroke. <i>Gait and Posture</i> , 2008 , 27, 387-92	2.6	18
42	Examining the effect of virtual reality therapy on cognition post-stroke: a systematic review and meta-analysis. <i>Disability and Rehabilitation: Assistive Technology</i> , 2020 , 1-11	1.8	17
41	Validity of the Fitbit One for Measuring Activity in Community-Dwelling Stroke Survivors. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018 , 70, 81-89	0.8	17
40	Environmental, behavioural and multicomponent interventions to reduce adults's sitting time: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 , 54, 315-325	10.3	15
39	Application of the Sit-Up Test for orthostatic hypotension in individuals with stroke. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2012 , 168, 82-7	2.4	14
38	Evaluating a community-based exercise intervention with adults living with HIV: protocol for an interrupted time series study. <i>BMJ Open</i> , 2016 , 6, e013618	3	13
37	Cross-cultural adaptation and psychometric testing of the Arabic version of the Patient-Rated Wrist Hand Evaluation (PRWHE-A) in Saudi Arabia. <i>Journal of Hand Therapy</i> , 2015 , 28, 412-9; quiz 420	1.6	12
36	Predictors of low bone mineral density of the stroke-affected hip among ambulatory individuals with chronic stroke. <i>Osteoporosis International</i> , 2014 , 25, 2631-8	5.3	12
35	Ambulatory monitoring of activity levels of individuals in the sub-acute stage following stroke: a case series. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2007 , 4, 41	5.3	12
34	Factors associated with change in aerobic capacity following an exercise program for individuals with stroke. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 32-7	3.4	11
33	Physical activity correlates with arterial stiffness in community-dwelling individuals with stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 259-66	2.8	10

32	Inter-Instrument Reliability and Agreement of Fitbit Charge Measurements of Heart Rate and Activity at Rest, during the Modified Canadian Aerobic Fitness Test, and in Recovery. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2019 , 71, 197-206	0.8	7
31	Barriers and Facilitators to Aerobic Exercise Implementation in Stroke Rehabilitation: A Scoping Review. <i>Journal of Neurologic Physical Therapy</i> , 2020 , 44, 179-187	4.1	6
30	Physical fitness training after stroke. <i>Physical Therapy</i> , 2014 , 94, 9-13	3.3	6
29	Promoting Optimal Physical Exercise for Life (PROPEL): aerobic exercise and self-management early after stroke to increase daily physical activity-study protocol for a stepped-wedge randomised trial. <i>BMJ Open</i> , 2017 , 7, e015843	3	6
28	Sex differences in the effects of exercise on cognition post-stroke: Secondary analysis of a randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2020 , 52, jrm00002	3.4	6
27	Effectiveness of physical activity interventions in older adults with frailty or prefrailty: a systematic review and meta-analysis. <i>CMAJ Open</i> , 2021 , 9, E728-E743	2.5	6
26	Slow Stream Rehabilitation for Older Adults: A Scoping Review. <i>Canadian Journal on Aging</i> , 2019 , 38, 328-349	1.6	5
25	FIT for FUNCTION: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 39	2.8	5
24	Long-term Enrollment in Cardiac Rehabilitation Benefits Cardiorespiratory Fitness and Skeletal Muscle Strength in Men With Cardiovascular Disease. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1359-1365 ^{2,8}	3.8	4
23	Detection of body postures and movements in ambulatory adults with cerebral palsy: a novel and valid measure of physical behaviour. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2019 , 16, 125	5.3	4
22	The Formula for Health and Well-Being in Individuals With Cerebral Palsy: Cross-Sectional Data on Physical Activity, Sleep, and Nutrition. <i>Annals of Rehabilitation Medicine</i> , 2020 , 44, 301-310	1.7	4
21	Knowledge, Attitude and Implementation of Evidence-Based Practice among Physiotherapists Working in the Kingdom of Saudi Arabia: A Cross-Sectional Survey. <i>Healthcare (Switzerland)</i> , 2020 , 8,	3.4	4
20	Effectiveness of nutrition interventions and combined nutrition and physical activity interventions in older adults with frailty or prefrailty: a systematic review and meta-analysis. <i>CMAJ Open</i> , 2021 , 9, E744-E756 ^{2,5,3}	2.5	3
19	Examining the impact of a community-based exercise intervention on cardiorespiratory fitness, cardiovascular health, strength, flexibility and physical activity among adults living with HIV: A three-phased intervention study. <i>PLoS ONE</i> , 2021 , 16, e0257639	3.7	3
18	Examining the relationships between environmental barriers and leisure in community-dwelling individuals living with stroke. <i>Clinical Rehabilitation</i> , 2019 , 33, 796-804	3.3	2
17	Exploring the Association Between Physical Activity, Sedentary Behavior, and High-Sensitivity C-Reactive Protein Among Stroke Survivors. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 360-366	1.6	2
16	Determining Safe Participation in Aerobic Exercise Early After Stroke Through a Graded Submaximal Exercise Test. <i>Physical Therapy</i> , 2020 , 100, 1434-1443	3.3	1
15	The effects of exercise on cognition post-stroke: are there sex differences? A systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2020 , 1-18	2.4	1

14	Body-weight supported treadmill training improves cardiovascular fitness and walking endurance early after stroke. <i>Journal of Physiotherapy</i> , 2013 , 59, 274	2.9	1
13	The impact of the 24-h movement spectrum on vascular remodeling in older men and women: a review. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H1136-H1155	5.2	1
12	Prolonged Elevation of Arterial Stiffness Following Peak Aerobic Exercise in Individuals With Chronic Stroke. <i>Frontiers in Physiology</i> , 2021 , 12, 666171	4.6	1
11	A history of smoking does not reduce long-term benefits of cardiac rehabilitation on cardiorespiratory fitness in men and women with cardiovascular disease. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021 , 46, 155-160	3	1
10	Telerehabilitation for lower extremity recovery poststroke: a systematic review and meta-analysis protocol.. <i>BMJ Open</i> , 2022 , 12, e055527	3	1
9	Long-Term Enrollment in Cardiac Rehabilitation Benefits of Cardiorespiratory Fitness and Skeletal Muscle Strength in Females with Cardiovascular Disease.. <i>Women S Health Reports</i> , 2021 , 2, 543-549	0.5	0
8	Developing a research agenda on exercise and physical activity for people with limb loss in Canada. <i>Disability and Rehabilitation</i> , 2021 , 1-9	2.4	0
7	Construct Validity and Responsiveness of the Rapid Assessment of Physical Activity in Adults Living With HIV.. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2021 , 3, 100164	1.3	0
6	Exercise-Based Stroke Rehabilitation: Clinical Considerations Following the COVID-19 Pandemic. <i>Neurorehabilitation and Neural Repair</i> , 2021 , 15459683211054175	4.7	0
5	ClinicianS commentary. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2010 , 62, 44-6	0.8	
4	The cognitive augmented mobility program (CAMP): feasibility and preliminary efficacy. <i>Physiotherapy Theory and Practice</i> , 2020 , 1-13	1.5	
3	Intervention-related factors associated with physical activity maintenance among post-stroke patients: a protocol for a systematic review with meta-analysis and meta-regression. <i>JB1 Evidence Synthesis</i> , 2020 , 18, 1738-1750	2.1	
2	Measurement properties of remotely or self-administered physical performance measures to assess mobility: a systematic review protocol. <i>Physical Therapy Reviews</i> , 1-8	0.7	
1	Description and Functional Benefits of Meeting Frequency, Intensity, and Time of Resistance and Cardiovascular Exercises: A Study of Older Adults in a Community-Based, Slow-Stream Rehabilitation, Hospital-to-Home Transition Program. <i>Gerontology and Geriatric Medicine</i> , 2022 , 8, 233372142210963	2.3	