

He Yigang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5574363/he-yigang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

1,267
citations

18
h-index

29
g-index

150
ext. papers

1,696
ext. citations

3.5
avg, IF

5.37
L-index

#	Paper	IF	Citations
132	An Analog Circuit Fault Diagnosis Approach Based on Improved Wavelet Transform and MKELM. <i>Circuits, Systems, and Signal Processing</i> , 2022 , 41, 1255	2.2	0
131	A Method for Increasing the Bandwidth of Rogowski Coils Without Changing Their Size. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022 , 71, 1-10	5.2	1
130	A hypothesis method for T-type three-level inverters open-circuit fault diagnosis based on output phase voltage model. <i>IEEE Transactions on Power Electronics</i> , 2022 , 1-1	7.2	3
129	Design and Optimization Methods of the Header of HDI PCB Rogowski Current Sensors. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022 , 1-1	5.2	1
128	Multiple Open-Circuit Fault Diagnosis Method in NPC Rectifiers Using Fault Injection Strategy. <i>IEEE Transactions on Power Electronics</i> , 2022 , 37, 8554-8571	7.2	4
127	Open Circuit Fault Diagnosis of NPC Inverter Based on Improved 1-D CNN Network. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022 , 1-1	5.2	0
126	Distributed Voltage Restoration of AC Microgrids Under Communication Delays: A Predictive Control Perspective. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2022 , 1-11	3.9	
125	An Integrated Method of the Future Capacity and RUL Prediction for Lithium-Ion Battery Pack. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	11
124	Steady-State Mean-Square Error Analysis for Adaptive Joint Process Filter Using Pipelined Feedforward Second-order Volterra Architecture. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 1-1	3.5	
123	An Evaluation Method of Electromagnetic Interference Based on a Fast S-Transform and Time-Frequency Space Model. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2021 , 1-9	2	1
122	Sparsity Learning-Based CSI Feedback for FDD Massive MIMO Systems. <i>IEEE Wireless Communications Letters</i> , 2021 , 10, 585-588	5.9	
121	Intelligent diagnosis of cascaded H-bridge multilevel inverter combining sparse representation and deep convolutional neural networks. <i>IET Power Electronics</i> , 2021 , 14, 1121-1137	2.2	6
120	Pilot Assignment for Cell Free Massive MIMO Systems Using a Weighted Graphical Framework. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 6190-6194	6.8	4
119	Partial Discharge Localization in Substations Using a Regularization Method. <i>IEEE Transactions on Power Delivery</i> , 2021 , 36, 822-830	4.3	4
118	The Post-Fault Current Model of Voltage Source Converter and Its Application in Fault Diagnosis. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 1209-1214	7.2	7
117	Multi-Resolution Generalized S-Transform Denoising for Precise Localization of Partial Discharge in Substations. <i>IEEE Sensors Journal</i> , 2021 , 21, 4966-4980	4	3
116	New shift-invariant spaces for the linear canonical transform and their applications. <i>Optik</i> , 2021 , 227, 165892	2.5	1

115	A Method for the Localization of Partial Discharge Sources in Transformers Using TDOA and Truncated Singular Value Decomposition. <i>IEEE Sensors Journal</i> , 2021 , 21, 6741-6751	4	4
114	Feature Extraction and Classification of Cataluminescence Images Based on Sparse Coding Convolutional Neural Networks. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021 , 70, 1-11	5.2	4
113	A Partial Discharge Localization Method in Transformers Based on Linear Conversion and Density Peak Clustering. <i>IEEE Access</i> , 2021 , 9, 7447-7459	3.5	3
112	Open-switch fault diagnosis in three-level rectifiers based on selective calculation method for instant voltage deviation. <i>IET Power Electronics</i> , 2021 , 14, 923-935	2.2	2
111	A Robust Fully Arctangent Adaptive Interpolated Volterra Filtering Algorithm Against Impulsive Noise. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 68, 2742-2746	3.5	2
110	A Novel Localization Method of Partial Discharge Sources in Substations Based on UHF Antenna and TSVD Regularization. <i>IEEE Sensors Journal</i> , 2021 , 21, 17040-17052	4	1
109	Multi-Period Fast Robust Optimization for Partial Distributed Generators (DGs) Providing Ancillary Services. <i>Energies</i> , 2021 , 14, 4911	3.1	0
108	Adaptive Transfer Learning Based on a Two-Stream Densely Connected Residual Shrinkage Network for Transformer Fault Diagnosis over Vibration Signals. <i>Electronics (Switzerland)</i> , 2021 , 10, 2130 ^{2.6}		0
107	A space hybridization theory for dealing with data insufficiency in intelligent power equipment diagnosis. <i>Electric Power Systems Research</i> , 2021 , 199, 107363	3.5	0
106	Temperature Compensation and Pressure Bias Estimation for Piezoresistive Pressure Sensor Based on Machine Learning Approach. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021 , 70, 1-10	5.2	7
105	A Multiple Open-Circuit Fault Diagnosis Method for Two-Level Three-Phase Voltage Source Converters Based on Average Phase Voltage Model. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 1-1	5.6	5
104	Performance Analysis of Efficient Computing Techniques for Direction of Arrival Estimation of Underwater Multi Targets. <i>IEEE Access</i> , 2021 , 9, 33284-33298	3.5	7
103	Broad Echo State Network for Channel Prediction in MIMO-OFDM Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 13383-13399	6.8	1
102	Constant Power Load Stabilization in DC Microgrid Systems Using Passivity-Based Control With Nonlinear Disturbance Observer. <i>IEEE Access</i> , 2020 , 8, 92393-92406	3.5	18
101	Design of Fractional Swarm Intelligent Computing With Entropy Evolution for Optimal Power Flow Problems. <i>IEEE Access</i> , 2020 , 8, 111401-111419	3.5	23
100	Analysis, Stabilization, and DSP-Based Implementation of a Chaotic System with Nonhyperbolic Equilibrium. <i>Complexity</i> , 2020 , 2020, 1-11	1.6	0
99	Realization of Analog Wavelet Filter Using Hybrid Genetic Algorithm for On-Line Epileptic Event Detection. <i>IEEE Access</i> , 2020 , 8, 33137-33150	3.5	4
98	Robust Geman-McClure Based Nonlinear Spline Adaptive Filter Against Impulsive Noise. <i>IEEE Access</i> , 2020 , 8, 22571-22580	3.5	12

97	Remaining Useful Life Prediction and State of Health Diagnosis of Lithium-Ion Battery Based on Second-Order Central Difference Particle Filter. <i>IEEE Access</i> , 2020 , 8, 37305-37313	3.5	22
96	Energy-Saving Measurement in LoRaWAN-Based Wireless Sensor Networks by Using Compressed Sensing. <i>IEEE Access</i> , 2020 , 8, 49477-49486	3.5	10
95	Low Complexity Channel Prediction Using TFOS-ELM Method for Massive MIMO Systems. <i>IEEE Access</i> , 2020 , 8, 36681-36690	3.5	0
94	Analysis of Current Distortion of Three-Phase Voltage Source Rectifiers and its Application in Fault Diagnosis. <i>IEEE Access</i> , 2020 , 8, 4065-4075	3.5	7
93	Modeling and Prediction of the Reliability Analysis of an 18-Pulse Rectifier Power Supply for Aircraft Based Applications. <i>IEEE Access</i> , 2020 , 8, 47063-47071	3.5	8
92	Generative Adversarial Networks With Comprehensive Wavelet Feature for Fault Diagnosis of Analog Circuits. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020 , 69, 6640-6650	5.2	27
91	Adaptive Elastic Echo State Network for Channel Prediction in IEEE802.11ah Standard-Based OFDM System. <i>IEEE Access</i> , 2020 , 8, 10169-10185	3.5	1
90	Wireless Channel Scene Recognition Method Based on an Autocorrelation Function and Deep Learning. <i>IEEE Access</i> , 2020 , 8, 226324-226336	3.5	2
89	Fog-Computing-Based Short-Circuit Diagnosis Scheme. <i>IEEE Transactions on Smart Grid</i> , 2020 , 11, 3359-3371	3.7	5
88	Intelligent Classification of Silicon Photovoltaic Cell Defects Based on Eddy Current Thermography and Convolution Neural Network. <i>IEEE Transactions on Industrial Informatics</i> , 2020 , 16, 6242-6251	11.9	29
87	A Novel Domestic Electric Water Heater Control Method. <i>IEEE Transactions on Smart Grid</i> , 2020 , 11, 3246-3256	3.7	10
86	Solution of optimal reactive power dispatch with FACTS devices: A survey. <i>Energy Reports</i> , 2020 , 6, 2211-2229	4.29	35
85	Hilbert ID Considering Multi-Window Feature Extraction for Transformer Deep Vision Fault Positioning. <i>IEEE Access</i> , 2020 , 8, 91276-91286	3.5	2
84	Fast Search Algorithm for Key Transmission Sections Based on Topology Converging Adjacency Matrix. <i>IEEE Access</i> , 2020 , 8, 108235-108246	3.5	0
83	State-of-Health Prognosis for Lithium-Ion Batteries Considering the Limitations in Measurements via Maximal Information Entropy and Collective Sparse Variational Gaussian Process. <i>IEEE Access</i> , 2020 , 8, 188199-188217	3.5	4
82	Characteristic Harmonic Spectrum Relocating for Controlling Specific Inter-Harmonics of Inverters With New Phase-Shifted Rotating PWM. <i>IEEE Access</i> , 2020 , 8, 191005-191027	3.5	1
81	Channel Estimation in Massive MIMO Systems Based on Generalized Block Adaptive Matching Pursuit Algorithm. <i>IEEE Wireless Communications Letters</i> , 2020 , 9, 2098-2101	5.9	2
80	Extrapolation Theorem for Bandlimited Signals Associated with the Offset Linear Canonical Transform. <i>Circuits, Systems, and Signal Processing</i> , 2020 , 39, 1699-1712	2.2	3

79	Electromagnetic Induction Heating and Image Fusion of Silicon Photovoltaic Cell Electrothermography and Electroluminescence. <i>IEEE Transactions on Industrial Informatics</i> , 2020 , 16, 4413-4422	11.9	9
78	A Naive-Bayes-Based Fault Diagnosis Approach for Analog Circuit by Using Image-Oriented Feature Extraction and Selection Technique. <i>IEEE Access</i> , 2020 , 8, 5065-5079	3.5	13
77	Anti-Interference Deep Visual Identification Method for Fault Localization of Transformer Using a Winding Model. <i>Sensors</i> , 2019 , 19,	3.8	3
76	Cryptanalysis and Improvement of the Image Encryption Scheme Based on 2D Logistic-Adjusted-Sine Map. <i>IEEE Access</i> , 2019 , 7, 12584-12597	3.5	32
75	Analysis of Mutual Couple Effect of UHF RFID Antenna for the Internet of Things Environment. <i>IEEE Access</i> , 2019 , 7, 81451-81465	3.5	12
74	Transformer Fault Diagnosis Method Based on Self-Powered RFID Sensor Tag, DBN, and MKSVM. <i>IEEE Sensors Journal</i> , 2019 , 19, 8202-8214	4	18
73	An Improved Open-Switch Fault Diagnosis Technique of a PWM Voltage Source Rectifier Based on Current Distortion. <i>IEEE Transactions on Power Electronics</i> , 2019 , 34, 12212-12225	7.2	20
72	Fast Solving Method Based on Linearized Equations of Branch Power Flow for Coordinated Charging of EVs (EVCC). <i>IEEE Transactions on Vehicular Technology</i> , 2019 , 68, 4404-4418	6.8	8
71	Transformer Health Management Based on Self-Powered RFID Sensor and Multiple Kernel RVM. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2019 , 68, 818-828	5.2	19
70	Channel Estimation in MIMO-OFDM Systems Based on a New Adaptive Greedy Algorithm. <i>IEEE Wireless Communications Letters</i> , 2019 , 8, 29-32	5.9	11
69	Image encryption algorithm based on discrete logarithm and memristive chaotic system. <i>European Physical Journal: Special Topics</i> , 2019 , 228, 1951-1967	2.3	13
68	Tilt Angle Monitoring by Using Sparse Residual LSTM Network and Grid Search. <i>IEEE Sensors Journal</i> , 2019 , 19, 8803-8812	4	9
67	A Plain-Image-Related Chaotic Image Encryption Algorithm Based on DNA Sequence Operation and Discrete Logarithm. <i>IEEE Access</i> , 2019 , 7, 181589-181609	3.5	15
66	Electro-Thermal-Mechanical Multiphysics Coupling Failure Analysis Based on Improved IGBT Dynamic Model. <i>IEEE Access</i> , 2019 , 7, 174155-174166	3.5	4
65	Cryptanalysis of the integrated chaotic systems based image encryption algorithm. <i>Optik</i> , 2019 , 186, 449-457	2.5	15
64	The extrapolation of bandlimited signals in the offset linear canonical transform domain. <i>Optik</i> , 2019 , 180, 626-634	2.5	6
63	On-Line Measurement of Dynamic Tilt Angle by Compensating Gyroscope Drift Error. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2019 , 68, 3244-3252	5.2	9
62	Feature extraction of analogue circuit fault signals via cross-wavelet transform and variational Bayesian matrix factorisation. <i>IET Science, Measurement and Technology</i> , 2019 , 13, 318-327	1.5	14

61	Fault diagnosis for analog circuits utilizing time-frequency features and improved VVRKFA. <i>Measurement Science and Technology</i> , 2018 , 29, 045004	2	15
60	Tilt Angle On-Line Prognosis by Using Improved Sparse LSSVR and Dynamic Sliding Window. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2018 , 67, 296-306	5.2	8
59	Analysis of A-stationary random signals in the linear canonical transform domain. <i>Signal Processing</i> , 2018 , 146, 126-132	4.4	24
58	Analog Circuit Incipient Fault Diagnosis Method Using DBN Based Features Extraction. <i>IEEE Access</i> , 2018 , 6, 23053-23064	3.5	58
57	Nonuniform Sampling Theorems for Bandlimited Signals in the Offset Linear Canonical Transform. <i>Circuits, Systems, and Signal Processing</i> , 2018 , 37, 3227-3244	2.2	7
56	A sequential computational approach to optimal control problems for differential-algebraic systems based on efficient implicit Runge-Kutta integration. <i>Applied Mathematical Modelling</i> , 2018 , 58, 313-330	4.5	5
55	Reconstruction theorem for bandlimited signals from noisy samples in the offset linear canonical transform domain. <i>Optik</i> , 2018 , 171, 862-868	2.5	9
54	Online diagnostic method of open-switch faults in PWM voltage source rectifier based on instantaneous AC current distortion. <i>IET Electric Power Applications</i> , 2018 , 12, 447-454	1.8	17
53	Uncertainty relations for signal concentrations associated with the linear canonical transform 2018 , 81, 100-105		11
52	Transformer Fault Diagnosis Using Self-Powered RFID Sensor and Deep Learning Approach. <i>IEEE Sensors Journal</i> , 2018 , 18, 6399-6411	4	27
51	Dynamics Feature and Synchronization of a Robust Fractional-Order Chaotic System. <i>Complexity</i> , 2018 , 2018, 1-12	1.6	3
50	Surrogate Model-Based Energy-Efficient Scheduling for LPWA-Based Environmental Monitoring Systems. <i>IEEE Access</i> , 2018 , 6, 59940-59948	3.5	3
49	Cryptanalysis and Improvement of the Hyper-Chaotic Image Encryption Scheme Based on DNA Encoding and Scrambling. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-15	1.8	29
48	Dynamical Behavior of a 3D Jerk System with a Generalized Memristive Device. <i>Complexity</i> , 2018 , 2018, 1-10	1.6	3
47	A Novel Adaptive Hybrid Truncation Precoding Strategy in Massive MIMO. <i>IEEE Communications Letters</i> , 2018 , 22, 2298-2301	3.8	5
46	A Novel Anti-Collision Algorithm in RFID for Internet of Things. <i>IEEE Access</i> , 2018 , 6, 45860-45874	3.5	3
45	Gear Fault Diagnosis in Variable Speed Condition Based on Multiscale Chirplet Path Pursuit and Linear Canonical Transform. <i>Complexity</i> , 2018 , 2018, 1-8	1.6	8
44	Finite-time robust fault-tolerant control against actuator faults and saturations. <i>IET Control Theory and Applications</i> , 2017 , 11, 550-556	2.5	37

43	Capacity Prognostics of Lithium-Ion Batteries using EMD Denoising and Multiple Kernel RVM. <i>IEEE Access</i> , 2017 , 5, 12061-12070	3-5	35
42	Self-Powered RFID Sensor Tag for Fault Diagnosis and Prognosis of Transformer Winding. <i>IEEE Sensors Journal</i> , 2017 , 17, 6418-6430	4	21
41	Primal dual interior point dynamic programming for coordinated charging of electric vehicles. <i>Journal of Modern Power Systems and Clean Energy</i> , 2017 , 5, 1004-1015	4	3
40	Construction of bulk power grid security defense system under the background of AC/DC hybrid EHV transmission system and new energy 2017 ,		1
39	An improved SVM classifier based on double chains quantum genetic algorithm and its application in analogue circuit diagnosis. <i>Neurocomputing</i> , 2016 , 211, 202-211	5-4	65
38	A simple structure wavelet transform circuit employing function link neural networks and SI filters. <i>International Journal of Electronics</i> , 2016 , 103, 2052-2063	1-2	0
37	OPTIMAL ANALOG WAVELET BASES CONSTRUCTION USING HYBRID OPTIMIZATION ALGORITHM. <i>International Journal on Smart Sensing and Intelligent Systems</i> , 2016 , 9, 1918-1942	0-4	
36	The reactive power optimization of distribution network based on wind power output scenario and complete-bus load 2016 ,		1
35	Real-Time Fault Detection and Diagnosis System for Analog and Mixed-Signal Circuits of AcoustoMagnetic EAS Devices. <i>IEEE Design and Test</i> , 2016 , 33, 77-90	1-4	2
34	Adaptive finite-time synchronization of a class of pinned and adjustable complex networks. <i>Nonlinear Dynamics</i> , 2016 , 85, 1393-1403	5	10
33	Switched-current filter structure for synthesizing arbitrary characteristics based on follow-the-leader feedback configuration. <i>Analog Integrated Circuits and Signal Processing</i> , 2015 , 82, 479-486	1-2	2
32	A Systematic Design Method For 3-D Grid Multiscroll Chaotic Attractors and Its Circuit Implementation Employing CFOAs. <i>International Journal of Bifurcation and Chaos in Applied Sciences and Engineering</i> , 2015 , 25, 1550041	2	6
31	Structure and realization of pole-shared switched-current complex wavelet filter. <i>Analog Integrated Circuits and Signal Processing</i> , 2015 , 85, 193-199	1-2	3
30	An Adaptive SVD Method for Solving the Pass-Region Problem in S-Transform Time-Frequency Filters. <i>Chinese Journal of Electronics</i> , 2015 , 24, 115-123	0-9	10
29	Improved FBD reactive power and harmonic current detecting method based on voltage sequence decomposition 2015 ,		1
28	A fast matrix inverse s-transform algorithm for MCG denoise 2015 ,		3
27	Prognostics of Lithium-Ion Batteries Based on Wavelet Denoising and DE-RVM. <i>Computational Intelligence and Neuroscience</i> , 2015 , 2015, 918305	3	18
26	A Novel Approach To Diagnosis Of Analog Circuit Incipient Faults Based On KECA And OAO LSSVM. <i>Metrology and Measurement Systems</i> , 2015 , 22, 251-262		12

25	A New Chaotic Attractor and Its Synchronization Implementation. <i>Circuits, Systems, and Signal Processing</i> , 2015 , 34, 1747-1768	2.2	16
24	Metric of the Application Environment Impact to the Passive UHF RFID System. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2014 , 63, 2387-2395	5.2	7
23	A Novel Localization Algorithm Based on Isomap and Partial Least Squares for Wireless Sensor Networks. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2013 , 62, 304-314	5.2	27
22	Broadband UHF RFID tag antenna with a rectangular-loop feed and additional patches. <i>Microwave and Optical Technology Letters</i> , 2012 , 54, 1234-1236	1.2	7
21	Wavelet Neural Network Approach for Testing of Switched-Current Circuits. <i>Journal of Electronic Testing: Theory and Applications (JETTA)</i> , 2011 , 27, 611-625	0.7	1
20	Effect of grain boundary on electric performance of ZnO nanowire transistor with wrap-around gate. <i>Central South University</i> , 2011 , 18, 1009-1012		2
19	Nonlinear correction of photoelectric displacement sensor based on least square support vector machine. <i>Journal of Central South University</i> , 2011 , 18, 1614-1618	2.1	5
18	Broadband and size-reduced microstrip antenna with double T-feed for UHF RFID tags. <i>Microwave and Optical Technology Letters</i> , 2011 , 53, 2697-2699	1.2	2
17	. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2010 , 59, 586-595	5.2	140
16	Neural Network Algorithm for Designing FIR Filters Utilizing Frequency-Response Masking Technique. <i>Journal of Computer Science and Technology</i> , 2009 , 24, 463-471	1.7	8
15	A novel method for fault diagnosis of analog circuits based on WP and GPNN. <i>International Journal of Electronics</i> , 2008 , 95, 431-439	1.2	5
14	Detection of Cardiac Signal Characteristic Point Using Log-Domain Wavelet Transform Circuits. <i>Circuits, Systems, and Signal Processing</i> , 2008 , 27, 683-698	2.2	17
13	Switched-current circuits test using pseudo-random method. <i>Analog Integrated Circuits and Signal Processing</i> , 2007 , 52, 47-55	1.2	4
12	Four optimal design approaches of high-order finite-impulse response filters based on neural network. <i>Central South University</i> , 2007 , 14, 94-99		1
11	A fully-programmable analog VLSI for Gaussian function generator using switched-current circuit 2007 ,		2
10	Analogue VLSI implementations of wavelet transform based on switched-current technology 2007 ,		1
9	The study of hybrid model identification, computation analysis and fault location for nonlinear dynamic circuits and systems. <i>Frontiers of Mechanical Engineering in China</i> , 2006 , 1, 233-237		
8	Fuzzy Model based On-line Stator Winding Turn Fault Detection for Induction Motors 2006 ,		1

7	Fuzzy Neural Network based Predictive Control for Active Power Filter 2006 ,	1
6	Design of 2D digital filters using BP neural networks 2005 ,	1
5	Diagonal recurrent neural network based on-line stator winding turn fault detection for induction motors 2005 ,	6
4	Line fault location in a distribution network based on K-fault diagnosis method	1
3	A neural network approach for fault diagnosis of large-scale analogue circuits	1
2	On the application of artificial neural networks to fault diagnosis in analog circuits with tolerances	5
1	The Extrapolation Theorem for Discrete Signals in the Offset Linear Canonical Transform Domain. <i>Circuits, Systems, and Signal Processing</i> ,1	2.2