
M C O Santos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5574457/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|----------|---------------|
| 1 | Persistent organic pollutants and contaminants of emerging concern in spinner dolphins (Stenella) Tj ETQq1 1 | 0.784314 | rgBT /Overloc |
| 2 | Age and growth of franciscana, Pontoporia blainvillei , and Guiana, Sotalia guianensis , dolphins from southeastern Brazil. Marine Mammal Science, 2021, 37, 702-716. | 1.8 | 3 |
| 3 | Trophic relationships and use of area of two sympatric small cetaceans in the Southwestern Atlantic Ocean determined by carbon and nitrogen stable isotopes. Anais Da Academia Brasileira De Ciencias, 2021, 93, e20200638. | 0.8 | 1 |
| 4 | Echolocation characteristics of franciscana dolphins (<scp><i>Pontoporia blainvillei</i></scp>). Marine Mammal Science, 2021, 37, 1139-1149. | 1.8 | 5 |
| 5 | Trophic ecology and foraging areas of cetaceans sampled in the coastal waters of south-eastern Brazil assessed through skin <i>l´</i> ¹³ C and <i>l´</i> ¹⁵ N. Journal of the Marine Biological Association of the United Kingdom, 2021, 101, 471-480. | 0.8 | 4 |
| 6 | Mercury in trophic webs of estuaries in the southwest Atlantic Ocean. Marine Pollution Bulletin, 2021, 167, 112370. | 5.0 | 5 |
| 7 | Seascape Genetics of the Atlantic Spotted Dolphin (<i>Stenella frontalis</i>) Based on Mitochondrial DNA. Journal of Heredity, 2021, 112, 646-662. | 2.4 | 2 |
| 8 | Population structure of the Atlantic spotted dolphin (Stenella frontalis) inferred through ecological markers. Aquatic Ecology, 2020, 54, 21-34. | 1.5 | 8 |
| 9 | Cetacean distribution in relation to environmental parameters between Drake Passage and northern Antarctic Peninsula. Polar Biology, 2020, 43, 1-15. | 1.2 | 8 |
| 10 | Reproductive parameters of franciscana dolphins (Pontoporia blainvillei) of Southeastern Brazil. Marine Mammal Science, 2020, 36, 1291-1308. | 1.8 | 7 |
| 11 | Feeding habits of the franciscana dolphin (<i>Pontoporia blainvillei</i>) in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2020, 100, 301-313. | 0.8 | 13 |
| 12 | Movements and habitat use of bottlenose dolphins,Tursiops truncatus, in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2020, 100, 651-662. | 0.8 | 6 |
| 13 | Cetaceans along the southeastern Brazilian coast: occurrence, distribution and niche inference at local scale. PeerJ, 2020, 8, e10000. | 2.0 | 3 |
| 14 | Acoustic Description of Beach-Hunting Guiana Dolphins (Sotalia guianensis) in the Cananéia Estuary, Southeastern Brazil. Aquatic Mammals, 2020, 46, 11-20. | 0.7 | 0 |
| 15 | Trophic dynamics in two South American estuaries encompassing industrial development and a biodiversity hotspot. Aquatic Conservation: Marine and Freshwater Ecosystems, 2019, 29, 2045-2056. | 2.0 | 5 |
| 16 | Cetacean movements in coastal waters of the southwestern Atlantic ocean. Biota Neotropica, 2019, 19, | 0.5 | 18 |
| 17 | Southern right whales in the South-western Atlantic Ocean: proposed criteria to identify suitable areas of use in poorly known reproductive grounds. Journal of the Marine Biological Association of the United Kingdom, 2019, 99, 1231-1236. | 0.8 | 0 |
| 18 | Abundance Estimates of Guiana Dolphins (Sotalia guianensis; Van Bénéden, 1864) Inhabiting an Estuarine System in Southeastern Brazil. Aquatic Mammals, 2019, 45, 56-65. | 0.7 | 8 |

| # | Article | IF | CITATIONS |
|----|--|------------------|---------------------|
| 19 | Contamination status by persistent organic pollutants of the Atlantic spotted dolphin (Stenella) Tj ETQq1 1 0.78 | 4314 rgBT 7.5 | - /Qyerlock 1 |
| 20 | Transplacental transfer of persistent organic pollutants in La Plata dolphins (Pontoporia blainvillei;) Tj ETQq0 0 0 | rgBT/Ove | rlock 10 Tf 5 18 |
| 21 | Reassessment of the franciscana Pontoporia blainvillei (Gervais & d'Orbigny, 1844) distribution and niche characteristics in Brazil. Journal of Experimental Marine Biology and Ecology, 2018, 508, 1-12. | 1.5 | 36 |
| 22 | Cetaceans using the marine protected area of "Parque Estadual Marinho da Laje de Santos", Southeastern Brazil. Brazilian Journal of Oceanography, 2017, 65, 605-613. | 0.6 | 12 |
| 23 | Southern Right Whales (Eubalaena australis) in an Urbanized Area off the Southwestern Atlantic Ocean: Updated Records and Conservation Issues. Aquatic Mammals, 2017, 43, 52-62. | 0.7 | 9 |
| 24 | Report of the Working Group on Taxonomy and Stock Identity of bottlenose dolphins in the Southwest Atlantic Ocean. The Latin American Journal of Aquatic Mammals, 2017, 11, 16-28. | 0.5 | 9 |
| 25 | Validating the use of biopsy sampling in contamination assessment studies of small cetaceans. Marine Pollution Bulletin, 2016, 107, 364-369. | 5.0 | 6 |
| 26 | Guiana dolphin home range analysis based on 11 years of photo-identification research in a tropical estuary. Journal of Mammalogy, 2016, 97, 599-610. | 1.3 | 14 |
| 27 | A rare sighting of a bottlenose whale (Hyperoodon planifrons, Flower, 1882) in shallow waters off southeastern Brazil. Brazilian Journal of Oceanography, 2016, 64, 105-110. | 0.6 | 3 |
| 28 | Ba/Ca ratios in teeth reveal habitat use patterns of dolphins. Marine Ecology - Progress Series, 2015, 521, 249-263. | 1.9 | 7 |
| 29 | Initial description of the phylogeography, population structure and genetic diversity of Atlantic spotted dolphins from Brazil and the Caribbean, inferred from analyses ofÂmitochondrial and nuclear DNA. Biochemical Systematics and Ecology, 2013, 48, 263-270. | 1.3 | 23 |
| 30 | Feeding habits of Guiana dolphins, <i>Sotalia guianensis</i> , from south-eastern Brazil: new items and a knowledge review. Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 1723-1733. | 0.8 | 24 |
| 31 | Contamination by chlorinated pesticides, PCBs and PBDEs in Atlantic spotted dolphin (Stenella) Tj ETQq1 1 0.78 | 4314 rgBT 8.2 | Qverlock 1 |
| 32 | PBDEs in the blubber of marine mammals from coastal areas of São Paulo, Brazil, southwestern Atlantic. Marine Pollution Bulletin, 2011, 62, 2666-2670. | 5.0 | 33 |
| 33 | Levels of persistent organic pollutants and residual pattern of DDTs in small cetaceans from the coast of São Paulo, Brazil. Marine Pollution Bulletin, 2010, 60, 1862-1867. | 5.0 | 52 |
| 34 | Biogeography of common dolphins (genus <i>Delphinus</i>) in the Southwestern Atlantic Ocean. Mammal Review, 2010, 40, 40-64. | 4.8 | 33 |
| 35 | Cetacean records along São Paulo state coast, Southeastern Brazil. Brazilian Journal of Oceanography, 2010, 58, 123-142. | 0.6 | 34 |
| 36 | Guiana dolphins (Sotalia guianensis) displaying beach hunting behavior in the Cananéia Estuary, Brazil: social context and conservation issues. Brazilian Journal of Oceanography, 2010, 58, 143-152. | 0.6 | 10 |

M C O SANTOS

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Feeding associations between Guiana dolphins, Sotalia guianensis (Van Bénèden, 1864) and seabirds in the Lagamar estuary, Brazil. Brazilian Journal of Biology, 2010, 70, 9-17. | 0.9 | 7 |
| 38 | Group size and composition of Guiana dolphins (Sotalia guianensis) (Van Bénèden, 1864) in the Paranaguá Estuarine Complex, Brazil. Brazilian Journal of Biology, 2010, 70, 111-120. | 0.9 | 13 |
| 39 | Home ranges of Guiana dolphins (<i>Sotalia guianensis</i>) (Cetacea: Delphinidae) in the Cananéia estuary, Brazil. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 1641-1647. | 0.8 | 14 |
| 40 | Guiana dolphins, Sotalia guianensis (Cetacea: Delphinidae), in the Paranaguá Estuarine Complex: insights on the use of area based on the photo-identification technique. Zoologia, 2010, 27, 324-330. | 0.5 | 5 |
| 41 | A Tale of Two Dolphins: Introduction to the Special Volume on the Biology and Conservation of Neotropical Dolphins of the Genus Sotalia. The Latin American Journal of Aquatic Mammals, 2010, 8, . | 0.5 | 1 |
| 42 | Report of the Working Group on Population Abundance and Density Estimation. The Latin American Journal of Aquatic Mammals, 2010, 8, . | 0.5 | 5 |
| 43 | Mitochondrial DNA diversity, differentiation and phylogeography of the South American riverine and coastal dolphins Sotalia fluviatilis and Sotalia guianensis The Latin American Journal of Aquatic Mammals, 2010, 8, . | 0.5 | 20 |
| 44 | Skin diseases in Guiana dolphins (Sotalia guianensis) from the ParanaguÃ; estuary, Brazil: A possible indicator of a compromised marine environment. Marine Environmental Research, 2009, 67, 63-68. | 2.5 | 58 |
| 45 | Emerging infectious diseases in cetaceans worldwide and the possible role of environmental stressors. Diseases of Aquatic Organisms, 2009, 86, 143-157. | 1.0 | 256 |
| 46 | Sightings of franciscana dolphins (pontoporia blainvillei): the discovery of a population in the Paranaguá estuarine complex, Southern Brazil. Brazilian Journal of Oceanography, 2009, 57, 57-63. | 0.6 | 19 |
| 47 | Records of a male killer whale (Orcinus orca) off Southeastern Brazil. Brazilian Journal of Oceanography, 2009, 57, 65-68. | 0.6 | 6 |
| 48 | Social Organization of Marine Tucuxi Dolphins, Sotalia guianensis, in the Cananéia Estuary of Southeastern Brazil. Journal of Mammalogy, 2008, 89, 347-355. | 1.3 | 43 |
| 49 | Age and growth of some delphinids in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 293-303. | 0.8 | 44 |
| 50 | TAXONOMIC STATUS OF THE GENUS SOTALIA: SPECIES LEVEL RANKING FOR "TUCUXI" (SOTALIA FLUVIATILIS) AND "COSTERO" (SOTALIA GUIANENSIS) DOLPHINS. Marine Mammal Science, 2007, 23, 358-386. | 1.8 | 107 |
| 51 | Ecological aspects of marine tucuxi dolphins (<i>Sotalia guianensis</i>) based on group size and composition in the Cananéia Estuary, southeastern Brazil. The Latin American Journal of Aquatic Mammals, 2007, 6, . | 0.5 | 27 |
| 52 | Riverine and marine ecotypes of Sotalia dolphins are different species. Marine Biology, 2005, 148, 449-457. | 1.5 | 85 |
| 53 | Killer whale (Orcinus orca) predation on a franciscana dolphin (Pontoporia blainvillei) in Brazilian waters. The Latin American Journal of Aquatic Mammals, 2005, 4, . | 0.5 | 14 |
| 54 | Distribution and habitat characteristics of dolphins of the genus Stenella (Cetacea: Delphinidae) in the southwest Atlantic Ocean. Marine Ecology - Progress Series, 2005, 300, 229-240. | 1.9 | 75 |

M C O SANTOS

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Strandings and feeding records of Bryde's whales (Balaenoptera edeni) in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2004, 84, 857-859. | 0.8 | 37 |
| 56 | Chlorinated pesticides and polychlorinated biphenyls in marine tucuxi dolphins (Sotalia fluviatilis) from the Cananéia estuary, southeastern Brazil. Science of the Total Environment, 2003, 312, 67-78. | 8.0 | 74 |
| 57 | On the occurrence of the Arnoux's beaked whale (Berardius arnuxii) in Brazil. Journal of the Marine Biological Association of the United Kingdom, 2003, 83, 887-888. | 0.8 | 5 |
| 58 | A Gervais' beaked whale (<i>Mesoplodon europaeus</i>) washed ashore in southeastern Brazil: extra limital record?. Aquatic Mammals, 2003, 29, 404-410. | 0.7 | 8 |
| 59 | Common dolphins (genus Delphinus) in southeastern Brazil. Mammalian Biology, 2002, 67, 47-50. | 1.5 | 2 |
| 60 | Morphology of the franciscana (<i>Pontoporia blainvillei</i>) off southeastern Brazil: sexual dimorphism, growth and geographic variation. The Latin American Journal of Aquatic Mammals, 2002, 1, . | 0.5 | 21 |
| 61 | Records of franciscana (<i>Pontoporia blainvillei</i>) from the coastal waters of São Paulo State, southeastern Brazil. The Latin American Journal of Aquatic Mammals, 2002, 1, . | 0.5 | 13 |
| 62 | Insights on site fidelity and calving intervals of the marine tucuxi dolphin (Sotalia fluviatilis) in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2001, 81, 1049-1052. | 0.8 | 47 |
| 63 | LONE SOCIABLE BOTTLENOSE DOLPHIN IN BRAZIL: HUMAN FATALITY AND MANAGEMENT. Marine Mammal Science, 1997, 13, 355-356. | 1.8 | 30 |