Marie Maraninchi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5575840/marie-maraninchi-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 1,762 15 34 g-index

34 2,180 4.9 avg, IF L-index

#	Paper	IF	Citations
28	Draft genome and description of Negativicoccus massiliensis strain Marseille-P2082, a new species isolated from the gut microbiota of an obese patient. <i>Antonie Van Leeuwenhoek</i> , 2020 , 113, 997-1008	2.1	
27	Effect of Nutrient and Micronutrient Intake on Chylomicron Production and Postprandial Lipemia. <i>Nutrients</i> , 2019 , 11,	6.7	28
26	Increased levels of the megakaryocyte and platelet expressed cysteine proteases stefin A and cystatin A prevent thrombosis. <i>Scientific Reports</i> , 2019 , 9, 9631	4.9	4
25	Lipodystrophy-like features after total body irradiation among survivors of childhood acute leukemia. <i>Endocrine Connections</i> , 2019 , 8, 349-359	3.5	2
24	Draft Genome and Description of Eisenbergiella massiliensis Strain AT11: A New Species Isolated from Human Feces After Bariatric Surgery. <i>Current Microbiology</i> , 2018 , 75, 1274-1281	2.4	3
23	Description of Mediterraneibacter massiliensis, gen. nov., sp. nov., a new genus isolated from the gut microbiota of an obese patient and reclassification of Ruminococcus faecis, Ruminococcus lactaris, Ruminococcus torques, Ruminococcus gnavus and Clostridium glycyrrhizinilyticum as	2.1	18
22	Mediterraneibacter faecis comb. nov., Mediterraneibacter lactaris comb. nov., Mediterraneibacter One-year impact of bariatric surgery on serum anti-Mullerian-hormone levels in severely obese women. <i>Journal of Assisted Reproduction and Genetics</i> , 2018 , 35, 1317-1324 128	3.4	12
21	Impact of bariatric surgery on apolipoprotein C-III levels and lipoprotein distribution in obese human subjects. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 495-506.e3	4.9	10
20	Noncontiguous finished genome sequence and description of Paenibacillus ihumii sp. nov. strain AT5. <i>New Microbes and New Infections</i> , 2016 , 10, 142-50	4.1	11
19	Eisenbergiella massiliensisò a new species isolated from human stool collected after bariatric surgery. <i>New Microbes and New Infections</i> , 2016 , 13, 15-6	4.1	13
18	Impact of Perturbed Pancreatic ECell Cholesterol Homeostasis on Adipose Tissue and Skeletal Muscle Metabolism. <i>Diabetes</i> , 2016 , 65, 3610-3620	0.9	16
17	Independent positive association of plasma Etarotene concentrations with adiponectin among non-diabetic obese subjects. <i>European Journal of Nutrition</i> , 2015 , 54, 447-54	5.2	20
16	Effects of bariatric surgery on hepatic and intestinal lipoprotein particle metabolism in obese, nondiabetic humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 2330-7	9.4	28
15	LDL-cholesterol-lowering effect of a dietary supplement with plant extracts in subjects with moderate hypercholesterolemia. <i>European Journal of Nutrition</i> , 2013 , 52, 547-57	5.2	36
14	Correlation between body mass index and gut concentrations of Lactobacillus reuteri, Bifidobacterium animalis, Methanobrevibacter smithii and Escherichia coli. <i>International Journal of Obesity</i> , 2013 , 37, 1460-6	5.5	224
13	Growth hormone level at admission and its evolution during refeeding are predictive of short-term outcome in restrictive anorexia nervosa. <i>British Journal of Nutrition</i> , 2013 , 109, 2175-81	3.6	15
12	Unacylated Ghrelin is associated with the isolated low HDL-cholesterol obese phenotype independently of insulin resistance and CRP level. <i>Nutrition and Metabolism</i> , 2012 , 9, 17	4.6	9

LIST OF PUBLICATIONS

11	Obesity-associated gut microbiota is enriched in Lactobacillus reuteri and depleted in Bifidobacterium animalis and Methanobrevibacter smithii. <i>International Journal of Obesity</i> , 2012 , 36, 817-25	5.5	412
10	Microbial culturomics: paradigm shift in the human gut microbiome study. <i>Clinical Microbiology and Infection</i> , 2012 , 18, 1185-93	9.5	722
9	Absence of acute inhibitory effect of insulin on chylomicron production in type 2 diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, 1039-44	9.4	30
8	Point-of-care measurements of HbA(1c): simplicity does not mean laxity with controls. <i>Diabetes Care</i> , 2012 , 35, e85	14.6	14
7	Specific adipocytokines profiles in patients with hyperactive and/or binge/purge form of anorexia nervosa. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 840-4	5.2	24
6	Parallel increase of plasma apoproteins C-II and C-III in Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2009 , 26, 736-9	3.5	13
5	A novel mutation (E333D) in the thyroid hormone beta receptor causing resistance to thyroid hormone syndrome. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2006 , 114, 569-76	2.3	4
4	Expression of the 1,25-(OH)2 vitamin D3 receptor gene during the differentiation of mouse Ob17 preadipocytes and cross talk with the thyroid hormone receptor signalling pathway. <i>Journal of Molecular Endocrinology</i> , 2005 , 34, 221-35	4.5	6
3	The axolotl (Ambystoma mexicanum), a neotenic amphibian, expresses functional thyroid hormone receptors. <i>Endocrinology</i> , 2004 , 145, 760-72	4.8	36
2	Low-level arsenite activates the transcription of genes involved in adipose differentiation. <i>Cell Biology and Toxicology</i> , 2004 , 20, 375-85	7.4	27
1	Patterns of gene expressions induced by arsenic trioxide in cultured human fibroblasts. <i>Toxicology Letters</i> , 2003 , 143, 155-62	4.4	20